


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

MAY 08 1991

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Lloyd W. Mayo
(Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JAN 25 1993

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-11461

Phone No. 459-7836

1. Owner: Lloyd W. Floyd
Current Address: 12703 chicken dinner Rd Caldwell IDA 83605

2. Accompanied by: Lloyd Floyd EXAM. DATE: 7-20-92

Address: same Phone No. same

Relationship to Permit Holder: same

3. Source: groundwater tributary to -NA-

B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-102682 Van Keedick;

☐ Copies Attached


2. Other water rights with same point of diversion: same as above

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____


2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

MICROFILMED

JUL 01 1993



8
15.4

9
25.6

10
16.7

6
28.6

5
8.7

1
8.7

T2565

N/NW

T2571

NW

T2780

NW

1
9
24.3
8

2
31.7

18.5

2
48.4

23.4

8

T3004

T4953

N/NW

NW

T3003

N/NW

T3001

17

N/NW

N/NW

11.4

12.9

2
7.5

33.5

2
29.3

25.0

T4832

T2997

NW

NW

T3046

4.6

39.8

2
19.8

3
20.5

8.9

18.7

T4941

25

N/NW

NW

PERMIT 63-11461 INIT *DA*
T. R. S. Q/Q
3w 3w 17 nwnw
18.0

3
28.0

4
24.7

N/NW

NW

3
10.3

6.2

4
24.9

NOT RECORDED
JUL 15 1993

4
6.7

17

20



PERMIT 63-11461 INIT 27
T. R. S. Q/Q
P/D 3u 3u 17 above
SCALE _____
PHOTO ID. _____

111 0 11

63-11461



View of well: It is
dumping INTO A COLLECTION
BOX MADE OF CEMENT.



It is then GRAVITY
IRRIGATED TO THE
MEASURING DEVICE.

UNRECORDED

JUL 01 1993

63-11461



THE MEASURING DEVICE
IS A WEIR. FROM
THIS THE WATER
MOVES TO THE CEMENT
DITCHES.



1993

JUL 01 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11461

Priority: February 20, 1991

Maximum Diversion Rate: 0.65 CFS
Maximum Diversion Volume: 244.4 AF

This is to certify, that LLOYD W FLOYD
12703 CHICKEN DINNER RD
CALDWELL ID 83605

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 20, 1991; and has submitted Proof of Beneficial Use on May 8, 1991. An examination indicates that the works have a diversion capacity of .650 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.65 CFS	244.4 AF

LOCATION OF POINT(S) OF DIVERSION:

NENW , Sec. 17, Township 03N, Range 03W
NWNW , Sec. 17, Township 03N, Range 03W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	03W	17	NENW 1.5	NWNW 35.5	SWNW 17.3	54.3

Total number of acres irrigated: 54.3

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

NOTED

JUL 01 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11461

CONDITIONS/REMARKS:

6. The right holder shall fully use all surface water rights appurtenant to the lands identified above prior to using water under this right.
7. Single point of diversion on tract line between NENW and NWNW, S17, T03N, R03W.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 4TH day of JUNE, 1993.

Acting for

R. Keith Higginson, Director

JUL 01 1993

RECEIVED

MAR 25 1993

Department of Water Resources

State of Idaho
Department of Water Resources

APPROVED

APPLICATION FOR AMENDMENT

(For Licensing Purposes)

WATER RIGHT NO. 63-11461

RECEIVED

MAR 23 1993

Department of Water Resources
Western Regional Office

Date of Priority: February 20, 1991

Maximum Diversion Rate: 0.65 CFS

Maximum Diversion Volume: 244.4 AF

Comes now LLOYD W FLOYD
12703 CHICKEN DINNER RD
CALDWELL ID 83605

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 63-11461, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.65 CFS	244.4 AF

LOCATION OF POINT(S) OF DIVERSION:

NENW , Sec. 17, Township 03N, Range 03W
NWNW , Sec. 17, Township 03N, Range 03W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N 03W 17	NENW 1.5	NWNW 35.5	SWNW 17.3	54.3

Total number of acres irrigated: 54.3

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Boise, this 23rd day of March, 19 93.

Lloyd W. Floyd
(Signature)

APR 01 1993

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-11461

FOR DEPARTMENT USE ONLY

Preliminary check by ea Fee = 20 Received by JK # W016053 Date 3/23/93

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 63-11461 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Water shall not be diverted under this right unless the flow of the Snake River exceeds established downstream minimum stream flows.
6. The right holder shall fully use all surface water rights appurtenant to the lands identified above prior to using water under this right.
7. Single point of diversion on tract line between NENW and NWNW, S17, T03N, R03W.

Witness my hand this 9th day of April, 1993.

Acting for R. Keith Higginson, Director

JUL 01 1993

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11461

Proposed Priority: February 20, 1991 Maximum Diversion Rate: 1.14 CFS

This is to certify, that **LLOYD W. FLOYD**
12703 CHINDEN DINNER RD.
CALDWELL, ID 83605

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

IRRIGATION	03/15 to 11/15	1.14 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION:

NWNW	Sec. 17, Township 03N, Range 03W
NENW	Sec. 17, Township 03N, Range 03W
	CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	03W	17	NWNW 37	SWNW 20		57


Total number of acres irrigated: 57

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **May 1, 1992**.
2. Subject to all prior water rights.
3. A flow measurement port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
4. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.
5. Single point of diversion on tract line between NENW and NWNW, S17, T03N, R03W.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

25th day of April, 1991.

for 
R. Keith Higginson, Director

MICROFILMED

MAY 08 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Lloyd W. Floyd Phone 459-7836
Post office address 12703 Chickens Dinner Rd. Caldwell ID 83605
2. Source of water supply groundwater which is a tributary of _____
3. Location of point of diversion is _____ $\frac{1}{4}$ of NW $\frac{1}{4}$ of NW $\frac{1}{4}$, Govt. Lot _____
Sec. 17 Township 3N Range 3W B.M. Canyon County; additional
points of diversion if any: NE NW, S17, 3N, 3W *
4. Water will be used for the following purposes:
Amount 1.14 for Irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 1.14 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. well, pump, open discharge to gravity fed irrigation ditch
 - b. Height of storage dam N/A feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet; period of year when water will be diverted to storage: _____ to _____ inclusive.
 - c. Proposed well diameter is 10" inches; proposed depth of well is 280' feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? NO
7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year).

RECEIVED

MAY 08 1991

* per applicant's map 2/26/91 LW

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
BN	3W	17						37	20										57

Total number of acres to be irrigated 57

10. Describe any other water rights used for the same purposes as described above. _____

Wilder Irig. Dist

11. a. Who owns the property at the point of diversion? Applicant

b. Who owns the land to be irrigated or place of use? Applicant


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: single r/d on line between NW¼ + NENW.
Drilling permit # 63-91-W-093

* per applicant's map 2/26/91 CW

MAY 03 1991

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

MAY 08 1991

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Lloyd W. Mayo
(Applicant)

Received by CJH Date 2-20-91 Time 12:00 Preliminary check by lw
Fee \$ 65.00 Received by CJH # 10013024 Date 2-20-91
Publication prepared by GG Date 2/28/91 Published in Press-Tribune
Publication approved st Date 3-28-91
3/6 & 3/13/91

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

RECEIVED

MAY 08 1991

NOTICE OF APPLICATION FOR WATER RIGHT
The following application(s) have been filed to appropriate the public waters of the State of Idaho:

AFFIDAVIT OF PUBLICATION

MAR 14 1991

MARTINEAU, STEVEN L.
7472 HWY 45
NAMPA, ID 83686
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

63-11453

E OF IDAHO)

) ss.

of Canyon)

NWSE Sec 33 T 02N R 02W
(1.600 CFS)
Total Diversion: (1.600 CFS)

Date Filed: 2/19/1991
In: T02N R02W S33
80.0 ACRES TOTAL

NWSE

SWSE

Sharla O'Krakel

BLICKENSTAFF, DOUG
7248 LYNWOOD RD.
NAMPA, ID 83686
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

63-11458

npa, Canyon County, Idaho, being first duly sworn, deposes
ys:

NWSE Sec 29 T 02N R 02W
(2.000 CFS)
Total Diversion: (2.000 CFS)

Date Filed: 2/22/1991
In: T02N R02W S29
110.0 ACRES TOTAL

SWNE

NESE

NWSE

that I am a citizen of the United States of America, and at all
hereinafter mentioned was over the age of eighteen years,
a party to the above entitled action.

FLOYD, LLOYD W.
12703 CHINDEN DINNER RD.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversión Pt:

63-11461

NENW Sec 17 T 03N R 03W
NWNW Sec 17 T 03N R 03W
(1.140 CFS)
Total Diversion: (1.140 CFS)

Use: IRRIGATION:

Date Filed: 2/20/1991
In: T03N R03W S17
57.0 ACRES TOTAL

NWNW

SWNW

that I am the Principal Clerk of the Idaho Press-Tribune, a
(except Saturday) newspaper published in the City of
and Caldwell, in the County of Canyon, State of Idaho;
he said newspaper is in general circulation in the said
y of Canyon, and in the vicinity of Nampa and Caldwell, and
en uninterruptedly published in said County during a period
enty-eight consecutive weeks prior to the first publication of
tice, a copy of which is hereto attached.

that the notice, of which the annexed is a printed copy, was
hed in said newspaper
two times

ie regular and entire issue of said paper, and was printed in
wspaper proper, and not in a supplement.

that said notice was published the following dates:

PYWELL, MARLEAN
PYWELL, JEAN
6282 LYNWOOD RD.
NAMPA, ID 83686
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

63-11466

SWNW Sec 11 T 01N R 02W
(2.000 CFS)
Total Diversion: (2.000 CFS)

Date Filed: 2/13/1991
In: T01N R02W S11
111.0 ACRES TOTAL

NENW

NWNW

SWNW

SENW

March 6, 13, 1991

HAWKER, B. EUGENE
HAWKER, DONNA M.
11140 CHICKEN DINNER DR.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION
STOCKWATER

63-11468

SWSE Sec 1 T 02N R 04W
(2.140 CFS)
Total Diversion: (2.140 CFS)

Date Filed: 2/15/1991
In: T02N R04W S01
107.0 ACRES TOTAL

SWSW

SESW

SWSE

E OF IDAHO)
)
NTY OF CANYON)

his 13th day of March in the
of 1991, before me, a Notary Public, personally
red Sharla O'Krakel, known
ntified to me to be the person whose name subscribed to the
t instrument, and being by me first duly sworn, declared
he statements therein are true, and acknowledged to me that
e executed the same.

MILLER, MONTE
MILLER, ALICE
6156 DEERFLAT DR.
NAMPA, ID 83686
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

63-11469

SESE Sec 13 T 02N R 02W
(.500 CFS)
Total Diversion: (.500 CFS)

Date Filed: 2/13/1991
In: T02N R02W S13
25.0 ACRES TOTAL

SESE

Notary Public for Idaho
Residing at Nampa

MY COMMISSION EXPIRES
JULY 12th, 1991

HILL, ENOS V.
HILL, ELTON D.
302 S. DEWEY LN.
NAMPA, ID 83687
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION
STOCKWATER
DOMESTIC

63-11470

NWSE Sec 29 T 03N R 01W
(2.400 CFS)
(.130 CFS)
(.060 CFS)
Total Diversion: (2.590 CFS)

Date Filed: 2/8/1991
In: T03N R01W S29
120.0 ACRES TOTAL

SWNE

SENW

SWSE

SHROLL, NORMAN
7130 HWY. 45
NAMPA, ID 83687
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

63-11471

NENE Sec 28 T 02N R 02W
(1.420 CFS)
Total Diversion: (1.420 CFS)

Date Filed: 2/21/1991
In: T02N R02W S28
71.0 ACRES TOTAL

SENE

SENE

KENDALL, A. WILLIAM
418 ALUMBAUGH
BOISE, ID 83704
Source: SPRINGS
Diversión Pt:
Use: STOCKWATER

63-11473

Tributary: EAST HARTLEY GULCH
NWNENE Sec 35 T 05N R 03W
(.020 CFS)
Total Diversion: (.020 CFS)

Date Filed: 2/19/1991
In: T05N R03W S35

NENE

The permit(s) will be subject to all prior water rights. Protests must be filed with
the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise,
Idaho 83705 on or before MARCH 25, 1991.
R. KEITH HIGGINSON, Director
March 6, 13, 1991

MICROFILMED

MAY 08 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

June 7, 1993

LLOYD W FLOYD
12703 CHICKEN DINNER RD
CALDWELL ID 83605

RE: WATER RIGHT NO. 63-11461

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

A handwritten signature in black ink, appearing to be 'Jim Johnson', written over a horizontal line.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECEIVED

JUL 01 1993

IDAHO DEPARTMENT OF WATER RESOURCES
PLACE OF USE 1/4 1/4 COMPARISON REPORT
(REGIONAL)

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '**' ARE ADJUDICATION CLAIMS)

WR-NUMBER	SOURCE	NE				NW				SW				SE				NE				NW				SW				SE				SUM				
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac									
L6311461	T03N R03W S17	GROUNDWATER																																53				
	:																	01	35	17	:																	:
6302388	BOISE RIVE :																	:																	:			
A6302388	BOISE RIVE :																	:																	:			
6302682	GROUNDWATE :																	40	07	:																	47	
A6302682	GROUNDWATE :																	34	:																	34		
6302709	GROUNDWATE :																	:																	4			
6302734	GROUNDWATE :																	:																	4			
A6302734A	GROUNDWATE :																	:																	81			
A6302734B	GROUNDWATE :																	:																	67			
A6302734C	GROUNDWATE :																	:																	5			
A6302734E	GROUNDWATE :																	:																	5			
6302747	GROUNDWATE :																	:																	2			
6302819A	GROUNDWATE :																	:																	5			
6302819B	GROUNDWATE :																	:																	22			
6303145	GROUNDWATE :																	:																	06			
A6303145	GROUNDWATE :																	:																	6			
6307340	GROUNDWATE :																	:																	5			
A6307340	GROUNDWATE :																	:																	5			
6307394	GROUNDWATE :																	:																	11			
A6307394A	GROUNDWATE :																	:																	11			
A6307394B	GROUNDWATE :																	:																	11			
A6307394C	GROUNDWATE :																	:																	10			
6309251	GROUNDWATE :																	:																	10			
A6309251	GROUNDWATE :																	:																	10			
6310293	GROUNDWATE :																	:																	02			
6310485	GROUNDWATE :																	:																	02			
6310724	GROUNDWATE :																	:																	02			
6311461	GROUNDWATE :																	:																	03			
A6326978	GROUNDWATE :																	:																	03			
--86 MAP--	C27Q-X 55 :	39	44															42	39	42	42	40	36	17	30	30	05	38	10	5								
NO QTRS	MAPPING	Lot01-13				Lot03-26				Lot04-11				Lot05-18																449								

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD		DIVERSION RATE	DIVERSION VOLUME
				FROM	TO		
C	LLOYD W FLOYD 12703 CHICKEN DINNER RD CALDWELL ID 83605 (208) 459-7836	02/20/1991	IRRIGATION	03-15	11-15	0.65 CFS	244.4 AFA
TOTAL DIVERSION:						0.65 CFS	244.4 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.65 CFS

Point(s) of Diversion: T03N R03W S17 NE NW NW NW

Place of use Legal Description for: IRRIGATION

			NE				NW				SW				SE											
T	R	S	: Lt	Ac	NWNE	SWNE	SENE	: Lt	Ac	NWNW	SWNW	SENW	: Lt	Ac	NESW	NWSW	SWSW	SESW	: Lt	Ac	NWSE	SWSE	SESE	: Lt	Ac	
03N	03W	17	:					:	01	35	17		:						:							SUM
																									54.3	
																									TOTAL ACRES	
																									54.3	

Pou County: CANYON

Other Rights: WILDER IRRIGATION DISTRICT

Other Water Rights with Same Point(s) of Diversion and Source:
63-02682 63-11461

Other Water Rights Listing Overlapping Place(s) of use:
63-02682 63-11461

Conditions of Approval:

~~R35~~ Water shall not be diverted under this right unless the flow of
R32 the Snake River exceeds established downstream minimum stream
flows.

Remarks: Single point of diversion on tract line between NENW and NWNW,
S17, T03N, R03W.
The right holder shall fully use all surface water rights
appurtenant to the lands identified above prior to using water
under this right.

Dates: App. Received: 02/20/1991 Priority Date: 02/20/1991
Proof Due Date: 05/01/1992 Proof Made Date: 05/08/1991
Exam Made Date: 07/20/1992 Exam Sent to S.O.: 01/22/1993
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 02/23/93 SKAGGS



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

March 16, 1993

LLOYD W FLOYD
12703 CHICKEN DINNER RD
CALDWELL ID 83605

RE: WATER RIGHT NO. 63-11461

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 15 days.

If you do not concur with these findings or if you have any questions, please contact us within the 15-day period.

Sincerely,

A handwritten signature in cursive script that reads 'Pamela Skaggs'.

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECORDED

JUL 01 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JAN 25 1993

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-11461

Phone No. 459-7836

1. Owner: Lloyd W. Floyd
Current Address: 12703 chicken dinner Rd Caldwell Ida 83605

2. Accompanied by: Lloyd Floyd EXAM. DATE: 7-20-92

Address: same Phone No. same

Relationship to Permit Holder: same

3. Source: groundwater tributary to -NA-

B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-102682 Van Keedick;

☐ Copies Attached


2. Other water rights with same point of diversion: same as above

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

JUL 01 1993

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

This system uses a 25hp, 10" well that is 240' deep and has a water level of 165' to irrigate 50+ acres. The pumping level is 90' and the water is diverted by cement ditcher tubes.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
submersible		25			

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NW	NW	17	3n	3w	Lanyon	Quads, Aerials
			NE	NW	17	3n	3w	Lanyon	Quads, Aerials

6. Place(s) of Use:

Indicate Method of Determination Quad & Aerial

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3n	3w	17					15	355	17.3										54.3
																			54.3

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

$$\text{Theoretical: } \frac{25 \times 8.8 \times .70}{90 + (2.3 \times 0)} = \frac{154}{90} = 1.71 \text{ cfs}$$

$$\text{Weir measurement} = 2' \text{ Cipolletti @ } 2.5''/\text{s} = .65 \text{ cfs}$$

water measurement
HANDBOOK

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: $54.3 \times .02 = 1.09$ Allowable

$$.65 \text{ cfs weir measurement (IRR)}$$

2. Alternate Method for Checking Purposes:

$$1.71 \text{ cfs Theoretical}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: $3.6 \times \text{KH} \times \text{CTR or MULT} \times \text{PTR} \times \text{N} / \text{T} = \text{_____}$ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

NA

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 54.3 \times 4.5 = 244.4 \text{ AFA}$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .65 \times 245 \times 1.9835 = 315.9 \text{ AFA}$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 244.4 \text{ AFA (IRR)}$$

2. Volume Calculations for Other Uses:

NONE

MAINTAINED

JUL 01 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

* other wRHS are neighbors; do not affect this permit.
Pictures raise concerns over placement of weir & accuracy of measurement.
Assume measurement correct/Allow for right holders comments (Amendment)

Remarks - WR3/GW Supplemental, Single P.D.

Conditions - R32

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3-15	11-15	.65 cfs	244.4 AFA
Totals:			.65 cfs	244.4 AFA

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☐ None

☐ Change P.U. as reflected above

☒ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name

DAVID GRAY


Signature

08 02-23-93

Certification Date

Field Report Preparation Date


8-6-92



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

RECORDED

JUL 01 1993





PERMIT 63-11461 INIT 28
T. R. S. Q1Q
P/D 3r 3w 17 Q1Q
SCALE _____
PHOTO ID. _____

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-11461

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 3n, Rge 3w, Sec 17, nw 1/4 nw 1/4 or Lot _____.

2. Owner: Lloyd W. Floyd.
Address 12703 Chestnut Avenue Rd., City Colbert, St Idaho

3. Casing $\geq$ 12 inches above ground: Yes ☒ No _____

4. Access Port:	Yes ☒ No _____	Static Water Level:	<u>65'</u>
Pressure Gauge:	Yes _____ No ☒	Casing Diameter:	<u>10'</u>
Flowing:	Yes ☒ No _____	Temperature:	<u>✓</u>


5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes _____ No ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.


Remarks: _____

JUL 01 1993

63-11461



View of well: It is
dumping INTO A COLLECTION
BOX MADE OF CEMENT.



It is then GRAVITY
IRRIGATED TO THE
MEASURING DEVICE.

RECEIVED
JUL 01 1993

JUL 01 1993

63-11461



THE MEASURING DEVICE
IS A WEIR. FROM
THIS THE WATER
MOVES TO THE CEMENT
DITCHES.



63-11461

May 17, 1991

LLOYD W. FLOYD
12703 CHICKEN DINNER RD.
CALDWELL, ID 83605

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11461

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

JUN 04 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 63-11461

Date 5-15-91

GENERAL CONSIDERATIONS

- ☒ Name same as permit?
☒ Address same as permit? If no, indicate below.
☒ Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

- ☐ Surface water source
☒ Ground water source
☒ Drill permit req'd?
☒ Copy in file? Drill permit no. 63-91-W-093
206.00 Amt paid for drilling permit? yes Correct?
☐ Well log in file?

LICENSE EXAMINATION FEE

- yes Required?
125.00 Amount submitted?
yes Correct amount?

MEASURING DEVICE

- yes Measuring device or access port required?
yes Installed?
☐ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

address correction - MS. 5-15-91
needs well log OK
proof acceptable

PRIORITY CALCULATION

Date proof received	<u>NA</u>	
Date proof due		-
No. of days late		=
Priority date		+
NEW PRIORITY DATE		=

RECEIVED

MAY 10 1991

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

For Office Use Only
Amt. of Fee \$ 125.00
Date 5-8-91
Receipt No. W013290
Received by SPV

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-11461 Telephone No. 459-7836

2. Name(s) of Permit Holder(s): Lloyd W. Floyd

3. Post Office Address: 12703 ~~Chickadee~~ Chicken Dinner Rd.

4. Source of Water: Groundwater

a. If ground water, well driller's name: Sylvan Adanson Date drilled: April 1991

b. Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use:

Domestic _____ (No. of households) Irrigation 57 (No. of acres)

Stockwater _____ (No. and type of stock) Other _____

6. Total rate and/or volume for which proof is submitted 1.14 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

OR

Flow Measurement Port: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

8. Fee Enclosed: \$ 125.00 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Same as above
Name

Telephone No.

Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

May 8 1991
Date

Lloyd W. Floyd
Signature (and title if on behalf of a company or organization)

04 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

May 3, 1991

LLOYD W. FLOYD
12703 CHINDEN DINNER RD.
CALDWELL, ID 83605

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-11461

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Be sure to note the special condition requiring you to install a measuring device. Enclosed, for your reference, is a list of measuring device options.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosures

MAILED
MAY 6 1991

APPLICATION FOR PERMIT REVIEW

Application #: 63-11461
Date: 4-22-91

Reviewer: Pam Skaggs *CS*

Existing:

✓ No - 26A-P17
✓ Complete in 1 year - P16

Yes

Proof not submitted - P16
Proof submitted - N/A

Groundwater:

✓ GT. 0.7 cfs - 01G-P03, 01C-P03 (existing well)
LT. 0.7 cfs - N/A

Drilling Permit:

Approved w/permit - P99
Not Included *already approved* 046-P23 (All GW, even existing wells)

Location:

Water Districts - WD No. 63
Surface water - 005, 005-01H-P01 (LT.7 w/pump)
005-01J-P08 (GT.7)

✓ Groundwater *existing* - P05

Irrigation Districts - 023

Canal Co. Areas - 023

Drainage Districts - 024

Boise Front (63) - 058 (Groundwater)

✓ Swan Falls Flag - (1, Blank or Other)

Trust - 051-052-053-P74 (Cons.), 041 (DCMI, w/Irr

Non Trust - 048-049 or Irr & Dom)

✓ River Basins:

(Surface Water) Water District Control Condition &....

Boise (63) - 05A & 11E

Payette (65) - 047-P04, 059-P71

Snake (01, 02 & 03) - 11A-P04 (01), 061-P07 (02/03 No W.D. Cond.)

Use:

Fish Propagation - 06A, 09E-P10 & 010 (WQ/Choose One),
042 (req.), 002-P06 (MD), 07A (Spec.),
044 (Policy 5G)

Power - Use Power Review

Mining - 06A or 010, 09E-P10 & 054 (req.)

Storage - 18A-for multiple measuring devices (In WD),
18B-P09 (Size)

Rec. & Aesthetic - 027 (Non-Consumptive)

Domestic - 021 (restricted areas)

Ownership:

Non land owner - 004

Protested:

Agreement - 020

Minimum Stream Flow:

Overlapping uses - 029-P20

✓ Beneficial Use Due Date:

Other Conditions Recommended - 05-01-1992

MAY 08 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: lw DATE: 2/25/91 APPLICATION: 63-11461

REQUIRED INFORMATION

☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume) Gov't. Lots:
☒ Period of use: ☒ P/D
☒ Nature of proposed use: (Include description of use) ☒ P/U
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee:
☒ Yes ☐ No* In form to receipt:

ADDITIONAL INFORMATION

YES	NO	
☒	☐	Overlapping place of use: (Describe source & relationship to present application on the back.)
☐	☒	Overlapping point of diversion:
☐	☐	Field check required: Field check by: _____
☐	☐	Field report attached:
☐	☒	Critical groundwater area:
☐	☒	Groundwater management area:
☐	☒	Diversion within interim protected river area
☐	☒	Send dam safety information:
☐	☒	Send power requirement letter:
☐	☒	Send fish farm requirement letter:
☐	☒	Power residency affidavit:
☐	☒	Power efficiency form:
☐	☒	Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☐	☒	Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
☐	☒	*REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: _____
☒ Additional information on reverse side:

RECEIVED
APR 9 1991

PROCESSING

APPLICATION NO. 63-11461

YES NO

☒

☐

In form for advertising:

☐

☒

Statewide advertising:

☒

☐

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☐

☒

I.D. Health and Welfare

☐

☒

I.D. Fish and Game

☐

☒

I.D. Lands

☐

☒

Adjudication Bureau

YES NO

☐

☒

U.S. BLM

☐

☒

U.S. Forest Svc.

☐

☒

Water Dist. # _____

☐

☒

Other _____

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒

☐

Affidavit of publication received:

☒

☐

Application published correctly: If not, record action taken.

☒

☐

Publication dates and paper recorded on application:

☐

☒

Protests received. Final date for protest March 25, 1991

☐

☒

Protest dates, resolution of protest recorded on application:

☐

☒

Recommendations attached:

☐

☒

Measuring device required:

☐

☒

Measuring port required: Flow meas memo

☐

☒

Water delivered by water master? District # _____

☐

☒

Special conditions of approval or cover letter: _____

(Drilling permit issued)

☒

☐

See below for additional information

Recommended Date or Priority 2/20/1991

Recommended by: _____

DMS

Date 4/4/1991

STATE OFFICE REVIEW

☐

☐

See below for additional information. By _____

Date _____

ADDITIONAL INFORMATION

1/4 overlap - older well for 7 acres in NWNW

State of Idaho
Department of Water Resources

APPLICATION FOR DRILLING PERMIT

1. Applicant (please print) Lloyd W. Floyd
2. Mailing Address 12703 Chicken Dinner Rd. Caldwell ID 83605
Telephone 459-7836

☒ Well Owner () Well Operator () Other, specify _____

3. Proposed well location NW 1/4 NW 1/4, or Gov't Lot No. _____

Sec. 17, Twp. 3N, Rge. 3W, County Canyon

Street Address of Well Site _____

Lot, block and subdivision _____

4. Proposed use of well:

- () Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

☒ Non-Domestic: Any beneficial use not included within the definition of domestic. Irrigation

() Injection

() Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____

5. Well construction information:

A. ☒ New well () Deepen () Replace - See Condition 9

B. Proposed Surface Diameter 10" Proposed Maximum Depth 280'

C. Anticipated bottom hole temperature:

- ☒ 85°F or less (Cold water well)
☐ 85°F to 212°F (Low temp. geothermal well)
☐ 212° or more (Geothermal well)

6. Construction Start Date 3-20-91

7. Anticipated Well Driller Adamson, Dave

NOTE: The actual well driller must be identified prior to drilling.

8. Applicant's signature Lloyd W. Floyd Date MAY 08 1991

Title _____

(Owner, Firm Representative, Other)

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is Approved Date 3-28-91

If approved, this permit authorizes the constuction or modification of a well subject to the following conditions. READ CAREFULLY

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules & Regulations.

SPECIFIC CONDITIONS:

10. No water shall be diverted from this well until application # 63-11461 is approved.

Steve Lester Jr. Agent for Manager, Western Region
Signature of Authorized Department Representative Title

Receipt No. W013024 Received by Cyf Fee 200.00 Date 2-20-91
MICROFILMED
MAY 08 1991

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension is good for 60 days beyond the above extension approval date.

63-11461

FLOYD, LLOYD W.
12703 CHINDEN DINNER RD.
CALDWELL, ID 83605

Source: GROUNDWATER

Diversion Pt:	NENW	Sec 17 T 03N R 03W
	NWNW	Sec 17 T 03N R 03W

Use: IRRIGATION (1.140 CFS)
Total Diversion: (1.140 CFS)

Date Filed: 2/20/ 1991

In: T03N R03W S17 NWNW SWNW

57.0 ACRES TOTAL

MICROFILMED
MAY 08 1991