


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Davis Reynolds

(Applicant)

MAY 08 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JAN 25 1993

Department of Water Resources

A. GENERAL INFORMATION

1. Owner: David A Reynolds Permit No. 63-1459
Current Address: 4783 W. King Rd Kuna Id 83634 Phone No. 922-4339
2. Accompanied by: David Reynolds EXAM. DATE: 7-15-92
Address: same Phone No. same
Relationship to Permit Holder: same


3. Source: groundwater tributary to WA-

B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-09206 Boise Project Canal ☐ Copies Attached
2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

Bennett

T1488

PHE
1D
15.3

PHE
1C
20.0

PHE
1B
16.2

2
14.8

HEL

T1489

2
28.6

↑
+
↑

PHE
1A
1.8

107.6
ACRES

T1491

28
15.0

21
9.9

4
10.9

5A
8.5

N/A
1989

Green Ln.

A12

T1827

2
2.4

22.1

T1710

T1941

NOT TO SCALE

APR 22 1993



63-11459

View of motor &
turbine pump.



View of well & pipeline to
dirt pitches.



MICROFILMED

APR 22 1993

63-11459

View to the south.



View East from the
west side of the
PROPERTY.

APR 22 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11459

Priority: February 20, 1991

Maximum Diversion Rate:

1.54 CFS

Maximum Diversion Volume:

484.2 AF

This is to certify, that DAVID A REYNOLDS

4783 W KING RD

KUNA ID 83634

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 20, 1991; and has submitted Proof of Beneficial Use on April 29, 1992. An examination indicates that the works have a diversion capacity of 1.540 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	1.54 CFS	484.2 AF

LOCATION OF POINT(S) OF DIVERSION:

NENW , Sec. 33, Township 02N, Range 01W
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	01W	33	NENW 36	NWNW 36	SWNW 35.6	107.6
Total number of acres irrigated:						107.6

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The issuance of this right in no way grants any right-of-way or easement across the land of another.
6. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.
7. The right holder shall fully use all surface water rights appurtenant to the lands identified above prior to using water

RECEIVED

APR 22 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11459

CONDITIONS/REMARKS:

under this right.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 23RD
day of FEBRUARY, 1998.

Acting for R. Keith Higginson, Director

APR 22 1998

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 63-11459

Proposed Priority: February 20, 1991 Maximum Diversion Rate: 2.40 CFS
This is to certify, that **DAVID A. REYNOLDS**

4783 W. KING RD.

KUNA, ID 83634

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

IRRIGATION	03/15 to 11/15	2.40 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION:

NENW	Sec. 33, Township 02N, Range 01W
SENW	Sec. 33, Township 02N, Range 01W
	ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u> <u>RGE</u> <u>SEC</u>		<u>ACRES</u>		<u>ACRES</u>		<u>ACRES</u>	<u>TOTAL</u>
02N 01W 33	NENW	40	NWNW	40	SWNW	40	120


Total number of acres irrigated: 120

CONDITIONS/REMARKS:


1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **May 1, 1992**.
2. Subject to all prior water rights.
3. A flow measurement port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
4. The issuance of this permit in no way grants any right-of-way or easement across the land of another.
5. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.
6. Single point of diversion on tract line between NENW and SENW, S33, T02N, R01W.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

25th day of April, 1991.

for 
R. Keith Higginson, Director

MAY 08 1991



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 63-11459

Department of Water Resources

To appropriate the public waters of the State of Idaho

1. Name of applicant David A. Reynolds Phone 922-4339
Post office address 4783 W. King Rd., Kuna, ID 83634
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is _____ $\frac{1}{4}$ of SE ~~NE~~ $\frac{1}{4}$ of NW $\frac{1}{4}$, Govt. Lot _____
Sec. 33 Township 02N Range 01W B.M. ADA County; additional
1pt. of Diversion near line.
points of diversion if any: NE SE, Sec 33, T02N, R01W
NE NW
4. Water will be used for the following purposes:
Amount 2.40 for Irr. purposes from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 2.40 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. Well, pump, ditches
Drilling permit 63-91-2-017.
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is 16" 12" inches; proposed depth of well is 225 feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? NO
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

* LW - 2/25/91 - Map interpretation

MICROFILMED

MAY 08 1991

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
2N	1W	33					40	40	40										120

Total number of acres to be irrigated 120

10. Describe any other water rights used for the same purposes as described above. None

11. a. Who owns the property at the point of diversion? Dale Reynolds

b. Who owns the land to be irrigated or place of use? Dale Reynolds & John Ocker

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. Rented land agreement


12. Remarks: Single point of diversion on line between NENW & SENW
S.33 T2N R1W.

FILMED

MAY 08 1991

per
topo
82
2/26/91

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

David Reynolds
(Applicant)

Received by YB. 28 Date 2-20-91 Time 9:25 AM Preliminary check by lw
Fee \$ 85.00 Receipted by gy # C019687 Date 2-20-91
Publication prepared by GG Date 2/28/91 Published in ID Statesman
Publication approved st Date 3-29-91
3/7 & 3/14/91

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

MICROFILMED

MAY 08 1991

The Idaho Statesman

P.O. BOX 40, BOISE, IDAHO 83707

LEGAL ADVERTISING INVOICE

Amount Due

860.16

Account Number 47628		Identification Notice of Application for Water Right	
Ordered By Gail Garrett	P.O. Number	Rate nt	Run Dates March 7, 14, 1991
Idaho Dept. of Water Resources Western Region 2735 Airport Way Boise ID 83705		Estimated Inches	Real Inches
		# Affidavits 1	Legal Number 7791

MAR 15 1991

Department of Water Resources
Western Regional Office

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-11458
CHARTERS, DENNIS P
14144 S. CAN ADA
MELBA, ID 83641
Source: GROUNDWATER
Diversion Pt.: NESW Sec 6 T 01S
R 01W
Use: IRRIGATION (3,000 CFS)
Total Diversion: (3,000 CFS)
Date Filed: 2/21/1991
In: T01S R01W S06 NESW Lot 6
(NWSW) Lot 7 (SWSW) SESW
NWSE SWSE
180.0 ACRES TOTAL

63-11459
REYNOLDS, DAVID A.
4783 W. KING RD.
KUNA, ID 83634
Source: GROUNDWATER
Diversion Pt.: NENW Sec 33 T 02N R
01W
SENW Sec 33 T 02N R 01W
Use: IRRIGATION (2,400 CFS)
Total Diversion: (2,400 CFS)
Date Filed: 2/20/1991
In: T02N R01W S33 NENW NWNW
SWNW
120.0 ACRES TOTAL

63-11467
BW INC.
1523 E. BOISE AVE.
BOISE, ID 83706
Source: GROUNDWATER
Diversion Pt.: LOT 5 (NWSW) Sec 16
T 04N R 01E
SWSW Sec 16 T 04N R 01E
Use: IRRIGATION (1,600 CFS)
DOMESTIC (.670)
Total Diversion: (2,270 CFS)
Date Filed: 2/21/1991
In: T04N R01E S16 Lot 5 (SWNW)
Lot 6 (NESW Lot 5 (NWSW)
SWSW
Lot 6 (SESW)
S21 Lot 2 (NWNW) Lot 3 (NENW)
Lot 4 (NWNW)
80.0 ACRES TOTAL

67-07855
WEISER IRRIGATION DISTRICT
28 W. IDAHO ST.
WEISER, ID 83672
Source: SNAKE RIVER
Tributary: COLUMBIA RIVER
Diversion Pt.: LOT 4 (SWNW Sec 31
T 11N R 05W
Lot 3 (SENW) Sec 31 T 11N R 05W
Use: IRRIGATION (100,000 CFS)
Total Diversion: (100,00 CFS)
Date Filed: 2/13/1991
Place of use is lands within the
Weiser Irrigation District.
The permit(s) will be subject to
all prior water rights. Protests may
Protests must be filed with the Di-
rector, Dept. of Water Resources,
Western Region, 2735 Airport Way,
house Mail, Boise, Idaho 83705 on or
before MARCH 25, 1991.
R. KEITH HIGGINSON, Director
Pub. Mar. 7, 14, 1991 7791

Denise Richardson

, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in The Idaho Statesman in conformity with Section 60-108, Idaho Code as amended, for two

☒ consecutive weekly ☐ consecutive daily ☐ single ☐ odd skip

insertion(s) beginning with the issue of Mar. 7, 1991

and ending with the issue of Mar. 14, 1991

Denise Richardson

STATE OF IDAHO)

ss.

COUNTY OF ADA)

On this 14th day of March in the year of 1991, before me, a Notary Public, personally appeared Denise Richardson

, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that she executed the same.

Janice Madec
Notary Public for Idaho
Residing at Boise, ID
My commission expires: May '91

MAY 08 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

February 24, 1993

DAVID A REYNOLDS
4783 W KING RD
KUNA ID 83634

RE: WATER RIGHT NO. 63-11459

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in cursive script that reads 'Pamela Skaggs'.

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED

APR 22 1993

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	DAVID A REYNOLDS 4783 W KING RD KUNA ID 83634 (208) 922-4339	02/20/1991	IRRIGATION	03-15 11-15	1.54 CFS	484.2 AFA
TOTAL DIVERSION:					1.54 CFS	484.2 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 1.54 CFS

Point(s) of Diversion: T02N R01W S33 NE NW

Place of use Legal Description for: IRRIGATION

NE				NW				SW				SE				
T	R	S		NENE	NWNE	SWNE	SENE	NENW	NWNW	SWNW	SENW	NESW	NWSW	SWSW	SESW	SUM
				Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	
02N	01W	33	:					36	36	35	:					107.6
TOTAL ACRES																107.6

Pou County: ADA

Other Water Rights with Same Point(s) of Diversion and Source:
63-11459

Other Water Rights Listing Overlapping Place(s) of use:
63-11459 63-11906 M63-11906

Conditions of Approval:

- 004 - The issuance of this right in no way grants any right-of-way or easement across the land of another.
- R32 - This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

Remarks: The right holder shall fully use all surface water rights appurtenant to the lands identified above prior to using water under this right.

Dates: App. Received: 02/20/1991 Priority Date: 02/20/1991
Proof Due Date: 05/01/1992 Proof Made Date: 04/29/1992
Exam Made Date: 07/15/1992 Exam Sent to S.O.: 01/22/1993
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

Comments: Date: 04/30/1992 User-ID: VAULT Subject: Proof of Beneficial Use Rcvd
Proof of Beneficial Use Rcvd

Audit: 02/12/93 SKAGGS

38 02-12-93

7

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JAN 25 1993

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: David A Reynolds Permit No. 63-14459
Current Address: 4783 W. King Rd Kuna Id 83634 Phone No. 922-4339
2. Accompanied by: David Reynolds EXAM. DATE: 7-15-92
Address: same Phone No. same
Relationship to Permit Holder: same
3. Source: groundwater tributary to NA-

B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-09206 Boise Project Canal ☐ Copies Attached
2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

This system uses a 12", 205' well with a 25hp motor to pump water from a dynamic level of 110'. The static level is 110'. The well pumps water into a dirt ditch & irrigates the fields with tubes.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
NA	NA	35			

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	NW	33	2n	1w	Ada	Bunds, Turner Id
			SE	NW	33	2n	1w	Ada	Quads, Turner Id

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
2n	1w	33					36	36	35.6										107.6

Do not use this space

NIC

APR 22 1995

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Theoretical; $\frac{35 \times 8.8 \times .70}{140 + (2.3 \times 0)} = \frac{215.6}{140} = 1.54 \text{ cfs}$ ✓
Capacity

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

Theoretical; 1.54 cfs (IRR)

need = $107.6 \times .02 = 2.15 \text{ cfs}$

Allow
system
capacity.

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

: Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

NA

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 107.6 \times 4.5 = 484.2 \text{ AFA}$ ✓

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 1.54 \text{ cfs} \times 245 \times 1.9835 = 748.4 \text{ AFA}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{484.2 \text{ AFA (IRR)}}$

2. Volume Calculations for Other Uses:

None

APR 22 1993

H. REMARKS AND OVERLAP REVIEW ANALYSIS

There are not any overlaps that effect this permit

* The Pld is in the NENW $\frac{1}{4}$ according to my findings

Remarks - WB3 (Gw Supplemental)

Conditions - B32

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3-15	11-15	1.54cfs	484.2 AFA
Totals:			1.54cfs	484.2 AFA

2. Recommended Amendments

- ☒ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

☒ None

☐ Other

J. AUTHENTICATION

Field Examiner's Name

DAVID GRAY


Signature

David Gray

Certification Date

Field Report Preparation Date

8-7-92



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

RECEIVED


APR 22 1993

Bennett

A12

NOT TO SCALE

APR 22 1993



PERMIT 63-11459 INIT DT
T. R. S. Q/Q
P/D On 16 33 12/16
SCALE _____
PHOTO ID. _____

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-11459

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 2n, Rge 1w, Sec. 33, ne 1/4 nw 1/4 or Lot _____.

2. Owner: David A. Reynolds

Address 4703 W. Hwy Rd., City Kuna, St Ida

3. Casing $\geq$ 12 inches above ground: Yes ☒ No _____

4. Access Port: Yes ☒ No _____ Static Water Level: 110'
Pressure Gauge: Yes _____ No ☒ Casing Diameter: 12"
Flowing: Yes ☒ No _____ Temperature: N/A

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes _____ No ☒


If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: _____

RECORDED

APR 22 1993

View of motor:
turbine pump.




View of well: PIPELINE TO
DIRT DITCHES.




APR 22 1993

63-11459

View to the south.



View East from the
west side of the
PROPERTY.



APR 22 1995

May 1, 1992

DAVID A. REYNOLDS
4783 W. KING RD.
KUNA ID 83634

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11459

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

MAY 20 1992

RECEIVED

APR 29 1992

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

OFFICE USE ONLY
Amt. of Fee \$ 150.00
Date 4-28-92
Receipt No. C023979
Receipt by CH

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-11459 Telephone No. 208-922-4339
2. Name(s) of Permit Holder(s): David A. Reynolds
3. Mailing Address: 4783 W. King Rd. Kuna, Id. 83634
4. Source of Water: Groundwater

If **GROUNDWATER**, Well Driller's Name: Johnston Drilling Date Drilled: 5-25-91

OPTIONAL:

Pump horsepower: 35 Pressure (psi): Open Discharge Dynamic pumping level (ft.): approx 140'

5. Extent of Use (as authorized by the permit):

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 120 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted 2.4 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes X No Installed? _____ Yes X No

OR

Flow Measurement Port: Required? X Yes _____ No Installed? X Yes _____ No

8. Fee Enclosed: \$ 150 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

David A. Reynolds 208-922-4339
Name Telephone No.

4783 W. King Rd. Kuna, Id. 83634
Address

10. The above information is my true statement of the extent to which the above number permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

4-28-92
Date

David A. Reynolds
Signature (and title, if on behalf of a company or organization)

MAY 20 1992

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 63-11459 Reviewed by Klg Date 4/30/92

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit? irrigate - 120
yes Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

no Surface water source
✓ Ground water source
yes Drilling permit required?
yes Copy in the file? Drilling Permit No. 63-91-2-017
200 Amount paid for permit yes Correct?
yes Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?
150 Amount Submitted
yes Correct?
yes Required?
yes Installed?
NA Waiver requested?

PRIORITY CALCULATION

Date proof received NA
Date proof due ✓ -
No. of days late ✓ =
Priority Date ✓ +
New Priority Date ✓

DEFICIENCIES OR ACTION ITEMS

proof acceptable

DATA ENTRY

New Address _____

Proof Made 4/29/92
5/1/92 Klg

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCESTYPEWRITER OR
BALLPOINT PEN

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER 922-4334 Name <u>DAVID A. Reynolds</u> Address <u>4783 W. King Rd.</u> Owner's Permit No. <u>63-91-2-017</u>	7. WATER LEVEL Static water level <u>109</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature <u>65</u> °F. Quality <u>good</u> Describe artesian or temperature zones below.																																																																																																																																				
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)	8. WELL TEST DATA ☒ Pump ☐ Baller ☐ Air ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"><tr><th>Discharge G.P.M.</th><th>Pumping Level</th><th>Hours Pumped</th></tr><tr><td><u>400</u></td><td><u>120'</u></td><td><u>12</u></td></tr><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr></table>	Discharge G.P.M.	Pumping Level	Hours Pumped	<u>400</u>	<u>120'</u>	<u>12</u>																																																																																																																														
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																																																																			
<u>400</u>	<u>120'</u>	<u>12</u>																																																																																																																																			
3. PROPOSED USE ☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1" style="width: 100%; border-collapse: collapse;"><thead><tr><th rowspan="2">Bore Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th rowspan="2">Water Yes No</th></tr><tr><th>From</th><th>To</th></tr></thead><tbody><tr><td>16</td><td>0</td><td>5</td><td>TOP SOIL</td><td>✓</td></tr><tr><td>16</td><td>5</td><td>11</td><td>DIRT + LAVA ROCKS</td><td>✓</td></tr><tr><td>16</td><td>11</td><td>22</td><td>BASALT</td><td>✓</td></tr><tr><td>16</td><td>22</td><td>32</td><td>HARD BASALT</td><td>✓</td></tr><tr><td>16</td><td>32</td><td>33</td><td>BASALT</td><td>✓</td></tr><tr><td>16</td><td>33</td><td>42</td><td>DIRTY BROWN CINDEERS</td><td>✓</td></tr><tr><td>16</td><td>42</td><td>54</td><td>BASALT</td><td>✓</td></tr><tr><td>16</td><td>54</td><td>55</td><td>HARD BASALT</td><td>✓</td></tr><tr><td>16</td><td>55</td><td>115</td><td>BASALT</td><td>✓</td></tr><tr><td>16</td><td>115</td><td>126</td><td>SOFT BROWN CINDEERS</td><td>✓</td></tr><tr><td>16</td><td>126</td><td>127</td><td>HARD BROWN CINDEERS</td><td>?</td></tr><tr><td>16</td><td>127</td><td>129</td><td>SOFT BROWN CINDEERS + pebbles</td><td>✓</td></tr><tr><td>16</td><td>129</td><td>142</td><td>GOOD GRAVEL + DIRT</td><td>✓</td></tr><tr><td>12</td><td>142</td><td>143</td><td>SAND + GRAVEL</td><td> </td></tr><tr><td> </td><td>143</td><td>144</td><td>POOR GRAVEL + DIRT</td><td> </td></tr><tr><td> </td><td>144</td><td>148</td><td>CLAY</td><td> </td></tr><tr><td> </td><td>148</td><td>155</td><td>CLEAN EXTENSIVE GRAVEL</td><td> </td></tr><tr><td> </td><td>155</td><td>156</td><td>GRAYS COARSE SAND</td><td> </td></tr><tr><td> </td><td>156</td><td>157</td><td>YELLOW SLICKY CLAY</td><td> </td></tr><tr><td> </td><td>157</td><td>187</td><td>Yellow Silty Clay + indeterminate pebbles</td><td> </td></tr><tr><td> </td><td>187</td><td>196</td><td>GOOD WHITE SAND</td><td> </td></tr><tr><td> </td><td>196</td><td>199</td><td>FINE SAND</td><td> </td></tr><tr><td> </td><td>199</td><td>200</td><td>CLAY</td><td> </td></tr><tr><td> </td><td>200</td><td>203</td><td>SAND + GRAVEL</td><td> </td></tr><tr><td> </td><td>203</td><td>208</td><td>CLAY</td><td> </td></tr></tbody></table>	Bore Diam.	Depth		Material	Water Yes No	From	To	16	0	5	TOP SOIL	✓	16	5	11	DIRT + LAVA ROCKS	✓	16	11	22	BASALT	✓	16	22	32	HARD BASALT	✓	16	32	33	BASALT	✓	16	33	42	DIRTY BROWN CINDEERS	✓	16	42	54	BASALT	✓	16	54	55	HARD BASALT	✓	16	55	115	BASALT	✓	16	115	126	SOFT BROWN CINDEERS	✓	16	126	127	HARD BROWN CINDEERS	?	16	127	129	SOFT BROWN CINDEERS + pebbles	✓	16	129	142	GOOD GRAVEL + DIRT	✓	12	142	143	SAND + GRAVEL			143	144	POOR GRAVEL + DIRT			144	148	CLAY			148	155	CLEAN EXTENSIVE GRAVEL			155	156	GRAYS COARSE SAND			156	157	YELLOW SLICKY CLAY			157	187	Yellow Silty Clay + indeterminate pebbles			187	196	GOOD WHITE SAND			196	199	FINE SAND			199	200	CLAY			200	203	SAND + GRAVEL			203	208	CLAY	
Bore Diam.	Depth		Material	Water Yes No																																																																																																																																	
	From	To																																																																																																																																			
16	0	5	TOP SOIL	✓																																																																																																																																	
16	5	11	DIRT + LAVA ROCKS	✓																																																																																																																																	
16	11	22	BASALT	✓																																																																																																																																	
16	22	32	HARD BASALT	✓																																																																																																																																	
16	32	33	BASALT	✓																																																																																																																																	
16	33	42	DIRTY BROWN CINDEERS	✓																																																																																																																																	
16	42	54	BASALT	✓																																																																																																																																	
16	54	55	HARD BASALT	✓																																																																																																																																	
16	55	115	BASALT	✓																																																																																																																																	
16	115	126	SOFT BROWN CINDEERS	✓																																																																																																																																	
16	126	127	HARD BROWN CINDEERS	?																																																																																																																																	
16	127	129	SOFT BROWN CINDEERS + pebbles	✓																																																																																																																																	
16	129	142	GOOD GRAVEL + DIRT	✓																																																																																																																																	
12	142	143	SAND + GRAVEL																																																																																																																																		
	143	144	POOR GRAVEL + DIRT																																																																																																																																		
	144	148	CLAY																																																																																																																																		
	148	155	CLEAN EXTENSIVE GRAVEL																																																																																																																																		
	155	156	GRAYS COARSE SAND																																																																																																																																		
	156	157	YELLOW SLICKY CLAY																																																																																																																																		
	157	187	Yellow Silty Clay + indeterminate pebbles																																																																																																																																		
	187	196	GOOD WHITE SAND																																																																																																																																		
	196	199	FINE SAND																																																																																																																																		
	199	200	CLAY																																																																																																																																		
	200	203	SAND + GRAVEL																																																																																																																																		
	203	208	CLAY																																																																																																																																		
4. METHOD DRILLED ☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☒ Cable ☐ Dug ☐ Other _____	10. WORK Work started <u>3-15-91</u> finished <u>5-15-91</u>																																																																																																																																				
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"><thead><tr><th>Thickness</th><th>Diameter</th><th>From</th><th>To</th></tr></thead><tbody><tr><td><u>250</u> inches</td><td><u>12</u> inches</td><td><u>2</u> feet</td><td><u>205</u> feet</td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr></tbody></table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☒ Yes ☐ No How perforated? ☐ Factory ☐ Knife ☒ Torch Size of perforation <u>1/8</u> inches by <u>62</u> inches Number <u>1200</u> perforations <u>105</u> feet <u>204</u> feet perforations <u> </u> feet <u> </u> feet perforations <u> </u> feet <u> </u> feet Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☒ Yes ☐ No ☐ Size of gravel <u>1/2"</u> Placed from <u>30</u> feet to <u>143</u> feet Surface seal depth <u>30'</u> Material used in seal: ☐ Cement grout ☐ Bentonite ☒ Puddling clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☒ Temp. surface casing ☐ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port <u>2" pipe with cap</u>	Thickness	Diameter	From	To	<u>250</u> inches	<u>12</u> inches	<u>2</u> feet	<u>205</u> feet																																																																																																																													
Thickness	Diameter	From	To																																																																																																																																		
<u>250</u> inches	<u>12</u> inches	<u>2</u> feet	<u>205</u> feet																																																																																																																																		
6. LOCATION OF WELL Sketch map location must agree with written location. N W E S Subdivision Name <u> </u> Lot No. <u> </u> Block No. <u> </u> County <u>Ada</u> SE 1/4 NW 1/4 Sec. 33, T. 02, N. 30.1 E. 01	11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>Johnston Drilling</u> Firm No. <u>92</u> <u>47512649</u> Address <u>3777-C S. S. Blvd.</u> Date <u>5-25-91</u> <u>Meridian, ID, 83641</u> Signed by (Firm Official) <u>E.O. Johnston</u> and (Operator) <u>Russell Johnston</u>																																																																																																																																				

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

February 28, 1992

DAVID A. REYNOLDS
4783 W. KING RD.
KUNA ID 83634

PROOF DUE NOTICE

RE: PERMIT NO. 63-11459

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before May 1, 1992. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



MAY 10 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

May 3, 1991

DAVID A. REYNOLDS
4783 W. KING RD.
KUNA, ID 83634

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-11459

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Be sure to note the special condition requiring you to install a measuring device. Enclosed, for your reference, is a list of measuring device options.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosures

RECEIVED
MAY 08 1991

APPLICATION FOR PERMIT REVIEW

Application #: 63-11459
Date: 4-22-91

Reviewer: Pam Skaggs

Existing:

✓ No - 26A-P17
✓ Complete in 1 year - P16

Yes

Proof not submitted - P16
Proof submitted - N/A

✓ Groundwater:

✓ GT. 0.7 cfs - 01G-P03, 01C-P03 (existing well)
LT. 0.7 cfs - N/A

✓ Drilling Permit:

Approved w/permit - P99
Not included *already approved* 046-P23 (All GW, even existing wells)

✓ Location:

Water Districts *already approved* - WD No. 63
Surface water - 005, 005-01H-P01 (LT.7 w/pump)
005-01J-P08 (GT.7)

✓ Groundwater *existing* - P05

Irrigation Districts - 023

Canal Co. Areas - 023

Drainage Districts - 024

Boise Front (63) - 058 (Groundwater)

✓ Swan Falls Flag - (1, Blank or Other)

Trust - 051-052-053-P74 (Cons.), 041 (DCMI, w/Irr
Non Trust - 048-049 or Irr & Dom)

✓ River Basins:

(Surface Water) Water District Control Condition &....

Boise (63) - 05A & 11E

Payette (65) - 047-P04, 059-P71

Snake (01, 02 & 03) - 11A-P04(01), 061-P07(02/03 No W.D.Cond.)

Use:

Fish Propagation - 06A, 09E-P10 & 010 (WQ/Choose One),
042(req.), 002-P06(MD), 07A(Spec.),
044(Policy 5G)

Power - Use Power Review

Mining - 06A or 010, 09E-P10 & 054(req.)

Storage - 18A-for multiple measuring devices(In WD),
18B-P09(Size)

Rec. & Aesthetic - 027(Non-Consumptive)

Domestic - 021(restricted areas)

✓ Ownership:

✓ Non land owner - 004

Protested:

Agreement - 020

Minimum Stream Flow:

Overlapping uses - 029-P20

✓ Beneficial Use Due Date: - 05-01-1992

Other Conditions Recommended

MAY 08 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: lw DATE: 2/25/91 APPLICATION: 63-11459

REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume)
☒ Period of use:
☒ Nature of proposed use: (Include description of use)
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee:
☒ Yes ☐ No* In form to receipt:
- Gov't. Lots:
☒ P/D
☒ P/U

ADDITIONAL INFORMATION

- | YES | NO | |
|--------------------------|-------------------------------------|---|
| ☐ | ☒ | Overlapping place of use: (Describe source & relationship to present application on the back.) |
| ☐ | ☒ | Overlapping point of diversion: |
| ☐ | ☐ | Field check required: Field check by: _____ |
| ☐ | ☐ | Field report attached: |
| ☐ | ☒ | Critical groundwater area: |
| ☐ | ☒ | Groundwater management area: |
| ☐ | ☒ | Diversion within interim protected river area |
| ☐ | ☒ | Send dam safety information: |
| ☐ | ☒ | Send power requirement letter: |
| ☐ | ☒ | Send fish farm requirement letter: |
| ☐ | ☒ | Power residency affidavit: |
| ☐ | ☒ | Power efficiency form: |
| ☐ | ☒ | Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.) |
| ☐ | ☒ | Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.) |
| ☐ | ☒ | *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT |

DATE REQUESTED: _____
☐ Additional information on reverse side:

RECEIVED
APR 9 1991

Department of Water Resources

PROCESSING

APPLICATION NO. 63-11459

YES NO

☒ ☒
☒ ☒

In form for advertising:

Statewide advertising:

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☒ ☒
☒ ☒
☒ ☒
☒ ☒

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

☒ ☒
☒ ☒
☒ ☒
☒ ☒

U.S. BLM

U.S. Forest Svc.

Water Dist. # _____

Other _____

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☒
☒ ☒

Affidavit of publication received:

Application published correctly: If not, record action taken.

☒ ☒
☒ ☒
☒ ☒
☒ ☒
☒ ☒
☒ ☒
☒ ☒
☒ ☒

Publication dates and paper recorded on application:

Protests received. Final date for protest March 25, 1991

Protest dates, resolution of protest recorded on application:

Recommendations attached: Approve, DWR

Measuring device required:

Measuring port required: Flow measurement memo

Water delivered by water master? District # _____

Special conditions of approval or cover letter: _____

(Drilling permit issued)

See below for additional information

Recommended Date or Priority 2/20/1991

Recommended by: DWR


Date 4/4/1991

STATE OFFICE REVIEW

See below for additional information. By _____ Date _____

ADDITIONAL INFORMATION

7/90

State of Idaho
Department of Water Resources

Department of Water Resources

APPLICATION FOR DRILLING PERMIT

1. Applicant (please print) David A. Reynolds
 2. Mailing Address 4783 W. King Rd ~~83634~~ Kuna, Id. 83634
 Telephone 922-4339

() Well Owner (X) Well Operator () Other, specify _____

3. Proposed well location SE 1/4 NW 1/4, or Gov't Lot No. _____Sec. 33, Twp. 02N, Rge. 01W, County Ada

Street Address of Well Site _____

Lot, block and subdivision _____

4. Proposed use of well:

- () Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

- (X) Non-Domestic: Any beneficial use not included within the definition of domestic. Irrigation

() Injection

- () Monitoring - A well bore schematic and map is required for each well.
 No. of proposed wells: _____

5. Well construction information:

A. (X) New well () Deepen () Replace - See Condition 9

B. Proposed Surface Diameter 16" 12" 100' / 12" 22" 125' Proposed Maximum Depth 225'

C. Anticipated bottom hole temperature:

- (X) 85°F or less (Cold water well)
 () 85°F to 212°F (Low temp. geothermal well)
 () 212° or more (Geothermal well)

MAY 08 1991

6. Construction Start Date ASAP7. Anticipated Well Driller Johnston Drilling Company
NOTE: The actual well driller must be identified prior to drilling.8. Applicant's signature David A. Reynolds Date 2-20-91Title Renter

(Owner, Firm Representative, Other)

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is **APPROVED**

Date 2-20-91

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

RECEIVED
MAY 08 1991

Stuik A. Reed

Signature of Authorized Department Representative

MANAGER
GROUNDWATER PROTECTION SECTION

Title

Receipt No. C019687 Received by JY Fee 200⁰⁰ Date 2-20-91

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension is good for 60 days beyond the above extension approval date.

Drilling Permit No. 63-91-2-017

Water Right No. Pending 63-11459

REQUEST FOR EXPEDITED ISSUANCE OF A DRILLING PERMIT

David A. Reynolds, Applicant, requests issuance of Drilling Permit prior to approval of a water right. The request is made for the following reason(s):

To have the well in place for use during the
1990 irrigation year.

Applicant understands that the drilling permit does not constitute a water right and does not authorize diversion or use of water from the well.

Applicant acknowledges that by accepting a drilling permit and commencing construction he accepts all risk that the well may not ultimately be approved for use.

2-20-91

Date

David A. Reynolds

Applicant's Signature

Renter

Applicant's Title

RECEIVED
MAY 03 1991

RECEIPT
For Monies Paid
to the
IDAHO DEPARTMENT OF WATER RESOURCES

Receipt No: C019687

Date: 2/20/1991
Time: 09:48:51

Received

From: REYNOLDS BROTHERS FARMS

Type of Payment	Program Acct Class	Amount
DRILLING PERMIT (63 91 Z 017)	530350 1238 6390	200.00
APPLICATION FOR PERMIT	510199 1238 6517	85.00
	Total	\$285.00

CHECK 1756

Region: STATE

Signature: J. Yarbrough

MICROFILMED

MAY 08 1991

63-11459

REYNOLDS, DAVID A.
4783 W. KING RD.
KUNA, ID 83634

Source: GROUNDWATER

Diversion Pt:	NENW	Sec 33 T 02N R 01W
	SEnw	Sec 33 T 02N R 01W

Use: IRRIGATION (2.400 CFS)
Total Diversion: (2.400 CFS)

Date Filed: 2/20/ 1991

In: T02N R01W S33	NENW	NWNW	SWNW
120.0 ACRES TOTAL			

MICROFILMED

MAY 08 1991