



03-114 57

T 3N

R 10W

Sec. 31

114


App'd

CUT

CSM

JUN 14 1957

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		30	submersible		12" → 10"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Theoretical

DEC 14 1994

12" well
30 HP submersible
pump



Exposed 10" main-
line pipes water
to discharge pt
for Mint field to
the south + across
canal to northern
beet field

Mint field

DEC 14 1994



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11457

Priority: February 22, 1991

Maximum Diversion Rate:

1.20 CFS

This is to certify, that DREW EGGERS
DEBRA EGGERS

5101 W LAKE HAZEL RD
NAMPA ID 83687

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 22, 1991; and has submitted Proof of Beneficial Use on August 29, 1991. An examination indicates that the works have a diversion capacity of 1.200 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	1.16 CFS	
COMMERCIAL	03/15 to 11/15	0.25 CFS	
	Totals	1.20 CFS	

LOCATION OF POINT(S) OF DIVERSION:

SENE , Sec. 21, Township 03N, Range 01W
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	01W	21	NENE 23	SENE 35		58

Total number of acres irrigated: 58

PLACE OF USE: COMMERCIAL

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>
03N	01W	21

SENE

CONDITIONS/REMARKS:

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. This right when combined with all other rights shall not exceed a combined annual irrigation diversion volume of 261.0 af for the lands above.
5. This right to divert groundwater shall not be used if the surface water right(s) appurtenant to the place of use is sold, transferred, leased or used on any other place of use without the approval of the Department.

DEC 14 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE


WATER RIGHT NO. 63-11457

CONDITIONS/REMARKS:

6. The right holder shall use the full allotment of appurtenant surface water rights, to the extent they are available, in conjunction with groundwater diverted pursuant to this right.
7. This right when combined with all other rights shall provide no more than .02 cfs per acre for the lands above.
8. Commercial use is for a mint stilling operation and shall not exceed an annual diversion volume of 15.4 af.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 8TH day of DECEMBER, 1994.

Acting for


R. Keith Higginson, Director

WR

APPROVED

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-11457

RECEIVED
SEP 12 1994
Department of Water Resources

Date of Priority: February 22, 1991

Maximum Diversion Rate: 1.20 CFS
Maximum Diversion Volume: 276.4 AF

Comes now

DREW EGGERS
DEBRA EGGERS

5101 W LAKE HAZEL RD
NAMPA ID 83687

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the
State of Idaho No. 63-11457, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	1.16 CFS	
COMMERCIAL	03/15 to 11/15	0.25 CFS	
	Totals	1.20 CFS	

LOCATION OF POINT(S) OF DIVERSION:

SENE , Sec. 21, Township 03N, Range 01W
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	01W	21	NENE 23	SENE 35		58
Total number of acres irrigated:						58

PLACE OF USE: COMMERCIAL

TWN RGE SEC
03N 01W 21 SENE

Permit holder asserts that no one will be injured by such change and that such change
will be made at permit holder's own risk.

Signed at Boise, this 9 day of Sept, 1994.

Drew & Eggers
(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-11457

FOR DEPARTMENT USE ONLY

Preliminary check by PC Fee = 30- 20- Received by RT CO 31478 10-17-94
RT #CO 31254 Date 9-12-94

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 63-11457 with the following;

CONDITIONS/REMARKS:

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. This right when combined with all other rights shall not exceed a combined annual irrigation diversion volume of 261.0 af for the lands above.
5. This right to divert groundwater shall not be used if the surface water right(s) appurtenant to the place of use is sold, transferred, leased or used on any other place of use without the approval of the Department.
6. The right holder shall use the full allotment of appurtenant surface water rights, to the extent they are available, in conjunction with groundwater diverted pursuant to this right.
7. This right when combined with all other rights shall provide no more than .02 cfs per acre for the lands above.
8. Commercial use is for a mint stilling operation and shall not exceed an annual diversion volume of 15.4 af.

Witness my hand this 8TH day of DECEMBER, 19 94.

Acting for R. Keith Higginson, Director

DEC 14 1994

RECEIVED
AUG 29 1991

STATE OF IDAHO

For Office Use Only
Amt. of Fee \$ 125
Date 8/28/91
Receipt No. W013631
Received by lw

Department of Water Resources

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-11457 Telephone No. 888-1088

2. Name(s) of Permit Holder(s): Drew + Debra Eggers

3. Post Office Address: 5101 W. Lake Hazel Rd Nampa Idaho 83687

4. Source of Water: Ground

a. If ground water, well driller's name: Pete Cope Date drilled: July 26, 91

b. Pump horsepower: 30 HP Pressure (psi): 0-40 psi Dynamic pumping level (ft.):

5. Extent of Use:

Domestic (No. of households)

Irrigation 62 ac (No. of acres)

Stockwater (No. and type of stock)

Other

6. Total rate and/or volume for which proof is submitted 1.24 cfs acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes ☒ No Installed? Yes No

OR

Flow Measurement Port: Required? Yes No Installed? Yes No

8. Fee Enclosed: \$ (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Drew Eggers
Name

888-1088

Telephone No.

5101 W Lake Hazel Rd Nampa I 83687
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

8/28/91
Date

Drew Eggers
Signature (and title if on behalf of a company or organization)

NOV 19 1991

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11457

Proposed Priority: February 22, 1991 Maximum Diversion Rate: 1.24 CFS
This is to certify, that DREW EGGERS

DEBRA EGGERS
5101 W. LAKE HAZEL RD.
NAMPA, ID 83687

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	1.24 CFS

LOCATION OF POINT(S) OF DIVERSION: SENE Sec. 21, Township 03N, Range 01W
ADA County


<u>PLACE OF USE:</u>	<u>IRRIGATION</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
<u>TWN</u>	<u>RGE</u>	<u>SEC</u>			
03N	01W	21	NENE 27	SENE 35	62
Total number of acres irrigated:					62

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 1992.
2. Subject to all prior water rights.
3. Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
4. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
5. The issuance of this permit in no way grants any right-of-way or easement across the land of another.
6. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

23rd day of May, 1991.


for R. Keith Higginson, Director

JUN 04 1991

Ident. No. 63-11457

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: DREW EGGERS 208-888-1088
Address: 5101 W. LAKE HAZEL RD.
NAMPA, ID 83687
OR
Name: DEBRA EGGERS 208-888-1088
Address: 5101 W. LAKE HAZEL RD.
NAMPA, ID 83687
2. Source: GROUNDWATER Trib. to:
3. Location of Point of Diversion: SENE Sec. 21, Township 03N, Range 01W
ADA County
4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
IRRIGATION	03/15	11/15	1.240		
5. Total quantity to be appropriated is:
1.240 CFS (and/or) AF
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc.
WELL
 - b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
 - c. Proposed well diameter is 10 inches; proposed depth of well is 225
feet.
 - d. Is groundwater with a temperature greater than 90F being sought? NO
7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 years.
8. Description of proposed uses:
IRRIGATION

9. Place of Use: IRRIGATION

TWN RGE SEC	ACRES	ACRES	ACRES	TOTAL
03N 01W 21	NENE 27	SENE 35		62

Total number of acres irrigated: 62

10. Describe any other water rights used for the same purposes.
NAMPA-MERIDIAN IRR. DISTRICT

11. a. Who owns the property at the point of diversion?

~~3000 BUSBY BLVD~~ ~~ORUP~~ APPLICANT

* b. Who owns the land to be irrigated or place of use?
APPLICANT, HANS ORUP

c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.
PORTION OF THE LAND IN THE NE1/4NE1/4 OF SECTION 21 IS LEASED.

12. Remarks:

13. Map of proposed point of diversion and place of use attached? N

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Don A Eggers
Applicant

Received by L. Werner Date 2-22-91 Time 11:55A Preliminary check by JH

Fee \$ 65.00 Receipted by L. Werner # W13043 Date 2-22-91

Publication prepared by GG Date 3-27-91 Published in ID Statesman
4/4 & 4/11/91

Publication approved st Date 4-17-91

* Per telecon w/ Mr. Eggers 3-14-91 JH





State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 9, 1994

DREW EGGERS
DEBRA EGGERS
5101 W LAKE HAZEL RD
NAMPA ID 83687

RE: WATER RIGHT NO. 63-11457

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved Application for Amendment.

Should you have any questions regarding these documents, please contact me.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:dc

Enclosure

DEC 14 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 13, 1994

DREW EGGERS
DEBRA EGGERS
5101 W LAKE HAZEL RD
NAMPA ID 83687

RE: PERMIT NO. 63-11457

Dear Water Right Holder(s):

We received the signed licensing amendment for the above referenced permit; however, only \$20.00 of the \$50.00 filing fee for the amendment was enclosed. For your reference, I am enclosing a copy of the original amendment notice letter.

Please return the additional \$30.00 fee within fourteen (14) days to prevent any further undue delay in licensing this permit. Since I am handling the review procedure, please send the check to my attention and it will help expedite the process.

Thank you for your assistance, and if you have any questions please contact me.

Sincerely,

A handwritten signature in cursive script that reads "Brenda Chapman".

BRENDA CHAPMAN
Water Resource Agent

BC:dc

Enclosure



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

August 9, 1994

DREW EGGERS
DEBRA EGGERS
5101 W LAKE HAZEL RD
NAMPA ID 83687

RE: WATER RIGHT NO. 63-11457

Dear Water Right Holder(s):

I previously forwarded to you an Application for Amendment so that you could amend your permit to correspond with the findings of the Department's field examiner.

As of this date, I have not received this amendment. If I do not receive the amendment within fourteen (14) days, I will issue a Water Right License for less than could have been allowed. In case the amendment form I sent you has been misplaced, a new one is enclosed.

If you have any questions, please contact me. My telephone number is (208) 327-7947.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', with a long horizontal line extending to the right.

JIM JOHNSON, Manager
Water Right Permits Section

JJ:dc

Enclosure



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

July 13, 1994

DREW EGGERS
DEBRA EGGERS
5101 W LAKE HAZEL RD
NAMPA ID 83687

RE: WATER RIGHT NO. 63-11457

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the actual use of water found by a representative of our department at the time of the field examination. The enclosed Application for Amendment contains this information. Please review carefully and if you concur, sign the amendment and return with the \$50.00 filing fee within 14 days.

The last page of the Application for Amendment form contains a list of CONDITIONS/REMARKS proposed for the license when it is issued. These conditions/remarks may be modified upon further administrative review.

If you do not concur or have any questions with this information, please contact me as soon as possible. My telephone number is (208) 327-7947.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', written over a horizontal line.

JIM JOHNSON, Manager
Water Right Permits Section

JJ:dc

Enclosure

RECEIVED
DEC 14 1994

DATE: 12/02/94
PAGE: 1

Remarks: This right when combined with all other rights shall not exceed a combined annual irrigation diversion volume of 261.0 af for the lands above.

This right to divert groundwater shall not be used if the surface water right(s) appurtenant to the place of use is sold, transferred, leased or used on any other place of use without the approval of the Department.

The right holder shall use the full allotment of appurtenant surface water rights, to the extent they are available, in conjunction with groundwater diverted pursuant to this right.


This right when combined with all other rights shall provide no more than .02 cfs per acre for the lands above.

Commercial use is for a mint stilling operation and shall not exceed an annual diversion volume of 15.4 af.

Dates:	App. Received:	02/22/1991	Priority Date:	02/22/1991
	Proof Due Date:	05/01/1992	Proof Made Date:	08/29/1991
	Exam Made Date:	09/09/1993	Exam Sent to S.O.:	04/22/1994
	Licensed Date:			
Misc:	Water District Number:		Field Exam Fee:	
Comments:	Date: 11/15/1991	User-ID: VAULT	Subject: Proof of Beneficial Use Rcvd	
	Proof of Beneficial Use Rcvd			
	Date: 03/12/1992	User-ID: VAULT	Subject: Proof of Beneficial Use Rcvd	
	Proof of Beneficial Use Rcvd			
Audit:	07/12/94 BCHAPMAN	09/01/94 BCHAPMAN	10/13/94 BCHAPMAN	12/02/94 BCHAPMAN

LICENSE REVIEW CHECKLIST

PERMIT NO. 603-11457 DATE 7-12-94
12-2-94



NAME Yes No ✓ Or Address Change?

PRIORITY DATE ✓ Advance? ✓ Advanced to: _____
 Order to reinstate needed? _____
 Incorrect fee for rate recommended? NO

SOURCE ✓ Changes or just clarification of originally intended source? _____
 Notice of Intent to Void necessary? _____

POINT OF DIV ✓ Amendment needed? _____
✓ Overlaps? _____

PLACE OF USE ✓ Amendment needed? _____
✓ Overlaps? _____

DIV RATE ✓ Pump rating
 Measurement $Q = 1.2$ CFS Theoretical $Q = 1.37$ Questionable
 $58 \times .02 = 1.16$ NOT GOING WITH THIS
 mint still = .25 STATIC LEVEL @ 160 Pumping
 Capacity: 1.2 Combined rates exceed capacity at 135
 Permit/fee limits: 1.24 Allowable: 1.2

ANNUAL VOLUME ✓ Season of use: D/4.5 (Also same) for mint
 Calculations: 58 x 4.5 = 261 still
still = 15.4 af
 Flow limit: _____ cfs x _____ x 1.9835 = _____
 Combined volumes exceed capacity/allowable _____

USES ✓ Change in Nature of Use or additional uses? Commercial
 Amendment necessary? YES

REMARKS - NEW AS of 12/2 ✓ Multiple p/d(s) in 1/4 1/4
 WB7 WB8 Other Rampa Meridian In Water
 WB3 WB34 (EDIT) .02 CFS only
 CONDITIONS ✓ Measuring/Locking Devices
✓ Watermaster control - District _____
✓ Irrigation Overlap
✓ Water Quality
✓ Other _____

COMMENTS: Supplemental GW

Change/Additional Use

RECOMMENDED

CFS

VOLUME

LICENSE

Irrigation
Commercial

1.16
.25

261
15.4

1ST AMENDMENT LETTER P46

FINAL AMENDMENT LETTER P42

1.2

276.4

Total

9-1-94
 Remove
 Commercial
 NO
 RESPONSE
 TO AMENDMENT

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

MAY 03 1994

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-11457

1. Owner: Drew Eggers Phone No. 888-1088

Current Address: 5101 W Lake Hazel Rd Nampa

2. Accompanied by: Drew EXAM DATE: 9/9/93

Address: same Phone No. _____

Relationship to Permit Holder: owner

3. Source: Ground Water tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 63-02388

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SE	NE	21	3N	1W	Ada	USGS Quad


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
3N	1W	21	23			35													58
						C													

DEC 14 1994

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		30	submersible		12" → 10"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Theoretical

DEC 14 1934

E. NARRATIVE/REMARKS/COMMENTS

A 12" well with a 30 HP submersible pump supplies water to 58 acres via mainline, cement ditch and siphon tubes. The ground water gravity flows through a 10" mainline (above ground) ~ 100 yards and can then be open discharged into a cement ditch for the acres south of the lateral or piped across the lateral for the acres on the north side. Nampa/Meridian Irrigation District water is also used on the property. No other water rts are used.

The well also supplies water to a mint still during the month of August. I sent the owner an application for permit 9/14/93 for the commercial use.

Because the still was developed before proof was due, the unused volume from the 4 acres not recommended can be applied to commercial use without exceeding the permit limits.

(Documentation attached showing when the still was installed)

Have conditions of permit approval been met? ☐ yes ☒ no

see enclosed signed waiver

DEC 14 1994

Additional Computation Sheets Attached

pump rated @ 540 GPM
= 1.2 cfs

$$\frac{30 \times 8.8 \times 7}{135} = 1.37 \text{ cfs}$$

pump set @ 147' per Layne Pump

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 58 \times 4.5 = 261$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 1.16 \times 246 \times 1.9835 = 566$$

$V = \text{Smaller of } V_{LB} \text{ and } V_{RB} = 261$

$$\text{req: } .25 \frac{\text{cfs}}{\text{cfs}} \times \frac{448.8 \text{ G/mph}}{\text{cfs}} \times \frac{60 \text{ mph}}{\text{hr}} \times \frac{12 \text{ hrs}}{\text{d}} \times \frac{62 \text{ lbs/gal}}{\text{yr}} = \frac{7270560 \text{ gal/yr}}{325850 \text{ gal/af}} = 15.4 \text{ af/af}$$

Permit limits : $4 \text{ ac} \times 4.5 = 18 \text{ AFA}$

(.75 cfs recommended for the stil is based on a 3" pipe diameter @ 5 ft/sec)

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Irrigation</u>	<u>3/15</u>	<u>11/15</u>	<u>1.16</u>	<u>261.</u>
<u>Commercial</u>	<u>3/15</u>	<u>11/15</u> ^{0 1/2}	<u>.25</u>	<u>15.4</u>
Totals:			<u>1.16</u> <u>1.2</u>	<u>261</u> <u>276.4</u>

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

Field Examiner's Name Lon Gnaenen Date 9/14/93

Reviewer _____ Date _____

SEAL

DEC 14 1994

To: Department of Water Resources

Re: Water Right Number 63-11457

Date: 9-9-93

I hereby request that the measuring device requirement for this right be waived for the following reasons:

In this case it is better to use a theoretical
calculation to determine the flow rate from this well.

D. E. [Signature]
Right Holder

RECEIVED
DEC 14 1994



P.O. BOX 1005
NAMPA, IDAHO 83653-1005
(208) 466-7376

INVOICE
NO. _____

629

SOLD TO DREW ROGERS FARM # 3289
5101 W. LAKE HAZEL ROAD
KAMPA, IDAHO 83687

DATE JULY 29, 1981

REMARKS 30 HP 3450 RPM

447' 1 6" 21'

2 STAGE 87500 50BM. (540 GPM) 140' TDH 24 GNP

[illegible]

IDAHO INDUSTRIAL SUPPLY CO.

P.O. BOX 7793 107 W. 37th BOISE, IDAHO 83707 (208) 343-6422
BOILERS & ACCESSORIES PUMPS INDUSTRIAL PRODUCTS VALVES GAUGES & THERMOMETERS

DREW EGGERS FARMS
5101 W. LAKE HAZEL RD
NAMPA ID 83687

DATE

05/31/91

DATE

05/31/91

DREW EGGERS FARMS

ACCOUNT NO.

00294

ACCOUNT NO.

00294

ENCE	CUSTOMER REFERENCE	DATE	CODE	CHARGE	CREDIT
6		05/22/91	I	68,284.00	
4		05/28/91	I	942.77	
06-557775					

REFERENCE	AMOUNT
094386	68,284.00
094404	942.77
	\$52,784.00
Savings	16,442.77

- PAYMENT
A - DISCOUNT
INVOICE

DM - DEBIT MEMO
C - CREDIT MEMO
FC - FINANCE CHARGE

69,226.77

TERMS

BALANCE

AMOUNT
DUE

69,226.77

THIS PORTION OF YOUR ACCOUNT IS PAST DUE

CURRENT	OVER 30 DAYS	OVER 60 DAYS	OVER 90 DAYS
69,226.77	0.00	0.00	0.00

TO INSURE PROPER CREDIT
PLEASE RETURN THIS PORTION
WITH YOUR REMITTANCE.

DEC 14 1991

MITCHELL ELECTRIC
PHONE 344-1044 or 888-2260
P. O. Box 3162 **Boise, Idaho 83703**
 • INSTALLATION • REPAIR • RESIDENTIAL • COMMERCIAL

X Payment due upon receipt of invoice. X

Customer's

Order No. _____

Date _____

7/30/1994

M. _____

Address _____

Llew Eggers
5101 W. Lake Hazel Rd.
Rampart, Id 83687

SOLD BY ✓	CASH	O.D.	CHARGE X	ON ACCT.	MOSE. RETD.	PAID OUT
--------------	------	------	-------------	----------	----------------	----------

QUAN.	DESCRIPTION	PRICE	AMOUNT
5/24; 6/24-25-26; 7/1-16-17			
1298	Wiremint still,		
	Condenser pump		
	1 pressure switch		
	Material		7132 95
6 hrs @ 35.00	Labor		2100 00
	Ins		165 00
	at 2065 No. Black Cat Rd		\$9397 95
PLEASE PAY FROM INVOICE			
NO STATEMENT RENDERED.			

A finance charge of 1 1/2% per month (18% per annum) will be charged on amounts owing over 30 days. COLLECTION FEES, IF NEEDED, WILL BE ADDED TO TOTAL AMOUNT DUE.

4379

RECEIVED
 8/1/94

BIG D BUILDERS
3999 W. Columbia Road
MERIDIAN, IDAHO 83642

INVOICE

2183

(208) 888-2068

TO

Drew Eggers

DATE

6-3-91

CUSTOMER ORDER NO.

SALESPERSON

VIA

TERMS:


QUANTITY	DESCRIPTION	PRICE	AMOUNT
	<i>Set 14 Posts</i>		
	<i>8 1/8 6/22</i>	<i>640</i>	
		<i>1300</i>	
	<i>26 yds Concrete / Silver Mesh</i>	<i>850</i>	
	<i>1700 ft 3/8 Rebar</i>	<i>1800</i>	
	<i>2/22 ft Posts</i>	<i>4800</i>	
		<i>2135 Labor</i>	
	<i>34x34 Roof - Color (173.1)</i>		
	<i>2-galche</i>		<i>6735-</i>

DUPLICATE

Thank You!

DEC 14 1994

PERMIT 63-11457 INIT PLWS
T. R. S. Q/Q
P/D 3N 10 21 SE/NE
SCALE _____
PHOTO ID. _____



63-11457

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: 63-91-W-189 OTHER APPLICABLE NO: 63-11457

2. OWNER: Dawn Eggers Phone: 888-1088
Address: 5101 Lake Hazel Rd Nampa 83687

3. WELL LOCATION: Twp 3N, Rge. 1W, Sec. 21, Se 1/4 Ne 1/4
County Ada (Provide sketch map and photo on reverse.)

4. DRILLER: Pete Cope Lic. No. 213
When Drilled? 1991

5. WELL CONSTRUCTION:

Casing Diameter 12 inches Water tight cap? ☒ Yes ☐ No Access Port: ☒ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☐ Yes ☐ No - Describe _____
Depth of Casing 268 ft. Method Drilled Reverse Rotary
Condition of Well Casing: ☐ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☒ Yes ☐ No Pressure Gauge: ☒ Yes ☐ No
Condition of Piping and Valving good
Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)

HYDROLOGIC INFORMATION:

Depth to Static Water 160 ft. Water Temperature cold °F
Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____

WELL USE:

☐ Domestic ☒ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☒ Other: mint still

1214 1994

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☒ Yes ☐ No *entry port not in use*
If yes, is there a check-valve present? ☒ Yes ☐ No *(not used) not visible*
Is there a possible source of contamination nearby? ☒ Yes ☐ No
If yes, what Type? *mint still*
How far away from the well is this source? *10'*

9. REMARKS:

Loi Craven

Signature of Dept. Representative & Title



9/9/93

Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

RECEIVED
DEC 14 1993

12" well
30 HP submersible
pump



Exposed 10" main-
line pipes water
to discharge pt
for Mint field to
the south + across
canal to northern
beet field

Mint field

DEC 1 1994



November 15, 1991

DREW EGGERS
DEBRA EGGERS
5101 W. LAKE HAZEL RD.
NAMPA ID 83687

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11457

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Nina Shields
Secretary/Records Manager

c: IDWR - Region

RECEIVED

NOV 19 1991

State of Idaho
Department of Water Resources

APPLICATION FOR DRILLING PERMIT

1. Applicant (please print) Drew Eggers
2. Mailing Address 5101 W. Lake Hazel Rd. Nampa ID 83687
Telephone 888 1088

☒ Well Owner () Well Operator () Other, specify _____

3. Proposed well location SE 1/4 NE 1/4, or Gov't Lot No. _____
Sec. 21, Twp. 3N, Rge. 1W, County Ada
Street Address of Well Site Black Cat Rd, Mendham
Lot, block and subdivision _____

4. Proposed use of well:

- () Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

☒ Non-Domestic: Any beneficial use not included within the definition of domestic. Irrigation

() Injection

() Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____

5. Well construction information:

A. ☒ New well () Deepen () Replace - See Condition 9

B. Proposed Surface Diameter 10" Proposed Maximum Depth 100'

C. Anticipated bottom hole temperature:

- ☒ 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212° or more (Geothermal well)

RECEIVED

NOV 19 1991

6. Construction Start Date 6-10-91

7. Anticipated Well Driller Can-Ada Drilling
NOTE: The actual well driller must be identified prior to drilling.

Applicant's signature _____ Date _____

Title _____
(Owner, Firm Representative, Other)

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is Approved Date 6-5-91

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

Paul Smith
Signature of Authorized Department Representative

For Western Region Mgr
Title

Receipt No. W013380 Received by CPH Fee 200.00 Date 6-5-91

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension is good for 60 days beyond the above extension approval date.

NOV 19 1991

1. WELL OWNER
Name Drew Eggers
Address 5101 W. Lake Hazel meridian ID 83642
Drilling Permit No. 63-91-w-189
Water Right Permit No. 63-11457

2. NATURE OF WORK New Well
☐ New well ☐ Deepened ☐ Replacement
☐ Well diameter increase
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE Irrigation
☐ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED Reverse Rotary
☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION
Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____
Thickness Diameter From To
0.25 inches 12 inches 18" feet 197 feet
0.25 inches 12 inches 257 feet 268 feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet
Was casing drive shoe used? ☐ Yes ☒ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun
Size of perforation _____ inches by _____ inches
Number From To
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
Well screen installed? ☒ Yes ☐ No
Manufacturer's name Roscoe Moss
Type Continuous wire Model No Heavy
Diameter 12 Slot size 0.4 Set from 197 feet to 257 feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Gravel packed? ☒ Yes ☐ No ☐ Size of gravel 3/8
Placed from 67 feet to 275 feet
Surface seal depth 67 Material used in seal: ☐ Cement grout
☐ Bentonite ☒ Pudding clay ☐ _____
Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing
☒ Overbore to seal depth
Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent
Weld
☐ Cemented between strata
Describe access port 2" pipe

6. LOCATION OF WELL
Sketch map location must agree with written location.
Subdivision Name _____
Lot No. _____ Block No. _____
County Ada
se ¼ ne ¼ Sec. 21 T. 3n N ☐ S ☐ R. 1w E ☐ W ☐

7. WATER LEVEL Department of Water Resources
Static water level 160 feet below land surface.
Flowing? ☐ Yes ☐ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature _____ °F. Quality _____
Describe artesian or temperature zones below.

8. WELL TEST DATA not available
☐ Pump ☐ Bailor ☐ Air ☐ Other _____
Discharge G.P.M. _____ Pumping _____
AUG 19 1991

9. LITHOLOGIC LOG Department of Water Resources

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
24"					☒
	0	2	topsoil		☒
	2	4	hardpan		☒
	4	6	hard clay		☒
	6	54	sand gravel rock		☒
	54	92	fine to crse sand		☒
	92	114	brn clay		☒
	114	120	fine to crse sand		☒
	120	132	lite brn clay		☒
	132	140	fine to crse sand		☒
	140	144	lite brn clay		☒
	144	151	fine to crse sand		☒
	151	155	lite brn clay	☒	☒
	155	175	fine to crse sand	☒	☒
	175	184	lite brn clay	☒	☒
	184	210	fine to crse sand	☒	☒
	210	214	brn clay	☒	☒
	214	236	fine to crse sand/w pea gravel	☒	☒
	236	242	lite brn clay		☒
	242	262	fine to crse sand	☒	☒
	262	272	lite brn clay	☒	☒
	272	275	fine to crse sand	☒	☒

AUG 13 1991
Department of Water Resources
Western Regional Office

10. Work started 7/22/91 finished 7/26/91

11. DRILLERS CERTIFICATION
I/We certify that all minimum well construction standards were complied with at the time the rig was removed.
Firm Name Pete Cope Drilling Firm No. 213
Address 6505 W. Chinden Date 7/26/91
Signed by (Firm Official) Joseph Jones
and
(Operator) Joseph Jones



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

May 30, 1991

DREW EGGERS
DEBRA EGGERS
5101 W. LAKE HAZEL RD.
NAMPA, ID 83687

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-11457

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Be sure to note the special condition requiring you to install a measuring device. Enclosed, for your reference, is a list of measuring device options.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

You should be aware that you are located within a drainage basin where surface water diversions are regulated by a watermaster. It is possible that diversion of groundwater under your permit may cause a reduction of surface water flow. Siting your well as far as possible from surface water channels and casing your well

JUN 04 1991

so that groundwater tributary to surface water flows are not diverted will reduce the potential for the watermaster to regulate your water use.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosures

44-155

RECEIVED

The Idaho Statesman

APR 16 1991

P.O. BOX 40, BOISE, IDAHO 83707

LEGAL ADVERTISING INVOICE

Department of Water Resources
Western Regional Office

Amount Due

207.00

Account Number 47628		Identification Notice of Application(s) for Water Right	
Ordered By Gail Garrett	P.O. Number	Rate nt	Run Dates April 4, 11, 1991
Idaho Dept. of Water Resources Western Region 1735 Airport Way Boise ID 83705		Estimated Inches	Real Inches
		# Affidavits 1	Legal Number 8067

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-11036
MC KENZIE, DOROTHY E.
MC KENZIE, KENNETH H.
4117 EDWARDS ST.
BOISE, ID 83703
Source: WASTE WATER
Tributary: Boise River
Diversion Pt: NWSWNE Sec 29 T04N R02E
Use: IRRIGATION (.030 CFS)
HEATING (.400 CFS)
Total Diversion: (.400 CFS)
Date Filed: 6/16/1989
In: T04N R02E S29 SWNE
1.0 ACRES TOTAL

63-11457
EGGERS, DREW
EGGERS, DEBRA
5101 W. LAKE HAZEL RD.
NAMPA, ID 83687
Source: GROUNDWATER
Diversion Pt: SENE Sec 21 T03N R01W
Use: IRRIGATION (1.240 CFS)
Total Diversion (1.240 CFS)
Date Filed: 2/22/1991
In: T03N R01W S21 NENE SENE
62.0 ACRES TOTAL

63-11486
KASPER, MARGARET H.
4102 STAR VALLEY ST.
BOISE, ID 83709
Source: GROUNDWATER
Diversion Pt: NENESW Sec 4 T04N R01E
Use: IRRIGATION (.100 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.140 CFS)
Date Filed: 3/19/1991
In: T04N R01E S04 NESW
5.0 ACRES TOTAL

63-11487
CITY OF GARDEN CITY
201 E. 50TH ST.
GARDEN CITY, ID 83714
Source: GROUNDWATER
Diversion Pt.: NENE Sec 27 T04N R01E
Use: IRRIGATION (4.500 CFS)
COMMERCIAL (4.500 CFS)
MUNICIPAL (4.500 CFS)
DOMESTIC (4.500 CFS)
FIRE PROECTION (4.500 CFS)
Date Filed: 10/8/1990
IN: Municipal within the city of Garden City.
Irrigation (469 acres), Commercial, domestic, fire protection within:
T3N R2E S4 LOT 9 (SWSW)
S9 LOT 10 (NWNW)
T4N R1E S13, S14, S22, S23, S24, all tracts within these sections.
T4N R1E S25 NW1/4, NWNW, SE1/4 S26 N1/2NE1/4, SWNE, N1/2NW1/4, SENW, E1/2SE1/4 S27 N1/2N1/2
T4N R2E S18 all tracts within this section.
S19 Lots 1-4 (W1/2W1/2)

63-11491
WOODARD, MAURICE E.
18638 PRESCOTT LN.
NAMPA, ID 83687
Source: GROUNDWATER
Diversion Pt: SESW Sec 20 T04N R01W
Use: IRRIGATION (2.460 CFS)
Total Diversion: (2.460 CFS)
Date Filed: 3/1/1991
In: T04N R01W S20 NESW NWSW SWSW SESW
123.0 ACRES TOTAL

63-11493
HOWARD, NUEL L.
3595 E. VICTORY
MERIDIAN, ID 83642
Source: GROUNDWATER
Diversion Pt.: NWNW Sec 28 T03N R01E
Use: IRRIGATION (.080 CFS)
Total Diversion (.080 CFS)
Date Filed: 3/13/1991
In: T03N R01E S28 NWNW
4.0 ACRES TOTAL

63-11498
CHURCH OF JESUS CHRIST
LATTER DAY SAINTS
2025 CHIPPAWA PL.
BOISE, ID 83709
Source: GROUNDWATER
Diversion Pt: NWSWNW Sec 25 T03N R01E
Use: IRRIGATION (.150 CFS)
Total Diversion (.150 CFS)
Date Filed: 2/26/1991
In: T03N R01E S25 SWNW
5.0 ACRES TOTAL

63-11499
HARRINGTON, DANIEL P.
13005 TAMPICO
KUNA, ID 83634
Source: GROUNDWATER
Diversion Pt.: SWSW Sec 26 T02N R01E
Use: IRRIGATION (.380 CFS)
STOCKWATER (.020 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.440 CFS)
Date Filed: 3/18/1991
In: T02N R01E S26 SENW
19.0 ACRES TOTAL

63-11500
KELLY, SHANE M.
4728 N. PENNFIELD PL.
BOISE, ID 83704
Source: GROUNDWATER
Diversion Pt.: NESW Sec 4 T02N R01E
Use: IRRIGATION (.460 CFS)
DOMESTIC (.060 CFS)
Total Diversion (.520 CFS)
Date Filed: 3/14/1991
In: T02N R01E S04 NESW
23.0 ACRES TOTAL

63-11501
NOBLE, JOHN E.
RT. 1
KUNA, ID 83634
Source: GROUNDWATER
Diversion Pt.: SESW Sec 28 T02N R01W
Use: IRRIGATION (2.000 CFS)
Total Diversion (2.000 CFS)
Date Filed: 3/15/1991
In: T02N R01W S28 NWSW SWSW S29 NESE SESE S33 NENE SENE
200.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Mail, Boise, Idaho 83705 on or before APRIL 22, 1991.

R. Keith Higginson, Director
Pub. Apr. 4, 11, 1991 8067

rdson, being duly

That she is the Principal Clerk of The newspaper printed and published at Boise, o, and having a general circulation therein r has been continuously and uninterruptedly during a period of twelve consecutive ublication of the notice, a copy of which is notice was published in The Idaho with Section 60-108, Idaho Code as

two consecutive daily ☐ single ☐ odd skip

in the issue of Apr. 4, 1991

of Apr. 11, 1991

Denise Richardson

ss.

day of April in the year of ne, a Notary Public, personally appeared dson, known or identified to e name subscribed to the within instrument, sworn, declared that the statements therein d to me that she executed the same.

Public for Idaho at Boise, ID

mission expires:

EGGERS, DREW
EGGERS, DEBRA
5101 W. LAKE HAZEL RD.
NAMPA, ID 83687

Source: GROUNDWATER

Diversion Pt: SENE Sec 21 T 03N R 01W

```

Use:  IRRIGATION      ( 1.240 CFS)
      Total Diversion: ( 1.240 CFS)

```

Date Filed: 2/22/ 1991

In: T03N R01W S21 NENE SENE

62.0 ACRES TOTAL

[illegible]