





3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____.

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		25	Submersible	Grundfos	3755250

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS



1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: Pump Curve

RECORDED

JUN 13 1994

GRUNDFOS**375 GPM****MODEL
375S****PERFORMANCE CURVES**FLOW RANGE
230 to 500 GPMPUMP OUTLET
4" NPT

Loki

DIMENSIONS AND WEIGHTS


MODEL NO.	HP	MIN. WELL SIZE (INCHES)	LENGTH (INCHES)	MAX. WIDTH (INCHES)	APPROX. UNIT SHIPPING WT. (LBS.)
375S75-1	7 1/2	8	44 3/4	7 1/8	153
375S150-2	15	8	53 1/4	7 1/8	181
375S200-3	20	8	60	7 1/8	197
375S250-4	25	8	66 3/4	7 1/8	226
375S300-5	30	8	73 3/4	7 1/8	245

NOTES:

Specifications are subject to change without notice.


See Deen Set models for higher head.

MIDGREEN WEB
JUN 13 1994



T2N sec 29
R2W (no gov lts)

JUN 13 1994





12" well
25 HP submersible pump (Grundfos
open discharge 3755250)

Approved
JUN 13 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11456

Priority: February 22, 1991

Maximum Diversion Rate: 1.00 CFS

Maximum Diversion Volume: 450.0 AF

This is to certify, that DOUG BLICKENSTAFF
7248 LYNWOOD RD
NAMPA ID 83686

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 22, 1991; and has submitted Proof of Beneficial Use on April 28, 1993. An examination indicates that the works have a diversion capacity of 1.000 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	1.00 CFS	450.0 AF

LOCATION OF POINT(S) OF DIVERSION:

NWSE , Sec. 29, Township 02N, Range 02W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	02W	29	SWNE 34.8	NESE 30	NWSE 35.2	100

Total number of acres irrigated: 100

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.
6. The right holder shall fully use all surface water rights appurtenant to the lands identified above prior to using water under this right.

RECEIVED

JUN 13 1994


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11456

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 9th
day of MAY, 1994.

Acting for


R. Keith Higginson, Director

JUN 9 1994

RECEIVED

APR 28 1993

Department of Water Resources

OFFICE USE ONLY

Amt. of Fee \$ 125.00

Date 4-28-93

Receipt No. 0027340

Receipt by CA

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-11456 Telephone No. 467-7345

2. Name(s) of Permit Holder(s): Doug Blickenstaff

3. Mailing Address: 7248 Lynwood Rd Nampa ID 83686

4. Source of Water: Groundwater

If GROUNDWATER, Well Driller's Name: Johnson Drilling Date Drilled: May 92
Bill Doty Drilling 4-1-91

OPTIONAL:

Pump horsepower: 25 Pressure (psi): _____ Dynamic pumping level (ft.): 120 ft.

5. Extent of Use (as authorized by the permit):

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 105 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted 2 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes ✓ No _____ Installed? ✓ Yes _____ No _____

OR

Flow Measurement Port: Required? _____ Yes _____ No Installed? ✓ Yes _____ No _____

8. Fee Enclosed: \$ 125 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Doug Blickenstaff 467-7345
Name Telephone No.

7248 Lynwood Rd Nampa Id
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Apr 12 1993
Date

Doug Blickenstaff
Signature (and title, if on behalf of a company or organization)

JUL 01 1993

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 63-11456

Proposed Priority: February 22, 1991 Maximum Diversion Rate: 2.00 CFS
This is to certify, that **DOUG BLICKENSTAFF**
7248 LYNWOOD RD.
NAMPA, ID 83686
has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	2.00 CFS

LOCATION OF POINT(S) OF DIVERSION: NWSE Sec. 29, Township 02N, Range 02W
CANYON County

<u>PLACE OF USE: IRRIGATION</u>		<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>	
<u>TWN</u>	<u>RGE</u>	<u>SEC</u>				
02N	02W	29	SWNE 36	NESE 34	NWSE 40	110
Total number of acres irrigated:						110

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **May 3, 1993**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
5. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
6. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

25th day of

April, 1991.

MICROFILMED

MAY 08 1991

[Signature]
for R. Keith Higginson, Director

Ident. No. 63-11456

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: DOUG BLICKENSTAFF 208-467-7345
Address: 7248 LYNWOOD ROAD
NAMPA, ID 83686
2. Source: GROUNDWATER Trib. to:
3. Location of Point of Diversion: NWSE Sec. 29, Township 02N, Range 02W
CANYON County
4. Water will be used for the following purposes:
- | Purpose | From | To | CFS | (or) | AF |
|------------|-------|-------|-------|------|----|
| IRRIGATION | 03/15 | 11/15 | 2.000 | | |
5. Total quantity to be appropriated is:
2.000 CFS (and/or) AF
6. Proposed diverting works:
- Description of ditches, flumes, pumps, headgates, etc.
SUPPLEMENTAL WELL, PUMP TO DITCHES AND SPRINKLERS
 - Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
 - Proposed well diameter is 12 inches; proposed depth of well is 200
feet.
 - Is groundwater with a temperature greater than 90F being sought? NO
7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 2 years.
8. Description of proposed uses:
IRRIGATION
9. Place of Use: IRRIGATION
- | TWN | RGE | SEC | ACRES | ACRES | ACRES | TOTAL |
|-----|-----|-----|---------|---------|---------|-------|
| 02N | 02W | 29 | SWNE 36 | NESE 34 | NWSE 40 | 110 |
- Total number of acres irrigated: 110
10. Describe any other water rights used for the same purposes.
BOISE-KUNA IRRIGATION DISTRICT

MAY 06 1991

11. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

13. Map of proposed point of diversion and place of use attached? ☒


BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

x Doug Blickenstaff
Applicant

Received by SL Date 2/22/91 Time 11:54 Preliminary check by lw
Fee \$ 65.00 Receipted by SL # W013042 Date 2/22/91
Publication prepared by GG Date 2/28/91 Published in Press-Tribune
Publication approved et Date 3-28-91
3/6 & 3/13/91

RECORDED

MAY 08 1991





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

May 10, 1994

DOUG BLICKENSTAFF
7248 LYNWOOD RD
NAMPA ID 83686

RE: WATER RIGHT NO. 63-11456

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.


Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', written over a horizontal line.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure



JUN 13 1994

DATE: 05/04/94
PAGE: 1

Audit: 05/04/94 CHAPMAN

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '*' ARE ADJUDICATION CLAIMS)

WR-NUMBER	SOURCE	NE				NW				SW				SE				SUM
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	
L6311456	T02N R02W S29 GROUNDWATER				34										30	35		99
6302388	BOISE RIVE :																	
A6302388	BOISE RIVE :																	
6303236	GROUNDWATE :							40	40									80
A6303236	GROUNDWATE :							40	40									80
6308815	GROUNDWATE :				32													32
A6308815	GROUNDWATE :				32													32
6311456	GROUNDWATE :				36										34	40		110
A6321334	GROUNDWATE :														05			5
A6326982	GROUNDWATE :				02													2

No Overlaps

LICENS REVIEW CHECKLIST

PERMIT NO. 63-11456 DATE 5-4-95



NAME	Yes ☐ No ☒	Or Address Change? ☐
PRIORITY DATE	☐ ☒	Advance? ☐ Advanced to: ☐ Order to reinstate needed? ☐ Incorrect fee for rate recommended? <u>NO</u>
SOURCE	☐ ☒	Changes or just clarification of originally intended source? ☐ Notice of Intent to Void necessary? ☐
POINT OF DIV	☐ ☒	Amendment needed? ☐ Overlaps? ☐
PLACE OF USE	☐ ☒	Amendment needed? ☐ Overlaps? ☐
DIV RATE	☒ ☐	Measurement done? <u>Pump Curve</u> Theoretical only? ☐ <u>Q = 450 gpm or 1 CFS</u> <u>100 x .02 = 2.0</u> Capacity: <u>1.0</u> Combined rates exceed capacity ☐ Allowable amount: <u>CAPACITY - 1 CFS</u>
ANNUAL VOLUME	☐ ☒	Season of use: <u>D/4.5</u> Calculations: <u>100 x 4.5 = 450</u> Flow limit: <u>1.0</u> cfs x <u>240</u> x 1.9835 = <u>487.9</u> Combined volumes exceed capacity/allowable ☐
USES	☐ ☒	Change(s) in Nature of Use? ☐ Amendment necessary? ☐
REMARKS	☐ ☒	Multiple p/d(s) in 1/4 1/4? ☐ <u>WB3</u> Other <u>BOISE KUNA IRR DIST</u>
CONDITIONS	☐ ☒	Measuring/Locking Devices ☐ <u>R32</u> Watermaster control - District ☐ Irrigation Overlap ☐ Water Quality ☐ Other ☐

COMMENTS:

Reduce acres and rate to capacity
* Supplemental Water

RECOMMENDED

CFS

VOLUME

LICENSE ☒

Irrigation

1.0

450

1ST AMENDMENT LETTER ☐

FINAL AMENDMENT LETTER ☐

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

APR 22 1994

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-11456

1. Owner: Doug Buckenstaff Phone No. 467-7345

Current Address: 7248 Lynwood Rd Nampa 83686

2. Accompanied by: Doug EXAM DATE: 11/2/93

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: Ground water tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 63-02388

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NW	SE	29	2N	2W	Canyon	1965 Quad ASCS photo


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
2N	2W	29			34.8										30	35.2			100

JUN 13 1994

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		25	submersible	Grundfos	3755250

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: Pump Curve

JUN 13 1994

E. NARRATIVE/REMARKS/COMMENTS

A 12" well with a 25 HP submersible pump supplies water to 100 acres via concrete ditches and siphon tubes. The NE acres are gravity irrigated to the north and the SE acres are gravity irrigated to the east. The well was originally drilled to 230' in 1991 and deepened to 306' in 1992 because of sand problems. Boise /Kuna irrigation water is also used on the acres. No other water is used.

Have conditions of permit approval been met? ☒ yes ☐ no

not necessary
for [unclear]

JUN 13 1994

F. FLOW CALCULATIONS

_____ Additional Computation Sheets Attached

Measured Method:

per pump curve : 450 GPM = 1.0 cfs
pump capacity

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 100 \times 4.5 = 450$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 1.0 \times 246 \times 1.9835 = 487.9$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 450$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3/15	11/15	1.0	450
Totals:			1.0	450

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATIONField Examiner's Name Loi Guana Date 4/4/94

Reviewer _____ Date _____

SEAL


JUN 13 1994

GRUNDFOS

375 GPM

MODEL 375S

PERFORMANCE CURVES



FLOW RANGE
230 to 500 GPM

PUMP OUTLET
4" NPT



Soli-


MIRAGE
JUN 13 1994

DIMENSIONS AND WEIGHTS


MODEL NO.	HP	MIN. WELL SIZE (INCHES)	LENGTH (INCHES)	MAX. WIDTH (INCHES)	APPROX. UNIT SHIPPING WT. (LBS.)
375S75-1	7½	8	44 ¾	7 ½	163
375S150-2	15	8	53 ½	7 ½	191
375S200-3	20	8	60	7 ½	197
375S250-4	25	8	66 ¾	7 ½	226
375S300-5	30	8	73 ¾	7 ½	245

NOTES:

Specifications are subject to change without notice.



T2N sec 29
R2W (no gov lts)



358

T3581

H/NW

7.8

3

7.5

7.1

H/NW

4

14.4

T3595

→ H/

H/

H/

3.3

T487

11.8

H/

H/

2

27.4

3

14.3

4

11.7

T3611

4.7

3

30.2

5

15.8

T3794

H/NW

2

22.7

T 2

JUN 13

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: 63-91-W-067 OTHER APPLICABLE NO: 63-11456
2. OWNER: Doug Blickenstaff Phone: 467-7345
Address: 7248 Lynwood Rd Nampa 83651
3. WELL LOCATION: Twp 2N, Rge. 2W, Sec. 29, NW 1/4 SE 1/4
County Canyon (Provide sketch map and photo on reverse.)
4. DRILLER: Doty Lic. No. 42
When Drilled? 1991, deepened in 1992 by Johnston
#92
5. WELL CONSTRUCTION:
- Casing Diameter 12" inches Water tight cap? ☒ Yes ☐ No Access Port: ☐ Yes ☒ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing 306 ft. Method Drilled cable
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☒ Yes ☐ No Pressure Gauge: ☐ Yes ☒ No
Condition of Piping and Valving O.K.
Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION:
- Depth to Static Water 90 ft. Water Temperature 56 °F
Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:
- | | | |
|---------------------------------------|---|-------------------------------------|
| ☐ Domestic | ☒ Irrigation | ☐ Stock |
| ☐ Test | ☐ Municipal | ☐ Industrial |
| ☐ Abandoned | ☐ Waste Disposal/Injection | ☐ Not Used |
| ☐ Other: _____ | | |
- RECEIVED**
JUN 13 1994

8. **POSSIBLE CONTAMINATION SOURCES:**

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. **REMARKS:**

Loi Gharner

Signature of Dept. Representative & Title


11/2/93

Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

JUN 13 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORTUSE TYPEWRITER OR
BALLPOINT PENState law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.


1. WELL OWNER Name <u>BUCKENSTAFF DUG</u> Address <u>7244 LYNNWOOD RD. MMMA R3686</u> Drilling Permit No. <u>63-91-W-067</u> Water Right Permit No. <u>63-11456</u>		7. WATER LEVEL Static water level <u>90</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature <u>56</u> °F. Quality <u>SULPHUR</u> Describe artesian or temperature zones below _____																																																																	
2. NATURE OF WORK ☐ New well ☒ Deepened ☐ Replacement ☐ Well diameter increase ☐ Modification ☐ Abandoned (describe abandonment or modification procedures such as liners, screen, materials, plug depths, etc. in lithologic log, section 9.)		8. WELL TEST DATA ☒ Pump ☐ Bailor ☐ Air ☐ Other _____ <table border="1"><thead><tr><th>Discharge G.P.M.</th><th>Pumping Level</th><th>Hours Pumped</th></tr></thead><tbody><tr><td><u>400</u></td><td><u>135</u></td><td><u>24</u></td></tr><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr></tbody></table>		Discharge G.P.M.	Pumping Level	Hours Pumped	<u>400</u>	<u>135</u>	<u>24</u>																																																										
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																	
<u>400</u>	<u>135</u>	<u>24</u>																																																																	
3. PROPOSED USE ☐ Domestic ☒ Irrigation ☐ Monitor ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)		9. LITHOLOGIC LOG <table border="1"><thead><tr><th rowspan="2">Pore Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th colspan="2">Water</th></tr><tr><th>From</th><th>To</th><th>Yes</th><th>No</th></tr></thead><tbody><tr><td> </td><td><u>230</u></td><td><u>232</u></td><td><u>BLUE CLAY</u></td><td> </td><td> </td></tr><tr><td> </td><td><u>232</u></td><td><u>238</u></td><td><u>SANDY BLUE CLAY</u></td><td>☒</td><td> </td></tr><tr><td> </td><td><u>238</u></td><td><u>245</u></td><td><u>STICKY BLUE CLAY</u></td><td> </td><td> </td></tr><tr><td> </td><td><u>245</u></td><td><u>250</u></td><td><u>BLUE SAND - 020</u></td><td>☒</td><td> </td></tr><tr><td> </td><td><u>250</u></td><td><u>260</u></td><td><u>BLUE CLAY</u></td><td> </td><td> </td></tr><tr><td> </td><td><u>260</u></td><td><u>265</u></td><td><u>BLUE SAND - 020</u></td><td>☒</td><td> </td></tr><tr><td> </td><td><u>265</u></td><td><u>275</u></td><td><u>BLUE CLAY</u></td><td> </td><td> </td></tr><tr><td> </td><td><u>275</u></td><td><u>280</u></td><td><u>BLUE SAND - 025</u></td><td>☒</td><td> </td></tr><tr><td> </td><td><u>280</u></td><td><u>300</u></td><td><u>BLUE CLAY</u></td><td> </td><td> </td></tr></tbody></table>		Pore Diam.	Depth		Material	Water		From	To	Yes	No		<u>230</u>	<u>232</u>	<u>BLUE CLAY</u>				<u>232</u>	<u>238</u>	<u>SANDY BLUE CLAY</u>	☒			<u>238</u>	<u>245</u>	<u>STICKY BLUE CLAY</u>				<u>245</u>	<u>250</u>	<u>BLUE SAND - 020</u>	☒			<u>250</u>	<u>260</u>	<u>BLUE CLAY</u>				<u>260</u>	<u>265</u>	<u>BLUE SAND - 020</u>	☒			<u>265</u>	<u>275</u>	<u>BLUE CLAY</u>				<u>275</u>	<u>280</u>	<u>BLUE SAND - 025</u>	☒			<u>280</u>	<u>300</u>	<u>BLUE CLAY</u>		
Pore Diam.	Depth		Material		Water																																																														
	From	To		Yes	No																																																														
	<u>230</u>	<u>232</u>	<u>BLUE CLAY</u>																																																																
	<u>232</u>	<u>238</u>	<u>SANDY BLUE CLAY</u>	☒																																																															
	<u>238</u>	<u>245</u>	<u>STICKY BLUE CLAY</u>																																																																
	<u>245</u>	<u>250</u>	<u>BLUE SAND - 020</u>	☒																																																															
	<u>250</u>	<u>260</u>	<u>BLUE CLAY</u>																																																																
	<u>260</u>	<u>265</u>	<u>BLUE SAND - 020</u>	☒																																																															
	<u>265</u>	<u>275</u>	<u>BLUE CLAY</u>																																																																
	<u>275</u>	<u>280</u>	<u>BLUE SAND - 025</u>	☒																																																															
	<u>280</u>	<u>300</u>	<u>BLUE CLAY</u>																																																																
4. METHOD DRILLED ☐ Rotary ☐ Air ☐ Auger ☐ Reverse rotary ☒ Cable ☐ Mud ☐ Other _____ (backhoe, hydraulic, etc.)		RECEIVED JUN 16 1992 Department of Water Resources RECEIVED JUN 18 1992 Department of Water Resources Bozeman Regional Office																																																																	
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1"><thead><tr><th>Thickness</th><th>Diameter</th><th>From</th><th>To</th></tr></thead><tbody><tr><td><u>150</u> inches</td><td><u>8</u> inches</td><td><u>185</u> feet</td><td><u>306</u> feet</td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr></tbody></table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☒ Yes ☐ No How perforated? ☒ Factory ☐ Knife ☐ Torch ☐ Gun Size of perforation? <u>16</u> inches by <u>3</u> inches <table border="1"><thead><tr><th>Number</th><th>From</th><th>To</th></tr></thead><tbody><tr><td><u>1600</u> perforations</td><td><u>201</u> feet</td><td><u>301</u> feet</td></tr><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr></tbody></table> Well screen installed? ☐ Yes ☒ No Manufacturer _____ Type _____ Top Packer or Headpipe _____ Bottom of Tailpipe _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☐ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth _____ Material used in seal: ☐ Cement grout ☐ Bentonite ☐ Pudding clay ☐ _____ Sealing procedure used: ☐ Shurry pit ☐ Temp. surface casing ☐ Overbore to seal depth Method of joining casing: ☐ Threaded ☐ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port _____				Thickness	Diameter	From	To	<u>150</u> inches	<u>8</u> inches	<u>185</u> feet	<u>306</u> feet									Number	From	To	<u>1600</u> perforations	<u>201</u> feet	<u>301</u> feet																																										
Thickness	Diameter	From	To																																																																
<u>150</u> inches	<u>8</u> inches	<u>185</u> feet	<u>306</u> feet																																																																
Number	From	To																																																																	
<u>1600</u> perforations	<u>201</u> feet	<u>301</u> feet																																																																	
6. LOCATION OF WELL Sketch map location must agree with written location.  Subdivision Name _____ Lot No. _____ Block No. _____ County <u>CANYON</u> <u>NW 1/4 SE 1/4</u> Sec. <u>29</u> T. <u>2</u> S. R. <u>2</u> W. <u>2</u>		10. Work started <u>MAY 1 92</u> finished <u>MAY 8 92</u>																																																																	
11. DRILLER'S CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>JOHNSON DRILLING</u> Firm No. <u>92</u> Address <u>7792 SOUTHWIDE BLVD</u> Date <u>MAY 10 92</u> Signed by Drilling Supervisor <u>E. R. Johnson</u> and (Operator) <u>Sam Johnson</u> (If different than the Drilling Supervisor)																																																																			

USE ADDITIONAL SHEETS IF NECESSARY — FORWARD THE WHITE COPY TO THE DEPARTMENT

V13 1994

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name DOUG BLICKENSTAFF Address 7248 LYNWOOD RD./NAMPA, ID. 83651 Owner's Permit No. 63-91-W-067		7. WATER LEVEL Static water level 70 feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature 98 Quality _____ <i>Describe attention to temperature given below</i>																																																																																																																																																																	
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replaced casing Well diameter increase _____ Abandoned (describe abandonment procedure such as materials, plug depths, etc. in lithologic log)		8. WELL TEST DATA ☒ Pump ☐ Bailor ☒ Air ☐ Other _____ Discharge G.P.M. 600 Pumping Level 200 Hours Pumped 1																																																																																																																																																																	
3. PROPOSED USE ☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)		9. LITHOLOGIC LOG <table border="1"><thead><tr><th rowspan="2">Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th colspan="2">Water</th></tr><tr><th>From</th><th>To</th><th>Yes</th><th>No</th></tr></thead><tbody><tr><td>16</td><td>0</td><td>2</td><td>TOP SOIL</td><td></td><td>X</td></tr><tr><td>16</td><td>2</td><td>5</td><td>CLAY / SAND</td><td></td><td>X</td></tr><tr><td>16</td><td>5</td><td>7</td><td>CLAY</td><td></td><td>X</td></tr><tr><td>16</td><td>7</td><td>9</td><td>HARD PAN</td><td></td><td>X</td></tr><tr><td>16</td><td>9</td><td>49</td><td>BLACK BASALT</td><td></td><td>X</td></tr><tr><td>16</td><td>49</td><td>56</td><td>RED CINDERS/SANDS/GRAVEL</td><td></td><td>X</td></tr><tr><td>12</td><td>56</td><td>59</td><td>BURNT SANDS/GRAVEL</td><td></td><td>X</td></tr><tr><td>10</td><td>59</td><td>61</td><td>BLACK BASALT</td><td></td><td>X</td></tr><tr><td>10</td><td>61</td><td>103</td><td>CEMENTED SANDS/GRAVEL</td><td></td><td>X</td></tr><tr><td>10</td><td>103</td><td>138</td><td>SMALL GRAVEL/COURSE SANDS</td><td></td><td>X</td></tr><tr><td>10</td><td>138</td><td>140</td><td>FINE & COURSE SANDS</td><td></td><td>X</td></tr><tr><td>10</td><td>140</td><td>150</td><td>SMALL GRAVEL</td><td>X</td><td></td></tr><tr><td>10</td><td>150</td><td>156</td><td>CLAY & SAND</td><td></td><td>X</td></tr><tr><td>10</td><td>156</td><td>169</td><td>SAND</td><td>X</td><td></td></tr><tr><td>10</td><td>169</td><td>171</td><td>CLAY & SAND</td><td></td><td>X</td></tr><tr><td>10</td><td>171</td><td>180</td><td>SAND</td><td>X</td><td></td></tr><tr><td>10</td><td>180</td><td>183</td><td>CLAY/SAND</td><td></td><td>X</td></tr><tr><td>10</td><td>183</td><td>190</td><td>BLUE SAND</td><td>X</td><td></td></tr><tr><td>10</td><td>190</td><td>195</td><td>BLUE SAND/CLAY</td><td>X</td><td></td></tr><tr><td>10</td><td>195</td><td>207</td><td>BLUE CLAY</td><td></td><td>X</td></tr><tr><td>10</td><td>207</td><td>210</td><td>BLUE SAND</td><td>X</td><td></td></tr><tr><td>10</td><td>210</td><td>213</td><td>BLUE CLAY</td><td></td><td>X</td></tr><tr><td>10</td><td>213</td><td>217</td><td>BLUE SAND</td><td>X</td><td></td></tr><tr><td>10</td><td>217</td><td>219</td><td>BLUE CLAY</td><td></td><td>X</td></tr><tr><td>10</td><td>219</td><td>230</td><td>BLUE SAND</td><td>X</td><td></td></tr></tbody></table>		Diam.	Depth		Material	Water		From	To	Yes	No	16	0	2	TOP SOIL		X	16	2	5	CLAY / SAND		X	16	5	7	CLAY		X	16	7	9	HARD PAN		X	16	9	49	BLACK BASALT		X	16	49	56	RED CINDERS/SANDS/GRAVEL		X	12	56	59	BURNT SANDS/GRAVEL		X	10	59	61	BLACK BASALT		X	10	61	103	CEMENTED SANDS/GRAVEL		X	10	103	138	SMALL GRAVEL/COURSE SANDS		X	10	138	140	FINE & COURSE SANDS		X	10	140	150	SMALL GRAVEL	X		10	150	156	CLAY & SAND		X	10	156	169	SAND	X		10	169	171	CLAY & SAND		X	10	171	180	SAND	X		10	180	183	CLAY/SAND		X	10	183	190	BLUE SAND	X		10	190	195	BLUE SAND/CLAY	X		10	195	207	BLUE CLAY		X	10	207	210	BLUE SAND	X		10	210	213	BLUE CLAY		X	10	213	217	BLUE SAND	X		10	217	219	BLUE CLAY		X	10	219	230	BLUE SAND	X	
Diam.	Depth		Material		Water																																																																																																																																																														
	From	To		Yes	No																																																																																																																																																														
16	0	2	TOP SOIL		X																																																																																																																																																														
16	2	5	CLAY / SAND		X																																																																																																																																																														
16	5	7	CLAY		X																																																																																																																																																														
16	7	9	HARD PAN		X																																																																																																																																																														
16	9	49	BLACK BASALT		X																																																																																																																																																														
16	49	56	RED CINDERS/SANDS/GRAVEL		X																																																																																																																																																														
12	56	59	BURNT SANDS/GRAVEL		X																																																																																																																																																														
10	59	61	BLACK BASALT		X																																																																																																																																																														
10	61	103	CEMENTED SANDS/GRAVEL		X																																																																																																																																																														
10	103	138	SMALL GRAVEL/COURSE SANDS		X																																																																																																																																																														
10	138	140	FINE & COURSE SANDS		X																																																																																																																																																														
10	140	150	SMALL GRAVEL	X																																																																																																																																																															
10	150	156	CLAY & SAND		X																																																																																																																																																														
10	156	169	SAND	X																																																																																																																																																															
10	169	171	CLAY & SAND		X																																																																																																																																																														
10	171	180	SAND	X																																																																																																																																																															
10	180	183	CLAY/SAND		X																																																																																																																																																														
10	183	190	BLUE SAND	X																																																																																																																																																															
10	190	195	BLUE SAND/CLAY	X																																																																																																																																																															
10	195	207	BLUE CLAY		X																																																																																																																																																														
10	207	210	BLUE SAND	X																																																																																																																																																															
10	210	213	BLUE CLAY		X																																																																																																																																																														
10	213	217	BLUE SAND	X																																																																																																																																																															
10	217	219	BLUE CLAY		X																																																																																																																																																														
10	219	230	BLUE SAND	X																																																																																																																																																															
4. METHOD DRILLED ☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____																																																																																																																																																																			
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other Thickness _____ Diameter _____ From _____ To _____ 250 inches 12 inches 1.5 feet 58.5 feet 250 inches 10 inches 2.5 feet 200 feet Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun Size of perforation _____ inches by _____ inches Number _____ From _____ To _____ perforations _____ feet _____ feet perforations _____ feet _____ feet perforations _____ feet _____ feet Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Model No. _____ Type _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ feet to _____ feet Surface seal depth 59 Material used in seal: ☐ Cement grout ☒ Bentonite ☒ Puddling clay ☐ _____ Sealing procedure used: ☒ Slurry pit ☐ Temp. surface casing ☐ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld _____ ☐ Cemented between strata Describe access port _____																																																																																																																																																																			
6. LOCATION OF WELL Sketch map location must agree with written location.  County CANYON Subdivision No. _____ Lot No. _____ Block No. _____ NW SE Sec 29 T. 2N S. R. 2W W JUN 13 1994		10. Work started 3/15/91 finished 3/30/91																																																																																																																																																																	
11. DRILLERS CERTIFICATION 21 I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name BILL DOTY DRILLING Firm No. 42 Address 106 CALLOWAY CALDWELL, ID. 83605 Date 4-1-91 Signed by (Firm Official) [Signature] and (Operator) Rodney Bluck																																																																																																																																																																			



12" well
25 HP submersible pump (Grundfos
open discharge 3755250

RECEIVED
JUN 13 1994

May 28, 1993

DOUG BLICKENSTAFF
7248 LYNWOOD RD.
NAMPA ID 83686

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11456

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECEIVED
JUL 01 1993

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 63-11456 Reviewed by Klg Date 4/29/93

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit? irrigate-105
yes Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

 Surface water source
✓ Ground water source
yes Drilling permit required? 63-91-W-006.7
yes Copy in the file? Drilling Permit No. when received
200 Amount paid for permit yes Correct?
yes Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?
125 Amount Submitted
yes Correct?
yes Required?
yes Installed?
NA Waiver requested?

PRIORITY CALCULATION

Date proof received NA
Date proof due -
No. of days late =
Priority Date +
New Priority Date ✓

DEFICIENCIES OR ACTION ITEMS

well dependent / year later w/o obtaining another DP.
extension granted By R Whitney on the permit
proof acceptable

DATA ENTRY

New Address Proof Made 4/28/93
5/28/93 Klg

Form 235-1
7/90Drilling Permit No. 63-91-W-067
Water Right Permit No. 63-11456
Injection Permit No. _____

Attention:

Karen Gustafson

State of Idaho
Department of Water Resources

APPLICATION FOR DRILLING PERMIT

1. Applicant (please print) BLICKENSTAFF, Doug
 2. Mailing Address 7248 LUNWOOD RD NAMPA 83686
 Telephone 467-7345

(X) Well Owner () Well Operator () Other, specify _____

3. Proposed well location NW 1/4 SE 1/4, or Gov't Lot No. _____
 Sec. 29, Twp. 2N, Rge. 2W, County CANYON

Street Address of Well Site _____

Lot, block and subdivision _____

4. Proposed use of well:

- () Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd, or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

(X) Non-Domestic: Any beneficial use not included within the definition of domestic.

() Injection

() Monitoring - A well bore schematic and map is required for each well.
 No. of proposed wells: _____

5. Well construction information:

A. (X) New well () Deepen () Replace - See Condition 9

B. Proposed Surface Diameter 12" Proposed Maximum Depth 200'

C. Anticipated bottom hole temperature:

- (X) 85°F or less (Cold water well)
 () 85°F to 212°F (Low temp. geothermal well)
 () 212° or more (Geothermal well)

JUL 01 1993

6. Construction Start Date 3/12/91

Anticipated Well Driller Bett Doty Johnston Drilling
 NOTE: The actual well driller must be identified prior to drilling.

8. Applicant's signature Doug Blickenstaff Date 3-11-91Title Owner

Attention: Karen Gustafson

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is APPROVED Date 3/11/91

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules Regulations.

SPECIFIC CONDITIONS:

*See attached Request for Expedited
Issuance of a Drilling Permit.*

APPROVED

JUL 01 1991

[Signature]
Signature of Authorized Department Representative

Water Rights Supervisor
Title

Receipt No. W013095 Received by LLW Fee \$200 Date 3/11/91

EXTENSION OF DRILLING PERMIT

Extension approved by [Signature] Approval Date 4-27-92



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

April 29, 1993

Doug Blickenstaff
7248 Lynwood Rd
Nampa, ID 83686

Re: Permit No. 63-11456

Dear Permit Holder:

The Department is in receipt of the proof of beneficial use filed in connection with the above referenced permit. Unfortunately, a problem exists with the original drilling and subsequent deepening of the well that makes the proof of beneficial use unacceptable at this time.

I have enclosed a copy of the drilling permit and both well logs for your convenience. Please note the highlighted condition on the back of the drilling permit. The drilling permit is valid for 60 days only. It is in good standing for one year to allow completion of the well. When the first drilling was completed and the well log submitted in April of 1991, the drilling permit was completed.

When it became necessary to deepen the well, you should have obtained another drilling permit. Since you failed to do so at the time the well was deepened, it will be necessary for you to do so now. I have enclosed a drilling permit form, which will need to be completed and returned directly to me along with the \$200 fee.

The Department also wants to inform you that your driller is aware of this requirement. Your driller should have had a VALID permit prior to deepening your well. Since he failed to do so, the Department will take action against your driller as soon as you have complied by obtaining a valid drilling permit.

The Department will allow 30 days for you to submit the completed drilling permit and \$200 fee. If you fail to do so, your proof of beneficial use will be returned as unacceptable and your water right permit will lapse and be of no further force nor effect.

RECEIVED

JUL 01 1993

Please be sure to address any correspondence directly to me. In the mean time, If you have any questions, or if I can be of any further assistance, please feel free to contact me.

Sincerely,



Karen L. Gustafson
Secretary/Records Manager

Enclosures

C: IDWR - Regional Office

RECEIVED
JUL 01 1993

RECEIVED

APR 28 1993

Department of Water Resources

OFFICE USE ONLY

Amt. of Fee \$ 125.00
Date 4-28-93
Receipt No. 0027340
Receipt by CA

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-11456 Telephone No. 467-7345
2. Name(s) of Permit Holder(s): Doug Blickenstaff
3. Mailing Address: 7248 Lynwood Rd Nampa ID 83686
4. Source of Water: Groundwater

If GROUNDWATER, Well Driller's Name: Johnson Drilling Date Drilled: May 92
Bill Doty Drilling 4-1-91

OPTIONAL:

Pump horsepower: 25 Pressure (psi): _____ Dynamic pumping level (ft.): 120 ft.

5. Extent of Use (as authorized by the permit):

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 105 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted 2 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes L No ✓ Installed? ✓ Yes _____ No

OR

Flow Measurement Port: Required? L Yes _____ No Installed? ✓ Yes _____ No

8. Fee Enclosed: \$ 125 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name Doug Blickenstaff Telephone No. 467-7345

Address 7248 Lynwood Rd Nampa Id

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Date Apr 12 - 1993

Signature (and title, if on behalf of a company or organization)
Doug Blickenstaff

APR 1 1993

Drilling Permit No. 63-91-W-067
Water Right Permit No. 63-11456
Injection Permit No. _____

State of Idaho
Department of Water Resources

APPLICATION FOR DRILLING PERMIT

1. Applicant (please print) BLICKENSTAFF, DOUG
2. Mailing Address 7248 LYNWOOD RD NAMPA 83686
Telephone 467-7345

(☒) Well Owner () Well Operator () Other, specify _____

3. Proposed well location NW 1/4 SE 1/4, or Gov't Lot No. _____
Sec. 29, Twp. 2N, Rge. 2W, County CANYON
Street Address of Well Site _____
Lot, block and subdivision _____

4. Proposed use of well:

() Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

(☒) Non-Domestic: Any beneficial use not included within the definition of domestic.

() Injection

() Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____

5. Well construction information:

A. (☒) New well () Deepen () Replace - See Condition 9

B. Proposed Surface Diameter 12" Proposed Maximum Depth 200'

C. Anticipated bottom hole temperature:

(☒) 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212° or more (Geothermal well)

6. Construction Start Date 3/12/91 JUL 01 1993

Anticipated Well Driller BILL DOTY
NOTE: The actual well driller must be identified prior to drilling.

8. Applicant's signature Doug Blickenstaff Date 3-11-91

Title Owner (Owner, Firm Representative, Other)

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is APPROVED

Date 3/11/91

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

See attached Request for Expedited Issuance of a Drilling Permit.

Jan Thurtell
Signature of Authorized Department Representative

Water Rights Supervisor
Title

Receipt No. W013095 Received by LW Fee \$200 Date 3/11/91

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension is good for 60 days beyond the above extension approval date.

JUL 01 1993

February 28, 1993

DOUG BLICKENSTAFF
7248 LYNWOOD RD.
NAMPA ID 83686

PROOF DUE NOTICE

RE: PERMIT NO. 63-11456

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before May 1, 1993.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



JUL 01 1993

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>DOUG BLICKENSTAFF</u> Address <u>7248 LYNWOOD RD./NAMPA, ID. 83651</u> Owner's Permit No. <u>63-91-W-067</u>		7. WATER LEVEL Static water level <u>70</u> feet below land surface. Flowing ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ OF. Quality _____ Describe artesian or temperature zones below.																																																																																																									
2. NATURE OF WORK ☒ New well ☐ Deepener ☐ Replacement Well diameter increase _____ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)		8. WELL TEST DATA ☒ Pump ☐ Bailor ☒ Air ☐ Other _____ <table border="1"><thead><tr><th>Discharge G.P.M.</th><th>Pumping Level</th><th>Hours Pumped</th></tr></thead><tbody><tr><td>600</td><td>200</td><td>1</td></tr></tbody></table>		Discharge G.P.M.	Pumping Level	Hours Pumped	600	200	1																																																																																																		
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																																									
600	200	1																																																																																																									
3. PROPOSED USE ☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)		9. LITHOLOGIC LOG <table border="1"><thead><tr><th>Bore Diam.</th><th>Depth From To</th><th>Material</th><th>Water Yes No</th></tr></thead><tbody><tr><td>16</td><td>0 2</td><td>TOP SOIL</td><td>X</td></tr><tr><td>16</td><td>2 5</td><td>CLAY / SAND</td><td>X</td></tr><tr><td>16</td><td>5 7</td><td>CLAY</td><td>X</td></tr><tr><td>16</td><td>7 9</td><td>HARD PAN</td><td>X</td></tr><tr><td>16</td><td>9 49</td><td>BLACK BASALT</td><td>X</td></tr><tr><td>16</td><td>49 56</td><td>RED CINDERS/SANDS/GRAVEL</td><td>X</td></tr><tr><td>12</td><td>56 59</td><td>BURNT SANDS/GRAVEL</td><td>X</td></tr><tr><td>10</td><td>59 61</td><td>BLACK BASALT</td><td>X</td></tr><tr><td>10</td><td>61 103</td><td>CEMENTED SANDS/GRAVEL</td><td>X</td></tr><tr><td>10</td><td>103 138</td><td>SMALL GRAVEL/COURSE SANDS</td><td>X</td></tr><tr><td>10</td><td>138 140</td><td>FINE & COURSE SANDS</td><td>X</td></tr><tr><td>10</td><td>140 150</td><td>SMALL GRAVEL</td><td>X</td></tr><tr><td>10</td><td>150 156</td><td>CLAY & SAND</td><td>X</td></tr><tr><td>10</td><td>156 169</td><td>SAND</td><td>X</td></tr><tr><td>10</td><td>169 171</td><td>CLAY & SAND</td><td>X</td></tr><tr><td>10</td><td>171 180</td><td>SAND</td><td>X</td></tr><tr><td>10</td><td>180 183</td><td>CLAY/SAND</td><td>X</td></tr><tr><td>10</td><td>183 190</td><td>BLUE SAND</td><td>X</td></tr><tr><td>10</td><td>190 195</td><td>BLUE SAND/CLAY</td><td>X</td></tr><tr><td>10</td><td>195 207</td><td>BLUE CLAY</td><td>X</td></tr><tr><td>10</td><td>207 210</td><td>BLUE SAND</td><td>X</td></tr><tr><td>10</td><td>210 213</td><td>BLUE CLAY</td><td>X</td></tr><tr><td>10</td><td>213 217</td><td>BLUE SAND</td><td>X</td></tr><tr><td>10</td><td>217 219</td><td>BLUE CLAY</td><td>X</td></tr><tr><td>10</td><td>219 230</td><td>BLUE SAND</td><td>X</td></tr></tbody></table>		Bore Diam.	Depth From To	Material	Water Yes No	16	0 2	TOP SOIL	X	16	2 5	CLAY / SAND	X	16	5 7	CLAY	X	16	7 9	HARD PAN	X	16	9 49	BLACK BASALT	X	16	49 56	RED CINDERS/SANDS/GRAVEL	X	12	56 59	BURNT SANDS/GRAVEL	X	10	59 61	BLACK BASALT	X	10	61 103	CEMENTED SANDS/GRAVEL	X	10	103 138	SMALL GRAVEL/COURSE SANDS	X	10	138 140	FINE & COURSE SANDS	X	10	140 150	SMALL GRAVEL	X	10	150 156	CLAY & SAND	X	10	156 169	SAND	X	10	169 171	CLAY & SAND	X	10	171 180	SAND	X	10	180 183	CLAY/SAND	X	10	183 190	BLUE SAND	X	10	190 195	BLUE SAND/CLAY	X	10	195 207	BLUE CLAY	X	10	207 210	BLUE SAND	X	10	210 213	BLUE CLAY	X	10	213 217	BLUE SAND	X	10	217 219	BLUE CLAY	X	10	219 230	BLUE SAND	X
Bore Diam.	Depth From To	Material	Water Yes No																																																																																																								
16	0 2	TOP SOIL	X																																																																																																								
16	2 5	CLAY / SAND	X																																																																																																								
16	5 7	CLAY	X																																																																																																								
16	7 9	HARD PAN	X																																																																																																								
16	9 49	BLACK BASALT	X																																																																																																								
16	49 56	RED CINDERS/SANDS/GRAVEL	X																																																																																																								
12	56 59	BURNT SANDS/GRAVEL	X																																																																																																								
10	59 61	BLACK BASALT	X																																																																																																								
10	61 103	CEMENTED SANDS/GRAVEL	X																																																																																																								
10	103 138	SMALL GRAVEL/COURSE SANDS	X																																																																																																								
10	138 140	FINE & COURSE SANDS	X																																																																																																								
10	140 150	SMALL GRAVEL	X																																																																																																								
10	150 156	CLAY & SAND	X																																																																																																								
10	156 169	SAND	X																																																																																																								
10	169 171	CLAY & SAND	X																																																																																																								
10	171 180	SAND	X																																																																																																								
10	180 183	CLAY/SAND	X																																																																																																								
10	183 190	BLUE SAND	X																																																																																																								
10	190 195	BLUE SAND/CLAY	X																																																																																																								
10	195 207	BLUE CLAY	X																																																																																																								
10	207 210	BLUE SAND	X																																																																																																								
10	210 213	BLUE CLAY	X																																																																																																								
10	213 217	BLUE SAND	X																																																																																																								
10	217 219	BLUE CLAY	X																																																																																																								
10	219 230	BLUE SAND	X																																																																																																								
4. METHOD DRILLED ☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____																																																																																																											
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1"><thead><tr><th>Thickness</th><th>Diameter</th><th>From</th><th>To</th></tr></thead><tbody><tr><td>.250 inches</td><td>12</td><td>inches 1.5</td><td>feet 58.5</td></tr><tr><td>.250 inches</td><td>10</td><td>inches 2.5</td><td>feet 200</td></tr><tr><td>_____ inches</td><td>_____</td><td>inches _____</td><td>feet _____</td></tr><tr><td>_____ inches</td><td>_____</td><td>inches _____</td><td>feet _____</td></tr></tbody></table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun Size of perforation _____ inches by _____ inches <table border="1"><thead><tr><th>Number</th><th>From</th><th>To</th></tr></thead><tbody><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr></tbody></table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>59</u> Material used: ☐ seal ☐ Cement grout ☒ Bentonite ☒ Puddling clay ☐ _____ Sealing procedure used: ☒ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port _____		Thickness	Diameter	From	To	.250 inches	12	inches 1.5	feet 58.5	.250 inches	10	inches 2.5	feet 200	_____ inches	_____	inches _____	feet _____	_____ inches	_____	inches _____	feet _____	Number	From	To	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet																																																																										
Thickness	Diameter	From	To																																																																																																								
.250 inches	12	inches 1.5	feet 58.5																																																																																																								
.250 inches	10	inches 2.5	feet 200																																																																																																								
_____ inches	_____	inches _____	feet _____																																																																																																								
_____ inches	_____	inches _____	feet _____																																																																																																								
Number	From	To																																																																																																									
_____ perforations	_____ feet	_____ feet																																																																																																									
_____ perforations	_____ feet	_____ feet																																																																																																									
_____ perforations	_____ feet	_____ feet																																																																																																									
6. LOCATION OF WELL Sketch map location must agree with written location. <table border="1"><tr><td>N</td><td></td><td></td><td></td><td></td></tr><tr><td>W</td><td></td><td></td><td></td><td>E</td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td>S</td><td></td><td></td><td></td><td></td></tr></table> County <u>CANYON</u> Subdivision Name _____ Lot No. _____ Block No. _____ NW SE Sec 29 T. 2N S. R. 2W W		N					W				E						S																																																																																										
N																																																																																																											
W				E																																																																																																							
S																																																																																																											
		10. Work started <u>3/15/91</u> finished <u>3/30/91</u>																																																																																																									
		11. DRILLERS CERTIFICATION <u>21</u> I/We certify that all minimum well construction standards were compiled with at the time the rig was removed. Firm Name <u>BILL DOTY DRILLING</u> Firm No. <u>42</u> <u>CO., INC.</u> Address <u>106 CALLOWAY</u> <u>CALDWELL, ID. 83605</u> Date <u>4-1-91</u> Signed by (Firm Official) <u>[Signature]</u> and (Operator) <u>Rodney Pollock</u>																																																																																																									

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

JUL 01 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

USE TYPEWRITER OR
BALLPOINT PEN

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name BLICKENSTAFF DUUB

Address 7248 LYNNWOOD RD Nampa 83686

Drilling Permit No. 63-91-W-067-001

Water Right Permit No. 11456

2. NATURE OF WORK

☐ New well

☒ Deepened

☐ Replacement

☐ Well diameter increase

☐ Modification

☐ Abandoned (describe abandonment or modification procedures such as liners, screen, materials, plug depths, etc. in lithologic log, section 9.)

3. PROPOSED USE

☐ Domestic

☒ Irrigation

☐ Monitor

☐ Industrial

☐ Stock

☐ Waste Disposal or Injection

☐ Other

(specify type)

4. METHOD DRILLED

☐ Rotary

☐ Air

☐ Auger

☐ Reverse rotary

☒ Cable

☐ Mud

☐ Other

(backhoe, hydraulic, etc.)

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other

Thickness

Diameter

From

To

150 inches

8 inches

185 feet

306 feet

_____ inches

_____ inches

_____ feet

_____ feet

_____ inches

_____ inches

_____ feet

_____ feet

Was casing drive shoe used? ☒ Yes ☐ No

Was a packer or seal used? ☐ Yes ☒ No

Perforated? ☒ Yes ☐ No

How perforated? ☒ Factory ☐ Knife ☐ Torch ☐ Gun

Size of perforation? 1/8 inches by 3 inches

Number

From

To

1600 perforations

201 feet

301 feet

_____ perforations

_____ feet

_____ feet

_____ perforations

_____ feet

_____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer _____ Type _____

Top Packer or Headpipe _____

Bottom of Tailpipe _____

Diameter

Slot size

Set from

_____ feet to _____ feet

Diameter

Slot size

Set from

_____ feet to _____ feet

Gravel packed? ☐ Yes ☐ No ☐ Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth _____ Material used in seal: ☐ Cement grout

☐ Bentonite

☐ Puddling clay

☐

Sealing procedure used: ☐ Slurry pit

☐ Temp. surface casing

☐ Overbore to seal depth

Method of joining casing: ☐ Threaded ☐ Welded

☐ Solvent Weld

☐ Cemented between strata

Describe access port _____

6. LOCATION OF WELL

Sketch map location must agree with written location.

N

W

E

S

X

Subdivision Name _____

Lot No. _____ Block No. _____

County CANYON

NW 1/4 SE 1/4 Sec. 29, T. 2

☒ N

☐ E

☐ S

☐ R.

☐ 2

☒ W

7. WATER LEVEL

Static water level 90 feet below land surface.

Flowing? ☐ Yes ☒ No G.P.M. flow _____

Artesian closed-in pressure _____ p.s.i.

Controlled by: ☐ Valve ☐ Cap ☐ Plug

Temperature 56 °F. Quality SULPHUR

Describe artesian or temperature zones below.

8. WELL TEST DATA

☒ Pump ☐ Bailer ☐ Air ☐ Other

Discharge G.P.M.

Pumping Level

Hours Pumped

400

135

24

9. LITHOLOGIC LOG

Bore Diam.

From

To

Material

Water Yes

Water No

8

230

232

BLUE CLAY

☒

☐

232

238

245

SANDY BLUE CLAY

☒

☐

238

245

250

STICKY BLUE CLAY

☒

☐

245

250

260

BLUE SAND .020

☒

☐

250

260

265

BLUE CLAY

☐

☒

260

265

275

BLUE SAND -020

☒

☐

265

275

285

BLUE CLAY

☐

☒

275

285

300

BLUE SAND .025

☒

☐

300

306

306

BLUE CLAY

☐

☐

RECEIVED

JUN 16 1992

Department of Water Resources

RECEIVED

JUN 18 1992

Department of Water Resources

Western Regional Office

10.

Work started MAY 1 92 finished MAY 8 92

11. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name JOHNSON DRILLING Firm No. 92

Address 379X Southside Blvd Date MAY 10 92

Signed by Drilling Supervisor E O Jaber

and _____

(Operator) Sam Johnson

(If different than the Drilling Supervisor)

USE ADDITIONAL SHEETS IF NECESSARY — FORWARD THE WHITE COPY TO THE DEPARTMENT



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

May 3, 1991

DOUG BLICKENSTAFF
7248 LYNWOOD RD.
NAMPA, ID 83686

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-11456

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Be sure to note the special condition requiring you to install a measuring device. Enclosed, for your reference, is a list of of measuring device options.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

You should be aware that you are located within a drainage basin where surface water diversions are regulated by a watermaster. It is possible that diversion of groundwater under your permit may cause a reduction of surface water flow. Siting your well as far as possible from surface water channels and casing your well

MAILED

MAY 08 1991

so that groundwater tributary to surface water flows are not diverted will reduce the potential for the watermaster to regulate your water use.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosures

RECEIVED

MAY 03 1991

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

AFFIDAVIT OF PUBLICATION

MARTINEAU, STEVEN L.
7472 HWY 45
NAMPA, ID 83686
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

Date Filed: 2/19/1991
In: T02N R02W S33
80.0 ACRES TOTAL

NWSE Sec 33 T 02N R 02W of Canyon
(1.600 CFS)
Total Diversion: (1.600 CFS)

NWSE SWSE Sharla O'Krakel

BLICKENSTAFF, DOUG
7248 LYNWOOD RD.
NAMPA, ID 83686
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

Date Filed: 2/22/1991
In: T02N R02W S29
110.0 ACRES TOTAL

NWSE Sec 29 T 02N R 02W
(2.000 CFS)
Total Diversion: (2.000 CFS)

SWNE NESE NWSE

FLOYD, LLOYD W.
12703 CHINDEN DINNER RD.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

Date Filed: 2/20/1991
In: T03N R03W S17
57.0 ACRES TOTAL

NENW Sec 17 T 03N R 03W
NWNW Sec 17 T 03N R 03W
(1.140 CFS)
Total Diversion: (1.140 CFS)

NWNW SWNW

PYWELL, MARLEAN
PYWELL, JEAN
6282 LYNWOOD RD.
NAMPA, ID 83686
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

Date Filed: 2/13/1991
In: T01N R02W S11
111.0 ACRES TOTAL

SWNW Sec 11 T 01N R 02W
(2.000 CFS)
Total Diversion: (2.000 CFS)

NENW NWNW SWNW SENW

HAWKER, B. EUGENE
HAWKER, DONNA M.
11140 CHICKEN DINNER DR.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION
STOCKWATER

Date Filed: 2/15/1991
In: T02N R04W S01
107.0 ACRES TOTAL

SWSE Sec 1 T 02N R 04W
(2.140 CFS)
Total Diversion: (2.140 CFS)

SWSW SESW SWSE

MILLER, MONTE
MILLER, ALICE
6156 DEERFLAT DR.
NAMPA, ID 83686
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

Date Filed: 2/13/1991
In: T02N R02W S13
25.0 ACRES TOTAL

SESE Sec 13 T 02N R 02W
(.500 CFS)
Total Diversion: (.500 CFS)

SESE

HILL, ENOS V.
HILL, ELTON D.
302 S. DEWEY LN.
NAMPA, ID 83687
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION
STOCKWATER
DOMESTIC

Date Filed: 2/8/1991
In: T03N R01W S29
120.0 ACRES TOTAL

NWSE Sec 29 T 03N R 01W
(2.400 CFS)
(.130 CFS)
(.060 CFS)
Total Diversion: (2.590 CFS)

SWNE SENW SWSE

SHROLL, NORMAN
7130 HWY. 45
NAMPA, ID 83687
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

Date Filed: 2/21/1991
In: T02N R02W S28
71.0 ACRES TOTAL

NENE Sec 28 T 02N R 02W
(1.420 CFS)
Total Diversion: (1.420 CFS)

SENE SENE

KENDALL, A. WILLIAM
418 ALUMBAUGH
BOISE, ID 83704
Source: SPRINGS
Diversión Pt:
Use: STOCKWATER

Date Filed: 2/19/1991
In: T05N R03W S35

Tributary: EAST HARTLEY GULCH
NWNENE Sec 35 T 05N R 03W
(.020 CFS)
Total Diversion: (.020 CFS)

NENE

E OF IDAHO)

) ss.

of Canyon)

MAR 14 1991

Department of Water Resources
Boise Regional Office

npa, Canyon County, Idaho, being first duly sworn, deposes
ys:

that I am a citizen of the United States of America, and at all
hereinafter mentioned was over the age of eighteen years,
a party to the above entitled action.

that I am the Principal Clerk of the Idaho Press-Tribune, a
(except Saturday) newspaper published in the City of
a and Caldwell, in the County of Canyon, State of Idaho;
he said newspaper is in general circulation in the said
y of Canyon, and in the vicinity of Nampa and Caldwell, and
en uninterruptedly published in said County during a period
enty-eight consecutive weeks prior to the first publication of
tice, a copy of which is hereto attached.

that the notice, of which the annexed is a printed copy, was
hed in said newspaper
two times

ne regular and entire issue of said paper, and was printed in
wspaper proper, and not in a supplement.

that said notice was published the following dates:

March 6, 13, 1991

Sharla O'Krakel

E OF IDAHO)

NTY OF CANYON)

his 13th day of March in the
of 1991, before me, a Notary Public, personally
red Sharla O'Krakel, known
ntified to me to be the person whose name subscribed to the
1 instrument, and being by me first duly sworn, declared
he statements therein are true, and acknowledged to me that
e executed the same.

Janne Lusk
Notary Public for Idaho
Residing at Nampa
MY COMMISSION EXPIRES
JULY 12th, 1991

RECEIVED
MAY 08 1991

The permit(s) will be subject to all prior water rights. Protests must be filed with
the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise,
Idaho 83705 on or before MARCH 25, 1991.
R. KEITH HIGGINSON, Director
March 6, 13, 1991

63-11456

BLICKENSTAFF, DOUG
7248 LYNWOOD RD.
NAMPA, ID 83686

Source: GROUNDWATER

Diversion Pt: NWSE Sec 29 T 02N R 02W

Use: IRRIGATION (2.000 CFS)
Total Diversion: (2.000 CFS)

Date Filed: 2/22/ 1991

In: T02N R02W S29 SWNE NESE NWSE
110.0 ACRES TOTAL

FILED

MAY 08 1991