


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

(Applicant)

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
16"		30		Layne	PFP2492 (8")
					Model 5K286Q NM3024

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: pump curve

JUN 29 1994

76' TDH

CURVE NO.
18-134
3-15-84


No. Stages	Eff. Change	MATERIAL	Eff. Change
1	-2	IMP.—C.I.	-1
2	-1	IMP.—NI-RI	-1
3	0	BOWL—BRZ.	-2
4		BOWL—NI-R.	-1

13CM


1770 R.P.M.

SINGLE STAGE LAB PERFORMANCE WITH STANDARD MATERIALS. EFFICIENCY SHOWN FOR 3 OR MORE STAGES. HORSE POWER SHOWN FOR ONE STAGE BASED ON 3 STAGE EFFICIENCY. CORRECTIONS SHOULD BE MADE FOR STAGES AND MATERIAL.

ONE (1)
STAGE STAGES



EYE AREA — SQ. IN. = 25.5	IMPELLER WT.-LBS. = 17.5
WR ² PER IMPELLER = 1.45 LB.-FT. ²	ONE STAGE WT.-LBS. = 278
MAX. SPHERE SIZE = 1.00 in.	ADD'L STAGE WT.-LBS. = 118
MAX. NO. STD. STAGES = 8	IMPELLER NUMBER = 65C15
MAX. OPERATING P.S.I. = 400	DISCH. SIZES = 8, 10
STD. LATERAL = .84 in.	SUCTION SIZES = 10
STD. SHAFT DIA. = 1.887 in.	MAX. LATERAL = 1.00 in.
MAX. SHAFT DIA. = 1.937 in.	BOWL CONN. FLANGED — COLLET
MIN. SUBMERGENCE = 41 in.	ADD 11.3 " PER ADDITIONAL STAGE.



T3N
R2W
sec 6

R2W

7.5-MIN

T4

ADA CO
CANYON CO

35

35

32° 30"

Tennile Cr

CHERRY

PURDAM

LANE

GULCH

DRAIN

HIGHWAY

BM 2500

BM 2486

BM 2583

BM

2594

2508

Tiegs Corner

Water
Nampa State School

2 LANE

2 LANE

2669


18


2516

2667

IMPROVED

JUN 29 1994





16" well
30 HP pump
open discharge

P/n —



JUN 29 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11452

Priority: February 7, 1991

Maximum Diversion Rate: 1.84 CFS

Maximum Diversion Volume: 414.0 AF

This is to certify, that EVERT VAN BEEK & SON

8142 W USTICK

NAMPA ID 83687

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 7, 1991; and has submitted Proof of Beneficial Use on February 2, 1993. An examination indicates that the works have a diversion capacity of 2.850 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
-----------------------	----------------------	--------------------------	----------------------

IRRIGATION	03/15 to 11/15	1.84 CFS	414.0 AF
------------	----------------	----------	----------

LOCATION OF POINT(S) OF DIVERSION:

SENE , Sec. 6, Township 03N, Range 01W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	01W	6	SWNE 35	SENE 35	NESE 11	92
			NWSE 11			

Total number of acres irrigated: 92

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The right holder shall fully use all surface water rights appurtenant to the lands identified above prior to using water under this right.
6. This right when combined with Right 63-03267 shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

JUN 29 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11452

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 17th
day of JUNE, 1994.

Acting for 
R. Keith Higginson, Director



JUN 29 1994

RECEIVED

FEB 2 1993

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

OFFICE USE ONLY

Amt. of Fee \$ 125.00

Date 2/5/93

Receipt No. 0026663

Receipt by [Signature]

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-11452 Telephone No. 466-5960

2. Name(s) of Permit Holder(s): Evert Van Beek & Son

3. Mailing Address: 8142 W USTICK Nampa Id 83687

4. Source of Water: Ground water

If **GROUNDWATER**, Well Driller's Name: Pete Cope Date Drilled: June 1991

OPTIONAL:

Pump horsepower: 30 Pressure (psi): _____ Dynamic pumping level (ft.): 50'

5. Extent of Use (as authorized by the permit):

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 105 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted 105 @ 2.00 cfs OR 105 @ 2.00 acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

OR

Flow Measurement Port: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

8. Fee Enclosed: \$ 125.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

John Van Beek 466-5960
Name Telephone No.

8142 W USTICK Nampa Id. 83687
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

2/1/92
Date

John Van Beek
Signature (and title, if on behalf of a company or organization)

FEB 10 1993

State of Idaho
Department of Water Resources

NO. 63-11452

Proposed Priority: February 7, 1991 Maximum Diversion Rate: 2.10 CFS
This is to certify, that **EVERT VAN BEEK & SON**
8142 W. USTICK
NAMPA, ID 83687

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

RATE OF DIVERSION

2.10 CFS

SENE Sec. 6, Township 03N, Range 01W
CANYON County

TWN RGE SEC

ACRES

ACRES

ACRES

TOTAL

SWNE	40
NWSE	10

SENE 40

NESE 15

105

Total number of acres irrigated: 105

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 1993.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
5. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
6. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

11th day of April, 1991

R. Keith Higginson, Director

R. Keith Higginson, Director

APR 23 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Evert Van Beek & Son Phone 466-5960
Post office address 8142 W. Ustick, Nampa ID 83687
2. Source of water supply groundwater which is a tributary of _____
3. Location of point of diversion is _____ $\frac{1}{4}$ of SE $\frac{1}{4}$ of NE $\frac{1}{4}$, Govt. Lot _____
Sec. 6 Township 3N Range 1W B.M. Canyon County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 2.1 for irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 2.1 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. _____
well, pump, gravity irrigation
 - b. Height of storage dam N/A feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is 16" inches; proposed depth of well is 200' feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? NO
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
5 years (minimum 1 year).

APR 23 1991

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3N	1W	6			40	40									15	10			~~100~~ 105

Total number of acres to be irrigated 105

10. Describe any other water rights used for the same purposes as described above. _____

Nampa-Meridian Irrigation District

11. a. Who owns the property at the point of diversion? applicant


b. Who owns the land to be irrigated or place of use? applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

APR 23 1981

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

(Applicant)

Received by CJH Date 2-07-91 Time 10:45 Preliminary check by SL
Fee \$ 85.00 Receipted by CJH # 0012991 Date 2-07-91
Publication prepared by GG Date 2-13-91 Published in Press-Tribune
2/20 & 2/27/91
Publication approved [Signature] Date 3-19-91

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

APR 20 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

June 21, 1994


EVERT VAN BEEK & SON
8142 W USTICK
NAMPA ID 83687

RE: WATER RIGHT NO. 63-11452

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,



JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure



JUN 29 1994

WR0749NP
No. L63-11452

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 04/07/94
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	EVERT VAN BEEK & SON 8142 W USTICK NAMPA ID 83687 (208) 466-5960	02/07/1991	IRRIGATION	03-15 11-15	1.84 CFS	414.00 AFA
TOTAL DIVERSION:					1.84 CFS	414.00 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 2.85 CFS

Point(s) of Diversion: T03N R01W S06 SENE CANYON County

Place of use Legal Description for: IRRIGATION

NE										NW										SW										SE																														
T	R	S	NENE		NWNE		SWNE		SENE	:	NENW		NWNW		SWNW		SENW	:	NESW		NWSW		SWSW		SESW	:	NESE		NWSE		SWSE		SESE	:	SUM																									
			Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	Lt	Ac	:																										
03N	01W	6	:					35		35	:									:							:	11		11				:	92.0																									
																														TOTAL ACRES		92.0																												

Pou County: CANYON

Other Rights: NAMPA-MERIDIAN IRRIGATION DISTRICT

Other Water Rights with Same Point(s) of Diversion and Source:
63-03267 63-11452

Other Water Rights Listing Overlapping Place(s) of Use:
63-03267 63-08941 63-11452

Remarks: The right holder shall fully use all surface water rights appurtenant to the lands identified above prior to using water under this right.
This right when combined with Right 63-03267 shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

Dates: App. Received: 02/07/1991 Priority Date: 02/07/1991
Proof Due Date: 04/01/1993 Proof Made Date: 02/02/1993
Exam Made Date: 09/24/1993 Exam Sent to S.O.: 03/28/1994
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 04/07/94 CHAPMAN

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '*' ARE ADJUDICATION CLAIMS)

WR-NUMBER	SOURCE	NE				NW				SW				SE				SUM
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	
L6311452	T03N R01W S 6 GROUNDWATER																	
	:			35		35										11	11	92
6302388	BOISE RIVE :																	
A6302388	BOISE RIVE :																	
6303267	GROUNDWATE :															11	11	98
6304659	TEN MILE C :			39		37												
A6304659	TEN MILE C :											10						10
6304940	GROUNDWATE :							40	40									80
A6304940	GROUNDWATE :							40	40									80
6308696	GROUNDWATE :			02-40														40
6308941	GROUNDWATE :															23	26	16
A6308941	GROUNDWATE :											34	23			23	26	16
6310477	GROUNDWATE :											37	06-09	07-05	37			88
6310681	GROUNDWATE :																	66
6311452	GROUNDWATE :							03-38	04-28									66
A6320990	TEN MILE C :			40		40										15	10	105
	:											05						5

POU COMPARISON

LICENSE REVIEW CHECKLIST

PERMIT NO. 63-11452 DATE 4-7-94



NAME	Yes ☐ No ☒	Or Address Change? ☐
PRIORITY DATE	☐ ☒	Advance? ☐ Advanced to: ☐ Order to reinstate needed? ☐ Incorrect fee for rate recommended? <u>NO</u>
SOURCE	☐ ☒	Changes or just clarification of originally intended source? ☐ Notice of Intent to Void necessary? ☐
POINT OF DIV	☐ ☒	Amendment needed? ☐ Overlaps? <u>63-3267 is a different well</u>
PLACE OF USE	☒ ☐	Amendment needed? <u>(98 acres)</u> Overlaps? <u>63-3267 @ .0105 CFS per acre</u>
DIV RATE	☐ ☒	Measurement done? ☐ Theoretical only? ☐ <u>Used Pump Curve Q = 1280 gpm or 2.85 CFS</u> Capacity: <u>2.85</u> Combined rates exceed capacity ☐ Allowable amount: <u>92 x .02 = 1.84</u>
ANNUAL VOLUME	☐ ☒	Season of use: <u>0/4.5</u> <u>3-15 to 11-15</u> Calculations: <u>92 x 4.5 = 414</u> Flow limit: <u>1.84</u> cfs x <u>214</u> x 1.9835 = <u>781</u> Combined volumes exceed capacity/allowable ☐
USES	☐ ☒	Change(s) in Nature of Use? ☐ Amendment necessary? ☐
REMARKS	<u>WB3 W34</u> Multiple p/d(s) in <u>1/4 1/4</u> ? ☐ <u>Other Nampa-Meridian TRR District</u>	
CONDITIONS	☐ ☒	Measuring/Locking Devices ☐ Watermaster control - District ☐ Irrigation Overlap ☐ Water Quality ☐ Other ☐
COMMENTS: <u>Reduce acres and rate</u>		

RECOMMENDED	CFS	VOLUME	LICENSE ☒
<u>Irrigation</u>	<u>1.84</u>	<u>414</u>	
_____	_____	_____	1ST AMENDMENT LETTER _____
_____	_____	_____	FINAL AMENDMENT LETTER _____



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

APR 01 1994

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-11452

1. Owner: Evert Van Beek + Son Phone No. 466-5960

Current Address: 8142 W Ustick Nampa 83687

2. Accompanied by: John Van Beek EXAM DATE: 9/24/93

Address: same Phone No. _____

Relationship to Permit Holder: Son

3. Source: Ground Water tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 63-02388, 63-03267, 63-08941

2. Other water rights with the same point of diversion: 63-03267

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SE	NE	6	3N	1W	Canyon	USGS Quad


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
3N	1W	6			35	35									11	11			42

JUN 29 1994

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
16"		30		1 (Layne)	PFP2492 (8")
					Model 5K286Q NM3024

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: pump curve

JUN 29 1994

E. NARRATIVE/REMARKS/COMMENTS

A 16" well with a 30 HP pump supplies water to 92 acres via cement ditch and siphon tubes. Water # 63-03267 represents a separate artesian well licensed for the same area. Both #s when combined are limited to 1"/acre. Nampa-Meridian Irrigation water is also used on the property.

Wayne of Idaho installed the pump.

- Sent computer
- generated
- A63-03267 to be
- signed, returned
- + paid for 10/5/93.
-
-

Have conditions of permit approval been met? ☐ yes ☒ no

see attached waiver

JUN 29 1994

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

1 stage pump, 76' TDH = 1280 GPM = 2.85 cfs
(per attached pump curve)

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 92 \times 4.5 = 414$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 1.84 \times 246 \times 1.9835 = 897.8$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 414$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3/15	11/15	1.84	414
Totals:			1.84	414

2. Recommended Amendments

____ Change P.D. as reflected above ____ Add P.D. as reflected above ☒ None
____ Change P.U. as reflected above ____ Add P.U. as reflected above ____ Other

I. AUTHENTICATIONField Examiner's Name Lon Craven Date 10/5/93

Reviewer _____ Date _____

SEAL

JUN 26 1994

76' TDH

CURVE NO.
18-134
3-15-84


No. Stages	Eff. Change	MATERIAL	Eff. Change
1	-2	IMP.—C.I.	-1
2	-1	IMP.—NI-R	-1
3	0	BOWL—BRZ.	-2
4		BOWL—NI-R.	-1

13CM


1770 R.P.M.

SINGLE STAGE LAB PERFORMANCE WITH STANDARD MATERIALS. EFFICIENCY SHOWN FOR 3 OR MORE STAGES. HORSE POWER SHOWN FOR ONE STAGE BASED ON 3 STAGE EFFICIENCY. CORRECTIONS SHOULD BE MADE FOR STAGES AND MATERIAL.

ONE (1)
STAGE STAGES





EYE AREA — SQ. IN. = 25.5	IMPELLER WT.-LBS. = 17.5
WR ² PER IMPELLER = 1.45 LB.-FT. ²	ONE STAGE WT.-LBS. = 278
MAX. SPHERE SIZE = 1.00 in.	ADD'L STAGE WT.-LBS. = 116
MAX. NO. STD. STAGES = 8	IMPELLER NUMBER = 65C15
MAX. OPERATING P.S.I. = 400	DISCH. SIZES = 8, 10
STD. LATERAL = .64 in.	SUCTION SIZES = 10
STD. SHAFT DIA. = 1.687 in.	MAX. LATERAL = 1.00 in.
MAX. SHAFT DIA. = 1.937 in.	BOWL CONN. FLANGED - COLLET
MIN. SUBMERGENCE = 41 in.	ADD 11.28" PER ADDITIONAL STAGE.



R2W

7.5-MIN





1 N/NW
3.7

N/NW

T2275 N/NW

T2276 N/NW

T227 N/N

T2276 N/NW

16.0

(arrows show
direction of
gravity flow
system)
38.0

N/NW

N/NW

8.9

24.5

2

21.7

3

16.5

0.2

T2277

N/NW

N/NW

13.2

9.3

T2278

N/NW

22.0

4

20.1

5

8.5

N/NW

3

13.5

T5241

N/NW

N/NW

T5207

9.9

9.8

6

17.0

5

13.6

T2271

N/NW

T543

T5240

N/NW

T2281

N/NW

TRANSFER
AREA

27.0

6.8

N/NW

4

5.4

T227

T2308

N/NW

N/NW

T227

SUBDIV

T227

T227

N/NW

2

4

N/NW

5.6

15.0

5.5

JUN 29 1994

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

DRILLING PERMIT NO: 63-91-W-124

OTHER APPLICABLE NO: 63-11452

OWNER: Everet Van Beek Phone: 466-5960

Address: 8142 W Lintick Nampa 83687

WELL LOCATION: Twp 3N, Rge. 1W, Sec. 6, Se 1/4 Ne 1/4
County Canyon (Provide sketch map and photo on reverse.)

DRILLER: Pete Cape Lic. No. 213

When Drilled? 1991

WELL CONSTRUCTION:

Casing Diameter 16" inches Water tight cap? ☒ Yes ☐ No Access Port: ☒ Yes ☐ No

Casing ≥ 12 inches above ground? ☒ Yes ☐ No - Describe _____

Depth of Casing 240 ft. Method Drilled reverse rotary

Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____

Control Valve? ☒ Yes ☐ No Pressure Gauge: ☐ Yes ☒ No

Condition of Piping and Valving _____

Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ No

Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)

HYDROLOGIC INFORMATION:

Depth to Static Water 15 ft. Water Temperature cold °F

Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)

Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____

Water Quality Measurements/Observations (Describe) _____

WELL USE:

☐ Domestic	☒ Irrigation	☐ Stock
☐ Test	☐ Municipal	☐ Industrial
☐ Abandoned	☐ Waste Disposal/Injection	☐ Not Used
☐ Other: _____		

RECEIVED
JUN 29 1994

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS: _____

Doni Curran
Signature of Dept. Representative & Title

9/24/93
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

JUN 29 1994

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1991

1. WELL OWNER

Name Everet VanBeekAddress 8142 W. Ustick Rd. Dampa ID 83427Owner's Permit No. 63-11452 #63-91-w-124

2. NATURE OF WORK

- ☒ New well ☐ Deepened ☐ Replacement
☐ Well diameter increase
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

- ☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED

- ☐ Rotary ☐ Air ☐ Hydraulic ☒ Reverse rotary
☐ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
.250 inches	16"	inches + 1.5 feet	130 feet
.250 inches	16"	inches 150 feet	160 feet
.250 inches	16"	inches 180 feet	200 feet
.250 inches	16"	inches 220 feet	240 feet

Was casing drive shoe used? ☐ Yes ☒ NoWas a packer or seal used? ☐ Yes ☒ NoPerforated? ☐ Yes ☒ NoHow perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun

Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet


Well screen installed? ☒ Yes ☐ NoManufacturer's name Roscoe MossType Continuous wire Model No. HeavyDiameter 16 Slot size .40 Set from 130 feet to 150 feetDiameter 16 Slot size .40 Set from 160 feet to 180 feetGravel packed? ☒ Yes ☐ No ☐ Size of gravel 3/8"Placed from 18 feet to 265 feetSurface seal depth 18 Material used in seal: ☐ Cement grout☐ Bentonite ☒ Puddling clay ☐ _____Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing☒ Overbore to seal depthMethod of joining casing: ☐ Threaded ☒ Welded ☐ Solvent

Weld

☐ Cemented between strataDescribe access port 2" pipe

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

Lot No. _____ Block No. _____

County Ada

se. 1/4 ne. 1/4 Sec. 6 T. 3N S. 1R. 1W

7. WATER LEVEL

Static water level 15 feet below land surface.Flowing? ☐ Yes ☐ No G.P.M. flow _____

Artesian closed-in pressure _____ p.s.i.

Controlled by: ☐ Valve ☐ Cap ☐ Plug

Temperature _____ °F. Quality _____

Describe artesian or temperature zones below.

8. WELL TEST DATA

☐ Pump ☐ Bailor ☐ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
28"	0	5	topsoil		x
	5	7	hardpan		x
	7	12	fine to coarse sand		x
	12	32	fine to coarse sand, gravel & rock		x
	32	38	lite brn. clay		x
	38	43	fine sand	x	
	43	45	lite brn. clay		x
	45	48	fine sand	x	
	48	60	lite brn. clay		x
	60	62	fine to med. sand	x	
	62	75	lite brn. clay w/ some fine to med sand		x
	75	81	lite brn & golden clay		x
	81	83	fine sand	x	
	83	89	lite brn clay		x
	89	93	fine sand	x	
	93	102	lite brn clay		x
	102	104	fine sand	x	
	104	114	lite brn clay		x
	114	121	fine to coarse sand	x	
	121	125	lite brn clay		x
	125	150	fine to med sand	x	
	150	159	lite brn sandy clay		x
	159	180	fine to med sand	x	
	180	189	lite brn clay		x
	189	194	fine to coarse sand	x	
	194	197	lite brn clay		x
	197	207	fine to coarse sand	x	
	207	212	lite brn clay		x
	212	220	fine to coarse sand	x	
	220	239	lite brn sandy clay		x
	239	253	fine to med sand	x	
	253	265	lit brn clay		x

10.


Work started 5/9/91 finished 5/13/91

11. DRILLERS CERTIFICATION


I/We certify that all minimum well construction standards were
complied with at the time the rig was removed.Firm Name Pete Cope Drilling Firm No. 213Address 6505 W. Chinden Date 5/15/91Signed by (Firm Official) Joseph Jones

and

(Operator) Kevin Chastain



16" well
30 HP pump
open discharge



P/n —

JUN 9 0 1004

February 5, 1993

EVERT VAN BEEK & SON
8142 W. USTICK
NAMPA ID 83687

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11452

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

I note that the permit issued to you by the department requires the installation of a flow measurement port to allow the department to determine the rate of diversion. The proof which you submitted does not show that you have installed this equipment.

The installation of the flow measurement port must be complete by the time the department representative conducts the examination of your system unless the department has rescinded the requirement prior to the field examination. In some cases, the equipment requirement can be rescinded because the equipment cannot be physically installed, is not appropriate or can be accommodated with other measuring methods.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

8 133

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 63-11452

Reviewed by Klg

Date 2/3/93

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
yes Proof timely received?
If not, complete calculation below.

irrigate 105
yes Correct Uses?

SOURCE OF WATER

 Surface water source
✓ Ground water source

yes Drilling permit required?
yes Copy in the file? Drilling Permit No. 63-91-40-124
300 Amount paid for permit yes Correct?
yes Well log in the file?

LICENSE EXAMINATION FEE

yes Required?
25 Amount Submitted
yes Correct?

MEASURING DEVICE

yes Required?
no Installed?
no Waiver requested?

PRIORITY CALCULATION

Date proof received NA
Date proof due -
No. of days late =
Priority Date +
New Priority Date

DEFICIENCIES OR ACTION ITEMS

proof acceptable

DATA ENTRY

New Address

needs a flow
Proof Made 2/2/93
2/5/93 Klg

January 31, 1993

EVERT VAN BEEK & SON
8142 W. USTICK
NAMPA ID 83687

PROOF DUE NOTICE

RE: PERMIT NO. 63-11452

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before April 1, 1993. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



FEB 18 1993

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

MAY 24 1991

PG. 1

1. WELL OWNER

Name Everet VanBeekAddress 8142 W. Ustick Rd. Dumfries 2D 83687Owner's Permit No. 11452 #63-91-w-124

2. NATURE OF WORK

- ☒ New well ☐ Deepened ☐ Replacement
☐ Well diameter increase
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

- ☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED

- ☐ Rotary ☐ Air ☐ Hydraulic ☒ Reverse rotary
☐ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
.250 inches	16"	1.5 feet	130 feet
.250 inches	16"	150 feet	160 feet
.250 inches	16"	180 feet	200 feet
.250 inches	16"	220 feet	240 feet

Was casing drive shoe used? ☐ Yes ☒ NoWas a packer or seal used? ☐ Yes ☒ NoPerforated? ☐ Yes ☒ NoHow perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun

Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☒ Yes ☐ NoManufacturer's name Roscoe MossType Continuous wire Model No. HeavyDiameter 16 Slot size .40 Set from 130 feet to 150 feetDiameter 16 Slot size .40 Set from 160 feet to 180 feetGravel packed? ☒ Yes ☐ No ☐ Size of gravel 3/8"Placed from 18 feet to 265 feetSurface seal depth 18 Material used in seal: ☐ Cement grout☐ Bentonite ☒ Puddling clay ☐ _____Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing☒ Overbore to seal depthMethod of joining casing: ☐ Threaded ☒ Welded ☐ Solvent

Weld

☐ Cemented between strataDescribe access port 2" pipe

7. WATER LEVEL

Static water level 15 feet below land surface.Flowing? ☐ Yes ☐ No G.P.M. flow _____

Artesian closed-in pressure _____ p.s.i.

Controlled by: ☐ Valve ☐ Cap ☐ Plug

Temperature _____ °F. Quality _____

Describe artesian or temperature zones below.

8. WELL TEST DATA

☐ Pump ☐ Bailer ☐ Air ☐ Other _____

Discharge G.P.M.

Pumping Level

Hours Pumped


9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
28"	0	5	topsoil		x
	5	7	hardpan		x
	7	12	fine to coarse sand		x
	12	32	fine to coarse sand,		
			gravel & rock	x	
	32	38	lite brn. clay		x
	38	43	fine sand	x	
	43	45	lite brn. clay		x
	45	48	fine sand	x	
	48	60	lite brn. clay		x
	60	62	fine to me. sand	x	
	62	75	lite brn clay w/ some		
			fine to med sand		x
	75	81	lite brn & golden clay		x
	81	83	fine sand	x	
	83	89	lite brn clay		x
	89	93	fine sand	x	
	93	102	lite brn clay		x
	102	104	fine sand	x	
	104	114	lite brn clay		x
	114	121	fine to coarse sand	x	
	121	125	lite brn clay		x
	125	150	fine to med sand	x	
	150	159	lite brn sandy clay		x
	159	180	fine to med sand	x	
	180	189	lite brn clay		x
	189	194	fine to coarse sand	x	
	194	197	lite brn clay		x
	197	207	fine to coarse sand	x	
	207	212	lite brn clay		x
	212	220	fine to coarse sand	x	
	220	239	lite brn sandy clay		x
	239	253	fine to med sand	x	
	253	265	lit brn clay		x

10.

Work started 5/9/91 finished 5/13/91

6. LOCATION OF WELL

Sketch map location must agree with written location.

Subdivision Name _____

Lot No. _____ Block No. _____

County Ada Canyonse ¼ ne ¼ Sec. 6, T. 3N S. 1R. 1W E □ W □

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were
complied with at the time the rig was removed.Firm Name Pete Cope Drilling No. 213Address 6505 W. Chinden Date 5/15/91Signed by (Firm Official) Joseph Jones

and

(Operator) Kevin Chastain

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

P.G. 2

[illegible]

RECEIVED
APR 16 1991

State of Idaho
Department of Water Resources

APPLICATION FOR DRILLING PERMIT

Department of Water Resources

1. Applicant (please print) Van Beek & Son
2. Mailing Address 8142 W. Ustick Rt 2 Nampa
83687 Telephone 466 5960

() Well Owner () Well Operator () Other, specify _____

3. Proposed well location SE 1/4 NE 1/4, or Gov't Lot No. _____

Sec. 6, Twp. 3N, Rge. 1W, County Ada Canyon

Street Address of Well Site _____

Lot, block and subdivision _____

4. Proposed use of well:

() Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

☒ Non-Domestic: Any beneficial use not included within the definition of domestic. Irrigation

() Injection

() Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____

5. Well construction information:

A. ☒ New well () Deepen () Replace - See Condition 9

B. Proposed Surface Diameter _____ Proposed Maximum Depth _____

C. Anticipated bottom hole temperature:

☒ 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212° or more (Geothermal well)

6. Construction Start Date May - June

7. Anticipated Well Driller Pete Cope

NOTE: The actual well driller must be identified prior to drilling.

Applicant's signature [Signature] Date 4-16-91

Title owner

(Owner, Firm Representative, Other)

FEB 18 1993

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is Approved

Date 4-16-91

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

Signature of Authorized Department Representative

Title

Receipt No. W013215 Received by RW Fee \$200 Date 4-16-91

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension is good for 60 days beyond the above extension approval date.

FEB 18 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

April 18, 1991

EVERT VAN BEEK & SON
8142 W. USTICK
NAMPA, ID 83687

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-11452

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Be sure to note the special condition requiring you to install a measuring device. Enclosed, for your reference, is a list of measuring device options.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water.

RECEIVED

APR 23 1991

Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosures

APR 1 1984

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

TIEGS, LEONARD
TIEGS, FERN
15951 GARRITY BLVD.
NAMPA, ID 83687
Source: GROUNDWATER
Diversion Pt:

Use: IRRIGATION

Date Filed: 2/5/1991
In: T03N R02W S12
S13

71.0 ACRES TOTAL

63-11445

SESE Sec 12 T 03N R 02W
NENE Sec 13 T 03N R 02W
(1.420 CFS)
Total Diversion: (1.420 CFS)

NESE SWSE SESE
NENE

FARNER, MABEL
FARNER, VIRGIL E.
11153 FARNER RD.
NAMPA, ID 83686
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 1/31/1991
In: T02N R03W S04

100.00 ACRES TOTAL

63-11447

NESE Sec 4 T 02N R 03W
(2.000 CFS)
Total Diversion: (2.000 CFS)

SENE NESE SESE

BAXTER, TOM
13577 WALKER LAKE RD.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt: LOT 4
Use: IRRIGATION

Date Filed: 2/6/1991
In: T03N R03W S30 Lot 6

Lot 3
131.0 ACRES TOTAL

63-11448

(SWSW) Sec 30 T 03N R 03W
(2.620 CFS)
Total Diversion: (2.620 CFS)

(NENW) Lot 2 (SWNW) Lot 7 (SENW)
(NWSW) Lot 4 (SWSW) NESW
SESW

ARROWAY FARMS INC.
8438 HYW. 20-26
NAMPA, ID 83687
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 2/5/1991
In: T04N R02W S27

110.0 ACRES TOTAL

63-11449

SWNE Sec 27 T 04N R 02W
(2.200 CFS)
Total Diversion: (2.200 CFS)

NWNE SWNE NENW

MELBA CEMETERY DISTRICT
C/O DORIS VAN SCHOIACK/SEC
P.O. BOX 84
MELBA, ID 83641
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
COMMERCIAL

Date Filed: 1/31/1991
In: T01N R02W S35

4.0 ACRES TOTAL

63-11450

SESE Sec 35 T 01N R 02W
(.120 CFS)
(.020 CFS)
Total Diversion: (.140 CFS)

SESE

VALLIVUE SCHOOL DISTRICT NO. 139
16412 S. 10TH
CALDWELL, ID 83605-9096
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
DOMESTIC
FIRE PROTECTIVE

Date Filed: 1/31/1991
In: T03N R03W S11

20.00 ACRES TOTAL

63-11451

NESW Sec 11 T 03N R 03W
(1.250 CFS)
(.640 CFS)
(1.890 CFS)
Total Diversion: (1.890 CFS)

NESW

EVERT VAN BEEK & SON
8142 W. USTICK
NAMPA, ID 83687
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 2/7/1991
In: T03N R01W S06

105.0 ACRES TOTAL

63-11452

SENE Sec 6 T 03N R 01W
(2.100 CFS)
Total Diversion: (2.100 CFS)

SENE NESE NWSE

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before MARCH 11, 1991.
R. KEITH HIGGINSON, Director
February 20, 27, 1991

AFFIDAVIT OF PUBLICATION

AHO)
) ss.
) on)

a O'Krakel

yon County, Idaho, being first duly sworn, deposes

a citizen of the United States of America, and at all
ter mentioned was over the age of eighteen years,
to the above entitled action.

the Principal Clerk of the Idaho Press-Tribune, a
Saturday) newspaper published in the City of
aldwell, in the County of Canyon, State of Idaho;
newspaper is in general circulation in the said
yon, and in the vicinity of Nampa and Caldwell, and
erruptedly published in said County during a period
it consecutive weeks prior to the first publication of
py of which is hereto attached.

notice, of which the annexed is a printed copy, was
id newspaper
o times
ir and entire issue of said paper, and was printed in
proper, and not in a supplement.

notice was published the following dates:

bruary 20, 27, 1991

AHO)
)
CANYON)

th day of February in the
11, before me, a Notary Public, personally
Sharla O'Krakel, known
me to be the person whose name subscribed to the
rent, and being by me first duly sworn, declared
ments therein are true, and acknowledged to me that
ed the same.

Sharla O'Krakel
Notary Public for Idaho
Residing at Nampa

MY COMMISSION EXPIRES
JULY 12th, 1991

63-11452

EVERT VAN BEEK & SON
8142 W. USTICK
NAMPA, ID 83687

Source: GROUNDWATER

Diversion Pt: SENE Sec 6 T 03N R 01W

Use: IRRIGATION (2.100 CFS)
Total Diversion: (2.100 CFS)

Date Filed: 2/ 7/ 1991

In: T03N R01W S06 SWNE SENE NESE NWSE
105.0 ACRES TOTAL

APR 23 1991