


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Dale Van Schoick
Sexton (Applicant)

APR 23 1991

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = NONE

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Hitachi	7.5	689190E	Sta-Rite	K90N, 2"
	(Submersible)				

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

JUN 29 1994



2. Measurements: 1/4" nozzles, 13 heads/line (one line running)

Pressure at mainline = 60 PSI

Discharge 4.5 gpm/head

Pressure at end of line = 60 PSI

U of I FACT SHEET,
Nozzle discharge)



These
ville E

P. COMPLIES
U.S. GEO

Pursuant to
the Snake
and other
reproductive
resources



NW
2
T3878
NNW
3
16.3
NNW
1
2.8
NNW
2
9.0

NW
T3876
NNW
3
18.3
NNW
4
4.0

NW
T3870
NNW
4
12.0
NW
3
3.5
NNW
2
2.9
NW
3
2.7

T 15

T3816
1
9.5
NNW
3
21.3
NNW


T3875
1
5.6
NW
2
10.4
3
6.0
5
8.0
4
4.9
T3952
NW

T3872
H/NW
3
22.7
NW
2
5.5

100071770
JUN 29 1994

RECEIVED
JUN 29 1994

121 South Range - 122 West Boise River



Possible contamination due to absence of back-flow valve in connection with ditch pump.

Mr. VanSchoinak advised of the need for a backflow device.



C. J. Hodges

Signature of Dept. Representative & Title

8/11/93.

Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



RECEIVED

JUN 29 1994

63-11450



P/O



P/u

MISSOURI
JUN 29 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 63-11450

Priority: January 30, 1991

Maximum Diversion Rate:

0.09 CFS

Maximum Diversion Volume:

10.5 AF

This is to certify, that MELBA CEMETERY DISTRICT
C/O DORIS VAN SCHOIACK SEC
PO BOX 84
MELBA ID 83641

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated January 30, 1991; and
has submitted Proof of Beneficial Use on March 2, 1993. An examination indicates
that the works have a diversion capacity of .130 cfs of water from a GROUNDWATER
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.07 CFS	10.4 AF
COMMERCIAL	01/01 to 12/31	0.02 CFS	0.1 AF
	Totals	0.09 CFS	10.5 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 2(NWNE), Sec. 2, Township 01S, Range 02W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
01S	02W	2	Lot 2(NWNE)	2.3		2.3

Total number of acres irrigated: 2.3

PLACE OF USE:

COMMERCIAL, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.5 afa per acre for the lands above.

JUN 29 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 63-11450

CONDITIONS/REMARKS:

6. The right holder shall fully use all surface water rights appurtenant to the lands identified above prior to using water under this right.
7. Commercial use is for a cemetery office and equipment maintenance.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 15TH day of JUNE, 1994.

Acting for R. Keith Higginson, Director

JUN 29 1994

RECEIVED

JUN 07 1994

APPROVED

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-11450

Date of Priority: January 30, 1991

Maximum Diversion Rate:

0.09 CFS

Maximum Diversion Volume:

10.5 AF

Comes now

MELBA CEMETERY DISTRICT

C/O DORIS VAN SCHOIACK SEC

PO BOX 84

MELBA ID 83641

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 63-11450, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.07 CFS	10.4 AF
COMMERCIAL	01/01 to 12/31	0.02 CFS	0.1 AF
	Totals	0.09 CFS	10.5 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 2(NWNE), Sec. 2, Township 01S, Range 02W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
01S	02W	2	Lot 2(NWNE)	2.3		2.3

Total number of acres irrigated: 2.3

PLACE OF USE:

COMMERCIAL, same as IRRIGATION use

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Shirley K. Hafe, this 7 day of June, 1994.

Shirley K. Hafe
(Signature)

JUN 29 1994

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-11450

FOR DEPARTMENT USE ONLY

Preliminary check by PC Fee = 20⁰⁰ Received by dw # C030471 Date 6/7/94 ✓


ACTION OF THE DEPARTMENT OF WATER RESOURCES


I, R. Keith Higginson, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 63-11450 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.5 afa per acre for the lands above.
6. The right holder shall fully use all surface water rights appurtenant to the lands identified above prior to using water under this right.
7. Commercial use is for a cemetery office and equipment maintenance.

Witness my hand this 15TH day of JUNE, 1994.


Acting for R. Keith Higginson, Director



RECEIVED

MAR 2 1993

OFFICE USE ONLY
Amt. of Fee \$ 50.00
Date 3-28-93
Receipt No. 0826886
Receipt by gw

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

FEB 3 1993

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-11450 Telephone No. 495-2558
2. Name(s) of Permit Holder(s): Melba Cemetery District
3. Mailing Address: To Doris VanSchoack P.O. Box 84 Melba, Id 83641
4. Source of Water: _____

If GROUNDWATER, Well Driller's Name: CAN-ADA Well Drilling & Pump Co. Date Drilled: 2-28-91

OPTIONAL:

Pump horsepower: 7 1/2 Pressure (psi): 50 Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

✓ Irrigation 54 (No. of acres) Other _____

2/3/93 Klg

6. Total rate and/or volume for which proof is submitted .14 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes _____ No Installed? _____ Yes _____ No

OR

Flow Measurement Port: Required? _____ Yes _____ No Installed? _____ Yes _____ No

8. Fee Enclosed: \$ 50.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Dale VanSchoack 495-2558
Name Telephone No.
112 Rimview Dr.
P.O. Box 84 Melba, Id 83641
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

2-1-1993
Date

Dale L. VanSchoack - Sec.
Signature (and title, if on behalf of a company or organization)

APR 22 1993

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11450

Proposed Priority: January 30, 1991 Maximum Diversion Rate: 0.14 CFS

This is to certify, that **MELBA CEMETERY DISTRICT**
C/O DORIS VAN SCHOLACK SEC.
P.O. BOX 84
MELBA, ID 83641

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.12 CFS
COMMERCIAL	01/01 to 12/31	0.02 CFS
	Totals	0.14 CFS

LOCATION OF POINT(S) OF DIVERSION: SESE Sec. 35, Township 01N, Range 02W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
01N 02W 35	SESE 4			4

Total number of acres irrigated: 4

PLACE OF USE: COMMERCIAL, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 1993.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
5. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.
6. Commercial use is for maintenance of equipment and cemetery office use.

APR 28 1991


State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11450

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

11th day of April, 1991.

for 
R. Keith Higginson, Director



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Melba Cemetery District Phone 495 2558
C/O DORIS VANSCHOIACK, Secretary
Post office address PO Box 84 Melba, ID 83641

2. Source of water supply groundwater which is a tributary of _____

3. Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of _____ $\frac{1}{4}$, Govt. Lot _____
Sec. 35 Township 1N Range 2W B.M. Canyon County; additional
points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .12 for IRRIGATION purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)

~~Amount .02 for DOMESTIC purposes from 1/1 to 12/31 (both dates inclusive)~~
(cfs or acre-feet per annum)

Amount .02 for COMMERCIAL purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) .14 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. _____

Well, pump, pipelines & sprinklers

b. Height of storage dam N/A feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is 8" inches; proposed depth of well is 300' feet.

d. Is ground water with a temperature of greater than 90°F being sought? NO

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
3 years (minimum 1 year).

* Delete domestic (use is covered in commercial) per telecon with
D. Vanschoiack, Sec'y. Chairman of the Board is Bob Robison.
RL 2/11/91

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. _____
- e. Other; describe fully. Cemetery office & misc. maintenance (as explained
in remarks). fl
2/11/91

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
1N	2W	35																4	4
																		C	

Total number of acres to be irrigated 4

10. Describe any other water rights used for the same purposes as described above. _____

Boise-Kuna Irrig Dist.

11. a. Who owns the property at the point of diversion? applicant


b. Who owns the land to be irrigated or place of use? applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: Commercial
Domestic use for equipment cleaning & related
chores, bathroom facilities in office and office use.

APR 90

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Dale Van Schoiack
Sexton (Applicant)

Received by CH Date 1-30-91 Time 11:10 Preliminary check by SL
Fee \$ 30.00 Receipted by CH # W012969 Date 1-30-91
Publication prepared by GG Date 2-13-91 Published in Press-Tribune
2/20 & 2/27/91
Publication approved st Date 3-19-91

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

APR 20 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

June 16, 1994

MELBA CEMETERY DISTRICT
C/O DORIS VAN SCHOIACK SEC
PO BOX 84
MELBA ID 83641

RE: WATER RIGHT NO. 63-11450

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved Application for Amendment.

Should you have any questions regarding these documents, please feel free to contact this office.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECEIVED

JUN 29 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

June 7, 1994

MELBA CEMETERY DISTRICT
C/O DORIS VAN SCHOIACK SEC
PO BOX 84
MELBA ID 83641

RE: WATER RIGHT NO. 63-11450

Dear Water Right Holder(s):

I previously forwarded to you an Application for Amendment so that you could amend your permit to correspond with the findings of the Department's field examiner.

As of this date, I have not received the amendment. If I do not receive it within fourteen (14) days, I will assume you no longer have any interest in the permit and cancellation proceedings will begin. Enclosed for your convenience is another amendment form in the event the first one was misplaced.

If you have any questions, please contact me. My telephone number is (208) 327-7947.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', with a long horizontal line extending to the right.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

JUN 29 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

May 16, 1994

MELBA CEMETERY DISTRICT
C/O DORIS VAN SCHOIACK SEC
PO BOX 84
MELBA ID 83641

RE: WATER RIGHT NO. 63-11450

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed Application for Amendment contains information that will be included on the license when it is issued. The amendment reflects a change in the location of the point(s) of diversion and the place(s) of use description. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 14 days.

The last page of the Application for Amendment form contains a list of CONDITIONS/REMARKS proposed for the license when it is issued. These conditions/remarks may be modified upon further administrative review.

If you do not concur or have any questions with this information, please contact me as soon as possible. My telephone number is (208) 327-7947.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

WR0749NP
No. L63-11450

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 05/13/94
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	MELBA CEMETERY DISTRICT C/O DORIS VAN SCHOIACK SEC PO BOX 84 MELBA ID 83641 (208) 495-2558	01/30/1991	IRRIGATION COMMERCIAL	03-15 11-15 01-01 12-31	0.07 CFS 0.02 CFS	10.40 AFA 0.10 AFA
TOTAL DIVERSION:					0.09 CFS	10.50 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.13 CFS

Point(s) of Diversion: T01S R02W S02 Lot 02(NWNE)

CANYON County

Place of use Legal Description for: IRRIGATION

NE										NW				SW				SE																		
			NENE		NWNE		SWNE		SENE		NENW		NWNW		SWNW		SENW		NESW		NWSW		SWSW		SESW		NESE		NWSE		SWSE		SESE		:	
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM
01S	02W	2	:									:									:							:							:	2.3
				02-02								:									:							:							:	2.3
				TOTAL ACRES																										:	2.3					

Place of use location for COMMERCIAL is the same location as described for: IRRIGATION

Pou County: CANYON

Other Rights: BOISE-KUNA IRRIGATION DISTRICT

Conditions of Approval:

- R52 - This right when combined with all other rights shall provide no
- more than .03 cfs per acre nor more than 4.5 afa per acre for the
- lands above.

Remarks: The right holder shall fully use all surface water rights
appurtenant to the lands identified above prior to using water
under this right.
Commercial use is for a cemetery office and equipment
maintenance.


Dates: App. Received: 01/30/1991 Priority Date: 01/30/1991
Proof Due Date: 04/01/1993 Proof Made Date: 03/02/1993
Exam Made Date: 08/11/1993 Exam Sent to S.O.: 08/27/1993
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 05/13/94 BCHAPMAN

LICENSE REVIEW CHECKLIST

PERMIT NO. 63-11450 DATE 5-13-94



NAME Yes No ✓ Or Address Change?

PRIORITY DATE ✓ Advance? Advanced to:
 Order to reinstate needed?
 Incorrect fee for rate recommended?

SOURCE ✓ Changes or just clarification of originally intended source?
 Notice of Intent to Void necessary?

POINT OF DIV ✓ Amendment needed? Change to NW NE SEC 2 IS 2W
 ✓ Overlaps? IS

PLACE OF USE ✓ Amendment needed? SAME AS ABOVE
 ✓ Overlaps?

DIV RATE ✓ Measurement done? Sprinkler Theoretical only?
 Q = .13 CFS
2.3 X .03 = .07 Com = .02
 Capacity: .13 Combined rates exceed capacity
 Allowable amount: .09 CFS

ANNUAL VOLUME ✓ Season of use: D/4.5
 Calculations: 2.3 X 4.5 = 10.4
 Commercial = .1
 Flow limit: .09 cfs x 365 x 1.9835 = 65
 Combined volumes exceed capacity/allowable

USES ✓ Change(s) in Nature of Use?
 Amendment necessary?

REMARKS ✓ Multiple p/d(s) in 1/4 1/4?
WB3 Other BOIS & KUNA IRR DIST

CONDITIONS ✓ Measuring/Locking Devices
 ✓ Watermaster control - District
RS2 Irrigation Overlap
 ✓ Water Quality
 ✓ Other

COMMENTS: Supplemental Water
Amend P/O + P/U

RECOMMENDED	CFS	VOLUME
<u>Irrigation</u>	<u>.07</u>	<u>10.4</u>
<u>Commercial</u>	<u>.02</u>	<u>.1</u>
<u>Total</u>	<u>.09</u>	<u>10.5</u>

LICENSE

1ST AMENDMENT LETTER P37+P38

FINAL AMENDMENT LETTER P47

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
SEP 01 1993

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 103-11450

1. Owner: Melba Cemetery Dist Phone No. 495-2558

Current Address: 40 Doris Van Schoiak Po Box 84 Melba ID 83641

2. Accompanied by: Dale Van Schoiak EXAM DATE: 8/11/93

Address: above Phone No. _____

Relationship to Permit Holder: Super.

3. Source: groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: NONE

2. Other water rights with the same point of diversion: NONE

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	2	NW	NW	NE	2	1S	2W	CANYON	Site visit, orthophoto


2. Place(s) of Use:

Indicate Method of Determination Above

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
1S	2W	2		2.3															2.3
				1.2															

JUN 29 1994

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: τ = NONE

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Hitachi	7.5	689190E	Sta-Rite	K90N, 2"
	(Submersible)				

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

JUN 20 1994

2. Measurements: $9/16"$ nozzles, 13 heads/line (one line running)

Pressure at mainline = 60 PSI

Discharge 4.5 gpm/head

Pressure at end of line = 60 PSI

U of I FACT SHEET,
Nozzle discharge)

E. NARRATIVE/REMARKS/COMMENTS

8" x 265' well, mainline to handline sets to irrigate approx $\frac{1}{2}$ ac @ Melba Cemetery. Est pumping level ~ 200'.

At time of exam, one line w/ 13 heads was operating off the mainline riser nearest the well.

No overlaps except w/ Boise-Kuna Irrigation. Ditch water passes across north edge of property and may be diverted to a collection box and pumped via separate surface pump into Sprinkler system. * See well log for related ~~info~~ info - No backflow protection on this system*

Amendment required: at time of application for permit, place of use was misidentified as SESE Sec 36, 1N2W. Parcel actually located in Sec 2, 1S2W.

COMMERCIAL USES: Cemetery equipment maint & MISC.

(fill & clean, 50 gal/mo during season) (50 gal ea, avg 3/mo)

MISC USES: hand sprayer, excavation fill-in, equip

cleaning (minor). No toilet, NO office on site.

(100 gal/mo during season)

Have conditions of permit approval been met? ☒ yes ☐ no



JUN 28 1995

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method:

$$13 \text{ heads} \times 4.5 \text{ gpm/head} = 58.5 \text{ gpm} = .13 \text{ cfs} \text{ System capacity}$$

$$\text{CHECK: } \frac{7.5 \times 8.8 \times .7}{200 + (2.31 \times 60)} = .136 \text{ cfs}$$

allow .07 cfs for irrigation

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 2.3 \times 4.5 = 10.4$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .07 \times 246 \times 1.9835 = 34.2$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 10.4$$

2. Volume Calculations for Other Uses:

COMMERCIAL:

$$\text{EXCAVATION FILL: } 50 \text{ gal/burial} \times 3 \text{ burial/mo} = 150 \text{ gal/mo} \times 12 = 1800 \text{ gal/yr}$$

$$\text{SPRAYING \& EQUIP: } 150 \text{ gal/mo} \times 8 \text{ mo/yr} = 1200 \text{ gal/yr}$$

CLEANING

$$\text{TOTAL } 3000 \text{ gal/yr} = .009 \text{ AFA/yr}$$

allow .1 AFA

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	3/15	11/15	.07	10.4
COMMERCIAL	1/1	12/31	.02	.1
Totals:			.09	10.5

2. Recommended Amendments

☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name C. Hodges Date 8/16/93


Reviewer _____ Date _____

SEAL

RECORDED

JUN 29 1994





T3878

NW

3
16.3

NW

NW

T3816

1
9.5 NW

NW

3

NW

NW

2.8

NW

2
9.0

18.3

T3875

1
5.6 NW

2
10.4 NW

3
6.0

5
8.0 NW

4
4.9 NW

T3952

T3876

NW

NW

4
4.0

T3870

NW

4
12.0

3
22.7

NW

3
22.7

2
5.5

2
5.5

T3870

NW

4
12.0

3
22.7

2
5.5

2
5.5

2
5.5

2
5.5

2
5.5

2
5.5

2
5.5

2
5.5

2
5.5

T15

2.9 190

9 1990

POTTER, James (PO) Base - no time 1890 & 1237 1891 P-102

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

ORIGINAL W/ ROB WHITNEY

1. DRILLING PERMIT NO: 63-91-W-012 OTHER APPLICABLE NO: 63-11450

2. OWNER: Melba Cemetery Dist Phone: 495 2558
Address: C/O Don & Dale VanSchoiak Po Box 84, Melba ID 83641

3. WELL LOCATION: Twp 15 ~~14~~, Rge. 2W, Sec. 2, NW 1/4 NE 1/4
County Canyon (Provide sketch map and photo on reverse.)

4. DRILLER: Can-Ada Lic. No. _____
When Drilled? 2/28/91

5. WELL CONSTRUCTION TD = 265
Casing Diameter 8 inches Water tight cap? ☒ Yes ☐ No Access Port: ☐ Yes ☒ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing 85 ft Method Drilled Rotary
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☐ Yes ☒ No Pressure Gauge: ☒ Yes ☐ No
Condition of Piping and Valving OK
Auger to a depth of _____ ft Evidence of Annular Seal ☐ Yes ☐ No

Are there obvious construction problems that may be a source for contamination or waste of water?
☒ Yes ☐ No (Describe in Remarks and Attach Photo - On Reverse)

POSSIBLE BACKFLOW CONTAMINATION, see remarks.

6. HYDROLOGIC INFORMATION
Depth to Static Water 165 ft Water Temperature _____ °F
Flowing Artesian ☐ Yes ☐ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____

7. WELL USE:
☐ Domestic ☒ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☒ Other: Commercial

JUN 28 1994

Possible contamination due to absence of back-flow valve in connection with ditch pump.

Mr. VanSchoine advised of the need for a backflow device.



C. J. Hodges

Signature of Dept. Representative & Title

8/11/93.

Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



JUN 29 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORTUSE TYPEWRITER OR
BALLPOINT PENState law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER:

Name Melba Cemetery District
Address P.O. Box 84 Melba, ID
Owner's Permit No. 63-91-N-012

2. NATURE OF WORK

- ☒ New well ☐ Deepened ☐ Replacement
☐ Well diameter increase
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

- ☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other (specify type)

4. METHOD DRILLED

- ☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other

Thickness	Diameter	From	To
3/8 inches	8 inches	1 foot	85 feet
1/2 inches	8 inches		
3/4 inches	8 inches		
1 inch	8 inches		

Was casing drive shoe used? ☐ Yes ☒ NoWas a packer or seal used? ☐ Yes ☒ NoPerforated? ☐ Yes ☒ NoHow perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun

Size of perforation inches by inches

Number	From	To
perforations	feet	feet
perforations	feet	feet
perforations	feet	feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name

Type Model No.

Diameter Slot size Set from feet to feet

Diameter Slot size Set from feet to feet

Gravel packed? ☐ Yes ☒ No ☐ Size of gravel

Placed from feet to feet

Surface seal depth 35 Material used in seal: ☒ Cement grout☐ Bentonite ☐ Puddling clay ☐Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing☒ Overbore to seal depthMethod of joining casing: ☐ Threaded ☒ Welded ☐ Solvent

Weld

☐ Cemented between strata

Describe access port

7. WATER LEVEL

Static water level 165 feet below land surface.Flowing? ☐ Yes ☒ No G.P.M. flow

Artesian closed-in pressure p.s.i.

Controlled by: ☐ Valve ☐ Cap ☐ PlugTemperature 57 °F. Quality 15 grains

Describe artesian or temperature zones below.

8. WELL TEST DATA

☒ Pump ☐ Bailer ☒ BAW ☐ Other

Discharge G.P.M.

Pumping Level

Hours Pumped

7.53

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
12 1/4"	0	5	Top soil		
12 1/4"	5	85	Solid black lava rock		
8"	85	120	Solid black lava rock		
8"	120	121	Soft spot, crack in rock		
8"	121	127	Solid lava rock		
8"	127	128	Soft spot, crack in rock		
8"	128	140	hard black lava		
1 1/4"	140	143	crack in rock		
1 1/4"	143	170	hard lava rock		
1 1/4"	170	172	soft lava rock		
1 1/4"	172	178	hard lava rock		
1 1/4"	178	182	soft spots in rock		
1 1/4"	182	192	hard lava rock		
1 1/4"	192	193	crack in rock		
1 1/4"	193	240	hard lava rock		
2 1/4"	240	246	soft rock cracks		
2 1/4"	246	247	sand, stone & gravel		
2 1/4"	247	248	2" strips of gravel		
2 1/4"	248	249	every 5"		
2 1/4"	249	252	brown clay		
2 1/4"	252	260	sand stone w/ cracks		
2 1/4"	260	265	gravel + sand		

RECEIVED
JUN 10 1991

Department of Water Resources

10. WORKING PERIOD

Work started 2-8-91 finished 2-28-91

11. DRILLERS CERTIFICATION


I/We certify that all minimum well construction standards were
complied with at the time the rig was removed.Firm Name Can-Ada Firm No.Address 4350 Murphy Rd. DateSigned by (Firm Official) Earl Skinner

and

(Operator) Brad

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name

Lot No.

Block No.

JUN 29 1994

County

SE 1/4 Sec. 35 T. 1 N. R. 2 E. W. K.

63-11450



P/D



P/u

RECEIVED

JUN 29 1994

March 5, 1993

MELBA CEMETERY DISTRICT
C/O DORIS VAN SCHOIACK SEC.
P.O. BOX 84
MELBA ID 83641

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11450

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECORDED

APR 22 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

February 3, 1993

Melba Cemetery District
c/o Doris VanSchoiack
PO Box 84
Melba, ID 83641

Re: Permit No. 63-11450

Dear Permit Holder:

Returned is the Proof of Beneficial Use form submitted to this office in connection with the above referenced permit. Unfortunately, it is unacceptable as filed. It indicates the total rate of diversion of water to be 0.14 cfs.

When the total maximum rate of diversion is greater than 0.04 cfs, a license examination fee is required to be submitted with the proof. A license examination fee based on a rate of flow of 0.14 cfs is \$50. Note the back of the enclosed instruction sheet/fee schedule.

In order to be in compliance with all of the necessary dates, you will need to return the original proof and the \$50 license exam fee on or before April 1, 1993.

If you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,

A handwritten signature in cursive script that reads 'Karen L. Gustafson'.

Karen L. Gustafson
Secretary/Records Manager

Enclosures

APR 22 1993

State of Idaho
Department of Water Resources

RECEIVED
JAN 31 1991

APPLICATION FOR DRILLING PERMIT

Department of Water Resources

1. Applicant (please print) Melba Cemetery District
2. Mailing Address PO Box 84
Melba ID 83641 Telephone 495-2558

() Well Owner () Well Operator () Other, specify _____

3. Proposed well location SE 1/4 SE 1/4, or Gov't Lot No. _____
Sec. 35, Twp. 1N, Rge. 2W, County Canyon
Street Address of Well Site West Baseline Rd, Melba
Lot, block and subdivision _____

4. Proposed use of well:

() Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

☒ Non-Domestic: Any beneficial use not included within the definition of domestic.

() Injection

() Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____

5. Well construction information:

A. ☒ New well () Deepen () Replace - See Condition 9

B. Proposed Surface Diameter 8" Proposed Maximum Depth 300'

C. Anticipated bottom hole temperature:

☒ 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212° or more (Geothermal well)

6. Construction Start Date 2-4-91

7. Anticipated Well Driller Can-Ada
NOTE: The actual well driller must be identified prior to drilling.

8. Applicant's signature X Dale Van Schoiack Date 1/30/91 **APR 22 1993**

Title Sexton
(Owner, Firm Representative, Other)

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is Approved

Date 1/30/91

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules & Regulations.

SPECIFIC CONDITIONS:

David R. Tuttle
Signature of Authorized Department Representative

Mgr. Western Reg. Office
Title

Receipt No. WD12969 Received by CH Fee 200.00 Date 1-3-91

APR 22 1993

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension is good for 60 days beyond the above extension approval date.

PERMIT NUMBER	OWNER CODE	NAME & ADDRESS	TWP	RGE	SEC	TRACT	LOT	COUNTY
63-91-W-0012-000	0	MELBA CEMETERY DISTRICT PO BOX 84 MELBA, ID 83641 (208) 495-2558	01N	02W	35	SE SE		CANYON

Subdivision Location and Description:

Subdivision Name:
Well Site Address:
City, State:

Lot(s):
Block(s):

Geographic Location:

Accuracy Code:
Lat: : : N
Long: : : W

Proposed Use of Well: Irrigation Proposed Casing Diameter: In. Proposed Depth: Ft.

Well Use Comments:

Driller License No: 0304

Firm Name: CAN-ADA WELL DRILLING
Official: EARL F SKINNER

Permit Status:

Verbal Issue Date:
Date Received:
Date Approved: 01/30/1991
Proposed Start Date:
Extension Date:
Extension Expiration:

Receipt No. Receipt Date \$ Fee

Permit Remarks:

WELL DRILLER'S LOG REPORT

Drilling Permit No: 63-91-W-0012-000

Water Right No: 63-11450
Injection Permit No:

Nature of Work: NEW WELL

Construction Method: ROTARY & AIR

Number of Monitor Wells:

Casing Diameter: 8 In.
Depth of Casing: 85 Ft.
Total Depth: 265 Ft.
Screen Installed? No

Static Water Level: 165 Ft.
Temperature: 57 F.
Production Rate: 75.00 GPM

Actual Start Date: 02/08/1991
Well Finish Date: 02/28/1991
Log Received Date: 06/10/1991
Certification Date:
Field Inspection Date:

Inspector:

Well Log Remarks:

APR 22 1993

January 31, 1993

MELBA CEMETERY DISTRICT
C/O DORIS VAN SCHOIACK SEC.
P.O. BOX 84
MELBA ID 83641

PROOF DUE NOTICE

RE: PERMIT NO. 63-11450

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before April 1, 1993. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



APR 22 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

April 18, 1991

MELBA CEMETERY DISTRICT
C/O DORIS VAN SCHOIACK SEC.
P.O. BOX 84
MELBA, ID 83641

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-11450

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water.

APR 23 1991

Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosures

APR 23 1991

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

TIEGS, LEONARD
TIEGS, FERN
15951 GARRITY BLVD.
NAMPA, ID 83687
Source: GROUNDWATER
Diversion Pt:

63-11445

SESE Sec 12 T 03N R 02W
NENE Sec 13 T 03N R 02W
(1.420 CFS)
Total Diversion: (1.420 CFS)

Use: IRRIGATION

Date Filed: 2/5/1991
In: T03N R02W S12
S13

71.0 ACRES TOTAL

NESE SWSE SESE
NENE

FARNER, MABEL
FARNER, VIRGIL E.
11153 FARNER RD.
NAMPA, ID 83686
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

63-11447

NESE Sec 4 T 02N R 03W
(2.000 CFS)
Total Diversion: (2.000 CFS)

Date Filed: 1/31/1991
In: T02N R03W S04

100.00 ACRES TOTAL

SENE NESE SESE

BAXTER, TOM
13577 WALKER LAKE RD.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt: LOT 4
Use: IRRIGATION

63-11448

(SWSW) Sec 30 T 03N R 03W
(2.620 CFS)
Total Diversion: (2.620 CFS)

Date Filed: 2/6/1991

In: T03N R03W S30 Lot 6

Lot 3
131.0 ACRES TOTAL

(NENW) Lot 2 (SWNW) Lot 7 (SENE)
(NWSW) Lot 4 (SWSW) NESW
SESW

ARROWAY FARMS INC.
8438 HYW. 20-26
NAMPA, ID 83687
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

63-11449

SWNE Sec 27 T 04N R 02W
(2.200 CFS)
Total Diversion: (2.200 CFS)

Date Filed: 2/5/1991
In: T04N R02W S27

110.0 ACRES TOTAL

NWNE SWNE NENW

MELBA CEMETERY DISTRICT
C/O DORIS VAN SCHOIACK/SEC
P.O. BOX 84

63-11450

SESE Sec 35 T 01N R 02W
(.120 CFS)
(.020 VFS)
Total Diversion: (.140 CFS)

MELBA, ID 83641
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
COMMERCIAL

Date Filed: 1/31/1991
In: T01N R02W S35

4.0 ACRES TOTAL

SESE

VALLIVUE SCHOOL DISTRICT NO. 139
16412 S. 10TH
CALDWELL, ID 83605-9096
Source: GROUNDWATER
Diversion Pt:

63-11451

NESW Sec 11 T 03N R 03W
(1.250 CFS)
(.640 CFS)
(1.890 CFS)
Total Diversion: (1.890 CFS)

Use: IRRIGATION
DOMESTIC
FIRE PROTECTIVE

Date Filed: 1/31/1991
In: T03N R03W S11

20.00 ACRES TOTAL

NESW

EVERT VAN BEEK & SON
8142 W. USTICK
NAMPA, ID 83687
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

63-11452

SENE Sec 6 T 03N R 01W
(2.100 CFS)
Total Diversion: (2.100 CFS)

Date Filed: 2/7/1991

In: T03N R01W S06

105.0 ACRES TOTAL

SENE NESE NWSE

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before MARCH 11, 1991.
R. KEITH HIGGINSON, Director
February 20, 27, 1991

AFFIDAVIT OF PUBLICATION

1991

AHO)
) SS.
) on)

a O'Krakel

yon County, Idaho, being first duly sworn, deposes

a citizen of the United States of America, and at all
ter mentioned was over the age of eighteen years,
to the above entitled action.

the Principal Clerk of the Idaho Press-Tribune, a
Saturday) newspaper published in the City of
aldwell, in the County of Canyon, State of Idaho;
newspaper is in general circulation in the said
yon, and in the vicinity of Nampa and Caldwell, and
erruptedly published in said County during a period
it consecutive weeks prior to the first publication of
py of which is hereto attached.

notice, of which the annexed is a printed copy, was
id newspaper
o times
ir and entire issue of said paper, and was printed in
proper, and not in a supplement.

notice was published the following dates:

bruary 20, 27, 1991

Sharla O'Krakel

AHO)
)
CANYON)

th day of February in the
11, before me, a Notary Public, personally
Sharla O'Krakel, known
me to be the person whose name subscribed to the
ent, and being by me first duly sworn, declared
ments therein are true, and acknowledged to me that
ed the same.

Notary Public for Idaho
Residing at Nampa

MY COMMISSION EXPIRES
JULY 12th, 1991

63-11450

MELBA CEMETERY DISTRICT
C/O DORIS VAN SCHOIACK/SEC.
P.O. BOX 84
MELBA, ID 83641

Source: GROUNDWATER

Diversion Pt: SESE Sec 35 T 01N R 02W

Use: IRRIGATION (.120 CFS)
COMMERCIAL (.020 CFS)
Total Diversion: (.140 CFS)

Date Filed: 1/31/ 1991

In: T01N R02W S35 SESE

4.0 ACRES TOTAL

APR 23 1991