


3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = NTS

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☐ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Deutz	56	5457810	Berkeley	10"
		40		Berkeley	56038

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS


N/A - Winter Exam

1.


Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

SEP 22 1994



PERMIT 63-11449 INIT RL
T. R. S. Q/Q
P/D 4N 2W 27 SWNE
SCALE
PHOTO ID. X-6 Middleton



Copies Of These Maps Can Be Obtained
At Bonneville Blue Print, Boise Idaho

SEP 22 1994







PHOTO ONE-

View northwest of motor, pump, and 10" discharge line. motor is diesel powered.

>



View southeast of 10" discharge line into concrete ditch. Pipe is capped and the bottom of pipe over ditch is perforated.

PHOTO TWO-

SEP 22 1994



PHOTO THREE-

View north of ditch and portion of field, to
the west of ditch, which is irrigated by system.

>

PHOTO FOUR-

RECEIVED
SEP 22 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11449

Priority: February 5, 1991

Maximum Diversion Rate: 2.06 CFS
Maximum Diversion Volume: 463.5 AF

This is to certify, that ARROWAY FARMS INC
8434 HWY 20-26
NAMPA ID 83687

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated February 5, 1991; and
has submitted Proof of Beneficial Use on June 13, 1991. An examination indicates
that the works have a diversion capacity of 2.100 cfs of water from a GROUNDWATER
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	2.06 CFS	463.5 AF

LOCATION OF POINT(S) OF DIVERSION: SWNE , Sec. 27, Township 04N, Range 02W
CANYON County

<u>PLACE OF USE:</u>	<u>IRRIGATION</u>				
<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>	
04N 02W 27	NWNE 40	SWNE 36	NENW 27	103	
Total number of acres irrigated:				103	

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.
6. The right holder shall fully use all surface water rights appurtenant to the lands identified above prior to using water under this right.


SEP 02 1994

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE

WATER RIGHT NO. 63-11449

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 12th
day of SEPTEMBER, 1994.

Acting for 
R. Keith Higginson, Director

SEP 22 1994



For Office Use Only
Amt. of Fee \$ 150.00
Date 6/13/91
Receipt No. W013395
Received by JW

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-11449 Telephone No. 466-7192

Name(s) of Permit Holder(s): Arroway Farms.

Post Office Address: 8434 Hwy 20 Nampa 83687

Source of Water: Ground Water.

If ground water, well driller's name: Pete Cope. Date drilled: 3/91

Extent of Use:
Domestic _____ (No. of households) Irrigation 110 (No. of acres)
Stockwater _____ (No. and type of stock) Other 700

Total rate and/or volume for which proof is submitted 2.2 cfs _____ acre/feet
2.0

Show date water was first diverted and beneficially used under this permit: 4/12/91

One of the following may be a condition of approval of your permit:

Measuring device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☒ No

OR

Flow Measurement Port: Required? ☐ Yes ☐ No Installed? ☐ Yes ☒ No

Fee Enclosed: \$ 150.00 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Same. Name Telephone No.

Address

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

6/13/91 Date Arroway Farms, Inc. by:
Archie Yamamoto pres. Signature (and title if on behalf of a company or organization)

MICROFILMED

JUL 15 1991

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11449

Proposed Priority: February 5, 1991 Maximum Diversion Rate: 2.20 CFS
This is to certify, that ARROWAY FARMS INC.

8434 HWY. 20-26

NAMPA, ID 83687

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	2.20 CFS

LOCATION OF POINT(S) OF DIVERSION: SWNE Sec. 27, Township 04N, Range 02W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
04N	02W	27	NWNE 40	SWNE 40	NENW 30	110
Total number of acres irrigated:						110

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 1993.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
5. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
6. The issuance of this permit in no way grants any right-of-way or easement across the land of another.
7. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

APR 23 1991

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11449

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

11 th day of April, 1991.

for R. Keith Higginson
R. Keith Higginson, Director



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant ARROWAY FARMS, INC Phone 466-7192
Post office address 8434 Hwy 20-26 NAMPA, ID 83687
2. Source of water supply groundwater which is a tributary of _____
3. Location of point of diversion is _____ 1/4 of ~~SW~~ NE 1/4, Govt. Lot _____
Sec. 27 Township 4N Range 2W B.M. Canyon County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 2.2 for IRRIGATION purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 2.2 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. _____
well, turbine pump w/ open discharge, ditches
 - b. Height of storage dam N/A feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is 16" inches; proposed depth of well is 200' feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? NO
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
5 years (minimum 1 year).

APR 23 1991

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
4N	2W	27		40	40		30												110

Total number of acres to be irrigated 110

10. Describe any other water rights used for the same purposes as described above. _____

Pioneer Irrig Dist

11. a. Who owns the property at the point of diversion? applicant

b. Who owns the land to be irrigated or place of use? applicant & Chitwood estate (NENW Sec 27)

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. Lease

12. Remarks: _____

Corporation Officers



APR 23 1991


Enter in "COMMENTS" Section:

Pres. - Archie Yamamoto
V-P - Marlene Yamamoto
Sec'y - Lorinda Norton
c/o applicant's address

per talk with M. Yamamoto

2/11/91 GL

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Arrowway Farms, Inc.
Arthur Yamamoto pres.
 (Applicant)

Received by CJH Date 2-5-91 Time 10:30 Preliminary check by SL
Fee \$ 85.00 Receipted by CJH # W012986 Date 2-5-91
Publication prepared by GG Date 2-13-91 Published in Press-Tribune
Publication approved et Date 3-19-91 ^{2/20 & 2/27/91}

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

APR 13 1991



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

September 13, 1994

ARROWAY FARMS INC
8434 HWY 20-26
NAMPA ID 83687

RE: WATER RIGHT NO. 63-11449

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:dc

Enclosure

SEP 22 1994

LICENSE REVIEW CHECKLIST

PERMIT NO. 63-11449 DATE 7-22-94



NAME	Yes ☐	No ☒	Or Address Change? ☐
PRIORITY DATE	☐	☒	Advance? ☐ Advanced to: ☐ Order to reinstate needed? ☐ Incorrect fee for rate recommended? ☐
SOURCE	☐	☒	Changes or just clarification of originally intended source? ☐ Notice of Intent to Void necessary? ☐
POINT OF DIV	☐	☒	Amendment needed? ☐ Overlaps? ☐
PLACE OF USE	☐	☒	Amendment needed? ☐ Overlaps? ☐
DIV RATE	☐	☒	Measurement Q = <u> </u> Theoretical Q = <u>2.1</u> <u>103 x .02 = 2.06</u>
ANNUAL VOLUME	☐	☒	Season of use: <u>0/4.5</u> Calculations: <u>103 x 4.5 = 463.5</u> Flow limit: <u> </u> cfs x <u> </u> x 1.9835 = <u> </u> Combined volumes exceed capacity/allowable <u> </u>
USES	☐	☒	Change in Nature of Use or additional uses? ☐ Amendment necessary? ☐
REMARKS	<u>WB3</u>	☒	Multiple p/d(s) in <u>1/4</u> <u>1/4</u> ? ☐ Other <u>Pioneer On Dist</u>
CONDITIONS	<u>R32</u>	☒	Measuring/Locking Devices ☐ Watermaster control - District ☐ Irrigation Overlap ☐ Water Quality ☐ Other ☐
COMMENTS:	<u>Reduce acres & rate ; Supplemental Water.</u>		

RECOMMENDED

Irrigation

CFS

2.06

VOLUME

463.5

LICENSE ☒

1ST AMENDMENT LETTER ☐

FINAL AMENDMENT LETTER ☐

ADJUSTMENTS TO FIELD EXAM MEMORANDUM

TO: File 63-11449 / Arroway Farms, Inc.
FROM: Brenda Chapman
DATE: July 22, 1994
RE: Adjustments Made

=====

* An adjustment or notes were made on the field exam in the following portion(s) based on the information below.

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use	Rate of Div	Annual Vol
Irrigation	3-15 to 11-15	2.06	463.5

The irrigation rate was reduced to 2.06 cfs [for 103 acres @.02 cfs per acre]. The examiner inadvertently recommended the permitted rate of 2.20 cfs.

ADJUSTMENT
SHEET

SEP 9 2 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

MAY 03 1994

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-11449

1. Owner: Arroway Farms, Inc. Phone No. 466-7192

Current Address: 8434 Hwy. 20-26, Nampa, ID 83687

2. Accompanied by: Archie Yamamoto EXAM DATE: 2/9/94

Address: SAME Phone No. SAME

Relationship to Permit Holder: President, Arroway Farms

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 63-02529, 63-02891

2. Other water rights with the same point of diversion: NONE

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	NE	27	4N	2W	Canyon	Aerial Map


2. Place(s) of Use:

Indicate Method of Determination Same as P/D

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
4N	2W	27		40	36		27												103

SEP 22 1994

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.



Scale: 1" = NTS

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☐ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Deutz	56	545781D	Berkeley	10"
		4D		Berkeley	56038

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

N/A - Winter Exam

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

SEP 22 1994

E. NARRATIVE/REMARKS/COMMENTS

OVERLAPS— P/U Same QR, different area of use.

Well is supplemental to main source of irrigation with Pioneer Irrigation District.

~~water~~ A 40 h.p. submersible pump is operated by a 56 h.p. diesel motor. The acreage is irrigated by gravity.

~~The requested allocation is 2.20 CFS, but the theoretical capacity calculated is only 1.10 CFS.~~

~~Therefore, recommend Licensing for 1.10 CFS for irrigation of 103 acres, not 110 acres as shown on permit.~~

Water is discharged into concrete ditch through a 10" metal pipe.

The theoretical capacity is slightly less than the requested allocation of 2.20 CFS, but since the actual dynamic pumping level is not known, the theoretical calculation cannot be accurate. Therefore, recommend Licensing for 2.20 CFS for irrigation of ¹⁰³~~110~~ acres ~~as requested on permit.~~ The 110 acres is the entire property.

$$\text{Theoretical: } Q = \frac{(8.8)(40)(26)}{100 + (2.31 \times 40)} = \frac{21.2}{1.924} = 2.1 \text{ CFS}$$

NOTE: Assumed Dynamic Pumping Level as per ^{OFFICE} diagram.
~~Assumed 40 psi as per pump size.~~

Have conditions of permit approval been met? ☒ yes ☐ no

SEP 22 1994

F. FLOW CALCULATIONS

N/A

Additional Computation Sheets Attached

Measured Method:

Winter Exam

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 103 \times 4.5 = 463.5 \text{ AFA}$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 2.20 \times 246 \times 1.9835 = 1073.5 \text{ AFA}$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 463.5 \text{ AFA}$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
* Irrigation	3/15	11/15	2.20	463.5
			2.06	
Totals:			2.20	463.5

2.06 CFS

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION


Field Examiner's Name Rick Collingwood Date 2/14/94

Reviewer _____ Date _____


SEAL

* SEE explanation sheet. (BC)

SEP 22 1994



PERMIT 63-11449 INIT RL
T. R. S. Q1Q
P/D 4N 2W 27 SWNE
SCALE
PHOTO ID. X-6 Middleton



Copies Of These Maps Can Be Obtained
At Bonneville Blue Print, Boise Idaho

SEP 22 1994

T2186

N/NW

21.3

T4802

N/NW

16.5

T2177

N/NW

35.9

T2156

N/NW

29.6

32

T2151

N/NW

31.2

T2148

N/NW

3.6

87

SEP 29 1967

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: 63-91-W-041 OTHER APPLICABLE NO: _____

2. OWNER: Arroway Farms, Inc Phone: 466-7192
Address: 8434 Hwy. 20-26, Nampa, ID 83687

3. WELL LOCATION: Twp 4N, Rge. 2W, Sec. 27, SW 1/4 NE 1/4
County Canyon (Provide sketch map and photo on reverse.)

4. DRILLER: Pete Cope Drilling Co. Lic. No. 213
When Drilled? 3/14/91

5. WELL CONSTRUCTION *Casing flush with pump. not visible*
Casing Diameter N/A inches Water tight cap? ☐ Yes ☐ No Access Port: ☒ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☐ Yes ☒ No - Describe Flush with concrete base
Depth of Casing 225(?) ft. Method Drilled Reverse Rotary
Condition of Well Casing: ☐ Good ☐ Fair ☐ Poor Describe Could not see.
Control Valve? ☐ Yes ☒ No Pressure Gauge: ☐ Yes ☒ No
Condition of Piping and Valving Good
Auger to a depth of 225 ft. Evidence of Annular Seal ☐ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)

6. HYDROLOGIC INFORMATION
Depth to Static Water N/A ft. Water Temperature N/A °F
Flowing Artesian ☐ Yes ☒ No Pressure: N/A (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____

7. WELL USE:
☐ Domestic ☒ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____

SEP 22 1994

9. HEMA 3:

Rick Collierwood / Water Rights Examiner
Signature of Dept. Representative & Title

2/9/94
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

RECEIVED

SEP 22 1994



PHOTO ONE-

View northwest of motor, pump, and 10" discharge line. Motor is diesel powered.



PHOTO TWO-

View southeast of 10" discharge line into concrete ditch. Pipe is capped and the bottom of pipe over ditch is perforated. SEP 22 1994



PHOTO THREE-

View north of ditch and portion of field, to the west of ditch, which is irrigated by system.

PHOTO FOUR-

SEP 22 1994

June 21, 1991

ARROWAY FARMS INC.
8434 HWY. 20-26
NAMPA, ID 83687

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11449

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

I note that the permit issued to you by the department requires the installation of a flow measurement port to allow the department to determine the rate of diversion. The proof which you submitted does not show that you have installed this equipment.

The installation of the flow measurement port must be complete by the time the department representative conducts the examination of your system unless the department has rescinded the requirement prior to the field examination. In some cases, the equipment requirement can be rescinded because the equipment cannot be physically installed, is not appropriate or can be accommodated with other measuring methods.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

JUL 15 1991

State of Idaho
Department of Water Resources

APPLICATION FOR DRILLING PERMIT

RECEIVED
FEB 25 1991

Department of Water Resources

1. Applicant (please print) ARROWAY FARMS, INC
2. Mailing Address 8434 Hwy 20-260 Nampa, ID 83687
Telephone 466 7192

☒ Well Owner () Well Operator () Other, specify _____

3. Proposed well location SW 1/4 NE 1/4, or Gov't Lot No. _____
Sec. 27, Twp. 4N, Rge. 2W, County Canyon
Street Address of Well Site _____
Lot, block and subdivision _____

4. Proposed use of well:

() Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

☒ Non-Domestic: Any beneficial use not included within the definition of domestic.

() Injection

() Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____

5. Well construction information:

A. ☒ New well () Deepen () Replace - See Condition 9

B. Proposed Surface Diameter 10" Proposed Maximum Depth 200'

C. Anticipated bottom hole temperature: _____

☒ 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212° or more (Geothermal well)

MICROFILMED

6. Construction Start Date March 1 1991 FEB 15 1991

7. Anticipated Well Driller Pete Cope
NOTE: The actual well driller must be identified prior to drilling.

8. Applicant's signature X Archie Yamamoto Date X 2/5/91
Title X pres. (Owner, Firm Representative, Other)

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is Approval Date 2/25/91

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

10. Water cannot be diverted from this well for irrigation purposes until water right permit application no. 63-11449 is approved.

MICROFILMED

JUL 15 1991

Steve Lister Jr. Agent
Signature of Authorized Department Representative

Manager, Western Region
Title

Receipt No. W012986 Received by CJH Fee 200.00 Date 2-5-91

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension is good for 60 days beyond the above extension approval date.

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources, within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>Arroway Farms, Inc.</u> <u>8434 Hiway 20-26</u> Address <u>Nampa, ID 83687</u> Owner's Permit No. <u>63-91-W-041</u>		7. WATER LEVEL Static water level _____ feet below land surface. Flowing? ☐ Yes ☐ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ of, Quality _____ Describe artesian or temperature zones below.																																																																																																																																																																							
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Well diameter increase ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)		8. WELL TEST DATA ☐ Pump ☐ Bailer ☐ Air ☐ Other _____ <table border="1"><thead><tr><th>Discharge G.P.M.</th><th>Pumping Level</th><th>Hours Pumped</th></tr></thead><tbody><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr></tbody></table>		Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																																																																																																			
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																																																																																																							
3. PROPOSED USE ☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)		9. LITHOLOGIC LOG <table border="1"><thead><tr><th rowspan="2">Bore Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th colspan="2">Water</th></tr><tr><th>From</th><th>To</th><th>Yes</th><th>No</th></tr></thead><tbody><tr><td>28"</td><td>0</td><td>8</td><td>Top Soil</td><td> </td><td> </td></tr><tr><td> </td><td>8</td><td>10</td><td>Sand</td><td> </td><td> </td></tr><tr><td> </td><td>10</td><td>27</td><td>Sand -- Gravel - Riverrock</td><td> </td><td> </td></tr><tr><td> </td><td>27</td><td>31</td><td>Lite Brn. Clay</td><td> </td><td> </td></tr><tr><td> </td><td>31</td><td>33</td><td>Fine to Med. Sand</td><td> </td><td> </td></tr><tr><td> </td><td>33</td><td>41</td><td>Lite Brn. Clay</td><td> </td><td> </td></tr><tr><td> </td><td>41</td><td>46</td><td>Fine Sand</td><td> </td><td> </td></tr><tr><td> </td><td>46</td><td>62</td><td>Lite Brn. Clay</td><td> </td><td> </td></tr><tr><td> </td><td>62</td><td>66</td><td>Fine Sand</td><td> </td><td> </td></tr><tr><td> </td><td>66</td><td>80</td><td>Lite Brn. Clay</td><td> </td><td> </td></tr><tr><td> </td><td>80</td><td>101</td><td>Fine to Med. Sand</td><td> </td><td> </td></tr><tr><td> </td><td>101</td><td>105</td><td>Fine to Med. Sand w/ Sma. amts. Lite Brn. Clay</td><td> </td><td> </td></tr><tr><td> </td><td>105</td><td>125</td><td>Fine to Med. Sand</td><td> </td><td> </td></tr><tr><td> </td><td>125</td><td>129</td><td>Fine to Med. Sand w/ Sma. amts. Lite Brown Clay</td><td> </td><td> </td></tr><tr><td> </td><td>129</td><td>144</td><td>Fine to Med. Sand</td><td> </td><td> </td></tr><tr><td> </td><td>144</td><td>145</td><td>Lite Brn. Clay</td><td> </td><td> </td></tr><tr><td> </td><td>145</td><td>152</td><td>Lite Brn. Clay w/ Stks. of fine sand</td><td> </td><td> </td></tr><tr><td> </td><td>152</td><td>163</td><td>Fine to Med. Sand</td><td> </td><td> </td></tr><tr><td> </td><td>163</td><td>165</td><td>Fine to coarse sand</td><td> </td><td> </td></tr><tr><td> </td><td>165</td><td>185</td><td>Fine to Med. Sand</td><td> </td><td> </td></tr><tr><td> </td><td>185</td><td>189</td><td>Fine to Med. Gray Sand</td><td> </td><td> </td></tr><tr><td> </td><td>189</td><td>199</td><td>Lite Brn. Clay</td><td> </td><td> </td></tr><tr><td> </td><td>199</td><td>201</td><td>Lite Brown Clay w/ Sand stone mixed.</td><td> </td><td> </td></tr><tr><td> </td><td>201</td><td>205</td><td>Fine Sand</td><td> </td><td> </td></tr><tr><td> </td><td>205</td><td>212</td><td>Fine to Med. Sand</td><td> </td><td> </td></tr><tr><td> </td><td>212</td><td>225</td><td>Lite Brn. Clay</td><td> </td><td> </td></tr></tbody></table>		Bore Diam.	Depth		Material	Water		From	To	Yes	No	28"	0	8	Top Soil				8	10	Sand				10	27	Sand -- Gravel - Riverrock				27	31	Lite Brn. Clay				31	33	Fine to Med. Sand				33	41	Lite Brn. Clay				41	46	Fine Sand				46	62	Lite Brn. Clay				62	66	Fine Sand				66	80	Lite Brn. Clay				80	101	Fine to Med. Sand				101	105	Fine to Med. Sand w/ Sma. amts. Lite Brn. Clay				105	125	Fine to Med. Sand				125	129	Fine to Med. Sand w/ Sma. amts. Lite Brown Clay				129	144	Fine to Med. Sand				144	145	Lite Brn. Clay				145	152	Lite Brn. Clay w/ Stks. of fine sand				152	163	Fine to Med. Sand				163	165	Fine to coarse sand				165	185	Fine to Med. Sand				185	189	Fine to Med. Gray Sand				189	199	Lite Brn. Clay				199	201	Lite Brown Clay w/ Sand stone mixed.				201	205	Fine Sand				205	212	Fine to Med. Sand				212	225	Lite Brn. Clay		
Bore Diam.	Depth		Material		Water																																																																																																																																																																				
	From	To		Yes	No																																																																																																																																																																				
28"	0	8	Top Soil																																																																																																																																																																						
	8	10	Sand																																																																																																																																																																						
	10	27	Sand -- Gravel - Riverrock																																																																																																																																																																						
	27	31	Lite Brn. Clay																																																																																																																																																																						
	31	33	Fine to Med. Sand																																																																																																																																																																						
	33	41	Lite Brn. Clay																																																																																																																																																																						
	41	46	Fine Sand																																																																																																																																																																						
	46	62	Lite Brn. Clay																																																																																																																																																																						
	62	66	Fine Sand																																																																																																																																																																						
	66	80	Lite Brn. Clay																																																																																																																																																																						
	80	101	Fine to Med. Sand																																																																																																																																																																						
	101	105	Fine to Med. Sand w/ Sma. amts. Lite Brn. Clay																																																																																																																																																																						
	105	125	Fine to Med. Sand																																																																																																																																																																						
	125	129	Fine to Med. Sand w/ Sma. amts. Lite Brown Clay																																																																																																																																																																						
	129	144	Fine to Med. Sand																																																																																																																																																																						
	144	145	Lite Brn. Clay																																																																																																																																																																						
	145	152	Lite Brn. Clay w/ Stks. of fine sand																																																																																																																																																																						
	152	163	Fine to Med. Sand																																																																																																																																																																						
	163	165	Fine to coarse sand																																																																																																																																																																						
	165	185	Fine to Med. Sand																																																																																																																																																																						
	185	189	Fine to Med. Gray Sand																																																																																																																																																																						
	189	199	Lite Brn. Clay																																																																																																																																																																						
	199	201	Lite Brown Clay w/ Sand stone mixed.																																																																																																																																																																						
	201	205	Fine Sand																																																																																																																																																																						
	205	212	Fine to Med. Sand																																																																																																																																																																						
	212	225	Lite Brn. Clay																																																																																																																																																																						
4. METHOD DRILLED ☐ Rotary ☐ Air ☐ Hydraulic ☒ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____		10. COMPLETION Work started <u>3/11/91</u> finished <u>3/14/91</u> Department of Water Resources Western Regional Office																																																																																																																																																																							
5. WELL CONSTRUCTION (See attached sheet) Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1"><thead><tr><th>Thickness</th><th>Diameter</th><th>From</th><th>To</th></tr></thead><tbody><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr></tbody></table> Was casing drive shoe used? ☐ Yes ☒ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun Size of perforation _____ inches by _____ inches <table border="1"><thead><tr><th>Number</th><th>From</th><th>To</th></tr></thead><tbody><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr></tbody></table> Well screen installed? ☒ Yes ☐ No (See attached) Manufacturer's name <u>Roscoe Moss Wirewrap</u> Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☒ Yes ☐ No ☐ Size of gravel <u>3/8</u> Placed from _____ feet to <u>225 (Bottom)</u> feet Surface seal depth <u>18'</u> Sealant used: ☐ Cement grout ☐ Bentonite ☒ Puddling clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth ☐ _____ Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld _____ ☐ Cemented between strata Describe access port <u>2"</u>		Thickness	Diameter	From	To	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>PETE COPE DRILLING CO., INC.</u> Firm No. <u>213</u> <u>6505 West Chinden Blvd.</u> Address <u>Meridian, ID</u> Date <u>3/18/91</u> Signed by (Firm Official) <u>Pete Cope</u> and (Operator) <u>Kevin Chastain</u>																																																																																																																																							
Thickness	Diameter	From	To																																																																																																																																																																						
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																																																																																						
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																																																																																						
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																																																																																						
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																																																																																						
Number	From	To																																																																																																																																																																							
_____ perforations	_____ feet	_____ feet																																																																																																																																																																							
_____ perforations	_____ feet	_____ feet																																																																																																																																																																							
_____ perforations	_____ feet	_____ feet																																																																																																																																																																							
6. LOCATION OF WELL Sketch map location must agree with written location. <table border="1"><tr><td>N</td><td></td><td></td><td></td><td></td></tr><tr><td>W</td><td></td><td>X</td><td></td><td>E</td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td>S</td><td></td><td></td><td></td><td></td></tr></table> County <u>Canyon</u> <u>SW 1/4 NE 1/4 Sec. 27, T. 4N, S. 1R, 2W</u>		N					W		X		E						S					12. USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT																																																																																																																																																			
N																																																																																																																																																																									
W		X		E																																																																																																																																																																					
S																																																																																																																																																																									

CASING SCHEDULE
ARROWAY FARMS, INC.

Casing: 16" Steel .250

Roscoe Moss 16" Wirewrap
.040 Slot Screens.

+18"	-	104'	-	Casing
144'	-	164'	-	Casing
184'	-	204'	-	"
214'	-	224'	-	"

104'	-	144'	Screen
164'	-	184'	Screen
204'	-	214'	Screen

RECEIVED

JUL 15 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

April 18, 1991

ARROWAY FARMS INC.
8434 HWY. 20-26
NAMPA, ID 83687

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-11449

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Be sure to note the special condition requiring you to install a measuring device. Enclosed, for your reference, is a list of measuring device options.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

You should be aware that you are located within a drainage basin where surface water diversions are regulated by a watermaster. It is possible that diversion of groundwater under your permit may cause a reduction of surface water flow. Siting your well as far as possible from surface water channels and casing your well

APR 23 1991

so that groundwater tributary to surface water flows are not diverted will reduce the potential for the watermaster to regulate your water use.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosures

APR 13 1984

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

TIEGS, LEONARD
TIEGS, FERN
15951 GARRITY BLVD.
NAMPA, ID 83687
Source: GROUNDWATER
Diversion Pt:

Use: IRRIGATION

Date Filed: 2/5/1991
In: T03N R02W S12
S13

71.0 ACRES TOTAL

63-11445

SESE Sec 12 T 03N R 02W
NENE Sec 13 T 03N R 02W
(1.420 CFS)
Total Diversion: (1.420 CFS)

NESE SWSE SESE
NENE

FARNER, MABEL
FARNER, VIRGIL E.
11153 FARNER RD.
NAMPA, ID 83686
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 1/31/1991
In: T02N R03W S04
100.00 ACRES TOTAL

63-11447

NESE Sec 4 T 02N R 03W
(2.000 CFS)
Total Diversion: (2.000 CFS)

SENE NESE SESE

BAXTER, TOM
13577 WALKER LAKE RD.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt: LOT 4
Use: IRRIGATION

Date Filed: 2/6/1991
In: T03N R03W S30 Lot 6

Lot 3
131.0 ACRES TOTAL

63-11448

(SWSW) Sec 30 T 03N R 03W
(2.620 CFS)
Total Diversion: (2.620 CFS)

(NENW) Lot 2 (SWNW) Lot 7 (SENW)
(NWSW) Lot 4 (SWSW) NESW
SESW

ARROWAY FARMS INC.
8438 HYW. 20-26
NAMPA, ID 83687
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 2/5/1991
In: T04N R02W S27
110.0 ACRES TOTAL

63-11449

SWNE Sec 27 T 04N R 02W
(2.200 CFS)
Total Diversion: (2.200 CFS)

NWNE SWNE NENW

MELBA CEMETERY DISTRICT
C/O DORIS VAN SCHOIACK/SEC
P.O. BOX 84
MELBA, ID 83641
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
COMMERCIAL

Date Filed: 1/31/1991
In: T01N R02W S35
4.0 ACRES TOTAL

63-11450

SESE Sec 35 T 01N R 02W
(.120 CFS)
(.020 VFS)
Total Diversion: (.140 CFS)

SESE

VALLIVUE SCHOOL DISTRICT NO. 139
16412 S. 10TH
CALDWELL, ID 83605-9096
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
DOMESTIC
FIRE PROTECTIVE

Date Filed: 1/31/1991
In: T03N R03W S11
20.00 ACRES TOTAL

63-11451

NESW Sec 11 T 03N R 03W
(1.250 CFS)
(.640 CFS)
(1.890 CFS)
Total Diversion: (1.890 CFS)

NESW

EVERT VAN BEEK & SON
8142 W. USTICK
NAMPA, ID 83687
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 2/7/1991
In: T03N R01W S06 SWNE
105.0 ACRES TOTAL

63-11452

SENE Sec 6 T 03N R 01W
(2.100 CFS)
Total Diversion: (2.100 CFS)

SENE NESE NWSE

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before MARCH 11, 1991.

R. KEITH HIGGINSON, Director
February 20, 27, 1991

AFFIDAVIT OF PUBLICATION

MARCH 10 1991

AHO)
) ss.
ron)

a O'Krakel

lyon County, Idaho, being first duly sworn, deposes

a citizen of the United States of America, and at all
ter mentioned was over the age of eighteen years,
'to the above entitled action.

i the Principal Clerk of the Idaho Press-Tribune, a
(Saturday) newspaper published in the City of
aldwell, in the County of Canyon, State of Idaho;
newspaper is in general circulation in the said
yon, and in the vicinity of Nampa and Caldwell, and
eruptedly published in said County during a period
it consecutive weeks prior to the first publication of
py of which is hereto attached.

notice, of which the annexed is a printed copy, was
id newspaper
o times
ir and entire issue of said paper, and was printed in
proper, and not in a supplement.

notice was published the following dates:

bruary 20, 27, 1991

Sharla O'Krakel

AHO)
)
ANYON)

th day of February in the
11, before me, a Notary Public, personally
Sharla O'Krakel, known
me to be the person whose name subscribed to the
rent, and being by me first duly sworn, declared
rents therein are true, and acknowledged to me that
ed the same.

Notary Public for Idaho
Residing at Nampa

MY COMMISSION EXPIRES
JULY 12th, 1991

63-11449

ARROWAY FARMS INC.
8434 HWY. 20-26
NAMAP, ID 83687

Source: GROUNDWATER

Diversion Pt: SWNE Sec 27 T 04N R 02W

Use: IRRIGATION (2.200 CFS)
Total Diversion: (2.200 CFS)

Date Filed: 2/ 5/ 1991

In: T04N R02W S27 NWNE SWNE NENW
110.0 ACRES TOTAL

APR 23 1991