

T3N R3W

5.30

1912 Survey


SECTION
TOWNSHIP 3 N
SURVEYED BY J. L.

DEPAR


APR 23 1991

Sec 29

Sec 30



13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X Toen Bayter

(Applicant)

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
16"		50	submersible		

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Theoretical


RECEIVED
MAY 1 1994

JUN 13 1994

JUN 13 1994
CREST ELEVATION 2531
ELEVATION 2518 SEPT 25, 1954


T3N
R3W
Sec 30

T3N
T2N




JUN 13 1994

DEPARTMEN







16" well
50HP submersible
pump

open discharge



48" dia stand pipe
6' deep



MAINTAINED
JUN 18 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11448

Priority: February 6, 1991

Maximum Diversion Rate:

1.10 CFS

Maximum Diversion Volume:

535.5 AF

This is to certify, that TOM BAXTER
13577 WALKER LAKE RD
CALDWELL ID 83605

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated February 6, 1991; and
has submitted Proof of Beneficial Use on May 19, 1992. An examination indicates
that the works have a diversion capacity of 1.100 cfs of water from a GROUNDWATER
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	1.10 CFS	535.5 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 4(SWSW), Sec. 30, Township 03N, Range 03W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	03W	30	Lot 6(NENW) 5	Lot 2(SWNW) 4	Lot 7(SENW) 30	
			NESW 36	Lot 3(NWSW) 25	Lot 4(SWSW) 4	
			SESW 15			119

Total number of acres irrigated: 119

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.
6. The right holder shall fully use all surface water rights appurtenant to the lands identified above prior to using water under this right.


JUN 13 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11448

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 30th
day of April, 1994.

Acting for  R. Keith Higginson, Director



APR 9 1994

RECEIVED

MAY 19 1992

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

MAY 22 1992

Department of Water Resources
Western Regional Office

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-11448 Telephone No. 208-459-7098
2. Name(s) of Permit Holder(s): TOM BAXTER
3. Post Office Address: 13577 WALKER LAKE RD. CALD, ID 83605
4. Source of Water: GROUND
 - a. If ground water, well driller's name: DETE CODE Date drilled: 9-19-91
 - b. Pump horsepower: 50 Pressure (psi): _____ Dynamic pumping level (ft.): 140'
5. Extent of Use:

Domestic _____ (No. of households)	Irrigation <u>131</u> (No. of acres)
Stockwater _____ (No. and type of stock)	Other _____
6. Total rate and/or volume for which proof is submitted 2.62 cfs 131 acre/feet
7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device:	Required? ☒ Yes ☐ No	Installed? ☒ Yes ☐ No
OR		
Flow Measurement Port:	Required? ☒ Yes ☐ No	Installed? ☒ Yes ☐ No
8. Fee Enclosed: \$ 150.00 (See License Examination Fee Schedule)
9. Person to contact to accompany the Department representative during the field examination:

<u>TOM BAXTER</u> Name	<u>208-459-7098</u> Telephone No.
<u>13577 Walker Lake Rd. Cald, ID. 83605</u> Address	

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

5-17-92
DateTom Baxter owner
Signature (and title if on behalf of a company or organization)

JUN 12 1992

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11448

Proposed Priority: February 6, 1991 Maximum Diversion Rate: 2.62 CFS
This is to certify, that **TOM BAXTER**

13577 WALKER LAKE RD.
CALDWELL, ID 83605

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	2.62 CFS

LOCATION OF POINT(S) OF DIVERSION: LOT 4(SWSW), Sec. 30, Township 03N, Range 03W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	03W	30	LOT 6(NENW) 9	LOT 2(SWNW) 5	LOT 7(SENW) 34	
			NESW 40	LOT 3(NWSW) 18	LOT 4(SWSW) 5	
			SESW 20			131

Total number of acres irrigated: 131

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **April 1, 1993**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
5. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
6. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

RECEIVED
APR 23 1991

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11448

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

11th day of April, 1991.

for J. Glen Saxton
R. Keith Higginson, Director



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant TOM BAXTER Phone 459-7098
Post office address 13577 Walker Lake Rd. Caldwell, ID 83605
2. Source of water supply groundwater which is a tributary of _____
3. Location of point of diversion is _____ 1/4 of SW 1/4 of SW 1/4, Govt. Lot 4
Sec. 30 Township 3N Range 3W B.M. Canyon County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 2.62 for irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 2.62 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. _____
well, pump, gravity & sprinkle irrigation systems
 - b. Height of storage dam N/A feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is 10" inches; proposed depth of well is 200' feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? NO
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
5 years (minimum 1 year).

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3N	3W	30					9		5	34	40	40	41	20					131
												18	5						
							4.6		4.2	4.7		4.3	4.4						

Total number of acres to be irrigated 131

10. Describe any other water rights used for the same purposes as described above. _____

Wilder Irrig Dist

11. a. Who owns the property at the point of diversion? applicant

b. Who owns the land to be irrigated or place of use? applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

APR 23 1991

ENTER IN "COMMENTS" SCREEN Drilling Permit No. 63-91-W-025

* Application showed 91 ac. NW¼ & 91 ac. SW¼. total 131 ac. OK, showed approximate acres/tract per applicant's map & govt. lot info. 2/10/91


530

1912 Survey


DEPAR

APR 23 1991

Sec 29



13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X Tommy Boyer
(Applicant)

Received by GH Date 2-6-91 Time 12:00 Preliminary check by SL
Fee \$ 85.00 Receipted by GH # 10012988 Date 2-6-91
Publication prepared by GG Date 2-13-91 Published in Press-Tribune
2/20 & 2/27/91
Publication approved ST Date 3-19-91

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

APR 26 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

May 2, 1994

TOM BAXTER
13577 WALKER LAKE RD.
CALDWELL ID 83605

RE: WATER RIGHT NO. 63-11448

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in black ink, appearing to be 'Jim Johnson', written over a horizontal line.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECEIVED

JUN 13 1994

WR0749NP
No. L63-11448

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 04/22/94
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	TOM BAXTER 13577 WALKER LAKE RD CALDWELL ID 83605 (208) 459-7098	02/06/1991	IRRIGATION	03-15 11-15	1.10 CFS	535.50 AFA
TOTAL DIVERSION:					1.10 CFS	535.50 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 1.10 CFS

Point(s) of Diversion: T03N R03W S30 Lot 04(SWSW)

CANYON County

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE					
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM
03N	03W	30	:					06-05		02-04	07-30			36	03-25	04-04	15			:	119.0
																				TOTAL ACRES	119.0

Pou County: CANYON

Other Rights: WILDER IRRIGATION DISTRICT

Other Water Rights with Same Point(s) of Diversion and Source:
63-11448

Other Water Rights Listing Overlapping Place(s) of use:
63-11448

Conditions of Approval:

- R32 - This right when combined with all other rights shall provide no
- more than .02 cfs per acre nor more than 4.5 afa per acre for the
- lands above.

Remarks: The right holder shall fully use all surface water rights
appurtenant to the lands identified above prior to using water
under this right.

Dates: App. Received: 02/06/1991 Priority Date: 02/06/1991
Proof Due Date: 04/01/1993 Proof Made Date: 05/19/1992
Exam Made Date: 10/21/1993 Exam Sent to S.O.: 03/28/1994
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

Comments: Date: 05/22/1992 User-ID: VAULT Subject: Proof of Beneficial Use Rcvd
Proof of Beneficial Use Rcvd

Audit: 04/22/94 CHAPMAN


(WATER RIGHT NUMBERS THAT BEGIN WITH AN '*' ARE ADJUDICATION CLAIMS)

[illegible]

POU COMPARISON

LICENSE REVIEW CHECKLIST

PERMIT NO. 63-11448 DATE 4-22-94



NAME	Yes ☐ No ☒	Or Address Change?
PRIORITY DATE	☐ ☒	Advance? ☐ Advanced to: ☐ Order to reinstate needed? ☐ Incorrect fee for rate recommended? <u>NO</u>
SOURCE	☐ ☒	Changes or just clarification of originally intended source? ☐ Notice of Intent to Void necessary? ☐
POINT OF DIV	☐ ☒	Amendment needed? ☐ Overlaps? ☐
PLACE OF USE	☐ ☒	Amendment needed? ☐ Overlaps? ☐
DIV RATE	☐ ☒	Measurement done? ☐ Theoretical only? ☒ <u>Q = 1.1 CFS</u>
1.1/119 = .01 CFS per acre		Capacity: ☐ Combined rates exceed capacity ☐ Allowable amount: ☐
ANNUAL VOLUME	☐ ☒	Season of use: <u>0/4.5 3-15 to 11-15</u> Calculations: <u>119 x 4.5 = 535.5</u> Flow limit: <u>1.1</u> cfs x <u>246</u> x 1.9835 = <u>536.7</u> Combined volumes exceed capacity/allowable ☐
USES	☐ ☒	Change(s) in Nature of Use? ☐ Amendment necessary? ☐
REMARKS	<u>WB3</u>	Multiple p/d(s) in 1/4 1/4? ☐ Other <u>Willow Spr Dist Water</u>
CONDITIONS	☐ ☒	Measuring/Locking Devices ☐ Watermaster control - District ☐ <u>R32</u> Irrigation Overlap ☐ Water Quality ☐ Other ☐

COMMENTS: Supplemental Water Reduce rate to capacity
Reduce acres

RECOMMENDED	CFS	VOLUME	LICENSE ☒
<u>Irrigation</u>	<u>1.1</u>	<u>535.5</u>	
<u> </u>	<u> </u>	<u> </u>	1ST AMENDMENT LETTER <u> </u>
<u> </u>	<u> </u>	<u> </u>	FINAL AMENDMENT LETTER <u> </u>

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
APR 01 1994
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-11448

1. Owner: TOM BAXTER Phone No. 459-7098

Current Address: 13577 Walker Lake Rd Caldwell 83605

2. Accompanied by: TOM EXAM DATE: 10/21/93

Address: _____ Phone No. _____

Relationship to Permit Holder: owner

3. Source: Ground water tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 63-08474, 63-02388

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	4		SW	SW	30	3N	3W	Canyon	USGS Quad, ASCS Photo


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
3N	3W	30					5		42	30	36	43	44	15					119
							LT6			LT7									
							(BC)			(BC)									

JUN 13 1994

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for Irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
16"		50	submersible		

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Theoretical

JUN 13 1991

E. NARRATIVE/REMARKS/COMMENTS

A 16" well with a 50 HP submersible pump supplies water to 117 acres via buried pipe, cement ditch, siphon tubes and gated pipe. Wilder irrigation water is also used on the acres.

Note: A 6" discharge pipe from the well leads to ~30 acres of leased property West of the canal that only has surface water rights. The well owner stated that he diverted groundwater to this property in 1992 because of the drought. (The well owner is the lessee)

Have conditions of permit approval been met? ☐ yes ☒ no

not necessary
for exam

JUN 13 1994

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method:

$$\frac{50 \times 8.8 \times 1.7}{280} = 1.1 \text{ cfs}$$

Laque Pump set the pump @ 300' per their records.

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 119 \times 4.5 = 535.5$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 1.1 \times 246 \times 1.9835 = 536.7$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 535.5$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>irrigation</u>	<u>3/15</u>	<u>11/15</u>	<u>1.1</u>	<u>535.5</u>
Totals:			<u>1.1</u>	<u>535.5</u>

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATIONField Examiner's Name Lon Ganner Date 1/28/94

Reviewer _____ Date _____

SEAL

UNRECORDED




T3N
R3W
Sec 30

T3N
T2N

DEPARTMEN

JUN 13 1994



T4796



N/NW

N/NW

24.6

2
10.2

T4797

2/NW
93

T4798

NW

27

370

13

90

358

H/NW

H/SW

H/NW
2
19.2

31
NW

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: 63-91-W-356 OTHER APPLICABLE NO: 63-114482. OWNER: Tom Baxter Phone: 459-2098
Address: _____3. WELL LOCATION: Twp 3N, Rge. 3W, Sec. 30, SW 1/4 SW 1/4
County Canyon (Provide sketch map and photo on reverse.)4. DRILLER: Cape Lic. No. 213
When Drilled? 1991

5. WELL CONSTRUCTION:

Casing Diameter 16 inches Water tight cap? ☒ Yes ☐ No Access Port: ☒ Yes ☐ NoCasing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____Depth of Casing 286 ft. Method Drilled _____Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____Control Valve? ☒ Yes ☐ No Pressure Gauge: ☐ Yes ☐ NoCondition of Piping and Valving goodAuger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ No

Are there obvious construction problems that may be a source for contamination or waste of water?

☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)

HYDROLOGIC INFORMATION:

Depth to Static Water 125 ft. Water Temperature cold °FFlowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)Water Sample Taken? ☐ Yes ☐ No If yes, describe purpose _____

Water Quality Measurements/Observations (Describe) _____

WELL USE:

☐ Domestic	☒ Irrigation	☐ Stock
☐ Test	☐ Municipal	☐ Industrial
☐ Abandoned	☐ Waste Disposal/Injection	☐ Not Used
☐ Other: _____		

JUN 18 1994

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve ☒ present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☒ Yes ☐ No

If yes, what Type? canal

How far away from the well is this source? 20 yds

9. REMARKS:

Lon Gnanen
Signature of Dept. Representative & Title

10/21/93
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

MISSOURI DEPT. OF HEALTH

JUN 10 1994

TOM BAXTER
 13577 WALKER LAKE RD
 CALDWELL ID 83605
 Permit# 63-91-W-356

"16" casing record .250 wall welded

1	-	140	141
150	-	165	15
185	-	250	65
260	-	280	20
290	-	325	35
335	-	345	10

 286 total casing

16" Screen record .40 slot Roscoe Moss Continuous wire.

140	-	150	10
165	-	185	20
250	-	260	10
280	-	290	10
325	-	335	10

 60 total screen

346 total screen+casing

RECEIVED

JUN 13 1994

3N 3W Sec. 30

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

USE TYPEWRITER OR
BALLPOINT PEN

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER

TOM BAXTER

Name

13577 WALKER LAKE CALDWELL

Address

63-91-W-356

Drilling Permit No.

63-11448

Water Right Permit No.

2. NATURE OF WORK

REPLACE

☐ New well

☐ Deepened

☐ Replacement

☐ Well diameter increase

☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

IRRIGATION

☐ Domestic☐ Irrigation☐ Test☐ Municipal

☐ Industrial☐ Stock☐ Waste Disposal or Injection

☐ Other (specify type)

4. METHOD DRILLED

REVERSE ROTARY

☐ Rotary☐ Air☐ Hydraulic☐ Reverse rotary

☐ Cable☐ Dug☐ Other

5. WELL CONSTRUCTION

SEE ATTACHED

Casing schedule: ☒ Steel ☐ Concrete ☐ Other

Thickness

Diameter

From

To

inches

inches

feet

feet

inches

inches

feet

feet

inches

inches

feet

feet

Was casing drive shoe used?

☐ Yes

☒ No

Was a packer or seal used?

☐ Yes

☒ No

Perforated?

☐ Yes

☒ No

How perforated?

☐ Factory

☐ Knife

☐ Torch

☐ Gun

Size of perforation

inches by

inches

Number

From

To

perforations

feet

feet

perforations

feet

feet

perforations

feet

feet

Well screen installed?

☒ Yes

☐ No

Manufacturer's name

ROSCOE MOSS

Type

CONTINUOUS WIRE

Model No.

HEAVY

Diameter

Slot size

Set from

feet to

feet

Diameter

Slot size

Set from

feet to

feet

Gravel packed?

☒ Yes

☐ No

☐ Size of gravel

3/8

Placed from

40

feet to

345

Surface seal depth

40

Material used in seal:

☐ Cement grout

☒ Bentonite

☐ Puddling clay

☐

Sealing procedure used:

☐ Slurry pit

☐ Temp. surface casing

☒ Overbore to seal depth

Method of joining casing:

☐ Threaded

☒ Welded

☐ Solvent

☐ Cemented between strata

Describe access port

2" PIPE

7. WATER LEVEL

Static water level 125 feet below land surface.

Flowing? ☐ Yes ☐ No G.P.M. flow

Artesian closed-in pressure p.s.i.

Controlled by: ☐ Valve ☐ Cap ☐ Plug

Temperature OF. Quality

Describe artesian or temperature zones below.

8. WELL TEST DATA

NOT AVAILABLE

☐ Pump☐ Bailer☐ Air☐ Other

Discharge G.P.M.

Pumping Level

Hours Pumped

9. LITHOLOGIC LOG

Bore Diam.	Depth From	To	Material	Water Yes No
28				
	0	8	SAND	X
	8	15	SAND & WHITE SILTSTONE W/ LARGE LAVA BOLDERS	X
	15	65	BLACK CINDERS	X
	65	89	BRN CINDERS	X
	89	96	BRN SAND & SANDSTONE	X
	96	110	SAND & GRAVEL	X
	110	117	CEMENTED GRAVEL	X
	117	125	BRN CLAY & SANDSTONE	X
	125	150	FINE TO MED BRN SAND	X
	150	162	LITE BRN CLAY	X
	162	185	FINE TO CRSE SAND	X
	185	197	CLAY & SANDSTONE	X
	197	202	FINE SAND	X
	202	210	BRN CLAY	X
	210	225	BLUE CLAY	X
	225	230	FINE SAND	X
	230	250	BLUE CLAY	X
	250	258	FINE TO MED SAND	X
	258	283	BLUE CLAY	X
	283	289	FINE SAND W/ CLAY STREAKS	X
	289	302	BLUE CLAY	X
	302	306	FINE SAND	X
	306	325	BLUE CLAY	X
	325	337	FINE SAND	X
	337	345	BLUE CLAY	X

10.

Work started 9/19/91 finished 9/24/91

6. LOCATION OF WELL

Sketch map location must agree with written location.

N

W

E

S

CANYON

Subdivision Name

Lot No.

Block No.

County

SW 1/4 SW 1/4 Sec. 30 T. 3N R. 3W W

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name

PETE COPE DRILLING

Firm No.

213

Address

6505 W. CHINDEN

Date

7/24/91

Signed by (Firm Official)

Joseph Jones

and

(Operator)

Joseph Jones

RECEIVED
OCT 2 1991
SEP 30 1991

Department of Water Resources
Western Regional Office
10.



16" well
50HP submersible
pump

open discharge



48" dia stand pipe
6' deep

RECEIVED

JUN 19 1994

63-11148

September 10, 1992

MEMO TO FILE:

From: Carolyn Andregg

During the spring and summer of 1992, drought conditions caused record low flows in the Snake River. Twice, the flow of the Snake River fell below 4,750 cfs, the minimum stream flow at the Weiser gauge. Notices were mailed to the water user listed under this right because the priority is later than July 1, 1976, in order to protect the Snake River minimum stream flow. The following is a chronological history of the mailings.

May 19, 1992: Letter sent to water right holder informing holder of possible temporary cessation of diversion rights and notice of public meetings.

June 8, 1992: Letter sent informing water right holder directing immediate cessation of diversion of water until further notice.

June 12, 1992: Letter sent to water right holder authorizing resumption of diversion of water.

June 26, 1992: Letter sent to water right holder directing immediate cessation of diversion of water until further notice.

June 29, 1992: Letter sent to water right holder authorizing resumption of diversion of water.

RECEIVED

JUN 13 1994

May 29, 1992

TOM BAXTER
13577 WALKER LAKE RD.
CALDWELL ID 83605

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11448

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECEIVED
MAY 29 1992

7/90

Drilling Permit No. 02-11-W-2510
Water Right Permit No. 63-11448
Injection Permit No. _____

MODIFIED

State of Idaho
Department of Water Resources

MODIFIED

APPLICATION FOR DRILLING PERMIT

12-17-91

gll

1. Applicant (please print) TOM BAXTER
2. Mailing Address 13577 Walker Lake Rd
City & State Caldwell ID Zip Code 83405 Telephone 459-7098
- ☒ Well Owner () Well Operator () Other, specify _____
3. Proposed well location SW 1/4 SW 1/4, or Gov't Lot No. 04
Sec. 30, Twp. 3N, Rge. 3W, County Canyon
- Street Address of Well Site —
- Lot, block and subdivision _____

4. Proposed use of well:

- () Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

- ☒ Non-Domestic: Any beneficial use not included within the definition of domestic. Irrigation

() Injection

- () Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____

() Other _____

(Describe)

5. Well construction information:

- A. ☒ New well () Deepen () Enlarge ☒ Replace - See Condition 9

B. Proposed Surface Diameter 16" Proposed Maximum Depth 300'

C. Anticipated bottom hole temperature:

- ☒ 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212° or more (Geothermal well)

MICROFILMED

JUN 12 1992

6. Construction Start Date 9-19-91
- Anticipated Well Driller Pete Cope
NOTE: The actual well driller must be identified prior to drilling.

8. Applicant's signature X Tom Baxter Date 9-17-91

Title _____

State Representative Office

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is

Approved

Date

9-17-91

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well. All wells must be drilled a minimum distance of 100 feet from a drain field. Domestic and Public Water Supply wells must be drilled a minimum distance of 50 feet and 100 feet respectively from a septic tank.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

Cynthia J. Hodges
Signature of Authorized Department Representative

Sr. Water Resource Agent
Title

Receipt No. W013686 Received by cyh Fee 200.00 Date 9-17-91

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

JUN 12 1992

This extension is good for 60 days beyond the above extension approval date.

TOM BAXTER
 13577 WALKER LAKE RD
 CALDWELL ID 83605
 Permit# 63-91-W-356

"16" casing record .250 wall welded

1	-	140	141
150	-	165	15
185	-	250	65
260	-	280	20
290	-	325	35
335	-	345	10

 286 total casing

16" Screen record .40 slot Roscoe Moss Continuous wire.

140	-	150	10
165	-	185	20
250	-	260	10
280	-	290	10
325	-	335	10

 60 total screen

346 total screen+casing

RECEIVED
 JUN 12 1992

3N 3W Sec. 30

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER

TOM BAXTER

Name _____

Address 13577 WALKER LAKE CALDWELLDrilling Permit No. 63-91-W-356Water Right Permit No. 63-11448

2. NATURE OF WORK

REPLACE

- ☐ New well ☐ Deepened ☐ Replacement
☐ Well diameter increase
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

IRRIGATION

- ☐ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED

REVERSE ROTARY

- ☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

SEE ATTACHED

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☐ Yes ☒ NoWas a packer or seal used? ☐ Yes ☒ NoPerforated? ☐ Yes ☒ NoHow perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun

Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☒ Yes ☐ NoManufacturer's name ROSCOE MOSSType CONTINUOUS WIRE Model No. HEAVY

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☒ Yes ☐ No ☐ Size of gravel 3/8Placed from 40 feet to 345 feetSurface seal depth 40 Material used in seal: ☐ Cement ☒ Bentonite ☐ Puddling clay ☐ _____Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depthMethod of joining casing: ☐ Threaded ☒ Welded ☐ Solvent

Weld _____

☐ Cemented between strataDescribe access port 2" PIPE

7. WATER LEVEL

Static water level 125 feet below land surface.Flowing? ☐ Yes ☐ No G.P.M. flow _____

Artesian closed-in pressure _____ p.s.i.

Controlled by: ☐ Valve ☐ Cap ☐ Plug

Temperature _____ °F. Quality _____

Describe artesian or temperature zones below.

8. WELL TEST DATA

NOT AVAILABLE

☐ Pump ☐ Bailer ☐ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
28					
	0	8	SAND		X
	8	15	SAND & WHITE SILTSTONE W/ LARGE LAVA BOLDERS		X
	15	65	BLACK CINDERS		X
	65	89	BRN CINDERS		X
	89	96	BRN SAND & SANDSTONE		X
	96	110	SAND & GRAVEL		X
	110	117	CEMENTED GRAVEL		X
	117	125	BRN CLAY & SANDSTONE		X
	125	150	FINE TO MED BRN SAND	X	
	150	162	LITE BRN CLAY		X
	162	185	FINE TO CRSE SAND	X	
	185	197	CLAY & SANDSTONE		X
	197	202	FINE SAND	X	
	202	210	BRN CLAY		X
	210	225	BLUE CLAY		X
	225	230	FINE SAND	X	
	230	250	BLUE CLAY		X
	250	258	FINE TO MED SAND	X	
	258	283	BLUE CLAY		X
	283	289	FINE SAND W/ CLAY STREAKS	X	
	289	302	BLUE CLAY		X
	302	306	FINE SAND	X	
	306	325	BLUE CLAY		X
	325	337	FINE SAND	X	
	337	345	BLUE CLAY		X

RECEIVED

OCT 2 1991


SEP 30 1991

Department of Water Resources

Western Regional Office

Work started 9/19/91 finished 9/24/91

6. LOCATION OF WELL

Sketch map location must agree with written location.

Subdivision Name _____

Lot No. _____ Block No. _____

County CANYONSW ¼ SW ¼ Sec. 30, T. 3N S R. 3W E W

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were
complied with at the time the rig was removed.

Firm Name PETE COPE DRILLING Firm No. 213Address 6505 W. CHINDEN Date 7/24/91Signed by (Firm Official) Joseph Jones

and

(Operator) Joseph Jones



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7860

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

April 18, 1991

TOM BAXTER
13577 WALKER LAKE RD.
CALDWELL, ID 83605

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-11448

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Be sure to note the special condition requiring you to install a measuring device. Enclosed, for your reference, is a list of measuring device options.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

You should be aware that you are located within a drainage basin where surface water diversions are regulated by a watermaster. It is possible that diversion of groundwater under your permit may cause a reduction of surface water flow. Siting your well as far as possible from surface water channels and casing your well

APR 26 1991

so that groundwater tributary to surface water flows are not diverted will reduce the potential for the watermaster to regulate your water use.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosures

APR 10 1964

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

TIEGS, LEONARD
TIEGS, FERN
15951 GARRITY BLVD.
NAMPA, ID 83687
Source: GROUNDWATER
Diverson Pt:

63-11445

Use: IRRIGATION

Date Filed: 2/5/1991
In: T03N R02W S12
S13

71.0 ACRES TOTAL

SESE Sec 12 T 03N R 02W
NENE Sec 13 T 03N R 02W
(1.420 CFS)
Total Diverson: (1.420 CFS)
NESE SWSE SESE
NENE

FARNER, MABEL
FARNER, VIRGIL E.
11153 FARNER RD.
NAMPA, ID 83686
Source: GROUNDWATER
Diverson Pt:
Use: IRRIGATION

63-11447

Date Filed: 1/31/1991
In: T02N R03W S04
100.00 ACRES TOTAL

NESE Sec 4 T 02N R 03W
(2.000 CFS)
Total Diverson: (2.000 CFS)
SENE NESE SESE

BAXTER, TOM
13577 WALKER LAKE RD.
CALDWELL, ID 83605
Source: GROUNDWATER
Diverson Pt: LOT 4
Use: IRRIGATION

63-11448

Date Filed: 2/6/1991
In: T03N R03W S30 Lot 6
Lot 3
131.0 ACRES TOTAL

(SWSW) Sec 30 T 03N R 03W
(2.620 CFS)
Total Diverson: (2.620 CFS)
(NENW) Lot 2 (SWNW) Lot 7 (SENW)
(NWSW) Lot 4 (SWSW) NESW
SESW

ARROWAY FARMS INC.
8438 HYW. 20-26
NAMPA, ID 83687
Source: GROUNDWATER
Diverson Pt:
Use: IRRIGATION

63-11449

Date Filed: 2/5/1991
In: T04N R02W S27
110.0 ACRES TOTAL

SWNE Sec 27 T 04N R 02W
(2.200 CFS)
Total Diverson: (2.200 CFS)
NWNE SWNE NENW

MELBA CEMETERY DISTRICT
C/O DORIS VAN SCHOIACK/SEC
P.O. BOX 84
MELBA, ID 83641
Source: GROUNDWATER
Diverson Pt:
Use: IRRIGATION
COMMERCIAL

63-11450

Date Filed: 1/31/1991
In: T01N R02W S35
4.0 ACRES TOTAL

SESE Sec 35 T 01N R 02W
(.120 CFS)
(.020 CFS)
Total Diverson: (.140 CFS)
SESE

VALLIVUE SCHOOL DISTRICT NO. 139
16412 S. 10TH
CALDWELL, ID 83605-9096
Source: GROUNDWATER
Diverson Pt:
Use: IRRIGATION
DOMESTIC
FIRE PROTECTIVE

63-11451

Date Filed: 1/31/1991
In: T03N R03W S11
20.00 ACRES TOTAL

NESW Sec 11 T 03N R 03W
(1.250 CFS)
(.640 CFS)
(1.890 CFS)
Total Diverson: (1.890 CFS)
NESW

EVERT VAN BEEK & SON
8142 W. USTICK
NAMPA, ID 83687
Source: GROUNDWATER
Diverson Pt:
Use: IRRIGATION

63-11452

Date Filed: 2/7/1991
In: T03N R01W S06 SWNE
105.0 ACRES TOTAL

SENE Sec 6 T 03N R 01W
(2.100 CFS)
Total Diverson: (2.100 CFS)
SENE NESE NWSE

The permit(s) will be subject to all prior water rights. Petitions must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before MARCH 11, 1991.
R. KEITH HIGGINSON, Director
February 20, 27, 1991

AFFIDAVIT OF PUBLICATION

FEB 20 1991

AHO)
) SS.
(on)

a O'Krakel

yon County, Idaho, being first duly sworn, deposes

a citizen of the United States of America, and at all
ter mentioned was over the age of eighteen years,
to the above entitled action.

the Principal Clerk of the Idaho Press-Tribune, a
(Saturday) newspaper published in the City of
aldwell, in the County of Canyon, State of Idaho;
newspaper is in general circulation in the said
yon, and in the vicinity of Nampa and Caldwell, and
eruptedly published in said County during a period
t consecutive weeks prior to the first publication of
py of which is hereto attached.

notice, of which the annexed is a printed copy, was
id newspaper
o times
r and entire issue of said paper, and was printed in
proper, and not in a supplement.

notice was published the following dates:

bruary 20, 27, 1991

Sharla O'Krakel

AHO)
)
CANYON)

th day of February in the
11, before me, a Notary Public, personally
Sharla O'Krakel, known
me to be the person whose name subscribed to the
ent, and being by me first duly sworn, declared
ents therein are true, and acknowledged to me that
ed the same.

Notary Public for Idaho
Residing at Nampa

MY COMMISSION EXPIRES
JULY 12th, 1991

63-11448

BAXTER, TOM
13577 WALKER LAKE RD.
CALDWELL, ID 83605

Source: GROUNDWATER

Diversion Pt: LOT 4 (SWSW) Sec 30 T 03N R 03W

Use: IRRIGATION (2.620 CFS)
Total Diversion: (2.620 CFS)

Date Filed: 2/ 6/ 1991

In: T03N R03W S30	Lot 6 (NENW)	Lot 2 (SNNW)	Lot 7 (SENW)	NESW
	Lot 3 (NWSW)	Lot 4 (SWSW)	SESW	

131.0 ACRES TOTAL

APR 25 1991