




SOUTHWEST 26711 S
T. 6 N.
T. 5 N.
4850
4849
47'30"
4848
4847
4846
4845000m N

GEM CO
CANYON CO

Gulch

Hartley

West

R3W

T5N

plu
Amsco
Domestic
stock

plu
well

Goodson Rd.

MAR 19 1995

ROAD
CEMETERY

Gulch

Hartley


West

Amsco

LANE

BM
2472

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = No Scale

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Franklin	3		Berkelcy	

*Code to correspond with No. on map and aerial photo


D. FLOW MEASUREMENTS


1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Planimeter		LASICO	42P	B-70848		
				MICROFILMED		

2. Measurements:

1) meter None - System operates at 30-80 psi.
 2) Total Irrigated land = 16.53 Ac; Allow 16.0 Ac for irrigated land; 0.53 Ac. of house, pens, etc.
 Total land = 16.53 Ac. - 0.53 = 16.0 Ac. irrigated.
 (House, shed, pens, etc.)





T5N
R3W
Sec. 14
SESW

63-11415

Plus

P/O, well

MICROFILMED
JUN 03 1999

Goodson Rd

T1074

T1622

T4853

2

44

3

2.7

4

16.0

H/NW

35.3

H/NW

3

2.7

N/NW

4

12.4

N/NW

5

2.6

NW

2

7.2

NW

3

13.0

14

8.8

NW

4

8.8

NW

2

7.2

NW

3

13.0

14

8.8

NW

4

8.8

NW

2

7.2

NW

3

13.0

14

8.8

NW

4

8.8

NW

2

7.2

NW

3

13.0

14

8.8

NW

4

8.8

NW

2

7.2

NW

3

13.0

14

8.8

NW

4

8.8

NW

2

7.2

NW

3

13.0

14

8.8

NW

4

8.8

NW

2

7.2

NW

3

13.0

14

8.8

NW

4

8.8

NW

2

7.2

NW

3

13.0

14

8.8

NW

4

8.8

NW

2

7.2

NW

3

13.0

14

8.8

NW

4

8.8

NW

2

7.2

NW

3

13.0

14

8.8

NW

4

8.8

NW

2

7.2

NW

3

13.0

14

8.8

NW

4

8.8

NW

2

7.2

NW

3

13.0

14

8.8

NW

4

8.8

NW

2

7.2

NW

3

13.0

14

8.8

NW

4

8.8

NW

2

7.2

NW

3

13.0

14

8.8

NW

4

8.8

NW

2

7.2

NW

3

13.0

14

8.8

NW

4

8.8

NW

2

7.2

NW

3

13.0

14

8.8

NW

4

8.8

NW

2

7.2

NW

3

13.0

14

8.8

NW

4

8.8

NW

2

7.2

NW

3

13.0

14

8.8

NW

4

8.8

NW

2

7.2

NW

3

13.0

14

8.8

NW

4

8.8

NW

2

7.2

NW

3

13.0

14

8.8

NW

4

8.8

NW

2

7.2

NW

3

13.0

14

8.8

NW

4

8.8

NW

2

7.2

NW

3

13.0

14

8.8

NW

4

8.8

NW

2

7.2

NW

3

13.0

14

8.8

NW

4

8.8

NW

2

7.2

NW

3

13.0

14

8.8

NW

4

8.8

NW

2

7.2

NW

3

13.0

14

8.8

NW

4

8.8

NW

2

7.2

NW

3

13.0

14

8.8

NW

4

8.8

NW

2

7.2

NW

3

13.0

14

8.8

NW

4

8.8

NW

2

7.2

NW

3

13.0

14

8.8

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS: _____

Dan Tomich Water Rights Examiner
Signature of Dept. Representative & Title

6-19-97
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



30 FILMED

JUN 23 1999

1 of 3

P/D

Well and
Piping.

Pressure
Gage
is below
first Tee
in 2"
line from
Well.



P/u

House
and
portion of
yard.

View
Looking
West.



MICROFILMED

JUN 03 1999

63-11415

2 of 3



Plu
irrigated
garden.

Note
Sprinkler
pipe -
tall
risers.

View
Looking
South.



Plu
Bird
Pens

View
Looking
South.

UNRECORDED
1999

63-11415

3 of 3

P/u

Bird

Pens and
stock
Corrals.

View
Looking
West.



P/u

irrigated
land
to
South of
Well.

View
Looking
South.



NOT REFILMED

JUN 03 1999

63-11415

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 63-11415

Priority: November 16, 1990 Maximum Diversion Rate: 0.12 CFS
Maximum Diversion Volume: 23.2 AF

This is to certify, that EVELYN LUNDY
CHARLES D LUNDY

13673 GOODSON RD
CALDWELL ID 83605 has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated September 11, 1990; and
has submitted Proof of Beneficial Use on April 1, 1996. An examination indicates
that the works have a diversion capacity of 0.120 cfs of water from a GROUNDWATER
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.12 CFS	22.5 AF
STOCKWATER	01/01 to 12/31	0.02 CFS	0.1 AF
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF
	Totals	0.12 CFS	23.2 AF

LOCATION OF POINT(S) OF DIVERSION: SESW , Sec. 14, Township 05N, Range 03W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
05N	03W	14	SESW	5		5

Total number of acres irrigated: 5

PLACE OF USE:

STOCKWATER, same as IRRIGATION use

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 4.5 afa per acre at the field headgate for irrigation of the lands above.
2. Domestic use is for 1 home and does not include lawn, garden, landscape, or other types of irrigation.

MICROFILMED


JUN 03 1999

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 63-11415

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources. Signed and sealed this 20th day of

April, 1999


Acting for KARL J. DREHER, Director



MICROFILMED
JUN 03 1999

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 63-11415)
)
IN THE NAME OF CHARLES D. & EVELYN LUNDY) **ORDER OF**
) **REINSTATEMENT**
)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before February 1, 1996; and,

WHEREAS, the Department notified the permit holder on November 30, 1995, by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,


WHEREAS, the department sent a lapse notice on February 8, 1996, since an acceptable proof of beneficial use or extension of time had not been received; and,

WHEREAS, Section 42-218a, Idaho Code, provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting an acceptable proof of beneficial use on April 1, 1996;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 63-11415 is **REINSTATED** with an advance in priority to November 16, 1990.

DATED this 9th day of April, 1996.


L. GLEN SAXTON, Chief
Water Allocation Bureau

APR 30 1996

RECEIVED

APR 01 1996

WATER RESOURCES
WESTERN REGION

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

APR 3 - 1996

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-11415 Telephone No. 585-3655
2. Name(s) of Permit Holder(s): Charles D. Lundy Evelyn Lundy
3. Mailing Address: 13673 Hoodson Rd Caldwell Idaho 83605
4. Source of Water: Well If **GROUNDWATER** (well), Date Drilled: mo. Nov yr. 91
- a. Well Driller: Riverside (Parma) Drilling Permit Number: 63-90-W-0261
- b. **OPTIONAL:** Shelton Pump Co.
- Pump Horsepower: 3 Pressure (psi): 40 Dynamic pumping level (ft): 90'

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): 1 Stockwater (No. and type of stock): 10 MIXED

Irrigation (No. of acres): 20 Other: _____

6. Total rate of diversion and/or volume for which proof is submitted: 75 gpm cfs + House & Stock OR _____ acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes _____ or No X

Has the measuring device been installed? Yes _____ or No _____

Flow Measurement Port: Is a flow measurement port required? Yes _____ or No X

Has the measurement port been installed? Yes _____ or No _____

8. Fee Enclosed: \$ 100 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Charles D. Lundy Telephone Number: 585-3655

Address: 13673 Hoodson Rd Caldwell Idaho

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Charles D. Lundy
(include your title, if on behalf of company or organization)

APR 30 1996

Date: Mar 30/96

RECEIVED

FEB 08 1994

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCESFor Office Use Only
\$15 Fee Received by 6
Date 2/4/94
Receipt No. W017149

REQUEST FOR EXTENSION OF TIME

TO PROVIDE ADDITIONAL TIME IN WHICH TO SUBMIT PROOF OF
BENEFICIAL USE FOR A WATER RIGHT PERMIT

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of water right under the provisions of Section 42-204, Idaho Code.

Permit No. 63-11415
Name(s) of Permit Holder: Charles N. Lundy Evelyn Lundy
Mailing Address: 13673 Goodson Rd Caldwell Idaho (83605)
Date Proof is Due Feb 1 - 1994 Telephone No. 585-3655

Describe what work has been completed toward the development of this water right:
(This must be filled out! If no work has been completed, show "none".)

Well drilled, have pump installed, have part
of my pipe & sprinkler pipe
Have some more 6-8" sage sage to remove
Costing \$ 8,000

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

Found necessary disk for sagebrush removal-
trying to negotiate labor and equipment
for completion of project.

Permit holder(s) request an extension to 3/1 1996

FEE: \$15.00

(Signature)

*If other than permit holder, Power of Attorney must be supplied.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to February 1, 1996.

IT IS FURTHER HEREBY ORDERED that the permit is reinstated and the priority is advanced to September 18, 1990.

Signed this 15th day February, 19 94

APR 30 1996

CHIEF, Water Allocation Bureau

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11415

Proposed Priority: September 11, 1990 Maximum Diversion Rate: 0.46 CFS

This is to certify, that **CHARLES D. LUNDY**
EVELYN LUNDY
13673 GOODSON RD.
CALDWELL, ID 83605

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.40 CFS
STOCKWATER	01/01 to 12/31	0.02 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS
Totals		0.46 CFS

LOCATION OF POINT(S) OF DIVERSION: SESW Sec. 14, Township 05N, Range 03W
CANYON County

<u>PLACE OF USE:</u>	<u>IRRIGATION</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
<u>TWN RGE SEC</u>					
05N 03W 14	SESW	20			20
Total number of acres irrigated:					20

PLACE OF USE: STOCKWATER, same as IRRIGATION use

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before February 1, 1994.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
5. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.
6. Domestic use is for 1 home.
7. Stockwater use is for 10 mixed stock.

RECEIVED
MAR 13 1991

State of Idaho
Department of Water Resources

Permit To Appropriate Water


NO. 63-11415

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

20th day of February, 1991.

[Handwritten Signature]

for R. Keith Higginson, Director



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Charles D. & Evelyn Lundy Phone 585-3655
Post office address 13673 Goodson Road Caldwell ID. 83605

2. Source of water supply groundwater which is a tributary of _____

3. Location of point of diversion is _____ ¼ of SE ¼ of SW ¼, Govt. Lot _____
Sec. 14 Township 5N Range 3W B.M. Canyon County; additional
points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .40 for Irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .02 for Stockwater purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .04 for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) .46 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:


a. Description of ditches, flumes, pumps, headgates, etc. well, pump, pipeline for
sprinkler irrigation

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is 8 or 10 inches; proposed depth of well is 200 feet.

d. Is ground water with a temperature of greater than 90°F being sought? No

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
3 years (minimum 1 year).



8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. 10 head, mixed stock
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. 1
- e. Other; describe fully. _____

9. Description of place of use:


- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
5N	3W	14												20					20
														0					
														5					

Total number of acres to be irrigated 20

10. Describe any other water rights used for the same purposes as described above. NONE (HAVE BLACK CANYON DITCH WATER ON ADJACENT LAND)
11. a. Who owns the property at the point of diversion? Applicant
- b. Who owns the land to be irrigated or place of use? Applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: Drilling Permit 63-96-W-261 approved upon request 9/11/90.



See attached map

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Application for permit to appropriate the public waters of

Charles D. Lundy
(Applicant)

Received by SL Date 9/11/90 Time 10:25 Preliminary check by RW
Fee \$ 45⁰⁰ Receipted by SL # W0/2706 Date 9/11/90
Publication prepared by GG Date 10-31-90 Published in Press-Tribune
11/7 & 11/14/90
Publication approved _____ Date _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

RECEIVED

NOV 18 1990

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application(s) have been filed to appropriate the public water of the State of Idaho:

HITCH, JR., JAMES H.
28321 SCOTT PIT RD.
PARMA, ID 83660
Source: SOUTH BOISE DRAIN
Diversion Pt:
Use: WILDLIFE STORAGE
WILDLIFE

63-11412

SWSW

Tributary: SNAKE RIVER
Sec 12 T 05N R 06W
(18.00 AF)

Total Diversion: (.200 CFS)
(.200 CFS)

Date Filed: 9/28/1990
In: T05N R06W S12
S13

SWSW
NENW

NWNW

63-11414

AGWILD INC.
2615 E. CLEVELAND
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

SESWSW

Sec 8 T 04N R 05W
(2.440 CFS)
Total Diversion: (2.440 CFS)

Date Filed: 10/25/1990
In: T04N R05W S07
S08

NESE
SWSE

NWSE

SESE

122.0 ACRES TOTAL

63-11415

LUNDY, CHARLES D.
13673 GOODSON RD.
CALDWELL, ID 83605
LUNDY, EVELYN
13673 GOODSON RD.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
STOCKWATER
DOMESTIC

SESW

Sec 14 T 05N R 03W
(.400 CFS)
(.020 CFS)
(.040 CFS)
Total Diversion: (.460 CFS)

Date Filed: 9/11/1990
In: T05N R03W S14

20.0 ACRES TOTAL

SESW

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before NOVEMBER 26, 1990.
R. KEITH HIGGINSON, Director
November 7, 14, 1990

AFFIDAVIT OF PUBLICATION

IDAHO)
) SS.
Canyon)

a Ward

I, Canyon County, Idaho, being first duly sworn, deposes

I am a citizen of the United States of America, and at all hereinafter mentioned was over the age of eighteen years, party to the above entitled action.

I am the Principal Clerk of the Idaho Press-Tribune, a (except Saturday) newspaper published in the City of and Caldwell, in the County of Canyon, State of Idaho; said newspaper is in general circulation in the said Canyon, and in the vicinity of Nampa and Caldwell, and uninterruptedly published in said County during a period of eight consecutive weeks prior to the first publication of said notice, a copy of which is hereto attached.

the notice, of which the annexed is a printed copy, was published in said newspaper

times regular and entire issue of said paper, and was printed in paper proper, and not in a supplement.

said notice was published the following dates:

November 7, 14, 1990

Sharla Ward

STATE OF IDAHO)
)
COUNTY OF CANYON)

On this 14th day of November in the year of 1990, before me, a Notary Public, personally appeared Sharla Ward, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he/she executed the same.

Jenna Leach
Notary Public for Idaho
Residing at Nampa

MY COMMISSION EXPIRES
JULY 12th, 1991

RECEIVED
NOV 15 1990

Department of Water Resources
Western Regional Office



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

May 3, 1999

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

EVELYN LUNDY
CHARLES D LUNDY
13673 GOODSON RD
CALDWELL ID 83605

RE: WATER RIGHT NO. 63-11415

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure


MICROFILMED
JUN 03 1999

CERTIFICATE OF MAILING

I hereby certify that on the 3rd day of May, 1999, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 63-11415

EVELYN LUNDY
CHARLES D LUNDY
13673 GOODSON RD
CALDWELL ID 83605


Kari Lynn Townsend
Secretary

MICROFILMED

JUN 03 1999

Responding to Preliminary Orders Issued by the Idaho Department of Water Resources

The Idaho Department of Water Resources (Department) issues water right permits, licenses, and transfers as preliminary orders pursuant to section 67-5243, Idaho Code. A preliminary order can and will become a final order without further action of the department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of the order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from a preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, a preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to a preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review a preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with a preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED

JUN 03 1999



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

April 9, 1999

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

CHARLES D LUNDY
EVELYN LUNDY
13673 GOODSON RD
CALDWELL ID 83605

RE: Water Appropriation Permit 63-11415

Dear Mr. and Mrs. Lundy:

Thank you for stopping by on January 12 to discuss issues related to the licensing of your water right. I enjoyed your visit.

As I am sure you recall, your water right license can be issued for the total land base you were irrigating at the time you submitted proof of beneficial use in 1996. During our discussion, you indicated that by 1996 you were irrigating about five acres. You said you have not been able to irrigate about ten acres, more or less, on the south slope of your property.

In January you were planning to sketch a diagram of your irrigation system to show me how the five acres of irrigated land is distributed on your property. I have not heard from you, but what you told me is fairly consistent with the report prepared by a Department of Water Resources field examiner in 1997. Therefore, I am prepared to recommend that the department issue your water right license for five acres of irrigation, domestic, and stockwater use.

I have enclosed a draft license for you to review. Please look it over carefully and let me know right away if you have any concerns or questions. My phone number is 208-327-7946. If I do not receive a response from you within 14 days, I will assume you are comfortable with the draft license, and I will recommend issuing the license as drafted.

Respectfully,

Shelley Walter Keen
Water Rights Supervisor

Enclosure

MICROFILMED

JUN 03 1999

ID DEPARTMENT OF WATER RESOURCES

WATER RIGHT NO. L63-11415

EVELYN LUNDY
CHARLES D LUNDY
13673 GOODSON RD
CALDWELL ID 83605

Priority Date: 11/16/1990
Stage: LICENSE

DRAFT

Source: GROUNDWATER

Beneficial Use	From:	To:	Diversion Rate	Volume
IRRIGATION	03-15	11-15	0.12 CFS	22.50 AFA
STOCKWATER	01-01	12-31	0.02 CFS	0.10 AFA
DOMESTIC	01-01	12-31	0.02 CFS	0.60 AFA
	Total:		0.12 CFS	23.20 AFA

Point(s) of Diversion: SESW, Sec. 14, Township 05N, Range 03W

Place(s) of Use: IRRIGATION

Twp:	Rng:	Sec:	Tract: Acres:	Tract: Acres:	Tract: Acres:
05N	03W	14	SESW	5.0	
			Total Acres:	5.0	

Place of Use: STOCKWATER, same as IRRIGATION
DOMESTIC, same as IRRIGATION

Conditions of Approval and Remarks:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 4.5 afa per acre at the field headgate for irrigation of the lands above.
6. Domestic use is for 1 home and does not include lawn, garden, landscape, or other types of irrigation.

Dates:	App. Received:	09/11/1990	Proof Due Date:	02/01/1996
	Proof Made Date:	04/01/1996	Exam Made Date:	06/19/1997

MICROFILMED

JUN 8 3 1999

MEMORANDUM

DATE: December 17, 1998

TO: Water Right File 63-11415

FROM: Shelley W. Keen *SWK*

RE: Phone call from Charles Lundy

This afternoon Charles Lundy called in response to my 11/16/98 letter to him. Mr. Lundy said that he has been irrigating 4 or 5 acres since 1996, the year he submitted proof of beneficial use for 63-11415. He will contact me shortly after Christmas to schedule an appointment to discuss licensing right 63-11415.

1/12/98 Mr. and Mrs. Lundy visited today to discuss their irrigation practices. Mr. Lundy said that much of the property is irrigated, but the large field on the slope south of the well is not. He is going to sketch out the lines and return his sketch to me to document how much of the property is irrigated.

S.W. Keen

MICROFILMED

JUN 03 1999



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

November 16, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

CHARLES D LUNDY
EVELYN LUNDY
13673 GOODSON RD
CALDWELL ID 83605

RE: Water Appropriation Permit 63-11415

Dear Mr. and Mrs. Lundy:

In 1991 the Department of Water Resources (IDWR) issued Permit 63-11415 authorizing you to develop a water right for up to 0.40 cfs (180 gallons per minute) for the irrigation of 20 acres. The actual diversion and beneficial use of water in accordance with your permit is a requirement for establishing a water right in Idaho. Therefore, on June 19, 1997, an IDWR field examiner visited your property to verify the beneficial use of water you developed. In the water appropriation process, the field examiner's report provides the factual foundation for issuing a water right license that confirms you have met all the requirements for establishing a water right.

The field examiner reported that your pumping system has a maximum capacity of about 0.13 cfs (58 gpm) and that you are covering 16 acres. The examiner also submitted a photograph showing bare soil, not a crop, on your field south of your well on the day of his examination. Irrigation in southern Idaho normally requires about 0.01 cfs per acre irrigated, depending on the crop, the method of irrigation, and the soil type. Because of the bare field, the examiner did not report a crop type for you. Therefore, I based some additional calculations on pasture, which is generally less water consumptive than alfalfa. According to my calculations, which are based on evapotranspiration data for 1996, you would have needed more water than you are capable of pumping to keep from stressing a pasture crop during the months of June, July, and August.

Because the field examiner did not see an irrigated crop, and because your pumping capacity appears marginal for supporting a crop on 16 acres, I will need you to supply some additional information before a water right license can be issued to you. Please send me any documentation you may have to demonstrate the maximum extent of your beneficial use of water during the years 1991 through 1996. Examples of acceptable documentation include crop reports from the federal Farm Service Agency, photographs, aerial photographs, receipts, and affidavits from people familiar with your irrigation activity.

MICROFILMED
JUN 03 1999

Charles and Evelyn Lundy
November 16, 1998
Page 2

If I do not receive a response from you within 30 days, I will recommend issuance of a water right license for stockwater and domestic purposes, which includes a maximum of half an acre of irrigation.

If you have any questions, please contact me at 208-327-7946.

Respectfully,

A handwritten signature in cursive script that reads "Shelley Walter Keen". The signature is written in dark ink and is positioned above the printed name and title.

Shelley Walter Keen
Water Rights Supervisor

MICROFILMED
JUN 03 1999

WR# 63-11415

PastureS.W. Keen
11/16/98

$$FIR = 4.2 \times \frac{ET}{EFF}$$

75%

converts in/day to cfs

Average
ET

1996
in/day

APR .095

MAY .14

JUN .19

JULY .21

AUG .17

SEPT .12

OCT .06

$$\frac{4.2 \times .095}{75} =$$

.0053 cfs/acre

.0078

Pasture

.0106

acre for month

.0118

.0095

.0067

.0034

$$.13 \text{ cfs} / 16 \text{ acres} = .008 \text{ cfs/acre}$$

Since .008 cfs/acre is less than the crop requirements for June, July, August, the permit holder's ability to sustain pasture on 16 acres is questionable.

1 inch = 25.4 millimeters

MICROFILMED

JUN 03 1999

FIELD IRRIGATION REQUIREMENT

initials: JP Claimant = 63-11415
 date: 11/16/98 Weather Station = Parma/Agrimet - 1996

crop	acres	irrig. system	eff. (%)	Monthly ET (mm/day)								AVE IR season (mm/yr)	net irrig. app. (in)	ET ratio	irrig. freq. (days)	Gross Irrigation Application (peak period ET/eff. in mm/day)								season (mm/yr)
				mar	apr	may	jun	jul	aug	sep	oct					mar	apr	may	jun	jul	aug	sep	oct	
pasture	16	spr	75		2.41	3.47	4.74	5.3	4.43	3.13	1.5		~~10.00~~	~~1.02~~	47.0		3.28	4.72	6.45	7.21	6.02	4.26	2.04	

Summary 16

3.28 4.72 6.45 7.21 6.02 4.26 2.04

Peak Gross Irrigation Application (mm/day) = 7.21
 On-Farm Irrigation Requirement (cfs/acre) = 0.012 ←
 Total On-Farm Irrigation Requirement (cfs) = 0.19
 Irrigation Diversion Volume (ft/yr) = 0.00
 Total Irrigation Diversion Volume (ac-ft/yr) = 0

MICROFILMED
 JUN 03 1999

PMAI - ET SUMMARY - 1996

	10	11	12	13	21	22	23	24	31	35	40	41	42	51	52	61
DATE	ALFP	ALFM	PAST	LAWN	WGRN	SGRN	SGRN	SGRN	BEET	ONYN	POTS	POTA	POTA	BEAN	BEAN	FCRN
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
226	--	--	--	--	0.02	--	--	--	--	--	--	--	--	--	--	--
227	--	--	--	--	0.01	--	--	--	--	--	--	--	--	--	--	--
228	--	--	--	--	0.02	--	--	--	--	--	--	--	--	--	--	--
229	--	--	0.01	0.01	0.02	--	--	--	--	--	--	--	--	--	--	--
302	--	--	0.02	0.01	0.02	--	--	--	--	--	--	--	--	--	--	--
303	--	--	0.01	0.01	0.01	--	--	--	--	--	--	--	--	--	--	--
304	--	--	0.01	0.01	0.02	--	--	--	--	--	--	--	--	--	--	--
305	0.01	0.01	0.02	0.01	0.02	--	--	--	--	--	--	--	--	--	--	--
306	0.01	0.01	0.02	0.02	0.03	--	--	--	--	--	--	--	--	--	--	--
307	0.01	0.01	0.02	0.02	0.03	--	--	--	--	--	--	--	--	--	--	--
308	0.01	0.01	0.03	0.03	0.04	--	--	--	--	--	--	--	--	--	--	--
309	0.01	0.01	0.02	0.03	0.03	--	--	--	--	--	--	--	--	--	--	--
310	0.01	0.01	0.02	0.03	0.04	--	--	--	--	--	--	--	--	--	--	--
311	0.02	0.02	0.03	0.04	0.04	--	--	--	--	--	--	--	--	--	--	--
312	0.01	0.01	0.01	0.02	0.02	--	--	--	--	--	--	--	--	--	--	--
313	0.03	0.03	0.04	0.06	0.06	--	--	--	--	--	--	--	--	--	--	--
314	0.03	0.03	0.04	0.06	0.07	--	--	--	--	--	--	--	--	--	--	--
315	0.04	0.04	0.05	0.07	0.07	--	--	--	--	--	--	--	--	--	--	--
316	0.05	0.05	0.05	0.08	0.08	--	--	--	--	--	--	--	--	--	--	--
317	0.06	0.06	0.06	0.10	0.10	--	--	--	--	--	--	--	--	--	--	--
318	0.05	0.05	0.05	0.08	0.08	--	--	--	--	--	--	--	--	--	--	--
319	0.07	0.07	0.07	0.10	0.10	--	--	--	--	--	--	--	--	--	--	--
320	0.06	0.06	0.06	0.08	0.09	--	--	--	--	--	--	--	--	--	--	--
321	0.05	0.05	0.05	0.07	0.07	--	--	--	--	--	--	--	--	--	--	--
322	0.03	0.03	0.02	0.04	0.04	--	--	--	--	--	--	--	--	--	--	--
323	0.07	0.07	0.06	0.10	0.10	--	--	--	--	--	--	--	--	--	--	--
324	0.04	0.04	0.04	0.05	0.05	--	--	--	--	--	--	--	--	--	--	--
325	0.07	0.07	0.06	0.09	0.10	0.02	--	--	--	--	--	--	--	--	--	--
326	0.07	0.07	0.06	0.09	0.09	0.02	--	--	--	--	--	--	--	--	--	--
327	0.03	0.03	0.02	0.03	0.03	0.01	--	--	--	--	--	--	--	--	--	--
328	0.03	0.03	0.02	0.03	0.03	0.01	--	--	--	--	--	--	--	--	--	--
329	0.06	0.06	0.05	0.07	0.08	0.02	--	--	--	--	--	--	--	--	--	--
330	0.07	0.07	0.06	0.08	0.09	0.02	--	--	--	--	--	--	--	--	--	--
331	0.09	0.09	0.07	0.10	0.11	0.02	--	--	--	--	--	--	--	--	--	--
401	0.04	0.04	0.04	0.05	0.05	0.01	--	--	--	0.02	--	--	--	--	--	--
402	0.08	0.08	0.07	0.09	0.10	0.02	--	--	--	0.04	--	--	--	--	--	--
403	0.09	0.09	0.08	0.10	0.11	0.03	--	--	--	0.04	--	--	--	--	--	--
404	0.11	0.11	0.09	0.11	0.13	0.03	--	--	--	0.05	--	--	--	--	--	--
405	0.09	0.09	0.07	0.09	0.10	0.03	--	--	--	0.04	--	--	--	--	--	--
406	0.11	0.10	0.08	0.10	0.12	0.03	--	--	--	0.05	--	--	--	--	--	--
407	0.13	0.12	0.10	0.12	0.14	0.04	--	--	--	0.06	--	--	--	--	--	--
408	0.15	0.14	0.11	0.14	0.16	0.05	--	--	--	0.07	--	--	--	--	--	--
409	0.14	0.13	0.11	0.13	0.16	0.05	--	--	--	0.07	--	--	--	--	--	--
410	0.13	0.13	0.10	0.12	0.15	0.04	--	--	0.03	0.07	--	--	--	--	--	--
411	0.15	0.14	0.11	0.13	0.16	0.05	--	--	0.04	0.08	--	--	--	--	--	--
412	0.16	0.14	0.11	0.14	0.17	0.06	--	--	0.04	0.09	--	--	--	--	--	--
413	0.15	0.14	0.11	0.13	0.16	0.06	--	--	0.04	0.08	--	--	--	--	--	--
414	0.13	0.12	0.10	0.11	0.14	0.06	--	--	0.03	0.07	--	--	--	--	--	--
415	0.15	0.13	0.10	0.12	0.15	0.07	0.03	--	0.03	0.08	--	--	--	--	--	--
416	0.10	0.09	0.07	0.08	0.10	0.05	0.02	--	0.02	0.05	--	--	--	--	--	--
417	0.16	0.14	0.11	0.13	0.16	0.09	0.03	--	0.04	0.08	--	--	--	--	--	--
418	0.16	0.14	0.11	0.13	0.16	0.09	0.03	--	0.04	0.08	--	--	--	--	--	--
419	0.11	0.09	0.07	0.09	0.11	0.07	0.02	--	0.03	0.05	--	--	--	--	--	--
420	0.14	0.12	0.10	0.11	0.14	0.09	0.03	--	0.03	0.07	--	--	--	--	--	--
421	0.13	0.11	0.09	0.10	0.13	0.09	0.03	--	0.03	0.06	--	--	--	--	--	--
422	0.07	0.06	0.05	0.06	0.07	0.05	0.01	--	0.02	0.04	--	--	--	--	--	--
423	0.06	0.05	0.04	0.05	0.06	0.04	0.01	--	0.02	0.03	--	--	--	--	--	--
424	0.13	0.11	0.09	0.10	0.13	0.10	0.03	--	0.03	0.06	--	--	--	--	--	--

MICROFILMED

JUN 03 1999

11/16/98 9:35 AM

425	0.16	0.14	0.11	0.13	0.16	0.12	0.04	0.03	0.04	0.08	--	--	--	--	--	--
426	0.18	0.15	0.12	0.14	0.18	0.15	0.05	0.04	0.05	0.09	--	--	--	--	--	--
427	0.22	0.19	0.15	0.18	0.22	0.18	0.06	0.04	0.06	0.11	--	--	--	--	--	--
428	0.19	0.16	0.13	0.15	0.19	0.16	0.06	0.04	0.05	0.09	--	--	--	--	--	--
429	0.14	0.12	0.10	0.11	0.14	0.12	0.05	0.03	0.04	0.07	--	--	--	--	--	--
430	0.19	0.16	0.13	0.15	0.19	0.17	0.07	0.04	0.05	0.09	--	--	--	--	--	--
501	0.19	0.16	0.13	0.15	0.19	0.17	0.08	0.04	0.05	0.09	--	--	--	--	--	--
502	0.15	0.13	0.10	0.12	0.15	0.13	0.07	0.03	0.04	0.08	--	--	--	--	--	--
503	0.18	0.15	0.12	0.14	0.18	0.16	0.09	0.04	0.05	0.09	--	--	--	--	--	--
504	0.19	0.16	0.13	0.15	0.19	0.18	0.11	0.04	0.06	0.09	--	--	--	--	--	--
505	0.17	0.14	0.12	0.14	0.17	0.16	0.10	0.04	0.05	0.09	--	0.05	--	--	--	--
506	0.19	0.16	0.13	0.15	0.19	0.18	0.12	0.05	0.06	0.09	--	0.06	--	--	--	--
507	0.22	0.19	0.15	0.18	0.22	0.21	0.15	0.06	0.07	0.11	--	0.07	--	--	--	--
508	0.23	0.20	0.16	0.18	0.23	0.22	0.16	0.07	0.07	0.12	--	0.07	--	--	--	--
509	0.22	0.19	0.15	0.18	0.22	0.21	0.16	0.07	0.07	0.11	--	0.07	--	--	--	--
510	0.22	0.19	0.15	0.18	0.22	0.21	0.17	0.08	0.07	0.11	--	0.07	--	--	--	0.07
511	0.20	0.17	0.14	0.16	0.20	0.19	0.16	0.08	0.07	0.10	--	0.06	--	--	--	0.06
512	0.24	0.20	0.16	0.19	0.24	0.23	0.20	0.11	0.08	0.12	--	0.07	--	--	--	0.07
513	0.18	0.15	0.12	0.14	0.18	0.18	0.15	0.09	0.06	0.09	--	0.06	--	--	--	0.05
514	0.13	0.11	0.09	0.10	0.13	0.13	0.11	0.07	0.05	0.07	--	0.04	--	--	--	0.04
515	0.16	0.14	0.11	0.13	0.16	0.16	0.14	0.10	0.06	0.08	0.05	0.05	0.05	--	--	0.05
516	0.10	0.09	0.07	0.08	0.10	0.10	0.09	0.06	0.04	0.05	0.03	0.03	0.03	--	--	0.03
517	0.17	0.14	0.12	0.14	0.17	0.17	0.16	0.11	0.06	0.09	0.05	0.06	0.05	--	--	0.05
518	0.14	0.12	0.10	0.11	0.14	0.14	0.13	0.10	0.05	0.07	0.05	0.05	0.04	--	--	0.04
519	0.16	0.14	0.11	0.13	0.16	0.16	0.15	0.12	0.06	0.09	0.06	0.06	0.05	--	--	0.05
520	0.16	0.14	0.11	0.13	0.16	0.16	0.15	0.12	0.07	0.09	0.06	0.06	0.05	--	--	0.05
521	0.11	0.09	0.07	0.09	0.11	0.11	0.11	0.09	0.05	0.06	0.04	0.04	0.03	--	--	0.03
522	0.19	0.16	0.13	0.15	0.19	0.19	0.18	0.16	0.08	0.11	0.08	0.07	0.06	--	--	0.06
523	0.22	0.19	0.15	0.18	0.22	0.22	0.21	0.19	0.10	0.13	0.10	0.09	0.07	--	--	0.07
524	0.23	0.20	0.16	0.18	0.23	0.23	0.22	0.20	0.11	0.14	0.12	0.09	0.08	--	--	0.07
525	0.25	0.21	0.17	0.20	0.25	0.25	0.25	0.22	0.12	0.15	0.14	0.11	0.08	0.05	--	0.08
526	0.28	0.24	0.19	0.22	0.28	0.28	0.28	0.25	0.14	0.17	0.17	0.12	0.10	0.06	--	0.09
527	0.29	0.25	0.20	0.23	0.29	0.29	0.29	0.27	0.14	0.18	0.19	0.13	0.10	0.06	--	0.10
528	0.30	0.26	0.20	0.24	0.30	0.30	0.30	0.28	0.15	0.19	0.21	0.14	0.11	0.06	--	0.10
529	0.26	0.22	0.18	0.21	0.26	0.26	0.26	0.25	0.14	0.17	0.19	0.13	0.10	0.06	--	0.09
530	0.23	0.20	0.16	0.18	0.23	0.23	0.23	0.22	0.12	0.16	0.18	0.12	0.09	0.05	--	0.08
531	0.24	0.20	0.16	0.19	0.24	0.24	0.24	0.23	0.13	0.17	0.20	0.13	0.09	0.06	--	0.08
601	0.24	0.20	0.16	0.19	0.24	0.24	0.24	0.23	0.13	0.17	0.20	0.13	0.10	0.06	--	0.09
602	0.26	0.22	0.18	0.21	0.26	0.26	0.26	0.25	0.15	0.19	0.23	0.15	0.11	0.06	--	0.09
603	0.23	0.20	0.16	0.18	0.23	0.23	0.23	0.22	0.13	0.17	0.21	0.13	0.10	0.06	--	0.08
604	0.30	0.26	0.20	0.24	0.30	0.30	0.30	0.29	0.18	0.22	0.27	0.18	0.14	0.08	--	0.11
605	0.32	0.27	0.22	0.26	0.32	0.32	0.32	0.31	0.19	0.24	0.29	0.19	0.15	0.09	--	0.12
606	0.30	0.26	0.20	0.24	0.30	0.30	0.30	0.30	0.18	0.23	0.27	0.19	0.15	0.09	--	0.12
607	0.32	0.27	0.22	0.26	0.32	0.32	0.32	0.32	0.20	0.25	0.29	0.21	0.16	0.10	--	0.13
608	0.30	0.26	0.20	0.24	0.30	0.30	0.30	0.30	0.19	0.24	0.28	0.20	0.16	0.09	--	0.12
609	0.35	0.30	0.24	0.28	0.35	0.35	0.35	0.35	0.23	0.28	0.32	0.24	0.19	0.12	--	0.15
610	0.33	0.28	0.22	0.26	0.33	0.33	0.33	0.33	0.22	0.27	0.30	0.23	0.19	0.12	--	0.15
611	0.36	0.31	0.24	0.29	0.36	0.36	0.36	0.36	0.24	0.30	0.33	0.25	0.21	0.14	--	0.16
612	0.31	0.26	0.21	0.25	0.31	0.31	0.31	0.31	0.21	0.26	0.29	0.22	0.19	0.13	--	0.15
613	0.31	0.26	0.21	0.25	0.31	0.31	0.31	0.31	0.22	0.27	0.29	0.23	0.19	0.14	--	0.15
614	0.35	0.30	0.24	0.28	0.35	0.35	0.35	0.35	0.25	0.31	0.32	0.26	0.22	0.16	--	0.18
615	0.32	0.27	0.22	0.26	0.31	0.32	0.32	0.32	0.23	0.28	0.29	0.25	0.21	0.16	0.06	0.17
616	0.33	0.28	0.22	0.26	0.32	0.33	0.33	0.33	0.25	0.30	0.30	0.26	0.22	0.17	0.07	0.17
617	0.31	0.26	0.21	0.25	0.30	0.31	0.31	0.31	0.24	0.28	0.29	0.25	0.21	0.17	0.07	0.17
618	0.29	0.25	0.20	0.23	0.28	0.29	0.29	0.29	0.22	0.27	0.27	0.24	0.21	0.17	0.06	0.16
619	0.27	0.23	0.18	0.22	0.26	0.27	0.27	0.27	0.21	0.25	0.25	0.22	0.20	0.16	0.06	0.15
620	0.24	0.20	0.16	0.19	0.22	0.24	0.24	0.24	0.19	0.23	0.22	0.20	0.18	0.15	0.06	0.14
621	0.14	0.12	0.10	0.11	0.12	0.14	0.14	0.14	0.12	0.13	0.13	0.12	0.11	0.09	0.04	0.08
622	0.29	0.25	0.20	0.23	0.25	0.29	0.29	0.29	0.25	0.28	0.27	0.25	0.23	0.20	0.08	0.18
623	0.27	0.23	0.18	0.22	0.22	0.27	0.27	0.27	0.23	0.26	0.25	0.23	0.22	0.19	0.08	0.17
624	0.13	0.11	0.09	0.10	0.10	0.13	0.13	0.13	0.12	0.13	0.12	0.11	0.11	0.10	0.04	0.08
625	0.21	0.18	0.14	0.17	0.16	0.21	0.21	0.21	0.19	0.20	0.19	0.18	0.17	0.16	0.07	0.14
626	0.19	0.16	0.13	0.15	0.14	0.19	0.19	0.19	0.18	0.19	0.17	0.17	0.16	0.15	0.07	0.13

MICROFILMED

JUN 03 1999

627	0.20	0.17	0.14	0.16	0.14	0.20	0.20	0.20	0.19	0.20	0.18	0.18	0.17	0.16	0.08	0.14
628	0.20	0.17	0.14	0.16	0.14	0.20	0.20	0.20	0.19	0.20	0.18	0.18	0.17	0.17	0.09	0.14
629	0.28	0.24	0.19	0.22	0.19	0.28	0.28	0.28	0.27	0.28	0.26	0.25	0.24	0.24	0.14	0.20
630	0.29	0.25	0.20	0.23	0.19	0.29	0.29	0.29	0.28	0.29	0.27	0.26	0.25	0.26	0.16	0.21
701	0.30	0.26	0.20	0.24	0.19	0.30	0.30	0.30	0.29	0.30	0.28	0.27	0.26	0.27	0.18	0.22
702	0.32	0.27	0.22	0.26	0.19	0.32	0.32	0.32	0.31	0.32	0.29	0.29	0.28	0.29	0.20	0.24
703	0.33	0.28	0.22	0.26	0.19	0.33	0.33	0.33	0.32	0.33	0.30	0.30	0.29	0.30	0.22	0.25
704	0.35	0.30	0.24	0.28	0.19	0.35	0.35	0.35	0.35	0.35	0.32	0.32	0.31	0.33	0.25	0.27
705	0.41	0.35	0.28	0.33	0.21	0.41	0.41	0.41	0.41	0.41	0.38	0.38	0.37	0.39	0.31	0.32
706	0.32	0.27	0.22	0.26	0.16	0.32	0.32	0.32	0.32	0.32	0.29	0.30	0.29	0.30	0.26	0.26
707	0.32	0.27	0.22	0.26	0.15	0.32	0.32	0.32	0.32	0.32	0.29	0.30	0.29	0.30	0.27	0.26
708	0.27	0.23	0.18	0.22	0.12	0.27	0.27	0.27	0.27	0.27	0.25	0.25	0.25	0.26	0.23	0.22
709	0.33	0.28	0.22	0.26	0.14	0.33	0.33	0.33	0.33	0.33	0.30	0.31	0.31	0.31	0.30	0.28
710	0.37	0.31	0.25	0.30	0.15	0.37	0.37	0.37	0.37	0.37	0.34	0.34	0.34	0.35	0.34	0.32
711	0.33	0.28	0.22	0.26	0.12	0.32	0.33	0.33	0.33	0.33	0.30	0.31	0.31	0.31	0.31	0.29
712	0.35	0.30	0.24	0.28	0.12	0.34	0.35	0.35	0.35	0.35	0.32	0.33	0.33	0.33	0.33	0.31
713	0.34	0.29	0.23	0.27	0.11	0.33	0.34	0.34	0.34	0.34	0.31	0.32	0.32	0.32	0.32	0.31
714	0.26	0.22	0.18	0.21	0.08	0.24	0.26	0.26	0.26	0.26	0.24	0.24	0.24	0.25	0.25	0.24
715	0.21	0.18	0.14	0.17	0.00	0.19	0.21	0.21	0.21	0.21	0.19	0.20	0.20	0.20	0.20	0.20
716	0.26	0.22	0.18	0.21	--	0.22	0.25	0.26	0.26	0.26	0.23	0.24	0.24	0.25	0.25	0.25
717	0.35	0.30	0.24	0.28	--	0.28	0.34	0.35	0.35	0.35	0.31	0.33	0.33	0.33	0.33	0.34
718	0.30	0.26	0.20	0.24	--	0.23	0.28	0.30	0.30	0.30	0.27	0.28	0.28	0.28	0.28	0.29
719	0.31	0.26	0.21	0.25	--	0.22	0.28	0.31	0.31	0.31	0.27	0.29	0.29	0.29	0.29	0.31
720	0.29	0.25	0.20	0.23	--	0.20	0.25	0.29	0.29	0.29	0.25	0.27	0.27	0.28	0.28	0.29
721	0.29	0.25	0.20	0.23	--	0.19	0.24	0.29	0.29	0.29	0.25	0.27	0.27	0.28	0.28	0.29
722	0.29	0.25	0.20	0.23	--	0.18	0.22	0.29	0.29	0.29	0.25	0.27	0.27	0.28	0.28	0.29
723	0.31	0.26	0.21	0.25	--	0.18	0.23	0.31	0.31	0.31	0.27	0.29	0.29	0.29	0.29	0.31
724	0.31	0.26	0.21	0.25	--	0.17	0.22	0.31	0.31	0.31	0.26	0.29	0.29	0.29	0.29	0.31
725	0.33	0.28	0.22	0.26	--	0.17	0.22	0.33	0.33	0.33	0.28	0.31	0.31	0.31	0.31	0.33
726	0.32	0.27	0.22	0.26	--	0.15	0.20	0.31	0.32	0.32	0.27	0.30	0.30	0.30	0.30	0.32
727	0.31	0.26	0.21	0.25	--	0.14	0.18	0.30	0.31	0.31	0.26	0.29	0.29	0.29	0.29	0.31
728	0.25	0.21	0.17	0.20	--	0.10	0.14	0.24	0.25	0.25	0.21	0.23	0.23	0.24	0.24	0.25
729	0.26	0.22	0.18	0.21	--	0.10	0.13	0.24	0.26	0.26	0.21	0.24	0.24	0.25	0.25	0.26
730	0.27	0.23	0.18	0.22	--	0.09	0.13	0.24	0.27	0.27	0.22	0.25	0.25	0.26	0.26	0.27
731	0.27	0.23	0.18	0.22	--	0.08	0.12	0.22	0.27	0.27	0.22	0.25	0.25	0.26	0.26	0.27
801	0.29	0.25	0.20	0.23	--	0.00	0.12	0.23	0.29	0.29	0.23	0.26	0.27	0.27	0.28	0.29
802	0.29	0.25	0.20	0.23	--	--	0.11	0.22	0.29	0.29	0.23	0.26	0.27	0.27	0.28	0.29
803	0.29	0.25	0.20	0.23	--	--	0.10	0.20	0.29	0.29	0.23	0.26	0.27	0.27	0.28	0.29
804	0.26	0.22	0.18	0.21	--	--	0.08	0.17	0.26	0.26	0.20	0.23	0.24	0.24	0.25	0.26
805	0.29	0.25	0.20	0.23	--	--	0.00	0.18	0.29	0.28	0.22	0.26	0.27	0.26	0.27	0.29
806	0.25	0.21	0.17	0.20	--	--	--	0.15	0.25	0.23	0.19	0.22	0.23	0.22	0.23	0.25
807	0.25	0.21	0.17	0.20	--	--	--	0.14	0.25	0.22	0.18	0.22	0.23	0.22	0.23	0.25
808	0.25	0.21	0.17	0.20	--	--	--	0.13	0.25	0.22	0.18	0.22	0.23	0.22	0.23	0.25
809	0.25	0.21	0.17	0.20	--	--	--	0.12	0.24	0.21	0.18	0.21	0.23	0.21	0.23	0.25
810	0.25	0.21	0.17	0.20	--	--	--	0.11	0.24	0.20	0.18	0.21	0.22	0.21	0.22	0.25
811	0.25	0.21	0.17	0.20	--	--	--	0.10	0.24	0.19	0.17	0.21	0.22	0.20	0.22	0.25
812	0.25	0.21	0.17	0.20	--	--	--	0.09	0.24	0.19	0.17	0.21	0.22	0.20	0.22	0.24
813	0.31	0.26	0.21	0.25	--	--	--	0.11	0.30	0.22	0.20	0.26	0.27	0.24	0.26	0.30
814	0.24	0.20	0.16	0.19	--	--	--	0.08	0.23	0.16	0.15	0.20	0.21	0.18	0.20	0.23
815	0.27	0.23	0.18	0.22	--	--	--	0.00	0.26	0.18	0.17	0.22	0.23	0.20	0.22	0.26
816	0.27	0.23	0.18	0.22	--	--	--	--	0.26	0.17	0.17	0.22	0.23	0.19	0.22	0.26
817	0.33	0.28	0.22	0.26	--	--	--	--	0.31	0.19	0.20	0.27	0.28	0.23	0.26	0.31
818	0.30	0.26	0.20	0.24	--	--	--	--	0.28	0.17	0.18	0.24	0.25	0.20	0.23	0.28
819	0.25	0.21	0.17	0.20	--	--	--	--	0.23	0.13	0.14	0.20	0.21	0.16	0.19	0.24
820	0.26	0.22	0.18	0.21	--	--	--	--	0.24	0.00	0.15	0.21	0.22	0.16	0.19	0.24
821	0.25	0.21	0.17	0.20	--	--	--	--	0.23	--	0.14	0.20	0.21	0.15	0.18	0.23
822	0.24	0.20	0.16	0.19	--	--	--	--	0.22	--	0.13	0.19	0.20	0.14	0.16	0.22
823	0.24	0.20	0.16	0.19	--	--	--	--	0.22	--	0.12	0.19	0.20	0.13	0.16	0.22
824	0.23	0.20	0.16	0.18	--	--	--	--	0.21	--	0.12	0.18	0.19	0.12	0.15	0.21
825	0.23	0.20	0.15	0.18	--	--	--	--	0.21	--	0.11	0.18	0.19	0.12	0.14	0.21
826	0.27	0.23	0.18	0.22	--	--	--	--	0.24	--	0.12	0.21	0.22	0.13	0.16	0.24
827	0.18	0.15	0.12	0.14	--	--	MICROFILMED	--	--	--	0.07	0.14	0.15	0.08	0.10	0.16
828	0.21	0.18	0.14	0.17	--	--	--	--	0.19	--	0.07	0.16	0.17	0.09	0.11	0.19

JUN 03 1999

829	0.23	0.20	0.15	0.18	--	--	--	--	0.20	--	0.07	0.17	0.18	0.09	0.12	0.20
830	0.25	0.21	0.17	0.20	--	--	--	--	0.22	--	0.07	0.18	0.20	0.09	0.12	0.22
831	0.27	0.23	0.18	0.22	--	--	--	--	0.23	--	0.06	0.19	0.21	0.09	0.12	0.24
901	0.24	0.20	0.16	0.19	--	--	--	--	0.21	--	0.00	0.16	0.19	0.00	0.10	0.21
902	0.21	0.18	0.14	0.17	--	--	--	--	0.18	--	--	0.14	0.16	--	0.08	0.18
903	0.18	0.15	0.12	0.14	--	--	--	--	0.15	--	--	0.12	0.14	--	0.07	0.16
904	0.19	0.16	0.12	0.15	--	--	--	--	0.16	--	--	0.12	0.14	--	0.06	0.16
905	0.19	0.16	0.12	0.15	--	--	--	--	0.16	--	--	0.12	0.14	--	0.00	0.16
906	0.17	0.14	0.11	0.14	--	--	--	--	0.14	--	--	0.10	0.13	--	--	0.14
907	0.18	0.15	0.12	0.14	--	--	--	--	0.15	--	--	0.10	0.13	--	--	0.15
908	0.18	0.15	0.12	0.14	--	--	--	--	0.15	--	--	0.10	0.13	--	--	0.15
909	0.19	0.16	0.12	0.15	--	--	--	--	0.16	--	--	0.10	0.13	--	--	0.16
910	0.20	0.17	0.13	0.16	--	--	--	--	0.16	--	--	0.00	0.14	--	--	0.17
911	0.22	0.19	0.14	0.18	--	--	--	--	0.18	--	--	--	0.15	--	--	0.18
912	0.24	0.20	0.15	0.19	--	--	--	--	0.19	--	--	--	0.16	--	--	0.20
913	0.16	0.14	0.10	0.13	--	--	--	--	0.13	--	--	--	0.10	--	--	0.13
914	0.21	0.18	0.13	0.17	--	--	--	--	0.17	--	--	--	0.13	--	--	0.17
915	0.09	0.08	0.06	0.07	--	--	--	--	0.07	--	--	--	0.05	--	--	0.00
916	0.14	0.12	0.09	0.11	--	--	--	--	0.11	--	--	--	0.08	--	--	--
917	0.15	0.13	0.09	0.12	--	--	--	--	0.12	--	--	--	0.08	--	--	--
918	0.13	0.11	0.08	0.10	--	--	--	--	0.10	--	--	--	0.07	--	--	--
919	0.10	0.09	0.06	0.08	--	--	--	--	0.08	--	--	--	0.05	--	--	--
920	0.11	0.09	0.07	0.09	--	--	--	--	0.08	--	--	--	0.00	--	--	--
921	0.16	0.14	0.10	0.13	--	--	--	--	0.12	--	--	--	--	--	--	--
922	0.16	0.14	0.10	0.13	--	--	--	--	0.12	--	--	--	--	--	--	--
923	0.14	0.12	0.08	0.11	--	--	--	--	0.10	--	--	--	--	--	--	--
924	0.11	0.09	0.06	0.09	--	--	--	--	0.08	--	--	--	--	--	--	--
925	0.18	0.15	0.10	0.14	--	--	--	--	0.13	--	--	--	--	--	--	--
926	0.17	0.14	0.10	0.14	--	--	--	--	0.12	--	--	--	--	--	--	--
927	0.13	0.11	0.07	0.10	--	--	--	--	0.09	--	--	--	--	--	--	--
928	0.13	0.11	0.07	0.10	--	--	--	--	0.09	--	--	--	--	--	--	--
929	0.14	0.12	0.07	0.11	--	--	--	--	0.10	--	--	--	--	--	--	--
930	0.13	0.11	0.07	0.10	--	--	--	--	0.00	--	--	--	--	--	--	--
1001	0.14	0.12	0.07	0.11	--	--	--	--	--	--	--	--	--	--	--	--
1002	0.14	0.12	0.07	0.11	--	--	--	--	--	--	--	--	--	--	--	--
1003	0.14	0.12	0.07	0.11	--	--	--	--	--	--	--	--	--	--	--	--
1004	0.11	0.09	0.05	0.09	--	--	--	--	--	--	--	--	--	--	--	--
1005	0.12	0.10	0.06	0.10	--	--	--	--	--	--	--	--	--	--	--	--
1006	0.12	0.10	0.05	0.10	--	--	--	--	--	--	--	--	--	--	--	--
1007	0.13	0.11	0.06	0.10	--	--	--	--	--	--	--	--	--	--	--	--
1008	0.12	0.10	0.05	0.10	--	--	--	--	--	--	--	--	--	--	--	--
1009	0.12	0.10	0.05	0.10	--	--	--	--	--	--	--	--	--	--	--	--
1010	0.00	0.00	0.00	0.00	--	--	--	--	--	--	--	--	--	--	--	--
1011	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
1012	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
1013	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
1014	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
1015	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

MICROFILMED

JUN 03 1999

PMAI - ET SUMMARY - 1997

DATE	10 ALFP	11 ALFM	12 PAST	13 LAWN	21 WGRN	22 SGRN	23 SGRN	31 BEET	35 ONYN	40 POTS	41 POTA	42 POTA	43 POTA	51 BEAN	52 BEAN	61 FCRN
302	0.01	0.01	0.02	0.01	--	--	--	--	--	--	--	--	--	--	--	--
303	0.01	0.01	0.02	0.01	--	--	--	--	--	--	--	--	--	--	--	--
304	0.01	0.01	0.02	0.01	--	--	--	--	--	--	--	--	--	--	--	--
305	0.02	0.02	0.03	0.02	0.02	--	--	--	--	--	--	--	--	--	--	--
306	0.01	0.01	0.02	0.01	0.01	--	--	--	--	--	--	--	--	--	--	--
307	0.02	0.02	0.02	0.02	0.02	--	--	--	--	--	--	--	--	--	--	--
308	0.02	0.02	0.03	0.03	0.03	--	--	--	--	--	--	--	--	--	--	--
309	0.02	0.02	0.02	0.02	0.02	--	--	--	--	--	--	--	--	--	--	--
310	0.03	0.03	0.03	0.05	0.03	--	--	--	--	--	--	--	--	--	--	--
311	0.03	0.03	0.03	0.05	0.04	--	--	--	--	--	--	--	--	--	--	--
312	0.04	0.04	0.04	0.06	0.05	--	--	--	--	--	--	--	--	--	--	--
313	0.04	0.04	0.03	0.05	0.04	--	--	--	--	--	--	--	--	--	--	--
314	0.03	0.03	0.02	0.03	0.03	--	--	--	--	--	--	--	--	--	--	--
315	0.03	0.03	0.03	0.04	0.03	--	--	--	--	--	--	--	--	--	--	--
316	0.02	0.02	0.02	0.03	0.02	--	--	--	--	--	--	--	--	--	--	--
317	0.06	0.06	0.05	0.08	0.06	--	--	--	--	--	--	--	--	--	--	--
318	0.08	0.08	0.07	0.10	0.08	--	--	--	--	--	--	--	--	--	--	--
319	0.08	0.08	0.06	0.10	0.08	--	--	--	--	--	--	--	--	--	--	--
320	0.04	0.04	0.03	0.04	0.03	0.01	--	--	--	--	--	--	--	--	--	--
321	0.09	0.09	0.07	0.11	0.09	0.03	--	--	--	--	--	--	--	--	--	--
322	0.08	0.08	0.06	0.09	0.08	0.03	--	--	--	--	--	--	--	--	--	--
323	0.09	0.09	0.07	0.10	0.09	0.03	--	--	--	--	--	--	--	--	--	--
324	0.10	0.10	0.08	0.11	0.10	0.03	--	--	--	--	--	--	--	--	--	--
325	0.10	0.10	0.08	0.11	0.09	0.03	--	--	--	--	--	--	--	--	--	--
326	0.10	0.10	0.08	0.12	0.10	0.03	--	--	--	--	--	--	--	--	--	--
327	0.12	0.12	0.10	0.13	0.12	0.03	--	--	--	--	--	--	--	--	--	--
328	0.11	0.11	0.09	0.12	0.11	0.03	--	--	--	--	--	--	--	--	--	--
329	0.09	0.09	0.07	0.10	0.09	0.03	--	--	--	--	--	--	--	--	--	--
330	0.12	0.12	0.10	0.13	0.12	0.04	--	--	--	--	--	--	--	--	--	--
331	0.12	0.12	0.09	0.12	0.12	0.04	--	--	--	--	--	--	--	--	--	--
401	0.11	0.11	0.09	0.11	0.11	0.03	--	--	0.04	--	--	--	--	--	--	--
402	0.11	0.11	0.09	0.11	0.12	0.04	--	--	0.04	--	--	--	--	--	--	--
403	0.12	0.11	0.09	0.11	0.12	0.04	--	--	0.05	--	--	--	--	--	--	--
404	0.12	0.12	0.09	0.11	0.12	0.04	--	--	0.05	--	--	--	--	--	--	--
405	0.12	0.12	0.09	0.11	0.12	0.04	0.03	0.03	0.05	--	--	--	--	--	--	--
406	0.12	0.12	0.09	0.11	0.12	0.05	0.03	0.03	0.06	--	--	--	--	--	--	--
407	0.13	0.12	0.09	0.11	0.13	0.05	0.03	0.03	0.06	--	--	--	--	--	--	--
408	0.08	0.08	0.06	0.07	0.08	0.04	0.02	0.02	0.04	--	--	--	--	--	--	--
409	0.16	0.14	0.11	0.14	0.16	0.07	0.03	0.04	0.08	--	--	--	--	--	--	--
410	0.14	0.13	0.10	0.12	0.14	0.07	0.03	0.03	0.07	--	--	--	--	--	--	--
411	0.16	0.14	0.11	0.13	0.15	0.08	0.03	0.04	0.08	--	--	--	--	--	--	--
412	0.15	0.13	0.10	0.12	0.14	0.08	0.03	0.04	0.08	--	--	--	--	--	--	--
413	0.11	0.09	0.07	0.09	0.11	0.06	0.02	0.03	0.05	--	--	--	--	--	--	--
414	0.09	0.08	0.06	0.07	0.09	0.06	0.02	0.02	0.05	--	--	--	--	--	--	--
415	0.16	0.14	0.11	0.13	0.16	0.10	0.04	0.04	0.08	--	--	--	--	--	--	--
416	0.16	0.14	0.11	0.13	0.16	0.11	0.04	0.04	0.08	--	--	--	--	--	--	--
417	0.13	0.11	0.09	0.10	0.13	0.09	0.03	0.03	0.06	--	--	--	--	--	--	--
418	0.11	0.09	0.07	0.09	0.11	0.08	0.03	0.03	0.05	--	--	--	--	--	--	--
419	0.12	0.10	0.08	0.10	0.12	0.09	0.03	0.03	0.06	--	--	--	--	--	--	--
420	0.13	0.11	0.09	0.10	0.13	0.10	0.04	0.03	0.06	--	--	--	--	--	--	--
421	0.17	0.14	0.12	0.14	0.17	0.14	0.06	0.04	0.09	--	--	--	--	--	--	--
422	0.16	0.14	0.11	0.13	0.16	0.13	0.06	0.04	0.08	--	--	--	--	--	--	--
423	0.13	0.11	0.09	0.10	0.13	0.11	0.05	0.03	0.06	--	--	--	--	--	--	--
424	0.18	0.15	0.12	0.14	0.18	0.15	0.08	0.05	0.09	--	--	--	--	--	--	--
425	0.20	0.17	0.14	0.16	0.20	0.17	0.10	0.05	0.10	--	--	--	--	--	--	--
426	0.20	0.17	0.14	0.16	0.20	0.18	0.11	0.05	0.10	--	--	--	--	--	--	--
427	0.20	0.17	0.14	0.16	0.20	0.18	0.11	0.06	0.10	--	--	--	--	--	--	--
428	0.20	0.17	0.14	0.16	0.20	0.18	0.12	0.06	0.10	--	--	--	--	--	--	--
429	0.16	0.14	0.11	0.13	0.16	0.15	0.10	0.05	0.08	--	--	--	--	--	--	--

MICROFILMED

JUN 03 1999

430	0.09	0.08	0.06	0.07	0.09	0.08	0.06	0.03	0.05	--	--	--	--	--	--	--
501	0.19	0.16	0.13	0.15	0.19	0.18	0.13	0.06	0.09	--	0.06	--	--	--	--	--
502	0.16	0.14	0.11	0.13	0.16	0.15	0.12	0.05	0.08	--	0.05	--	--	--	--	--
503	0.20	0.17	0.14	0.16	0.20	0.19	0.15	0.06	0.10	--	0.06	--	--	--	--	--
504	0.20	0.17	0.14	0.16	0.20	0.19	0.16	0.06	0.10	--	0.06	--	--	--	--	--
505	0.20	0.17	0.14	0.16	0.20	0.19	0.16	0.06	0.10	--	0.06	--	--	--	--	--
506	0.21	0.18	0.14	0.17	0.21	0.20	0.18	0.07	0.10	--	0.06	--	--	--	--	--
507	0.24	0.20	0.16	0.19	0.24	0.23	0.20	0.08	0.12	--	0.07	--	--	--	--	--
508	0.25	0.21	0.17	0.20	0.25	0.24	0.22	0.08	0.13	--	0.08	--	--	--	--	--
509	0.25	0.21	0.17	0.20	0.25	0.25	0.22	0.08	0.13	--	0.08	--	--	--	--	--
510	0.23	0.20	0.16	0.18	0.23	0.23	0.21	0.08	0.12	0.07	0.07	0.07	--	--	--	0.07
511	0.25	0.21	0.17	0.20	0.25	0.25	0.23	0.09	0.13	0.08	0.08	0.08	--	--	--	0.08
512	0.26	0.22	0.18	0.21	0.26	0.26	0.24	0.09	0.13	0.08	0.09	0.08	--	--	--	0.08
513	0.27	0.23	0.18	0.22	0.27	0.27	0.25	0.10	0.14	0.09	0.09	0.08	--	--	--	0.08
514	0.27	0.23	0.18	0.22	0.27	0.27	0.26	0.10	0.14	0.09	0.10	0.08	--	--	--	0.08
515	0.28	0.24	0.19	0.22	0.28	0.28	0.27	0.11	0.15	0.10	0.10	0.08	--	--	--	0.08
516	0.27	0.23	0.18	0.22	0.27	0.27	0.26	0.11	0.14	0.10	0.10	0.08	--	--	--	0.08
517	0.31	0.26	0.21	0.25	0.31	0.31	0.30	0.13	0.16	0.12	0.12	0.10	--	--	--	0.09
518	0.32	0.27	0.22	0.26	0.32	0.32	0.31	0.14	0.17	0.14	0.12	0.10	--	--	--	0.10
519	0.30	0.26	0.20	0.24	0.30	0.30	0.29	0.13	0.16	0.14	0.12	0.10	--	--	--	0.09
520	0.33	0.28	0.22	0.26	0.33	0.33	0.32	0.15	0.18	0.16	0.14	0.11	0.10	0.07	--	0.10
521	0.27	0.23	0.18	0.22	0.27	0.27	0.26	0.12	0.15	0.14	0.12	0.09	0.08	0.06	--	0.08
522	0.27	0.23	0.18	0.22	0.27	0.27	0.27	0.13	0.15	0.15	0.12	0.10	0.08	0.06	--	0.08
523	0.15	0.13	0.10	0.12	0.15	0.15	0.15	0.07	0.09	0.09	0.07	0.05	0.05	0.03	--	0.05
524	0.19	0.16	0.13	0.15	0.19	0.19	0.19	0.09	0.11	0.13	0.09	0.07	0.06	0.04	--	0.06
525	0.18	0.15	0.12	0.14	0.18	0.18	0.18	0.09	0.11	0.13	0.09	0.07	0.05	0.04	--	0.06
526	0.19	0.16	0.13	0.15	0.19	0.19	0.19	0.10	0.12	0.14	0.10	0.07	0.06	0.04	--	0.06
527	0.14	0.12	0.10	0.11	0.14	0.14	0.14	0.07	0.09	0.11	0.07	0.06	0.05	0.03	--	0.05
528	0.13	0.11	0.09	0.10	0.13	0.13	0.13	0.07	0.08	0.10	0.07	0.05	0.04	0.03	--	0.04
529	0.18	0.15	0.12	0.14	0.18	0.18	0.18	0.10	0.12	0.15	0.10	0.08	0.06	0.05	--	0.06
530	0.26	0.22	0.18	0.21	0.26	0.26	0.26	0.14	0.18	0.22	0.15	0.12	0.09	0.07	--	0.09
531	0.27	0.23	0.18	0.22	0.27	0.27	0.27	0.15	0.19	0.24	0.16	0.13	0.10	0.08	--	0.09
601	0.26	0.22	0.18	0.21	0.26	0.26	0.26	0.15	0.18	0.23	0.16	0.13	0.10	0.08	0.05	0.09
602	0.30	0.26	0.20	0.24	0.30	0.30	0.30	0.18	0.21	0.27	0.19	0.15	0.12	0.09	0.06	0.11
603	0.16	0.14	0.11	0.13	0.16	0.16	0.16	0.10	0.12	0.14	0.10	0.08	0.06	0.05	0.03	0.06

604	0.14	0.12	0.10	0.11	0.14	0.14	0.14	0.09	0.10	0.13	0.09	0.08	0.06	0.05	0.03	0.05
605	0.23	0.20	0.16	0.18	0.23	0.23	0.23	0.14	0.17	0.21	0.15	0.13	0.10	0.08	0.05	0.09
606	0.29	0.25	0.20	0.23	0.29	0.29	0.29	0.18	0.22	0.27	0.20	0.17	0.14	0.11	0.07	0.11
607	0.28	0.24	0.19	0.22	0.28	0.28	0.28	0.18	0.22	0.26	0.20	0.17	0.14	0.11	0.07	0.11
608	0.31	0.26	0.21	0.25	0.31	0.31	0.31	0.20	0.25	0.29	0.22	0.19	0.16	0.14	0.08	0.13
609	0.27	0.23	0.18	0.22	0.27	0.27	0.27	0.18	0.22	0.25	0.20	0.17	0.14	0.13	0.07	0.11
610	0.21	0.18	0.14	0.17	0.21	0.21	0.21	0.14	0.17	0.19	0.16	0.14	0.12	0.10	0.06	0.09
611	0.22	0.19	0.15	0.18	0.22	0.22	0.22	0.15	0.18	0.20	0.17	0.15	0.13	0.11	0.07	0.10
612	0.18	0.15	0.12	0.14	0.18	0.18	0.18	0.13	0.15	0.17	0.14	0.12	0.11	0.10	0.06	0.08
613	0.28	0.24	0.19	0.22	0.28	0.28	0.28	0.20	0.24	0.26	0.22	0.20	0.17	0.16	0.10	0.14
614	0.27	0.23	0.18	0.22	0.27	0.27	0.27	0.20	0.24	0.25	0.22	0.20	0.17	0.16	0.11	0.14
615	0.28	0.24	0.19	0.22	0.28	0.28	0.28	0.21	0.25	0.26	0.23	0.21	0.19	0.18	0.12	0.14
616	0.30	0.26	0.20	0.24	0.30	0.30	0.30	0.23	0.27	0.28	0.25	0.23	0.21	0.20	0.14	0.16
617	0.27	0.23	0.18	0.22	0.27	0.27	0.27	0.21	0.25	0.25	0.23	0.21	0.19	0.19	0.14	0.15
618	0.30	0.26	0.20	0.24	0.29	0.30	0.30	0.24	0.28	0.28	0.26	0.24	0.22	0.21	0.17	0.17
619	0.31	0.26	0.21	0.25	0.30	0.31	0.31	0.25	0.29	0.29	0.27	0.25	0.23	0.23	0.18	0.18
620	0.32	0.27	0.22	0.26	0.31	0.32	0.32	0.26	0.30	0.29	0.28	0.26	0.25	0.25	0.20	0.19
621	0.31	0.26	0.21	0.25	0.29	0.31	0.31	0.26	0.30	0.29	0.27	0.26	0.25	0.25	0.21	0.18
622	0.34	0.29	0.23	0.27	0.31	0.34	0.34	0.29	0.33	0.31	0.30	0.29	0.28	0.28	0.24	0.21
623	0.29	0.25	0.20	0.23	0.26	0.29	0.29	0.25	0.28	0.27	0.26	0.25	0.24	0.24	0.21	0.18
624	0.27	0.23	0.18	0.22	0.23	0.27	0.27	0.24	0.26	0.25	0.24	0.23	0.23	0.23	0.21	0.17
625	0.33	0.28	0.22	0.26	0.27	0.33	0.33	0.30	0.32	0.30	0.30	0.29	0.28	0.29	0.27	0.21
626	0.30	0.26	0.20	0.24	0.23	0.30	0.30	0.28	0.29	0.28	0.27	0.26	0.26	0.27	0.25	0.20
627	0.30	0.26	0.20	0.24	0.23	0.30	0.30	0.28	0.30	0.28	0.27	0.26	0.26	0.27	0.26	0.20
628	0.33	0.28	0.22	0.26	0.24	0.33	0.33	0.31	0.33	0.30	0.30	0.29	0.29	0.30	0.30	0.23
629	0.33	0.28	0.22	0.26	0.23	0.33	0.33	0.31	0.33	0.30	0.30	0.30	0.29	0.31	0.30	0.23
630	0.17	0.14	0.12	0.14	0.11	0.11	0.11	0.16	0.17	0.16	0.16	0.15	0.15	0.16	0.16	0.12

JUN 03 1999

701	0.24	0.20	0.16	0.19	0.16	0.24	0.24	0.23	0.24	0.22	0.22	0.22	0.22	0.23	0.23	0.18
702	0.29	0.25	0.20	0.23	0.18	0.29	0.29	0.28	0.29	0.27	0.27	0.27	0.27	0.26	0.28	0.22
703	0.29	0.25	0.20	0.23	0.17	0.29	0.29	0.29	0.29	0.27	0.27	0.27	0.27	0.28	0.28	0.22
704	0.31	0.26	0.21	0.25	0.18	0.31	0.31	0.31	0.31	0.29	0.29	0.29	0.29	0.29	0.29	0.24
705	0.33	0.28	0.22	0.26	0.18	0.32	0.33	0.33	0.33	0.30	0.31	0.31	0.31	0.31	0.31	0.26
706	0.38	0.32	0.26	0.30	0.19	0.37	0.38	0.38	0.38	0.35	0.35	0.35	0.35	0.36	0.36	0.31
707	0.34	0.29	0.23	0.27	0.16	0.33	0.34	0.34	0.34	0.31	0.32	0.32	0.32	0.32	0.32	0.28
708	0.29	0.25	0.20	0.23	0.13	0.27	0.29	0.29	0.29	0.27	0.27	0.27	0.27	0.28	0.28	0.24
709	0.26	0.22	0.18	0.21	0.11	0.23	0.26	0.26	0.26	0.24	0.24	0.24	0.24	0.25	0.25	0.22
710	0.31	0.26	0.21	0.25	0.12	0.26	0.31	0.31	0.31	0.28	0.29	0.29	0.29	0.29	0.29	0.27
711	0.28	0.24	0.19	0.22	0.11	0.22	0.28	0.28	0.28	0.26	0.26	0.26	0.26	0.27	0.27	0.24
712	0.32	0.27	0.22	0.26	0.11	0.24	0.32	0.32	0.32	0.29	0.30	0.30	0.30	0.30	0.30	0.28
713	0.31	0.26	0.21	0.25	0.10	0.22	0.31	0.31	0.31	0.28	0.29	0.29	0.29	0.29	0.29	0.28
714	0.33	0.28	0.22	0.26	0.10	0.22	0.33	0.33	0.33	0.30	0.31	0.31	0.31	0.31	0.31	0.30
715	0.32	0.27	0.22	0.26	0.00	0.20	0.31	0.32	0.32	0.29	0.30	0.30	0.30	0.30	0.30	0.30
716	0.31	0.26	0.21	0.25	--	0.19	0.30	0.31	0.31	0.28	0.29	0.29	0.29	0.29	0.29	0.29
717	0.32	0.27	0.22	0.26	--	0.18	0.31	0.32	0.32	0.29	0.30	0.30	0.30	0.30	0.30	0.31
718	0.14	0.12	0.10	0.11	--	0.07	0.13	0.14	0.14	0.12	0.13	0.13	0.13	0.13	0.13	0.14
719	0.28	0.24	0.19	0.22	--	0.14	0.25	0.28	0.28	0.25	0.26	0.26	0.26	0.27	0.27	0.28
720	0.30	0.26	0.20	0.24	--	0.13	0.26	0.30	0.30	0.26	0.28	0.28	0.28	0.28	0.28	0.30
721	0.33	0.28	0.22	0.26	--	0.14	0.27	0.33	0.33	0.29	0.31	0.31	0.31	0.31	0.31	0.33
722	0.35	0.30	0.24	0.28	--	0.13	0.27	0.35	0.35	0.30	0.33	0.33	0.33	0.33	0.33	0.35
723	0.35	0.30	0.24	0.28	--	0.12	0.26	0.35	0.35	0.30	0.33	0.33	0.33	0.33	0.33	0.35
724	0.33	0.28	0.22	0.26	--	0.10	0.23	0.33	0.33	0.28	0.31	0.31	0.31	0.31	0.31	0.33
725	0.35	0.30	0.24	0.28	--	0.00	0.23	0.35	0.35	0.30	0.32	0.33	0.33	0.33	0.33	0.35
726	0.33	0.28	0.22	0.26	--	--	0.21	0.33	0.33	0.28	0.30	0.31	0.31	0.31	0.31	0.33
727	0.31	0.26	0.21	0.25	--	--	0.18	0.31	0.31	0.26	0.29	0.29	0.29	0.29	0.29	0.31
728	0.24	0.20	0.16	0.19	--	--	0.13	0.24	0.24	0.20	0.22	0.22	0.22	0.22	0.23	0.24
729	0.17	0.14	0.12	0.14	--	--	0.09	0.17	0.17	0.14	0.16	0.16	0.16	0.16	0.16	0.17
730	0.26	0.22	0.18	0.21	--	--	0.13	0.26	0.26	0.21	0.24	0.24	0.24	0.24	0.24	0.26
731	0.28	0.24	0.19	0.22	--	--	0.12	0.28	0.28	0.23	0.26	0.26	0.26	0.25	0.26	0.28
801	0.27	0.23	0.18	0.22	--	--	0.11	0.27	0.27	0.22	0.24	0.25	0.25	0.24	0.25	0.27
802	0.29	0.25	0.20	0.23	--	--	0.11	0.29	0.29	0.23	0.26	0.26	0.26	0.25	0.26	0.29
803	0.32	0.27	0.22	0.26	--	--	0.11	0.32	0.32	0.25	0.29	0.29	0.29	0.27	0.29	0.32
804	0.19	0.16	0.13	0.15	--	--	0.06	0.19	0.19	0.15	0.17	0.17	0.17	0.16	0.17	0.19
805	0.27	0.23	0.18	0.22	--	--	0.00	0.27	0.26	0.20	0.24	0.24	0.24	0.22	0.24	0.27
806	0.34	0.29	0.23	0.27	--	--	--	0.34	0.31	0.25	0.30	0.30	0.30	0.27	0.29	0.34
807	0.34	0.29	0.23	0.27	--	--	--	0.33	0.30	0.25	0.30	0.30	0.30	0.26	0.29	0.34
808	0.37	0.31	0.25	0.30	--	--	--	0.36	0.32	0.27	0.32	0.33	0.33	0.28	0.31	0.37
809	0.32	0.27	0.22	0.26	--	--	--	0.31	0.27	0.23	0.28	0.28	0.28	0.23	0.26	0.32
810	0.26	0.22	0.18	0.21	--	--	--	0.25	0.21	0.18	0.22	0.23	0.23	0.19	0.21	0.26
811	0.22	0.19	0.15	0.18	--	--	--	0.21	0.17	0.15	0.19	0.19	0.19	0.15	0.17	0.22
812	0.25	0.21	0.17	0.20	--	--	--	0.24	0.19	0.17	0.21	0.21	0.21	0.17	0.19	0.24
813	0.27	0.23	0.18	0.22	--	--	--	0.26	0.19	0.18	0.23	0.23	0.23	0.17	0.20	0.26
814	0.27	0.23	0.18	0.22	--	--	--	0.26	0.18	0.17	0.22	0.23	0.23	0.17	0.20	0.26
815	0.36	0.31	0.24	0.29	--	--	--	0.34	0.23	0.23	0.30	0.30	0.30	0.21	0.26	0.35
816	0.25	0.21	0.17	0.20	--	--	--	0.24	0.15	0.15	0.20	0.21	0.21	0.14	0.17	0.24
817	0.29	0.25	0.20	0.23	--	--	--	0.27	0.17	0.17	0.24	0.24	0.24	0.16	0.19	0.28
818	0.28	0.24	0.19	0.22	--	--	--	0.26	0.16	0.16	0.23	0.23	0.23	0.14	0.18	0.27
819	0.28	0.24	0.19	0.22	--	--	--	0.26	0.15	0.16	0.23	0.23	0.23	0.14	0.18	0.26
820	0.36	0.31	0.24	0.29	--	--	--	0.33	0.00	0.20	0.29	0.29	0.29	0.16	0.22	0.34
821	0.28	0.24	0.19	0.22	--	--	--	0.26	--	0.15	0.23	0.23	0.23	0.12	0.16	0.26
822	0.28	0.24	0.19	0.22	--	--	--	0.26	--	0.15	0.22	0.23	0.23	0.11	0.16	0.26
823	0.30	0.26	0.20	0.24	--	--	--	0.27	--	0.16	0.24	0.24	0.24	0.11	0.16	0.28
824	0.26	0.22	0.18	0.21	--	--	--	0.24	--	0.13	0.21	0.21	0.21	0.09	0.13	0.24
825	0.24	0.20	0.16	0.19	--	--	--	0.22	--	0.11	0.19	0.19	0.19	0.00	0.12	0.22
826	0.25	0.21	0.17	0.20	--	--	--	0.22	--	0.11	0.20	0.20	0.20	--	0.12	0.23
827	0.25	0.21	0.17	0.20	--	--	--	0.22	--	0.10	0.19	0.20	0.20	--	0.11	0.22
828	0.23	0.20	0.15	0.18	--	--	--	0.20	--	0.08	0.18	0.18	0.18	--	0.09	0.21
829	0.25	0.21	0.17	0.20	--	--	--	0.22	--	0.08	0.19	0.19	0.19	--	0.10	0.22
830	0.23	0.20	0.15	0.18	--	--	--	0.20	--	0.06	0.17	0.18	0.18	--	0.08	0.20
831	0.18	0.15	0.12	0.14	--	--	--	0.16	--	0.04	0.13	0.14	0.14	--	0.06	0.16

MICROFILMED

JUN 03 1999

901	0.24	0.20	0.16	0.19	--	--	--	0.21	--	0.00	0.18	0.18	0.18	--	0.00	0.21
902	0.15	0.13	0.10	0.12	--	--	--	0.13	--	--	0.11	0.11	0.11	--	--	0.13
903	0.18	0.15	0.12	0.14	--	--	--	0.15	--	--	0.13	0.13	0.13	--	--	0.16
904	0.23	0.20	0.15	0.18	--	--	--	0.20	--	--	0.16	0.16	0.16	--	--	0.20
905	0.22	0.19	0.14	0.18	--	--	--	0.19	--	--	0.15	0.15	0.15	--	--	0.19
906	0.23	0.20	0.15	0.18	--	--	--	0.19	--	--	0.15	0.16	0.16	--	--	0.19
907	0.22	0.19	0.14	0.18	--	--	--	0.18	--	--	0.14	0.15	0.15	--	--	0.19
908	0.18	0.15	0.12	0.14	--	--	--	0.15	--	--	0.11	0.12	0.12	--	--	0.15
909	0.20	0.17	0.13	0.16	--	--	--	0.17	--	--	0.12	0.12	0.12	--	--	0.17
910	0.21	0.18	0.13	0.17	--	--	--	0.17	--	--	0.13	0.13	0.13	--	--	0.17
911	0.12	0.10	0.08	0.10	--	--	--	0.10	--	--	0.07	0.07	0.07	--	--	0.10
912	0.14	0.12	0.09	0.11	--	--	--	0.11	--	--	0.08	0.08	0.08	--	--	0.11
913	0.19	0.16	0.12	0.15	--	--	--	0.15	--	--	0.10	0.10	0.10	--	--	0.15
914	0.18	0.15	0.11	0.14	--	--	--	0.14	--	--	0.09	0.09	0.09	--	--	0.14
915	0.19	0.16	0.12	0.15	--	--	--	0.15	--	--	0.00	0.00	0.00	--	--	0.00
916	0.18	0.15	0.11	0.14	--	--	--	0.14	--	--	--	--	--	--	--	--
917	0.12	0.10	0.07	0.10	--	--	--	0.09	--	--	--	--	--	--	--	--
918	0.15	0.13	0.09	0.12	--	--	--	0.12	--	--	--	--	--	--	--	--
919	0.18	0.15	0.11	0.14	--	--	--	0.14	--	--	--	--	--	--	--	--
920	0.17	0.14	0.10	0.14	--	--	--	0.13	--	--	--	--	--	--	--	--
921	0.15	0.13	0.09	0.12	--	--	--	0.11	--	--	--	--	--	--	--	--
922	0.15	0.13	0.09	0.12	--	--	--	0.11	--	--	--	--	--	--	--	--
923	0.16	0.14	0.10	0.13	--	--	--	0.12	--	--	--	--	--	--	--	--
924	0.18	0.15	0.11	0.14	--	--	--	0.13	--	--	--	--	--	--	--	--
925	0.14	0.12	0.08	0.11	--	--	--	0.10	--	--	--	--	--	--	--	--
926	0.22	0.19	0.12	0.18	--	--	--	0.16	--	--	--	--	--	--	--	--
927	0.19	0.16	0.11	0.15	--	--	--	0.14	--	--	--	--	--	--	--	--
928	0.15	0.13	0.08	0.12	--	--	--	0.11	--	--	--	--	--	--	--	--
929	0.15	0.13	0.08	0.12	--	--	--	0.11	--	--	--	--	--	--	--	--
930	0.12	0.10	0.06	0.10	--	--	--	0.08	--	--	--	--	--	--	--	--
1001	0.19	0.16	0.10	0.15	--	--	--	0.00	--	--	--	--	--	--	--	--
1002	0.23	0.20	0.11	0.18	--	--	--	--	--	--	--	--	--	--	--	--
1003	0.19	0.16	0.09	0.15	--	--	--	--	--	--	--	--	--	--	--	--
1004	0.20	0.17	0.09	0.16	--	--	--	--	--	--	--	--	--	--	--	--
1005	0.17	0.14	0.08	0.14	--	--	--	--	--	--	--	--	--	--	--	--
1006	0.11	0.09	0.05	0.09	--	--	--	--	--	--	--	--	--	--	--	--
1007	0.15	0.13	0.07	0.12	--	--	--	--	--	--	--	--	--	--	--	--
1008	0.14	0.12	0.06	0.11	--	--	--	--	--	--	--	--	--	--	--	--
1009	0.12	0.10	0.05	0.10	--	--	--	--	--	--	--	--	--	--	--	--
1010	0.00	0.00	0.00	0.00	--	--	--	--	--	--	--	--	--	--	--	--
1011	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
1012	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
1013	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

MICROFILMED

JUN 03 1999

WR0749NP
No. L63-11415

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 11/04/98
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	EVELYN LUNDY	11/16/1990	IRRIGATION	03/15 11/15	0.120 CFS	58.60 AFA
C	CHARLES D LUNDY		STOCKWATER	01/01 12/31	0.020 CFS	0.10 AFA
	13673 GOODSON RD		DOMESTIC	01/01 12/31	0.020 CFS	0.60 AFA
	CALDWELL ID 83605					
	(208) 585-3655					
TOTAL DIVERSION:					0.120 CFS	59.30 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.120 CFS

Point(s) of Diversion: T05N R03W S14 SESW CANYON County

Place of use Legal Description for: IRRIGATION

NE				NW				SW				SE							
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM
05N	03W	14	:															:	16.0
TOTAL ACRES																		16.0	

Place of use location for STOCKWATER is the same location as described for: IRRIGATION

Place of use location for DOMESTIC is the same location as described for: IRRIGATION

Pou County: CANYON

Other Water Rights with Same Point(s) of Diversion with Stage (Includes All Sources):
63-11415

Other Water Rights Listing Overlapping Place(s) of use:
63-11415

Conditions of Approval:

- R69 - This right when combined with all other rights shall provide no
- more than 0.03 cfs per acre nor more than 4.5 afa per acre at the
- field headgate for irrigation of the lands above.

Remarks: GEN Domestic use is for 1 home and does not include lawn, garden,
landscape, or other types of irrigation.

Dates: App. Received: 09/11/1990 Priority Date: 11/16/1990 (Priority Date Advanced.)
Proof Due Date: 02/01/1996 Proof Made Date: 04/01/1996 (Proof Received Late.)
Exam Made Date: 06/19/1997 Exam Sent to S.O.: 02/04/1998
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

MICROFILMED

JUN 03 1999

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '*' ARE ADJUDICATION CLAIMS)
(QUARTER-QUARTERS WITH A '?' HAVE DIFFERENT ACREAGE AMOUNTS--CHECK THE DATA BASE RECORDS)

WR-NUMBER	SOURCE	NE				NW				SW				SE				SUM
		NE		NW		SW		SE		NE		NW		SW		SE		
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	
L6311415	T05N R03W S14 GROUNDWATER																	
	:																	16
~~6311415~~	~~GROUNDWATER :~~																	~~20~~
A6502433B	PAYETTE R1 :									40		26						66
A6502900Z0	TUNNEL NO. :			I		I		I		I		I		I		I		
A6502927D	PAYETTE R1 :									40		26						66
A6509483B	DEADWOOD R :									40		26						66
--86 MAP--	C27Q-W 55 :	01		35		10		06		38		37		37		22		458

*per exam this property above canal, irr water not deliverable

MICROFILMED

APR 3 1999

B/U FIELD EXAM REVIEW

by Cindy LouPermit #: 63-11415 Name: Rundy Date: 11/3/98 ✓ Lots ✓

NAME	Chng	Same	Or Address Change?
SOURCE		✓	Clarify source _____ Prelim. Order to Void - Source change.
P/D		✓	Amendment Needed? Addn'l 1/4? _____ Legal _____ P39 Same 1/4? _____ W32 _____ P36 Overlap(s) <u>none</u>
P/U		✓	Amendment Needed? <u>20A 16A</u> P41 Overlap(s) <u>none</u> (Gov't use special T's) _____ *P/D & P/U Amend? P37
RATE			Permit/proof fee limits _____ Measured Quantity = _____ cfs Theoretical Quantity = <u>0.12</u> cfs $(irr = 16 \times 0.02 = 0.32) + (dom = 0.02) + (stock = 0.02) = 0.36 \approx 0.12$ (HP) $\frac{8.8 \times 0.70 \times 3}{2.31 \times 5.9} = 0.12$ cfs * Static level +10' ✓ Recommended capacity <u>0.12</u> cfs Recommended rate <u>0.12</u> cfs
VOLUME		✓	Season: (<u>D 1 4.5</u>) <u>3/15-11/15</u> = <u>246</u> days Calculations: $irr = 16 ac \times 4.5 AF/ac = 72.0 = 58.6$ } $dom = 1 km, in-house = 0.6$ } <u>59.3</u> $stock = 1 horse = 0.1$ } Flow limit: <u>0.12</u> cfs x <u>246</u> days/yr. x 1.9835 = <u>58.6</u> AF Recommended volume <u>59.3</u> AF
USES		✓	Same Nature of Use? _____ P46 Amendment Needed? _____
REMARKS			Multiple p/d's in same 1/4? Use W32 _____ ✓ <u>① WBS/1 (in rec)</u>
CONDITIONS			Measuring Device (R43) or Lockable Controlling Works (R02) _____ Watermaster Control (R04) - WD # _____ <u>R69</u> Irrigation rate/annual volume overlap _____ GW irrigation replaces surface water (050) _____ GW irrigation supplants surface water (065) _____ Water Quality _____ Other _____

PRIORITY App Rcd 9/11/90 Due 2/1/96 Rcd 4/1/96
 Receipt# W020639 Fee OK? (yes) No \$100
 Order to Reinstate Needed? Yes/No Done? 4/9/96 Advanced to: 11/16/90
 Priority 9/10/90 11/16/90 Examined 6/19/97

COMMENTS: ① Flow rate limited by capacity, ② Irr volume limited by flow rate.
③ reduce acres

USE	CFS	VOLUME
<u>Irr. / 16a</u>	<u>0.12</u>	<u>58.6</u>
<u>Stock / 1 H</u>	<u>0.02</u>	<u>0.1</u>
<u>Dom / 1</u>	<u>0.02</u>	<u>0.6</u>
<u>TOTAL</u>	<u>0.12</u>	<u>59.3</u>

SRBA Overlap None
 Adjustment Memo ✓
 LICENSE
 #1 AMEND: _____ /P38
 #2 AMEND: (R)P42/(C)P47

MEMORANDUM

DATE: November 4, 1998
TO: File No. 63-11415
FROM: Cindy Lou Zimmerman *CS*
SUBJECT: Review of Beneficial Use Field Report

The following adjustments¹ were made on the field report to reflect department standards and licensing practices for uses developed under this permit:

F. Flow Calculations.

a. Capacity.

$$HP = \frac{8.8 \times 0.7 \times HP}{DL + (2.31 \times \text{psi})} = \frac{8.8 \times 0.7 \times 3}{\underline{84} + (2.31 \times 30)} = \text{cfs.}$$

static level per well log = 74' + 10' = 84'

b. Irrigation.

$$F_{I.R.} = \text{acres} \times \text{cfs/acre} = 16 \times 0.02 = 0.32 \text{ cfs.}$$

c. Stockwater, 1 horse $\approx$ 0.02 cfs.

d. Domestic, 1 home, in-house use $\approx$ 0.02 cfs.

G. Volume Calculations.

a. Irrigation.

$$V_{I.R.} = \text{acres} \times \text{AF/acre} = 16 \times \underline{4.5} = 72.0 \text{ AF.}$$

$$V_{D.R.} = \text{rate} \times \text{days} \times 1.9835 = 0.12 \times 246 \times 1.9835 = \underline{58.6} \text{ AF.}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{58.6} \text{ AF.}$$

b. Stockwater, 1 horse $\approx$ 0.1 AF.

c. Domestic, 1 home, in-house use $\approx$ 0.6 AF

d. Maximum Annual Volume = a + b + c = 58.6 + 0.1 + 0.6 = 59.3 AF.

H. Recommendations.

1. Recommended amounts:

Beneficial Use	Period of Use	Rate of diversion	Annual Volume
Irrigation	3/15-11/15	<u>0.12</u> cfs	<u>58.6</u> AF
Stockwater	1/1-12/31	0.02 cfs	<u>0.1</u> AF
Domestic	1/1-12/31	<u>0.02</u> cfs	0.6 AF
	Totals:	<u>0.12</u> cfs	<u>59.3</u> AF

Examiner: Dan Tomich
Examined: June 19, 1997

MICROFILMED
JUN 03 1999

¹ Adjustments are **bolded and underlined**.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

FEB 05 1998

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-11415

1. Owner: Charles D. & Evelyn Lundy Phone No. (208) 585-3655

Current Address: 13673 Goodson Rd., Caldwell, ID 83605

2. Accompanied by: Charles Lundy EXAM DATE: 6-19-97

Address: (Same) Phone No. (Same)

Relationship to Permit Holder: (Same)

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: None

2. Other water rights with the same point of diversion: None

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SE	SW	14	5N	3W	Canyon	Site Visit, map


2. Place(s) of Use:

Indicate Method of Determination Site Visit, map

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
5N	3W	14																16.0 DS	16.0

FILED
JUN 19 1998

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = No Scale

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Franklin	3		Berkelcy	

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Planimeter		LASICO	42P	B-90848		
				MICROFILMED		

2. Measurements:

1) water None - System operates at 30-80 psi.
 2) Total irrigated land = 16.53 Ac; Allow 16.0 Ac for irrigated land; 0.53 Ac. of house, pens, etc.
 Total land = 16.53 Ac. - 0.53 = 16.0 Ac. irrigated.
 (House, shed, pens, etc.)

E. NARRATIVE/REMARKS/COMMENTS

1. This permit is for a well and water system which serves irrigation, domestic, and stockwater. The well has a 1" PVC line to the house and yard/garden, and a 1" PVC, and 2-2" lines for irrigation and stockwater. The irrigated land is on the South and North sides of the property, and is high ground that was never served from the irrigation lateral on the East side of the property. This irrigation lateral is from the "C" line Canal of the Black Canyon I.D. The 2" lines from the well serve hand line sprinkler pipes for the irrigated land, and the yard/garden irrigation is served from hoses/sprinklers off the 1" PVC ^{line} that also serves the house with domestic water.

2. The Stockwater is for 1 Horse and pens that have quail, pheasants, Chukars, Turkeys, Peacocks, Geese, Ducks, G. Hens, Brees, ostriches, and other fowl. There are about 500-600 birds in the pens.

3. The owners also have 18 Acres of farmland to the East of the irrigation lateral which is served with Black Canyon I.D. water, and is presently leased out. The 18 Ac. tract is not part of this permit - well water system.

Have conditions of permit approval been met? ☒ YES ☐ NO ☐ UNDETERMINED except for irrigated acres.

4. Total land served by well = 16.53 Ac. (Planimeter)
About 0.53 Ac. is taken up by house, shop, pens, etc.
Allow 16.0 Ac., not 20.0 Ac. for irrigation.

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method: None, Theoretical, Cal.

$$\text{Total Max. } Q = \frac{(8.8)(3\text{HP})(70\%)}{74' + (30\text{PSI}) \left(\frac{34'}{14.7\text{PSI}} \right)}$$

$$= 0.13 \text{ cfs}$$

$$1) \text{ Irrigation Allowed} = (0.02 \frac{\text{cfs}}{\text{Ac}}) / (16 \text{ Ac.})$$

$$= 0.32 \text{ cfs} < 0.13 \text{ cfs}$$

2) Domestic
Allow 0.04 cfs

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

3) Stockwater, Allow the 0.02 cfs

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (16.0 \text{ Ac.}) (3.5 \frac{\text{AFA}}{\text{Ac.}}) = 56.0 \text{ AFA}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (0.13) (246) (1.9835) = 63.4$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 56.0 \text{ AFA}$$

2. Volume Calculations for Other Uses:

1) Domestic, Allow 0.6 AFA internal use.

2) Stockwater; Allow 0.20 AFA - 10 head in brood.

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Irrigation</u>	<u>03/15</u>	<u>11/15</u>	<u>0.13 *</u>	<u>56.0 *</u>
<u>Stockwater</u>	<u>01/01</u>	<u>12/31</u>	<u>0.02</u>	<u>0.2 *</u>
<u>Domestic</u>	<u>01/01</u>	<u>12/31</u>	<u>0.04 *</u>	<u>0.6</u>
Totals:			<u>0.13 *</u>	<u>56.8 *</u>

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☒ Other

1) The total Div Rate is 0.13 cfs.

2) The irrigated acres is 16.0, not 20.0.

I. AUTHENTICATION

Field Examiner's Name Dan Smith Date 2-3-98

Reviewer _____ Date _____

* Adjustments made during review of this right for license approval. See Memo for additional information. 11/3/98. CS.

SEAL
MICROFILMED
JUN 03 1999

63-11415

P/D, Well

Goodson Rd 15

5 1212
CROFT MED
03 1999
/NW

IDAHO DEPARTMENT OF WATER RESOURCES FEB 05 1998

WELL INSPECTION FORM

Department of Water Resources

1. DRILLING PERMIT NO: 63-90-W-261 OTHER APPLICABLE NO: 63-11415
2. OWNER: Charles D. & Evelyn Lundy Phone: (208) 585-3635
Address: 13673 Goodson Rd., Caldwell, ID 83605
3. WELL LOCATION: Twp 5N, Rge. 3W, Sec. 14, SE 1/4 SW 1/4
County Canyon (Provide sketch map and photo on reverse.)
4. DRILLER: Riverside Drilling Lic. No. 333
When Drilled? 11-1-90 to 11-5-90
5. WELL CONSTRUCTION:
Casing Diameter 10 inches Water tight cap? ☐ Yes ☒ No Access Port: ☒ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe Casing open at top
Depth of Casing 139 ft. Method Drilled Air Rotary
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☒ Yes ☐ No Pressure Gauge: ☒ Yes ☐ No
Condition of Piping and Valving Good
Auger to a depth of _____ ft. Evidence of Annular Seal ☒ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION:
Depth to Static Water 74 ft. Water Temperature 60 °F
Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:
☒ Domestic ☒ Irrigation ☒ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____

MICROFILMED

JUN 8 1998

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS:

Dan Zambich Water Rights Examiner
Signature of Dept. Representative & Title

6-19-97
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



COFILMED

JUN 23 1999

1 of 3

P/D

Well and
Piping.

Pressure
Gage
is below
first Tee
in 2"
line from
Well.



P/u

House
and
portion of
yard.

View
Looking
West.



MICROFILMED

63-11415

2 of 3



Plu
irrigated
garden.

Note
Sprinkler
pipe -
tall
risers.

View
Looking
South.



Plu
Bird
pens

View
Looking
South.

UNRECORDED

1989

63-11415

3 of 3

P/u

Bird

Pens and
stock
Corrals.


View
Looking
West.



P/u

irrigated
Land
to
South of
Well.

View
Looking
South.



6 19 97

NOT REFILMED

JUN 03 1999

63-11415



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

April 9, 1996

CHARLES & EVELYN LUNDY
13673 GOODSON RD
CALDWELL ID 83605

PROOF ACKNOWLEDGEMENT LETTER

RE: PERMIT NO. 63-11415

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit.

Enclosed is an order reinstating your permit since proof of beneficial use was received after the proof due date. Please note that the priority date has been advanced to November 16, 1990.

The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning the field examination, please feel free to contact the WESTERN Regional Office in Boise at (208) 334-2190

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

Enclosure

c: IDWR - Region

APR 30 1996

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

February 8, 1996

CHARLES D LUNDY
EVELYN LUNDY
13673 GOODSON RD
CALDWELL ID 83605

LAPSE NOTICE

RE: PERMIT NO. 63-11415

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated November 30, 1995. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifty dollar (\$50.00) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau

Enclosures

RECORDED

APR 30 1996

CERTIFICATION OF MAILING

I hereby certify that on 2-8-96
a copy/an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

[Signature]

MEMORANDUM

To: File 63-11415
From: L. Glen Saxton *WJS*
RE: TELEPHONE CONVERSATION
Date: February 1, 1996

On this date, the permit holder called in connection with the proof due notice. He plans to visit this office and file a partial proof of beneficial use, since the development is not complete and since he knows the department can not approve a second extension of time request.

RECEIVED

APR 30 1996

November 30, 1995

CHARLES D LUNDY
EVELYN LUNDY
13673 GOODSON RD
CALDWELL ID 83605

PROOF DUE NOTICE

RE: PERMIT NO. 63-11415

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before February 1, 1996.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

APR 20 1996



February 16, 1994

Charles and Evelyn Lundy
13673 Goodson Rd.
Caldwell, ID 83605

RE: Permit No. 63-11415

Dear Permit Holder:

Enclosed is a copy of the approved request for extension of time. The time within which to submit proof of beneficial use is extended to February 1, 1996. Please note that the department has granted this extension based on due diligence. It is important that you work diligently toward the completion of this project during the construction period allowed since the department will not be able to grant additional extensions based on due diligence. You should also note that since your extension was received after the proof due date it had to be reinstated, and the priority date has been advanced to September 18, 1990.

If you have any questions or if I can be of any further assistance, please feel free to contact this office.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

Enclosure

C: IDWR - Regional Office

RECEIVED
APR 30 1996

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

February 7, 1994

CHARLES D. LUNDY
EVELYN LUNDY
13673 GOODSON RD.
CALDWELL ID 83605

LAPSE NOTICE

RE: PERMIT NO. 63-11415

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated November 30, 1993. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifteen dollar (\$15) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau

Enclosures

CERTIFICATION OF MAILING

I hereby certify that on 2-7-94
~~a copy~~/an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

RECEIVED

APR 30 1996

November 30, 1993

CHARLES D. LUNDY
EVELYN LUNDY
13673 GOODSON RD.
CALDWELL ID 83605

PROOF DUE NOTICE

RE: PERMIT NO. 63-11415

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before February 1, 1994. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

EX-100-11415

NOV 30 1996



WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

February 25, 1991

CHARLES D. LUNDY
EVELYN LUNDY
13673 GOODSON RD.
CALDWELL, ID 83605

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-11415

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

You should be aware that you are located within a drainage basin where surface water diversions are regulated by a watermaster. It is possible that diversion of groundwater under your permit may cause a reduction of surface water flow. Siting your well as far as possible from surface water channels and casing your well

MAILED

MAR 19 1991

so that groundwater tributary to surface water flows are not diverted will reduce the potential for the watermaster to regulate your water use.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosures

RECEIVED

MAR 19 1991

63-11415

LUNDY, CHARLES D.
13673 GOODSON RD.
CALDWELL, ID 83605

LUNDY, EVELYN
13673 GOODSON RD.
CALDWELL, ID 83605

Source: GROUNDWATER

Diversion Pt: SESW Sec 14 T 05N R 03W

Use: IRRIGATION	(.400 CFS)
STOCKWATER	(.020 CFS)
DOMESTIC	(.040 CFS)
Total Diversion:	(.460 CFS)

Date Filed: 9/11/ 1990

In: T05N R03W S14 SESW

20.0 ACRES TOTAL

RECEIVED

MAR 19 1991