

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

T4N R2W

20

P.A. & P.U. COMMERC.

MICROFILMED

DEC 12 1990

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

E.V. Oliver

(Applicant)

Plant Manager
Twin Falls Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
DEC 04 1992

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Longview Fibre Co Permit No. 63-11399
Current Address: P.O. Box 3000 Longview WA 98638 Phone No. 425-1550
2. Accompanied by: Bill Sherman EXAM. DATE: 8-21-91
Address: same Phone No. same
Relationship to Permit Holder: employee
3. Source: groundwater tributary to WA

B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-08999 Silver tip collub. & 63-02294 Pioneer Irrigation; neither share WA ☐ Copies Attached
2. Other water rights with same point of diversion: 63-08999 ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION


1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = none

RECEIVED
FEB 03 1993

2. ☐ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).



MICROFILMED

FEB 03 1993

63-11399

front view of
warehouse.

Note; Plant growth
on the front is
the only irrigated
use.

front & side
view

view of well.
(sub pump)

MICROFILMED

FEB 03 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11399

Priority: June 29, 1990

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

0.2 AF

This is to certify, that LONGVIEW FIBRE CO
C/O E V OLIVER
PO BOX 157
CALDWELL ID 836060157

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 29, 1990; and has submitted Proof of Beneficial Use on March 7, 1991. An examination indicates that the works have a diversion capacity of .060 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
COMMERCIAL	01/01 to 12/31	0.04 CFS	0.2 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSE , Sec. 20, Township 04N, Range 02W
CANYON County


PLACE OF USE: COMMERCIAL
TWN RGE SEC

04N 02W 20 SWSE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Commercial use is for a warehouse and landscaping.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 23rd day of DECEMBER, 1992.

Acting for  R. Keith Higginson, Director

MICROFILMED

FEB 03 1993

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11399

Proposed Priority: June 29, 1990 Maximum Diversion Rate: 0.04 CFS

This is to certify, that **LONGVIEW FIBRE CO.**
P.O. BOX 3000
LONGVIEW, WA 98632

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

COMMERCIAL

01/01 to 12/31

0.04 CFS

LOCATION OF POINT(S) OF DIVERSION:

SESWSE

Sec. 20, Township 04N, Range 02W
CANYON County

PLACE OF USE: COMMERCIAL

TWN RGE SEC

04N 02W 20

SWSE

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before November 1, 1991.
2. Subject to all prior water rights.
3. Commercial use is for office building.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

3 day of December, 1990

for 
R. Keith Higginson, Director

MICROFILMED

DEC 12 1990

RECEIVED

JUN 29 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 63-11399

Department of Water Resources To appropriate the public waters of the State of Idaho

1. Name of applicant LONGVIEW FIRE COMPANY Phone 206-425-1530
Post office address Box 3000, LONGVIEW, WA, 98632

2. Source of water supply GROUNDWATER which is a tributary of _____

3. Location of point of diversion is SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of SE $\frac{1}{4}$, Govt. Lot _____

Sec. 20 Township 04N Range 02W B.M. CANYON County; additional
points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.04 for COMMERCIAL purposes from 01/01 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.04 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. WELL, 110' DEPTH, 6" CASING,
1HP, SUBM. PUMP & PIPE TO BLDG & STANOPIES FOR
WATERING TREES

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. ~~Proposed~~ EXISTING well diameter is 6" inches; proposed depth of well is 110' feet.

d. Is ground water with a temperature of greater than 90°F being sought? No

7. Time required for the completion of the work and for the water to the proposed beneficial use is

1 Yr. years (minimum 1 year). **DEC 12 1990**

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. _____
- e. Other; describe fully. COMMERCIAL USE IS FOR DOMESTIC IN OFFICE
BLDG, REST Rms ETC. & WATERING 1/2 AC. OR LESS OF TREES.

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
4N	2W	20																Com.	

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. _____

N/A

11. a. Who owns the property at the point of diversion? APPLICANT

b. Who owns the land to be irrigated or place of use? Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

MicroFILMED

DEC 12 1980

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

T4N R2W

20

P.D.
P.U. COMMERC.

MICROFILMED

DEC 12 1990

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

E.V. Oliver
(Applicant)
Plant Manager
Twin Falls Office

Received by 7/2/90 Date 6/29/90 Time 1:15 p.m. Preliminary check by PW
Fee \$ 30.00 Received by J. Dawson # 2017481 Date 6/29/90
Publication prepared by GG Date 9-12-90 Published in Press-Tribune
Publication approved at Date 10-10-90
9/19 & 9/26/90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

MICROFILMED

DEC 12 1990

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

J.R. SIMPLOT CO.
P.O. BOX 27
BOISE, ID 83707
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

63-11398

LOT 3 (NENW) Sec 1 T 03N R 05W
(3.160 CFS)
Total Diversion: (3.160 CFS)

Date Filed: 9/7/1990
In: T03N R05W S01 Lot 2

(NWNE) SWNE Lot 3 (NENW)
158.0 ACRES TOTAL

63-11399

LONGVIEW FIBRE CO.
BOX 3000
LONGVIEW, WA 98632
Source: GROUNDWATER
Diversion Pt:
Use: COMMERCIAL

SESWSE Sec 20 T 04N R 02W
(.040 CFS)
Total Diversion: (.040 CFS)

Date Filed: 6/29/1990
In: T04N R02W S20

SWSE

63-11400

SPARKS, GEORGE C.
SPARKS, SIMONE
2304 W. 15th
KENNEWICH, WA 99337
Source: GROUNDWATER
Diversion Pt:
Use: COMMERCIAL
DOMESTIC

SENWSW Sec 8 T 03N R 02W
(.020 CFS)
(.040 CFS)
Total Diversion: (.060 CFS)

Date Filed: 3/9/1990
In: T03N R02W S08

NWSW

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before OCTOBER 9, 1990.
R. KEITH HIGGINSON,
Director
September 19, 26, 1990

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
) ss.
(Charla Ward)

SEP 27 1990

Department of Water Resources
Western Regional Office

a Ward

a, Canyon County, Idaho, being first duly sworn, deposes

I am a citizen of the United States of America, and at all hereinafter mentioned was over the age of eighteen years, party to the above entitled action.

I am the Principal Clerk of the Idaho Press-Tribune, a (except Saturday) newspaper published in the City of Nampa and Caldwell, in the County of Canyon, State of Idaho; said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa and Caldwell, and uninterruptedly published in said County during a period of eight consecutive weeks prior to the first publication of a copy of which is hereto attached.

the notice, of which the annexed is a printed copy, was published in said newspaper

regular and entire issue of said paper, and was printed in said paper proper, and not in a supplement.

said notice was published the following dates:
September 19, 26, 1990

Charla Ward

STATE OF IDAHO)
)
COUNTY OF CANYON)

On this 26th day of September in the year of 1990, before me, a Notary Public, personally appeared *Charla Ward*, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he/she executed the same.

MICROFILMED

DEC 12 1990

Janet Lust
Notary Public for Idaho
Residing at Nampa
MY COMMISSION EXPIRES
JULY 12th, 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 28, 1992

LONGVIEW FIBRE CO
C/O E V OLIVER
PO BOX 157
CALDWELL ID 836060157

RE: WATER RIGHT NO. 63-11399

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED

FEB 03 1993

LICENSE REVIEW CHECKLIST

Permit # 63-11399

Date 12-14-92
CB

	Yes	No	
NAME	☐	☒	Address Change?
PRIORITY DATE	☐	☒	Advance? _____
	☐	☒	Memo to Advance _____
	☐	☒	Order to Reinstate Needed? _____
TOTAL CFS	☐	☒	No Fee Paid Incorrect Fee for rate recommended? _____
	☒	NA	Disagree with Actual Measurement? _____
	☐	☒	.04 cfs (comm) Disagree with Theoretical? _____
	☐	☒	Limited by Capacity? .06 cfs
TOTAL VOLUME			Rate/ac _____ AFA Irr. Season _____
			Standard Irr. Season _____
			Season Recommended _____
	☐	☒	Disagree with Examiner's Calculations? _____
	☐	☒	.2 ac (comm) Limited by Flow? _____
SOURCE	☐	☒	Changes? Clarification of <u>Originally</u>
	☐	☒	<u>Intended</u> source _____
	☐	☒	Notice of Intent to Void. _____
P/D	☐	☒	Verify with Map _____
	☐	☒	Amendment Needed? _____
	☐	☒	Is Overlap Analysis a Consideration? _____
P/U	☐	☒	Verify with Map _____
	☐	☒	Amendment Needed? _____
	☐	☒	Is Overlap Analysis a Consideration? _____
USES	☐	☒	Change(s) in Nature of Use? _____
	☐	☒	Amendment Needed? _____
REMARKS	☐	☒	Multiple P/Ds in 1/4 1/4? _____
	☒	☐	Non-Irr. Uses <u>comm/warehouse, landscaping</u>
	☐	☒	Special Overlap Condition _____
	☐	☒	Other _____
CONDITIONS	☐	☒	Measuring Device
	☐	☒	W/Master Control
	☐	☒	Overlap
	☐	☒	Water Quality
			DATES/MISC
			Water Dist. _____
			App Rec'd _____
			Exam Made _____
COMMENTS/MEMOS NEEDED: _____			

License ☒ 10-Day ☐ 15-Day ☐ Special Correspondence _____			

WR0749NP
No. L63-11399

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 12/14/92
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	LONGVIEW FIBRE CO C/O E V OLIVER PO BOX 157 CALDWELL ID 836060157 (208) 459-0711	06/29/1990	COMMERCIAL	01-01 12-31	0.04 CFS	0.2 AFA
TOTAL DIVERSION:					0.04 CFS	0.2 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.06 CFS

Point(s) of Diversion: T04N R02W S20 SW SE

Place of use Legal Description for: COMMERCIAL

		NE				NW				SW				SE			
T	R S	NENE	NWNE	SWNE	SENE	NENW	NWNW	SWNW	SENW	NESW	NWSW	SWSW	SESW	NESE	NWSE	SWSE	SESE
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac
04N	02W 20	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:

Pou County: CANYON

Other Water Rights Listing Overlapping Place(s) of use:
63-02294 63-11766

Remarks: Commercial use is for a warehouse and landscaping.

Dates: App. Received: 06/29/1990 Priority Date: 06/29/1990
Proof Due Date: 11/01/1991 Proof Made Date: 03/07/1991
Exam Made Date: 08/21/1991 Exam Sent to S.O.: 12/02/1992
Licensed Date:

Misc: Water District Number: Field Exam Fee: N (Not Required)

Audit: 12/14/92 SKAGGS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
DEC 04 1992

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Longview Fibre Co. Permit No. 63-11399
Current Address: P.O. Box 3000 Longview, WA 98638 Phone No. 425-1550
2. Accompanied by: Bill Sherman EXAM. DATE: 8-21-91
Address: same Phone No. same
Relationship to Permit Holder: employee
3. Source: groundwater tributary to WA

B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-08999 Silver Top Cellulose
63-02294 Pioneer Irrigation; neither share water ☒ Copies Attached
2. Other water rights with same point of diversion: 63-08999
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = none

APPROVED
FEB 03 1993

2. ☐ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

This system uses a 110 ft well a 6" casing and a 1 1/2 hp pump to serve 1 bathroom (1 sink, 1 toilet) & irrigate a row of bushes in front of the building. The static water level for the system is 30' & the dynamic pumping level is @ 50ft. The pressure tank reads @ 30 psi on & @ 50 psi when it switches off. There are two employees and two vehicles benefiting from this system.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Submersible	N/A	1 1/2 hp	N/A	N/A	3/4"

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		se	sw	se	20	4n	2w	Lyon	Quads / Verification

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
4n	2w	20																C	C

Do not use this space

MICROFILMED

FEB 03 1993

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

$$\text{Theoretical: } \frac{1.5 \cdot 8.8 \cdot .70}{50 + (2.3 \cdot 40)} = \frac{9.24}{142} = .07$$

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

Theoretical: .07

permit limit .04

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

Commercial; 1 toilet

(for 2 employees, USED 10x a day at 5 gallons a flush) 50 GAL/DAY

Indoor: 2 SINKS (for 2 employees; ESTIMATION) 25 GAL/DAY

6 SPIGGOTS (USED TO WASH FLOORS (25 GAL/DAY), WASH 2 trucks once a week (15 GAL/DAY)

125 gal/day x 365 days = 45625 / 325850 = .142 AFD

Outdoor: irrigation; Table 2; 245 days/yr x 15 gal/day = 3675 gal/yr / 325850 = .012 AFD

MISSISSIPPI
FEB 03 1993

H. REMARKS AND OVERLAP REVIEW ANALYSIS

They have no ditch rights with Panco & neither do they have any water or service with 63-08988.

Irrigation use included in commercial use is less than $\frac{1}{2}$ ac.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Commercial	1-1	12-31	.04	.15 afa
~~Irrigation~~	~~7-1~~	~~10-31~~	~~.04~~	~~.01 afa~~
Totals:			.04	.15 afa

2. Recommended Amendments


- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

- ☒ None
☐ Other

J. AUTHENTICATION

Field Examiner's Name DAVID GRAY
Signature [Signature]
Certification Date 8-21-91
Field Report Preparation Date 12-15-91



- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

FEB 08 1993

4837

4836

4835

40

4834

4833

4832

Mason

2411

F. J. Brown

WEYMOUTH

PH

Went

NOBLE

MADDENS

FEB 03 1993

32

28

21

26

25

24

23

22

20

19

18

17

16

15

14

13

12

11

10

9

8

7

6

5

4

3

2

1

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-11399

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 4N, Rge 2W, Sec 20, SW 1/4 50 1/4 or Lot _____.

2. Owner: Lany view Fibre Co
Address P.O. Box 3000, City Lanigan, St WA

3. Casing $\geq$ 12 inches above ground: Yes _____ No X

4. Access Port: Yes X No _____ Static Water Level: 30'
Pressure Gauge: Yes X No _____ Casing Diameter: 6"
Flowing: Yes _____ No X Temperature: 11A

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes _____ No _____

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: _____

MINNESOTA MED

FEB 03 1993

63-11399

front view of
warehouse.

Note; Plant growth
on the front e.
The only irrigated
use.

front e side
view

view of well.
(sub pump)

MICROFILM

FEB 03 1993

April 12, 1991

E.V. OLIVER LONGVIEW FIBRE CO.
P.O. BOX 157
CALDWELL, ID 836060157

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11399

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MED

APR 22 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 63-11399

Date 4-11-91

GENERAL CONSIDERATIONS

- ☒ Name same as permit?
☒ Address same as permit? If no, indicate below.
☒ Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

- ☐ Surface water source
☒ Ground water source
☒ Drill permit req'd?
☒ Copy in file? Drill permit no. _____
☒ Amt paid for drilling permit? _____ Correct?
☒ Well log in file?

LICENSE EXAMINATION FEE

- ☒ Required?
☒ Amount submitted?
☒ Correct amount?

MEASURING DEVICE

- ☒ Measuring device or access port required?
☒ Installed?
☒ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

proof acceptable

PRIORITY CALCULATION

Date proof received	<u>NA</u>	
Date proof due		-
No. of days late		=
Priority date		+
NEW PRIORITY DATE		=

address change *4-11-91*

LB

07/90

RECEIVED

MAR 07 1991

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

For Office Use Only

Amt. of Fee \$ _____

Date _____

Receipt No. _____

Received by _____

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-11399 Telephone No. 208-459-0711
2. Name(s) of Permit Holder(s): Longview Fibre Company
3. Post Office Address: P.O. Box 157 Caldwell, ID 83606-0157
4. Source of Water: well
 - a. If ground water, well driller's name: unknown Date drilled: unknown (over 20 years ago)
 - b. Pump horsepower: 1 1/2 Pressure (psi): on @ 30 off @ 50 Dynamic pumping level (ft.): SWL 30'
5. Extent of Use:

Domestic _____ (No. of households)	Irrigation _____ (No. of acres)
Stockwater _____ (No. and type of stock)	Other <u>Commerical (Warehouse)</u>
6. Total rate and/or volume for which proof is submitted 0.04 cfs _____ acre/feet
7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes ☒ No ☒ Installed? Yes ☒ No ☒

OR

Flow Measurement Port: Required? Yes ☒ No ☒ Installed? Yes ☒ No ☒
8. Fee Enclosed: \$ 0.00 (See License Examination Fee Schedule)
9. Person to contact to accompany the Department representative during the field examination:

<u>William Sherman</u>	<u>208-459-0711</u>
Name	Telephone No.

4 miles East of Caldwell on Idaho State Highways 20 & 26

Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

March 6, 1991
Date

James R. Laird
Signature (and title if on behalf of a company or organization)

APR 22 1991

office mgr.

MICROFILMED

Water Allocations DBS

LONGVIEW FIBRE COMPANY



WESTERN CONTAINER DIVISION

348 S. PARK AVENUE W. • BOX 387 • TWIN FALLS, ID 83303-0387 • 208/734-2100

January 23, 1991

State of Idaho
Department of Water Resources
1301 North Orchard Street
Statehouse Mail
Boise, ID 83720-9000

ATTN: David B. Shaw
Adjudications Bureau Chief

Dear Mr. Shaw:

Please refer to your letter of January 8, 1991.

The purpose of this letter is two-fold:

1. Please in the future direct all mail to:

Longview Fibre Company
ATTN: E. V. Oliver, Plant Manager
P.O. Box 387
Twin Falls, ID 83303-0387

2. We are working on our "Proof of Beneficial Use" Report but we are lacking a few answers. The report will be sent in the near future.

Sincerely,

E.V. Oliver
E. V. OLIVER
Plant Manager

ke

Enclosure

RECEIVED

JAN 24 1991

Department of Water Resources

63-11399

RECEIVED

APR 22 1991



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

January 8, 1991

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

LONGVIEW FIBRE CO
P O BOX 3000
LONGVIEW WA 98632


Dear Claimant:

I am writing in regards to the approved Application for Permit No. 63-11399, to appropriate water in CANYON County, which was sent to you recently.

On November 19, 1987, the Fifth Judicial District Court issued a Commencement Order, which began a general adjudication of water rights from the Snake River Basin water system in Idaho. A general adjudication is a court case which will result in a decree determining all rights to water from the water system. Idaho Code §42-1409 requires all persons owning water rights within the Snake River Basin water system to file a Notice of Claim to a water right with the Idaho Department of Water Resources for each water right, with certain exceptions. Your Permit No. 63-11399 is for the appropriation of water within the Snake River Basin water system, but applications for permits approved after entry of the Commencement Order is one of the exceptions to the requirement to file a Notice of Claim in the adjudication. You therefore may but are not required to file a Notice of Claim for your Permit No. 63-11399 in the adjudication. The validity of the permit will not be affected if you choose not to file a Notice of Claim at this time.

The adjudication statute does authorize the director of IDWR to issue an order at a later date requiring persons with permits who file proof of beneficial use after entry of the Commencement Order to file a Notice of Claim in the adjudication. An order requiring you to file a Notice of Claim has not been issued, and you will be notified by mail if such an order is issued. For further information about the Snake River Basin Adjudication, you may call the Adjudication Hotline toll-free at 1-800-451-4129 (for callers in Idaho) or any of the offices of IDWR.

Sincerely,


David E. Shaw
Adjudications Bureau Chief

DBS:LK-H:PC

MICROFILMED

APR 22 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

December 3, 1990

LONGVIEW FIBRE CO.
P.O. BOX 3000
LONGVIEW, WA 98632

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-11399

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

You should be aware that you are located within a drainage basin where surface water diversions are regulated by a watermaster. It is possible that diversion of groundwater under your permit may cause a reduction of surface water flow. Siting your well as far as possible from surface water channels and casing your well so that groundwater tributary to surface water flows are not diverted will reduce the potential for the watermaster to regulate your water use.

Sincerely,


JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosures

RECEIVED

DEC 12 1990

APPLICATION FOR PERMIT REVIEW

Application #: 63-11399
Date: 11-23-90

Reviewer: Pam Skaggs

Existing:

No - 26A-P17
Complete in 1 year - P16

Yes

Proof not submitted - P16
Proof submitted - N/A

Groundwater:

GT. 0.7 cfs - 01G-P03, 01C-P03(existing well)
LT. 0.7 cfs - N/A

Drilling Permit:

Approved w/permit - P99
Not included - 046-P23

Location:

Water Districts - WD No. 11/23/91
Surface water - 005, 005-01H-P01 (LT.07),
005-01J-P08 (GT.07), P04(cons.)
Groundwater - P05, 005-01H-P01(lock device)

Irrigation Districts - 023
Canal Co. Areas - 023
Drainage Districts - 024
Boise Front (63) - 58 (Groundwater)
Trust (see list) - (051, 052, 053)-P74
Non Trust (see list) - 048, 049
Swan Falls Flag - (1 or Blank)

River Basins:

(Surface Water)
Boise (63) - 11D-P72
Payette (65) - 047, 059-P71
Snake (01, 02 & 03) - 11A-P04 (01), 061-P07 (02 & 03)

Use:

Fish Propagation - (P06) 002, 06A, 007, 09E-P10, 010,
042, 044
Power - (less than 25cfs P18), 01F-P19, 008,
08A, 09E-P10, 017K, 017G, 017M, 025
Mining - 06A, 006, 09E-P10, 010, 54
Storage - 18A-P09 (In W.D.), 18B-P09 (Size)
Domestic - (restricted areas) 021

Ownership:

Non land owner - 004

Protested:

Agreement - 020

Minimum Stream Flow:

Overlapping uses - 029-P20

Beneficial Use Due Date: - 1 Nov 1991

Other Conditions Recommended _____

Form No. 202a.
3/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: RW DATE: 9-12-90 APPLICATION: 63-11399

REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume) Gov't. Lots:
☒ Period of use: 4 P/D
☒ Nature of proposed use: (Include description of use) 4 P/U
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee:
☒ Yes ☐ No* In form to receipt:

ADDITIONAL INFORMATION

YES NO

- ☒ Overlapping place of use: (Describe source & relationship to present application on the back.)
☒ Overlapping point of diversion:
☒ Field check required: Field check by: _____
☒ Field report attached:
☒ Critical groundwater area:
☒ Groundwater management area:
☒ Send dam safety information:
☒ Send power requirement letter:
☒ Send fish farm requirement letter:
☒ Power residency affidavit:
☒ Power efficiency form:
☒ Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☒ Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)
☒ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

RECEIVED
OCT 15 1990
Department of Water Resources

DATE REQUESTED:

Additional information on reverse side: Need title of Signator RW 10-12-90

63-11399

PROCESSING

YES NO

☐ ☐ In form for advertising:
☐ ☐ Statewide advertising:
☐ ☐ Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☐ ☐ I.D. Health and Welfare
☐ ☐ I.D. Fish and Game
☐ ☐ I.D. Lands
☐ ☐ Adjudication Bureau

YES NO

☐ ☐ U.S. BLM
☐ ☐ U.S. Forest Svc.
☐ ☐ Water Dist. # _____
☐ ☐ Other _____

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☐ Affidavit of publication received:
☒ ☐ Application published correctly: If not, record action taken.

☒ ☐ Publication dates and paper recorded on application:
☐ ☒ Protests received. Final date for protest October 9, 1990
☐ ☒ Protest dates, resolution of protest recorded on application:
☐ ☒ Recommendations attached: Approve, Bar
☐ ☒ Measuring device required:
☐ ☒ Measuring port required:
☐ ☒ Water delivered by water master? District # _____
☐ ☒ Special conditions of approval or cover letter: _____

☐ ☒ See below for additional information

Recommended Date or Priority 6/29/1990Recommended by: Bar Date 10/11/1990STATE OFFICE REVIEW

☐ ☐ See below for additional information. By _____ Date _____

ADDITIONAL INFORMATION

E.V. Oliver - Plant Manager @ Twin Falls Office

63-11399

LONGVIEW FIBRE CO.
BOX 3000
LONGVIEW, WA 98632

Source: GROUNDWATER

Diversion Pt: SESWSE Sec 20 T 04N R 02W

Use: COMMERCIAL (.040 CFS)
 Total Diversion: (.040 CFS)

Date Filed: 6/29/ 1990

In: T04N R02W S20 SWSE

MICROFILMED

DEC 12 1990