



13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Robert M. Lewis
(Applicant)

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = NTS

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	General Elec.	2	OFJ	Jacuzzi	NO TAG

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.


Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Sprinkler Pressure Gage						

2. Measurements: Sprinkler Pressure Gage - 30 psi
(1) 5/32" Rambleds on hoses.

Department of Water Resources

NOV 10 1953

RECEIVED



PERMIT 63-1132 INIT RC
T. R. S. Q/Q
P/D 4N1W 4 NESW
SCALE _____
PHOTO ID. X-7 STAR

OCT 20 1993



PHOTO ONE-

Service Line, 2" PVC, To ^{5 gallon bucket} ~~property~~ in waste ditch. Pipe is placed in existing culvert under road to property.



PHOTO TWO-

Service Line from culvert to ~~property~~ pump, in northeast property corner.

RECEIVED
JUN 30 1993



PHOTO THREE- System in operation on parcel north of home.

>

PHOTO FOUR-

UNRECEIVED
OCT 20 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 63-11392

Priority: September 4, 1990

Maximum Diversion Rate:
Maximum Diversion Volume:

0.02 CFS
2.3 AF

This is to certify, that ROBERT LEWIS
VICKY LEWIS

1995 POLLARD
STAR ID 83669

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated September 4, 1990; and has submitted Proof of Beneficial Use on October 8, 1991. An examination indicates that the works have a diversion capacity of .100 cfs of water from:

WASTE WATER

tributary to BOISE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.02 CFS	2.3 AF

LOCATION OF POINT(S) OF DIVERSION:

NESW , Sec. 4, Township 04N, Range 01W
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
04N	01W	4	NWSW	0.5		0.5

Total number of acres irrigated: 0.5

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 63.

MICROFILMED

OCT 20 1993


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 63-11392

CONDITIONS/REMARKS:

6. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.5 afa per acre for the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 24TH day of SEPTEMBER, 1993.

Acting for  R. Keith Higginson, Director

NOT RECORDED

OCT 20 1993

APPROVED

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-11392

RECEIVED

SEP 14 1993

Department of Water Resources

Date of Priority: September 4, 1990

Maximum Diversion Rate:
Maximum Diversion Volume:

0.02 CFS
2.3 AF

Comes now

ROBERT LEWIS
VICKY LEWIS

1995 POLLARD
STAR ID 83669

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 63-11392, and requests that the permit be changed as follows:

Source: WASTE WATER

tributary to BOISE RIVER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.02 CFS	2.3 AF

LOCATION OF POINT(S) OF DIVERSION:

NESW, Sec. 4, Township 04N, Range 01W
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
04N	01W	4	NWSW	0.5		0.5

Total number of acres irrigated: 0.5

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Star, Idaho, this 13th day of September, 1993.

Robert M. Lewis
(Signature)

RECEIVED

OCT 20 1993

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-11392

FOR DEPARTMENT USE ONLY

Preliminary check by BC Fee = 20.00 Receipted by JW # C028570 Date 9-14-93

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 63-11392 with the following;

CONDITIONS/REMARKS:


1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 63.
6. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.5 afa per acre for the lands above.

Witness my hand this 24th day of September, 1993.

Norman C Young
Acting for R. Keith Higginson, Director

MICROFILMED

OCT 20 1993



STATE OF IDAHO

For Office Use Only
Amt. of Fee \$ _____
Date _____
Receipt No. _____
Received by _____

Department of Water Resources

DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-11392 Telephone No. 286-7884

2. Name(s) of Permit Holder(s): Robb and Vicky Lewis

3. Post Office Address: 1995 Pollard Star, Idaho 83669

4. Source of Water: Waste water ditch which runs parallel with Pollard Road

a. If ground water, well driller's name: _____ Date drilled: _____

b. Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use:

Domestic _____ (No. of households) Irrigation 2 (No. of acres)

Stockwater _____ (No. and type of stock) Other _____

6. Total rate and/or volume for which proof is submitted .03 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly: We use a two horse power jacuzzi pump for yard and garden. (This is the second filing of ours. We now irrigate 2 acres.)
Measuring device: Required? Yes ☒ No Installed? Yes ☒ No

OR
Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☒ No

8. Fee Enclosed: \$ 2 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Robb Lewis
Name

286-7884 / 384-7221
Telephone No.

1995 Pollard Star, Idaho 83669

Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Date 10-7-91

Robb Lewis
Signature (and title if on behalf of a company or organization)

DEC 26 1991

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 63-11392

Proposed Priority: September 4, 1990 Maximum Diversion Rate: 0.03 CFS
This is to certify, that ROBERT LEWIS

VICKY LEWIS
1995 POLLARD
STAR, ID 83669

has applied for a permit to appropriate water from:

WASTE WATER tributary of BOISE RIVER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

IRRIGATION	03/15 to 11/15	0.03 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION: NESW Sec. 4, Township 04N, Range 01W
ADA County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
--------------------	--------------	--------------	--------------	--------------

04N 01W 4	SWNW 1			1
-----------	--------	--	--	---

Total number of acres irrigated: 1

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 1991.
2. Subject to all prior water rights.
3. Use of water under this permit is subject to control by the watermaster of State Water District No. 63.
4. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

12th day of December, 1990.

R. Keith Higginson
for R. Keith Higginson, Director

MICROFILMED

DEC 18 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Robert and/or Vicky Lewis Phone 286-7884
Post office address 1995 Pollard Star ID 83669

2. Source of water supply Wastewater which is a tributary of Boise River

3. Location of point of diversion is _____ ¼ of NE ¼ of SW ¼, Govt. Lot _____
Sec. 4 Township 4N Range 1W B.M. Ada County; additional
points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .03 for Irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) .03 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Pump, pipe and sprinklers

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

d. Is ground water with a temperature of greater than 90°F being sought? _____

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

DEC 18 1990

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
4N	1W	4							1										1

Total number of acres to be irrigated 1

10. Describe any other water rights used for the same purposes as described above. 63-09296

For .3 ac Irrigation (License)

11. a. Who owns the property at the point of diversion? Applicant

b. Who owns the land to be irrigated or place of use? Applicant


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: Application to expand use under same system as
63-09296 total of $\approx$ 1.3 ac irrigated

MICROFILMED

DEC 18 1971

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Robert M. Lewis
(Applicant)

Received by RW Date 9-4-90 Time 11:30am Preliminary check by GP
Fee \$ 30⁰⁰ Receipted by RW # W012677 Date 9-4-90
Publication prepared by GG Date 9-12-90 Published in ID Statesman
Publication approved at Date 10-10-90
9/20 & 9/27/90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

MICROFILMED

DEC 18 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

September 27, 1993


ROBERT LEWIS
VICKY LEWIS
1995 POLLARD
STAR ID 83669

RE: WATER RIGHT NO. 63-11392

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,



JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

OCT 20 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

September 8, 1993

ROBERT LEWIS
VICKY LEWIS
1995 POLLARD
STAR ID 83669

RE: WATER RIGHT NO. 63-11392


Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 14 days.

If you do not concur with these findings or if you have any questions, please contact me within the 14-day period.

Sincerely,



JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

Microfilm
OCT 20 1993

WR0749NP
No. L63-11392

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 08/27/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	ROBERT LEWIS	09/04/1990	IRRIGATION	03-15 11-15	0.02 CFS	2.3 AFA
C	VICKY LEWIS					
	1995 POLLARD					
	STAR ID 83669					
	(208) 286-7884					
				TOTAL DIVERSION:	0.02 CFS	2.3 AFA

Water Source: WASTE WATER

Tributary to: BOISE RIVER

Stage: LICENSE

Point(s) of Diversion Capacity: 0.10 CFS

Point(s) of Diversion: T04N R01W S04 NE SW

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE								
T	R	S	:	NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:	SUM
---	---	---	:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	---
04N	01W	4	:					:					:					:					:	0.5
																							TOTAL ACRES	0.5

Pou County: ADA

Other Rights: 63-09296

Other Water Rights with Same Point(s) of Diversion and Source:
63-09296 63-11392

Other Water Rights Listing Overlapping Place(s) of use:
63-02406 63-04690 63-09296 63-11479

Conditions of Approval:

- R04 - Use of water under this water right will be regulated by the
- watermaster of State Water District No. 63.
R52 - This right when combined with all other rights shall provide no
- more than .03 cfs per acre nor more than 4.5 afa per acre for the
- lands above.

Dates:	App. Received:	09/04/1990	Priority Date:	09/04/1990
	Proof Due Date:	12/01/1991	Proof Made Date:	10/08/1991
	Exam Made Date:	06/29/1993	Exam Sent to S.O.:	08/09/1993
	Licensed Date:			

Misc: Water District Number: 63 Field Exam Fee:

Comments: Date: 12/02/1991 User-ID: VAULT Subject: Proof of Beneficial Use Rcvd
Proof of Beneficial Use Rcvd

Audit: 08/27/93 CHAPMAN

LICENSE REVIEW CHECKLIST

Permit # 63-11392 Date 8-27-93 Brenda Chapman

NAME	Yes ☐ No ☒	Or Address Change?
PRIORITY DATE	☐ ☒	Advance? ☐ Memo to Advance ☐
	☐ ☒	Order to Reinstate Needed?
SOURCE	☐ ☒	Changes? Clarification of Originally Intended source
	☐ ☒	Notice of Intent to Void - Source change.
P/D	☒ <u>Check</u>	Amendment Needed? <u>NESW IS CORRECT</u> Is Overlap Analysis a Consideration?
P/U	☒ <u>Check</u>	Amendment Needed? <u>CORRECT TO NWSW</u> Is Overlap Analysis a Consideration?
TOTAL CFS	<u>-NA-</u>	Incorrect Fee for rate recommended?
<u>150 x 150 = 22500 ft</u>	☐ ☒	Disagree/Measurement <u>11 SPRINKLERS (5/32)</u>
<u>Equals .5 acre</u>	☐ ☒	@ 30 PSI x 4.01 gpm = <u>.10 CFS</u>
	☐ ☒	Pumping Theoretical <u>(8.8 x .70 x 2 HP)</u> <u>5' + 2.31 x 40</u> <u>.13 CFS</u>
	☒ ☒	System Capacity <u>.10</u>
	☒ ☒	Allowable Amount: <u>Permit Limit @ .03</u>
	☒ ☒	<u>.5 acre x .03 = .02</u>
TOTAL VOLUME		Rate/ac <u>4.5</u> AFA Irr. Season <u>D</u>
		<u>3-15 to 11-15</u> Standard Irr. Season
		Season Recommended
	☒ ☐	Disagree with Examiner's Calculations?
	☒ ☐	<u>.5 x 4.5 = 2.3</u>
	☒ ☐	Flow limit: <u>.02</u> x <u>246</u> x <u>1.9835</u> = <u>9.8</u>
USES	☐ ☒	Change(s) in Nature of Use?
	☐ ☒	Amendment Needed?
REMARKS	☐ ☒	Multiple P/Ds in 1/4 1/4?
	☐ ☒	Special Overlap Condition
	☐ ☒	Other
CONDITIONS	☒ ☐	Measuring/Locking Devices Misc/Dates
	<u>R04</u> ☐ ☐	W/Master Control <u>63</u> Water Dist
	<u>R52</u> ☐ ☐	Irrigation Overlap <u>9-4-90</u> App Rec'd
	☐ ☒	Water Quality <u>6-29-93</u> Exam Made

COMMENTS: System capacity exceeds combined rates & volumes of this right and license 63-9296 for same lands.
* NO Overlap condition necessary.

RECOMMENDED	CFS	VOL	REDUCE RATE / ACRE SIZE
Irrigation	<u>.02</u>	<u>2.3</u>	AMEND P/U
Domestic	<u> </u>	<u> </u>	LICENSE <u> </u>
Stockwater	<u> </u>	<u> </u>	AMEND ☒

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
AUG 10 1993
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-11392

1. Owner: Robert + Vicky Lewis Phone No. 286-7884

Current Address: 1995 POLLARD, STAR, ID 83669

2. Accompanied by: Robert + Vicky Lewis EXAM DATE: 6/29/93

Address: SAME Phone No. SAME

Relationship to Permit Holder: Applicants

3. Source: WASTE WATER tributary to Boise River

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 63-02406

2. Other water rights with the same point of diversion: 63-09296

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NW	SW	4	4N	1W	Ada	AERIAL MAP
			(NE SW)						


2. Place(s) of Use:

Indicate Method of Determination Same as P/D

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
4N	1W	4										0.7	0.6					0.7	0.6

OCT 20 1993

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.



Scale: 1" = NTS

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	GENERAL Elec.	2	OFJ	JACUZZI	NO TAG

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Sprinkler Pressure Gage						

2. Measurements: Sprinkler Pressure Gage - 30 psi
(1) 5/32" Rambleds on hoses.

E. NARRATIVE/REMARKS/COMMENTS

OVERLAPS - P/D Same QQ and source, different point of diversion

P/U Same QQ, different AREA OF USE.

Waste water in ditch is pumped from ditch by a 2 h.p. Jacuzzi pump. The 2" PVC is routed through a steel culvert pipe under Pollard Road. ~~A five~~ The 2" PVC is set in a five gallon bucket to keep sand and debris from plugging pipe. A double Tee is attached to pump with (4) service connections. Each connection has a separate on/off valve.

Hoses ~~are used~~ with rainbirds attached are used to irrigate this 0.6 acre parcel.

Though irrigated parcel is less than 1 acre as stated on permit, the system, ~~which~~ which has too large of a pump, is more than adequate to irrigate this ground. Both theoretical and measured are much greater than request, therefore recommend Licensing of 0.03 CFS as requested on permit.

$$Q(\text{Theoretical}) = \frac{(8.8)(0.7)(2)}{(2.31 \times 30) + 5} = 0.17 \text{ CFS}$$

$$Q = 11 \times 4.01 \text{ gpd} = 44.11 \text{ gph} = 0.10 \text{ CFS}$$

(Assumed nozzle size of $5/32"$ since no marking found)

Have conditions of permit approval been met? ☒ yes ☐ no

RECEIVED

OCT 20 1993

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method: Sprinkler Gage - 30 psi

$$Q = 11 \times 4.01 \text{ gpm} = 44.11 \text{ gpm} = 0.10 \text{ cfs}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 0.7 \times 4.5 = 3.2 \text{ AFA}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.03 \times 246 \times 1.9835 = 14.6 \text{ AFA}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 3.2 \text{ AFA}$$

2. Volume Calculations for Other Uses: N/A**H. RECOMMENDATIONS**

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>IRRIGATION</u>	<u>3/15</u>	<u>11/15</u>	<u>0.03</u>	<u>3.2</u>
Totals:			<u>0.03</u>	<u>3.2</u>

2. Recommended Amendments

☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATIONField Examiner's Name Link Collingwood Date 7/28/93

Reviewer _____ Date _____

SEAL

Lewis

63-11392-

Waste Water ditch from east side of road
2" PVC in 5 gallon bucket in waste ditch.
2" PVC through 12" CRP under Holland Rd.


Motor - General Elec.
mod. # 5KCR37UN2085AX
Ser. # OFJ
2 h.p.
3450 RPM

Pump - Jacuzzi
No Tag

Lawn - 150' x 150' (North Lawn) ≈ 0.6 ACU
150' x 60' use 0.7
100' x 70'
70' x 70'
40' x 60' } WK # 63-09296

(11) Rainbirds - 30 psi North Lawn
South, ^{west} ~~east~~ lawn
Assume 5/32"

RECEIVED
OCT 29 1963



FARMERS 32

UNION

BM 2587

BM

2544

2558

HOPE

2518

P/O & P/U

2566

2568

2570

2572

2574

2576

2578

2580

2582

2584

2586

2588

2590

2592

2594

2596

2598

2600

2602

2604

2606

2608

2610

2612

2614

2616

2618

2620

2622

2624

2626

2628

2630

2632

2634

2636

2638

2640

2642

2644

2646

2648

2650

2652

2654

2656

2658

2660

2662

2664

2666

2668

2670

2672

2674

2676

2678

2680

2682

2684

2686

2688

2690

2692

2694

2696

2698

2700

2702

2704

2706

2708

2710

2712

2714

2716

2718

2720

2722

2724

2726

2728

2730

2732

2734

2736

2738

2740

2742

2744

2746

2748

2750

2752

2754

2756

2758

2760

2762

2764

2766

2768

2770

2772

2774

2776

2778

2780

2782

2784

2786

2788

2790

2792

2794

2796

2798

2800

2802

2804

2806

2808

2810

2812

2814

2816

2818

2820

2822

2824

2826

2828

2830

2832

2834

2836

2838

2840

2842

2844

2846

2848

2850

2852

2854

2856

2858

2860

2862

2864

2866

2868

2870

2872

2874

2876

2878

2880

2882

2884

2886

2888

2890

2892

2894

2896

2898

2900

2902

2904

2906

2908

2910

2912

2914

2916

2918

2920

2922

2924

2926

2928

2930

2932

2934

2936

2938

2940

2942

2944

2946

2948

2950

2952

2954

2956

2958

2960

2962

2964

2966

2968

2970

2972

2974

2976

2978

2980

2982

2984

2986

2988

2990

2992

2994

2996

2998

3000

3002

3004

3006

3008

3010

3012

3014

3016

3018

3020

3022

3024

3026

3028

3030

3032

3034

3036

3038

3040

3042

3044

3046

3048

3050

3052

3054

3056

3058

3060

3062

3064

3066

3068

3070

3072

3074

3076

3078

3080

3082

3084

3086

3088

3090

3092

3094

3096

3098

3100

3102

3104

3106

3108

3110

3112

3114

3116

3118

3120

3122

3124

3126

3128

3130

3132

3134

3136

3138

3140

3142

3144

3146

3148

3150

3152

3154

3156

3158

3160

3162

3164

3166

3168

3170

3172

3174

3176

3178

3180

3182

3184

3186

3188

3190

3192

3194

3196

3198

3200

3202

3204

3206

3208



PHOTO ONE-

Service Line, 2" PVC, To ^{5 gallon bucket} ~~put~~ in waste ditch. Pipe is placed in existing culvert under road to property.



PHOTO TWO-

Service Line from culvert TO ~~007~~ pump, in northeast property owner.

20 1993




PHOTO THREE- System in operation on parcel north of home.

>

PHOTO FOUR-

MISSOURI
OCT 20 1993

May 19, 1992

ROBERT LEWIS
VICKY LEWIS
1995 POLLARD
STAR ID 83669

RE: Water Right No. 63-11392

Dear Water Right Holder(s):

Department water right records show that you divert water from the Snake River or its tributaries under a water right that has a priority date later than December 29, 1976. This is the priority of the established minimum stream flow of the Snake River at the Weiser Gage (Weiser) in the amount of 4,750 cubic feet per second.

Because of the continuing drought conditions in the Snake River Basin, department hydrologists project that during 1992, there could be periods when the required minimum flow will not be satisfied due to low flows of the Snake River. The department urges you to not divert at a higher rate than authorized by your water right and to not use your right in any manner different than authorized. In addition, when the minimum flow will not be satisfied or is not being satisfied, you are required to cease diverting water under your water right, because your right is of later priority than the minimum stream flow at Weiser.

If the department determines the minimum flow will not be satisfied, the department will advise you and will provide as much lead time as possible in requiring that you temporarily cease your diversion of water. The greatest likelihood for this to occur is during a period from mid-June to late June.

While the department expects good cooperation from junior water right holders, water users should be aware that Section 42-352, Idaho Code, provides for penalties of up to \$100 per day for unauthorized diversions of water.

The department has contacted both the Idaho Power Company and the U.S. Bureau of Reclamation with respect to the timing of storage releases from upstream reservoirs for flow enhancement

MICROFILMED

OCT 20 1993

purposes. This type of coordination could minimize the impact on existing water users and reduce the need to curtail diversions.

The department has scheduled public information meetings relative to this potential regulation as follows:

Mountain Home - June 4, 1992 - 10:00 a.m. - gymnasium at
North Elementary School, 290 E. 12th N.

Caldwell - June 4, 1992 - 7:00 p.m. - Ballroom in the
Student Union Building, Albertson College of Idaho,
2112 Cleveland

If you have questions concerning this letter or wish to provide the name of a different contact person or address to receive department correspondence, please contact the department.

Sincerely,

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:klg

RECEIVED
OCT 20 1993

December 5, 1991

ROBERT LEWIS
VICKY LEWIS
1995 POLLARD
STAR ID 83669

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11392

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECEIVED
DEC 26 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 63-11392

Date 11/29/91

GENERAL CONSIDERATIONS

Yes Name same as permit?
Yes Address same as permit? If no, indicate below.
Yes Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

✓ Surface water source
✓ Ground water source
NA Drill permit req'd?
✓ Copy in file? Drill permit no. _____
✓ Amt paid for drilling permit? _____ Correct?
✓ Well log in file?

LICENSE EXAMINATION FEE

NA Required?
✓ Amount submitted?
✓ Correct amount?

MEASURING DEVICE

NA Measuring device or access port required?
✓ Installed?
✓ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

proof acceptable

PRIORITY CALCULATION

Date proof received	<u>NA</u>	_____
Date proof due	<u>✓</u>	- _____
No. of days late	<u>✓</u>	= _____
Priority date	<u>✓</u>	+ _____
NEW PRIORITY DATE	<u>✓</u>	= _____

DATA ENTRY

ADDRESS CHANGE _____

PROOF MADE Ktg 12/6/91

138085
September 30, 1991

ROBERT LEWIS
VICKY LEWIS
1995 POLLARD
STAR ID 83669

PROOF DUE NOTICE

RE: PERMIT NO. 63-11392

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before December 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Nina Shields
Secretary/Records Manager

Enclosures

MICROFILMED

DEC 26 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

December 12, 1990

ROBERT LEWIS
VICKY LEWIS
1995 POLLARD
STAR, ID 83669

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-11392

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Sincerely,

A handwritten signature in dark ink, appearing to read 'Jim Johnson', written over the printed name and title.

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosures

MICROFILMED

DEC 18 1990



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705 - (208) 334-2190

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

September 19, 1990

Farmers Union Ditch Co.
c/o Caroline Kellar
Route 1 Box 46
Star, ID 83669

Re: Application for Application No. 63-11392 in the Name of Robert &/or Vicky
Lewis

Dear Sir:

Enclosed is a copy(s) of the above-referenced application(s) for permit which is within your district. Please review the application(s) and submit any comments you may have.

This office normally completes the processing of an application within a six week period and is required to take final action shortly thereafter, however, if you desire to file a formal protest against the approval of this application(s), your written protest must be received in this office by October 9, 1990.

If you have any questions regarding the application, please contact this office.

Sincerely,

DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

DRT:st

Enclosure(s):

MICROFILMED

DEC 18 1990

OCT 31 1990

The Idaho Statesman

P.O. BOX 40, BOISE, IDAHO 83707

Department of Water Resources
Western Regional Office

LEGAL ADVERTISING INVOICE

Amount Due

120.12

Account Number 47628		Identification Application for Water Right	
Ordered By Gail Garrett	P.O. Number	Rate nt	Run Dates September 20, 27, 1990
Idaho Dept. of Water Resources 2735 Airport Way Boise ID 83705		Estimated Inches	Real Inches
		# Affidavits 1	Legal Number 6571

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-11397 ✓
LEWIS, ROBERT
LEWIS, VICKY
1995 POLLARD
STAR, ID 83669
Source: WASTE WATER
Tributary: BOISE RIVER
Diversion Pt: NESW Sec 4 T4N R1W
Use: IRRIGATION (.030 CFS)
Total Diversion: (.030 CFS)
Date Filed: 9/4/1990
In: T4N R1W S4, SWNW
1.0 ACRES TOTAL

63-11394
STATE OF IDAHO
DEPT. OF FISH & GAME
P.O. BOX 25
BOISE, ID 83720
Source: SPRINGS
Tributary: SINKS
Diversion Pt: SWSWNW Sec 2 T3N R3E
SESENE Sec 4 T3N R3E
NWNWNE Sec 10 T3N R3E
SESWNE Sec 10 T3N R3E
SWSWNW Sec 10 T3N R3E
NESENW Sec 10 T3N R3E
Use: STOCKWATER (.130 CFS)
Total Diversion: (.130 CFS)
Date Filed: 7/31/1990
In: T3N R3E S2 SWNW
S4 SENE
510 NWNE SWNE SWNW SENW

63-11395
STATE OF IDAHO
DEPT. OF FISH & GAME
P.O. BOX 25
BOISE, ID 83720
Source: SPRINGS
Tributary: SINKS
Diversion Pt: NENENE Sec 17 T3N R3E
NESENE Sec 27 T3N R3E
NWSENE Sec 27 T3N R3E
NWNENW Sec 27 T3N R3E
SESWSW Sec 27 T3N R3E
SWNESE Sec 27 T3N R3E
SENESE Sec 27 T3N R3E
NENWSE Sec 27 T3N R3E
NWSWSE Sec 27 T3N R3E
Use: Stockwater (.130 CFS)
Total Diversion: (.130 CFS)
Date Filed: 7/31/1990
In: T3N R3E S27 NENE SENE
NENW SWSW NESE NWSE SWSE

63-11396
STATE OF IDAHO
DEPT. OF FISH & GAME
P.O. BOX 25
BOISE, ID 83720
Source: SPRING
Tributary: SINKS
Diversion Pt: SENWSW Sec 21 T3N R3E
Use: DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)
Date Filed: 7/31/1990
In: T3N R3E S21 SWSW

63-11397
SMITH, WILLIAM JEFF
SMITH, ANTOINETTE
4000 N. EAGLE RD.
EAGLE, ID 83616
Source: GROUNDWATER
Diversion Pt: NENE Sec 32 T5N R1E
Use: IRRIGATION (.140 CFS)
STOCKWATER (.020 CFS)
Total Diversion: (.160 CFS)
Date Filed: 9/6/1990
In: T5N R1E S32 NENE
7.0 ACRES TOTAL

Debbie Holsclaw

, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in The Idaho Statesman in conformity with Section 60-108, Idaho Code as amended, for 2

☒ consecutive weekly ☐ consecutive daily ☐ single ☐ odd skip

insertion(s) beginning with the issue of September 20, 1990

and ending with the issue of September 27, 1990

Debbie Holsclaw

STATE OF IDAHO)

ss.

COUNTY OF ADA)

On this 27th day of September in the year of 1990, before me, a Notary Public, personally appeared Debbie Holsclaw, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that she executed the same.

FILED

SEP 28 1990

63-11401
KRAEMER, DOUGLAS L.
KRAEMER, ELOISE
10855 JANIE RD.
EAGLE, ID 83616

Source: GROUNDWATER
Diversion Pt: NENE Sec 3 T4N R1E
Use: IRRIGATION (.080 CFS)
Total Diversion: (.080 CFS)
Date Filed: 7/11/1990
In: T4N R1E S3 NENE
4.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Statehouse Mall, Boise, Idaho 83720 on or before OCTOBER 9, 1990.

R. Keith Higginson, Director
Pub. Sep. 20, 27, 1990 6571

Notary Public for Idaho
Residing at Boise, Idaho

My commission expires: 12/93

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region
2735 AIRPORT WAY

Boise, Idaho 83705
(208) 334-2190

SEPTEMBER 12, 1990

The Idaho Statesman
P.O. Box 40
Boise, ID 83707

Dear Legal Dept.:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.


An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before OCTOBER 9, 1990.

Yours truly,

GAIL GARRETT
Secretary

Encl.



LEWIS, ROBERT
LEWIS, VICKY
1995 POLLARD
STAR, ID 83669

Tributary: BOISE RIVER

```
Use: IRRIGATION      ( .030 CFS)
      Total Diversion: ( .030 CFS)
```

In: T04N R01W S04 SWNW

MICROFILMED

DEC 18 1990