



13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

[Signature]
(Applicant)




T2N
R2W
S.10
NWSE


Ruth in

P10 & P1n per
Applicant's map
SL 6/25/90

RECEIVED
JAN 29 1991



SCALE 1:24,000




MICROFILMED


MAR 11 1996

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, MENLO PARK, CALIF. 94025

Copies Of These Maps Can Be Obtained
U. S. Geological Survey, Blue Print, Boise Idaho



3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☐ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☐ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		5	Sta Rite Submersible		

*Code to correspond with No. on map and aerial photo


D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: Theoretical

MAR 11 1996



6" well
5 HP submersible
Sta Rite pump



P/M

RECEIVED

MAR 11 1996

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11346

Priority: June 13, 1990

Maximum Diversion Rate:

0.15 CFS

Maximum Diversion Volume:

22.5 AF

This is to certify, that TERRENCE R WHITE
CAROL K WHITE

5000 SUNNYRIDGE RD

NAMPA ID 83686

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 13, 1990; and has submitted Proof of Beneficial Use on September 12, 1990. An examination indicates that the works have a diversion capacity of 0.220 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.15 CFS	22.5 AF

LOCATION OF POINT(S) OF DIVERSION:

NWSE , Sec. 10, Township 02N, Range 02W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	02W	10	NWSE	5		5

Total number of acres irrigated: 5

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.5 afa per acre for the lands above.

RECEIVED

MAR 11 1996


State of Idaho
Department of Water Resources


WATER RIGHT LICENSE

WATER RIGHT NO. 63-11346

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 29th
day of FEBRUARY, 1996.


Acting for KARL J. DREHER, Director





MAR 11 1996

RECEIVED
SEP 12 1990

For Office Use Only
Amt. of Fee \$ 50.00
Date 7/12/90
Receipt No. CD18294
Received by J. Johnson

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Department of Water Resources
PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-11346 Telephone No. 466-9272

Name(s) of Permit Holder(s): TERRENCE R. OR CAROL K. WHITE

Post Office Address: 5000 SunnyRidge Rd., Nampa, Id., 83686

Source of Water: Groundwater

If ground water, well driller's name: Davis Well & Pump Co. Date drilled: 7/18/90

Extent of Use:
Domestic _____ (No. of households) Irrigation 5 (No. of acres)
Stockwater _____ (No. and type of stock) Other _____

Total rate and/or volume for which proof is submitted 2.15 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: 5 Sept 90

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes ☒ No Installed? Yes ☒ No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☒ No

Fee Enclosed: \$ 50⁰⁰ (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Terrence R. White 466-9272
Name Telephone No.

5000 SunnyRidge Rd., Nampa, Id 83686
Address

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

9/11/90 [Signature]
Date Signature (and title if on behalf of a company or organization)

MICROFILMED

JAN 29 1991

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11346

Proposed Priority: June 13, 1990 Maximum Diversion Rate: 0.15 CFS

This is to certify, that **TERRENCE R. WHITE**
CAROL K. WHITE
5000 SUNNYRIDGE RD.
NAMPA, ID 83686

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

IRRIGATION	03/15 to 11/15	0.15 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION: NWSE Sec. 10, Township 02N, Range 02W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	02W	10	NWSE	5		5

Total number of acres irrigated: 5

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **October 1, 1991**.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

5th day of September, 1990

[Signature]
for R. Keith Higginson, Director

MICROFILMED

JAN 29 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Terrence R. and/or Carol K. White Phone 466-9272
Post office address 5000 Sunny Ridge Rd, Nampa, Id 83686
2. Source of water supply Ground Water which is a tributary of NA
3. Location of point of diversion is _____ 1/4 of NW 1/4 of SE 1/4, Govt. Lot _____
Sec. 10 Township 2N Range 2W B.M. Canyon County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 15 for irrigation purposes from Mar 15 to Nov 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 15 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. 6" well; Estimated
70-100' deep; 5hp motor w/salinity pump.
Drilling Permit 63-90-W-151.
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is 6 inches; proposed depth of well is 100 feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? No
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

RECEIVED
JAN 29 1991

8. Description of proposed uses (if irrigation only, go to item 9):

a. Hydropower; show total feet of head and proposed capacity in KW.

b. Stockwatering; list number and kind of livestock.

c. Municipal; show name of municipality.

d. Domestic; show number of households.

e. Other; describe fully.

9. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE 1/4	NE 1/4 SW 1/4	SE 1/4 SW 1/4	SE 1/4	NW 1/4	NW 1/4 SW 1/4	SE 1/4 SW 1/4	SE 1/4	NW 1/4	NW 1/4 SW 1/4	SE 1/4 SW 1/4	SE 1/4	NW 1/4	NW 1/4 SW 1/4	SE 1/4 SW 1/4	SE 1/4	TOTALS
2N	4W	10																	5

Also see map, p. 25/40
Applicant's map, p. 25/40

Total number of acres to be irrigated

5

10. Describe any other water rights used for the same purposes as described above.

N/A

11. a. Who owns the property at the point of diversion?

Applicant

b. Who owns the land to be irrigated or place of use?


Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing.

12. Remarks:

Well drilled is Davis Well and Pump, 415 P.H. Lane, Alanya, Id 466-5765

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

[Signature]
(Applicant)

RECEIVED
JAN 29 1991

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19____.


c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Received by <u>Ms.</u>	Date <u>6/13/92</u>	Time <u>11:00 am</u>	Preliminary check by <u>MS</u>
Fee \$ <u>30.00</u>	Received by <u>MS</u>	# <u>2018459</u>	Date <u>6-13-90</u>
Publication prepared by <u>GC</u>	Date <u>6-27-90</u>	Published in <u>Press-Tribune</u>	<u>7/4 & 7/11/90</u>
Publication approved	Date <u>7-31-90</u>		



T2N
R2W
S.10
NWSE

Ruth

P10 & P1n per
Applicant's map
JL 6/25/90

JAN 29 1991

9/89 F

Drilling Permit No. 63-90-W-151-000Water Right Permit No. 63-11346

Injection Permit No. _____

RECEIVED
JUN 1 1990State of Idaho
Department of Water ResourcesRECEIVED
JUN 13 1990

Department of Water Resources

DRILLING PERMIT

Department of Water Resources
Western Regional Office1. Applicant (Please Print) TERRENCE M. and/or Carol K. White2. Mailing Address 5000 Sunny Ridge Rd, Nampa, Id 83686Telephone 466-9272☒ Well Owner ☐ Well Operator ☐ Other, specify _____3. Proposed well location NW 1/4 SE 1/4, or Gov't lot No. _____Sec. 10, Twp. 2N, Rge. 2W, County CanyonStreet Address of Well Site 5000 Sunny Ridge Rd, Nampa

Lot, block and subdivision _____

4. Proposed use of well:

☐ Single family or stockwater use (less than 13,000 gallons per day)☒ Irrigation (more than 1/2 acre)☐ Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____☐ Other (describe fully) _____

5. Well construction information:

A. ☒ New well ☐ Deepen ☐ Replace - See Condition 9.B. Proposed surface diameter 6" Maximum depth 100'

C. Anticipated bottom hole temperature:

- ☒ 85°F or less (Cold water well)
☐ 85°F to 212°F (Low temp. geothermal well)
☐ 212°F or more (Geothermal well)

6. Construction Start Date July, 1990 #01017. Anticipated Well Driller Davis Well Pumping & Pitt Larr, Nampa (466-5765)

NOTE: The actual well driller must be identified prior to drilling.

8. Applicant's signature [Signature] Date 6/12/90Title Owner

(Owner, Firm Representative, Other)

ACTION OF DEPARTMENT OF WATER RESOURCE

This Permit is

Approved

Date

6-19-90

If approved, this permit authorizes the construction of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85°F or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

Robert B. White Sr. Agent
Signature of Authorized Department Representative

For Regional Mgr.
Title

Receipt No. W012458 Received by JH Fee \$100.00 Date 6-13-90

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension is good for 60 days beyond the above extension approval date.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

February 29, 1996

TERRENCE R WHITE
CAROL K WHITE
5000 SUNNYRIDGE RD
NAMPA ID 83686

RE: WATER RIGHT NO. 63-11346

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

MICROFILMED

MAR 11 1996

LICENSE REVIEW CHECKLIST

PERMIT NO. 63-11346 DATE 2-22-96



NAME Change OK ☒ Or Address Change? ☐

PRIORITY DATE Advance? ☒ Advanced to: Order to reinstate needed? Incorrect fee for rate recommended?

SOURCE Changes or just clarification of originally intended source? ☒ Notice of Intent to Void necessary?

POINT OF DIV Amendment needed? ☒ Overlaps? ☒

PLACE OF USE Amendment needed? ☒ Overlaps? ☒

DIV RATE Permit/fee limits: .15 CFS Meas Q = Theo Q = .22 Recommend: .15
 $5 \times .03 = .15$
 Combined rates exceed capacity

ANNUAL VOLUME Volume Limit: Season: 0/4.5 (3-15 to 11-15) Calculations: 5 x 4.5 = 22.5
 Flow limit: cfs x x 1.9835 =
 Combined volumes exceed capacity/allowable

USES Change in Nature of Use or additional uses? ☒ Amendment necessary?


ADDITIONAL INFO Replaces Surface Water 050 Supplemental GW Irr/Dom Combination WB5 PPU Recommendation
Boise River/Wood River Source Aes/Rec Uses W38


NEW REMARKS Multiple p/d(s) in 1/4 1/4? Other Fire Protection WB6

NEW CONDITIONS WM Control- District Meas/Lock Devices RS2 Irrigation Overlap Other
Water Quality/Dam Safety/Heat-Cool/Fish

COMMENTS: Phoned right holder... they cannot get the water. Is uphill from the lateral. Have never used it.

RECOMMENDATION	CFS	VOLUME	SRBA Claim Filed	<u>NO</u>
<u>Irrigation</u>	<u>.15</u>	<u>22.5</u>	Adjustment Memo Needed	<u>NO</u>
<u></u>	<u></u>	<u></u>	LICENSE	☒
<u></u>	<u></u>	<u></u>	1ST AMEND LETTER	<u></u>
<u></u>	<u></u>	<u></u>	2ND AMEND LETTER	<u></u>





STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 15 1994

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-11346

1. Owner: Terrance R + Carol K White Phone No. 888-1482

Current Address: 5000 Sunnyridge Rd Nampa

2. Accompanied by: — EXAM DATE: 11/17/93

Address: — Phone No. —

Relationship to Permit Holder: —

3. Source: Ground water tributary to —

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 63-02388

2. Other water rights with the same point of diversion: —

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NW	SE	10	2N	2W	Canyon	USGS Quad, ASCS Photo

2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
2N	2W	10														5			5

MIRROTELL MET
MAR 11 1996

Theoretical

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

D. FLOW MEASUREMENTS

*Code to correspond with No. on map and aerial photo

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		5	5	Starite Submersible	


4.

point(s) of diversion and place(s) of use (required).

Aerial Photo Attached
(required for irrigation of 10+ acres)

Photo of Diversion and System Attached

— 4 —



3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate well size/ditch size/pipe I.d. as applicable.

E. NARRATIVE/REMARKS/COMMENTS

A 6" well with a 5HP submersible Sta-Rite pump supplies water to 5 acres via 3" buried mainline. The well is located ~ 850' N of the P/U. The P/U is irrigated with a buried rainbird sprinkler system. The total parcel is 6 acres per the County Commissioners Office. 1 acre was subtracted out for home and driveway; 5 acres recommended for irrigation. No other a/c are used.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED

MAR 11 1996

[illegible]

SEAL

Date _____

REVIEWER

Field Examiner's Name Lo Gram Date 4/21/94

1. AUTHENTICATION

Change P.D. as reflected above	_____	Change P.U. as reflected above	_____
Add P.D. as reflected above	_____	Add P.U. as reflected above	_____
None	_____	Other	_____

2. Recommended Amendments

Beneficial Use	From To	Period of Use To	Rate of Diversion Q (cfs)	Annual Volume V (afs)
Inundation	3/15	11/15	.15	22.5
Totals:			.15	22.5

1. Recommended Amounts

H. RECOMMENDATIONS

2. Volume Calculations for Other Uses:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 5 \times 4.5 = 22.5$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .15 \times 246 \times 1.9835 = 73.2$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 22.5$$

1. Volume Calculations for Irrigation:

G. VOLUME CALCULATIONS

$$\frac{5HP \times 8.8 \times 1.7}{50' \text{ lift} + (40PSI \times 2.31)} = .22 \text{ cfs}$$

Measured Method:

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: 63-90-W-151 OTHER APPLICABLE NO: 63-11346
2. OWNER: Terry White Phone: 888-1482
Address: 5000 Sunnyside Rd Nampa
3. WELL LOCATION: Twp 2N, Rge. 2W, Sec. 10, NW 1/4 Sec 10 1/4
County Canyon (Provide sketch map and photo on reverse.)
4. DRILLER: Davis Lic. No. 101
When Drilled? 7/31/90
5. WELL CONSTRUCTION:
Casing Diameter 6 inches Water tight cap? ☒ Yes ☐ No Access Port: ☒ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing _____ ft. Method Drilled _____
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☐ Yes ☒ No Pressure Gauge: ☐ Yes ☒ No
Condition of Piping and Valving good
Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION:
Depth to Static Water 12 ft. Water Temperature _____ °F
Flowing Artesian ☐ Yes ☒ No Pressure: 40 (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:

☐ Domestic	☒ Irrigation	☐ Stock
☐ Test	☐ Municipal	☐ Industrial
☐ Abandoned	☐ Waste Disposal/Injection	☐ Not Used
☐ Other: _____		

MICROFILMED
MAR 11 1996

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS: _____

Lon G. G. G.
Signature of Dept. Representative & Title

11/17/93
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

MICROFILMED

MAR 11 1996

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORTUSE TYPEWRITER OR
BALLPOINT PENState law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.**1. WELL OWNER**Name Terry White
Address 5000 Sunnyridge Road
Nampa, Idaho 83686
Owner's Permit No. 63-90-w-151**7. WATER LEVEL**Static water level 12 feet below land surface.
Flowing? ☐ Yes ☐ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature _____ OF. Quality _____
*Describe artesian or temperature zones below.***2. NATURE OF WORK**

- ☒
- New well
- ☐
- Deepened
- ☐
- Replacement
-
- ☐
- Well diameter increase
-
- ☐
- Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

8. WELL TEST DATA☐ Pump ☐ Baller ☐ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped

3. PROPOSED USE

- ☐
- Domestic
- ☒
- Irrigation
- ☐
- Test
- ☐
- Municipal
-
- ☐
- Industrial
- ☐
- Stock
- ☐
- Waste Disposal or Injection
-
- ☐
- Other _____ (specify type)

4. METHOD DRILLED

- ☒
- Rotary
- ☒
- Air
- ☐
- Hydraulic
- ☐
- Reverse rotary
-
- ☐
- Cable
- ☐
- Dug
- ☐
- Other _____

5. WELL CONSTRUCTIONCasing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
.250 inches	6 inches	2 feet	56 feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☒ Yes ☐ NoWas a packer or seal used? ☐ Yes ☒ NoPerforated? ☐ Yes ☒ NoHow perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun

Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____


Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth 20 Material used in seal: ☐ Cement grout☒ Bentonite ☐ Puddling clay ☐ _____Sealing procedure used: ☐ Slurry pit ☒ Temp. surface casing☒ Overbore to seal depthMethod of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld☐ Cemented between strataDescribe access port well seal**6. LOCATION OF WELL**Sketch map location must agree with written location.

Subdivision Name _____

Lot No. _____

Block No. _____

County Canyon

NW ¼ SE ¼ Sec. 10, T. 2, R. 2, W. 4

10.Work started 7/31/90 finished 7/31/90**11. DRILLERS CERTIFICATION**I/We certify that all minimum well construction standards were
complied with at the time the rig was removed.Firm Name DAVIS WELL & PUMP CO. Firm No. 101Address 415 N. PITT LANE
NAMPA, IDAHO 83657 Date 10/22/90Signed by (Firm Official) Carole M. Davisand
(Operator) Chuck DavisLy. Conn.

6" well
5 HP submersible
sta kite pump

P/m

RECEIVED

MAR 11 1996

January 9, 1991

TERRENCE R. WHITE
CAROL K. WHITE
5000 SUNNYRIDGE RD.
Nampa, ID 83686

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11346

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

JAN 29 1991

Drilling Permit No. 63-90-W-151
Water Right Permit No. _____
Injection Permit No. _____

RECEIVED
JUN 13 1990

State of Idaho
Department of Water Resources

DRILLING PERMIT

Department of Water Resources
Western Regional Office

1. Applicant (Please Print) Terrence R. and/or Carol K. White

2. Mailing Address 5000 Sunny Ridge Rd, Nampa, Id 83686

Telephone 466-9272

☒ Well Owner ☐ Well Operator ☐ Other, specify _____

3. Proposed well location NW 1/4 SE 1/4, or Gov't lot No. _____,

Sec. 10, Twp. 2N, Rge. 2W, County Canyon,

Street Address of Well Site 5000 Sunny Ridge Rd, Nampa,

Lot, block and subdivision _____

4. Proposed use of well:

☐ Single family or stockwater use (less than 13,000 gallons per day)

☒ Irrigation (more than 1/2 acre)

☐ Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____

☐ Other (describe fully) _____

5. Well construction information:

A. ☒ New well ☐ Deepen ☐ Replace - See Condition 9.

B. Proposed surface diameter 6" Maximum depth 100'

C. Anticipated bottom hole temperature:

- ☒ 85°F or less (Cold water well)
☐ 85°F to 212°F (Low temp. geothermal well)
☐ 212°F or more (Geothermal well)

6. Construction Start Date July, 1990

7. Anticipated Well Driller Davis Well Drilling, 415 Pitt Lane, Nampa (466-5765)
NOTE: The actual well driller must be identified prior to drilling

8. Applicant's signature [Signature] Date 6/12/90

Title OWNER
(Owner, Firm Representative, Other)

RECEIVED
JAN 29 1991

This Permit is

Approved

Date

6-19-90

If approved, this permit authorizes the construction of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85°F or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:**MICROFILMED**

JAN 29 1991

Robert B. Wilkey Sr. Agent
Signature of Authorized Department Representative

For Regional Mgr.
Title

Receipt No. W012458 Received by 701 Fee \$100.00 Date 6-13-90

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension is good for 60 days beyond the above extension approval date.

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
September 6, 1990

TERRENCE R. WHITE
CAROL K. WHITE
5000 SUNNYRIDGE RD.
NAMPA, ID 83686

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-11346

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

MICROFILMED

JAN 29 1991

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

JAN 29 1991

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

AFFIDAVIT OF PUBLICATION

MARTELL, LETHA M.
1517 BEECH
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt:

SWSWNE Sec 12 T 03N R 04W
SWNWSE Sec 12 T 03N R 04W
(3.200 CFS)
Total Diversion: (3.200 CFS)

Use: IRRIGATION

Date Filed: 3/30/1990
In: T03N R04W S12 NWNE

SWNE NESE NWSE
160.0 ACRES TOTAL
63-11336

MUNSEY, LANA E.
MUNSEY, MICHAEL F.
15879 PLUM RD.
CALDWELL, ID 83605
Source: ROBINSON DRAIN
Diversion Pt:
Use: IRRIGATION
Use: STOCKWATER

Tributary: SMOKE RIVER
NENENE Sec 16 T 03N R 04W
(.030 CFS)
(.020 CFS)
Total Diversion: (.050 CFS)

Date Filed: 3/13/1990
In: T03N R04W S16

NENE
1.0 ACRES TOTAL
63-11339

CITY OF NAMPA
411 3RD ST. S.
NAMPA, ID 83651
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

SWSSEW Sec 12 T 03N R 02W
(.030 CFS)
Total Diversion: (.040 CFS)
SESW

Date Filed: 3/26/1990
In: T03N R02W S12

1.0 ACRES TOTAL
63-11341

MUSCHBACHER, MARY A.
MUSCHBACHER, ANTHONY W.
24289 HASKINS RD.
WILDER, ID 83676
Source: SPRINGS
Diversion Pt:
Use: IRRIGATION
Use: AESTHETIC

Tributary: RUBY DRAIN
SEWNW Sec 13 T 03N R 05W
(1.00 CFS)
(.100 CFS)
Total Diversion: (.100 CFS)

Date Filed: 2/12/1990
In: T03N R05W S13

5.0 ACRES TOTAL
63-11346

WHITE, CAROL K.
WHITE, TERRANCE R.
5000 SUNNYRIDGE RD.
NAMPA, ID 83686
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

NWSE Sec 10 T 02N R 02W
(.150 CFS)
Total Diversion: (.150 CFS)

Date Filed: 6/13/1990
In: T02N R02W S10

5.0 ACRES TOTAL
63-11346

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before JULY 23, 1990.
R. KEITH HIGGINSON, Director
July 4, 11, 1990

E OF IDAHO)
) ss.
y of Canyon)

Kathleen D. Steed

Nampa, Canyon County, Idaho, being first duly sworn, deposes and says:

That I am a citizen of the United States of America, and at all hereinafter mentioned was over the age of eighteen years, at a party to the above entitled action.

That I am the Principal Clerk of the Idaho Press-Tribune, a (except Saturday) newspaper published in the City of Nampa and Caldwell, in the County of Canyon, State of Idaho; the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa and Caldwell, and has been uninterruptedly published in said County during a period of twenty-eight consecutive weeks prior to the first publication of this notice, a copy of which is hereto attached.

That the notice, of which the annexed is a printed copy, was published in said newspaper on the 4th, 11th, and 12th days of July, 1990, in the regular and entire issue of said paper, and was printed in said newspaper proper, and not in a supplement.

That said notice was published the following dates:

July 4, 11, 1990

E OF IDAHO)
)
COUNTY OF CANYON)

his 11th day of July in the year of 1990, before me, a Notary Public, personally appeared Kathleen D. Steed, known and identified to me to be the person whose name subscribed to the foregoing instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that she executed the same.

Notary Public for Idaho
Residing at Nampa

MY COMMISSION EXPIRES
JULY 12th, 1991

RECEIVED
JUL 12 1990

JAN 28 1991

Department of Water Resources
Western Regional Office

63-11346

WHITE, CAROL K.
WHITE, TERRENCE R.
5000 SUNNYRIDGE RD.
NAMPA, ID 83686

Source: GROUNDWATER


Diversion Pt: NWSE Sec 10 T 02N R 02W

Use: IRRIGATION (.150 CFS)
Total Diversion: (.150 CFS)

Date Filed: 6/13/ 1990

In: T02N R02W S10 NWSE

5.0 ACRES TOTAL



RECEIVED

JUN 13 1990

Department of Water Resources
Western Regional Office

Gentlemen:

Enclosed are my applications for
drilling permit and water right.

I request you issue the drilling
permit prior to completion of the water
right applications. I understand the well
cannot be used until approval of the
water right, however I would like to get
the well drilling and sprinkler installation
started so hopefully I can use it in
August.

MICROFILMED

JAN 29 1991

If appropriate, please forward the drilling
permit directly to Chuck Davis, Davis Well
and Pump, 415 Pitt Lane, Nampa, Id.

63-90-W-151 issued for
this request. 82

Thank you,
Terrence R. White.