




13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

18c.
P.D.

T
3
H

16

18c.
P.D.

MICROFILMED
OCT 22 1990

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Michael S. Munsey
(Applicant)

(Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUL 01 1993
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-11337
1. Owner: Michael F &/or Lana E Mursey Phone No. 489 3354
Current Address: 15879 Plum Rd Caldwell ID 83605
2. Accompanied by: Owners EXAM. DATE: 6/8/93
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: unnamed drain tributary to Snake River

B. OVERLAP REVIEW


1. Other water rights with same place of use: 63-9311, 63-10558, 63-11550

☐ Copies Attached
2. Other water rights with same point of diversion: Same

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION


1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

RECEIVED
AUG 27 1993

516



4" PIPE (ROBINSON DRAIN) PREVIOUS DISCHARGE



NOTED
OCT 27 1992

ALL WORK COMPLETED
4" PIPE TO POND.
WATER FLOWS FROM POND
INTO CONCRETE DITCH
ABOUT 80' ABOVE PREVIOUS
DISCHARGE POINT.
NO OTHER PROPERTY OR
EASEMENT INVOLVED.

RECEIVED
SEP 21 1992
Department of Water Resources

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11337

Priority: March 13, 1990

Maximum Diversion Rate:

0.05 CFS

Maximum Diversion Volume:

36.2 AF

This is to certify, that LANA E MUNSEY
MICHEAL F MUNSEY

15879 PLUM RD
CALDWELL ID 83605

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 13, 1990; and has submitted Proof of Beneficial Use on September 21, 1992. An examination indicates that the works have a diversion capacity of .050 cfs of water from:

UNNAMED DRAIN tributary to SNAKE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
AESTHETIC	01/01 to 12/31	0.05 CFS	36.2 AF

LOCATION OF POINT(S) OF DIVERSION:

NENENE , Sec. 16, Township 03N, Range 04W
CANYON County

PLACE OF USE: AESTHETIC

TWN RGE SEC

03N 04W 16

NENE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The issuance of this right in no way grants any right-of-way or easement across the land of another.
6. Use under this right is limited to aesthetic flow through a small pond.
7. Source is known locally as Robinson Drain.

RECORDED

AUG 27 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 63-11337

This license is issued pursuant to the provisions of Section 42-219, Idaho Code,
Witness the seal and signature of the Director, affixed at Boise, this 30TH
day of July, 19 93.

Acting for R. Keith Higginson, Director

NOT RECORDED

AUG 27 1993

RECEIVED
SEP 21 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-11337 Telephone No. 208-459-3354
2. Name(s) of Permit Holder(s): Lana E Munsey Michael E Munsey
3. Mailing Address: 15879 PLUM ROAD CALDWELL Idaho 83605
4. Source of Water: Robinson DRAIN tributary Snake River

If GROUNDWATER, Well Driller's Name: — Date Drilled: —

OPTIONAL:

Pump horsepower: — Pressure (psi): — Dynamic pumping level (ft.): —

5. Extent of Use (as authorized by the permit):

Domestic — (No. of households) Stockwater — (No. and type of stock)

Irrigation — (No. of acres) Other AESTHETIC

6. Total rate and/or volume for which proof is submitted 0.05 cfs ^{MAX. DIVERSION RATE} OR 11-19 gal per min ^{per foot} (varies with season)
7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? — Yes ✓ No — Installed? — Yes — No —

OR

Flow Measurement Port: Required? — Yes ✓ No — Installed? — Yes — No —

8. Fee Enclosed: \$ 50 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name Michael E. Munsey home 459-3354 office 459-4313
Telephone No.

Address 15879 PLUM RD. Caldwell IDA. 83605

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

OCT 27 1992

Date 9-16-92 Signature (and title, if on behalf of a company or organization) Michael E. Munsey

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 63-11337

Proposed Priority: March 13, 1990 Maximum Diversion Rate: 0.05 CFS

This is to certify, that **LANA E. MUNSEY**
MICHEAL F. MUNSEY
15879 PLUM RD.
CALDWELL, ID 83605

has applied for a permit to appropriate water from:

ROBINSON DRAIN tributary of **SNAKE RIVER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
AESTHETIC	01/01 to 12/31	0.05 CFS

LOCATION OF POINT(S) OF DIVERSION: NENENE Sec. 16, Township 03N, Range 04W
CANYON County

PLACE OF USE: AESTHETIC

TWN RGE SEC

03N 04W 16 NENE

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before October 1, 1992.
2. Subject to all prior water rights.
3. The issuance of this permit in no way grants any right-of-way or easement across the land of another.
4. Water shall not be diverted under this permit until an easement or right-of-way with the owner of the drain is filed with the Department of Water Resources.
5. Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
6. Use under this permit is limited to aesthetic flow through a small pond.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

28th day of September, 1990.

MICROFILMED

OCT 22 1990


R. Keith Higginson, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Michael Florhane ^{MUMSEY} Phone 459 3354
Post office address 15879 Blum Rd. Caldwell, Ida. 83625
2. Source of water supply Roberson Drain which is a tributary of Snake River
3. Location of point of diversion is NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of NE $\frac{1}{4}$, Govt. Lot _____
Sec. 16 Township 34 Range 4W B.M. Canyon County; additional
points of diversion if any: _____
4. Water will be used for the following purposes: 9-4-90
Amount 0.05 cfs for Aesthetic purposes from 1/1 to 12/31 (both dates inclusive) ^{m m 9-4-90}
(cfs or acre-feet per annum) 3/15 to 11/15
Amount 1.02 for Irrigation purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum) 1/1 to 12/31
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 1.05 cubic feet per second and/or (b) _____ acre feet per annum
6. Proposed diverting works:
- a. Description of ditches, flumes, pumps, headgates, etc. Gravity pipeline from
drain to a holding pond. Pump, out of pond,
& sprinkle irrigate one acre. 15' x 25' pond (Concrete lined)
- b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
- c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
- d. Is ground water with a temperature of greater than 90°F being sought? no
7. Time required for the completion of the works and application of water to the proposed beneficial use is
5 years (minimum 1 year).

RECEIVED
OCT 22 1990

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. 2 horses
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. _____
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3N	4W	16	1 5																1

Total number of acres to be irrigated 1

10. Describe any other water rights used for the same purposes as described above. 2nd class

irrigation district

11. a. Who owns the property at the point of diversion? applicant


b. Who owns the land to be irrigated or place of use? applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: 6-15-90 Applicant stated that water crosses his land in a PVC pipe that he wants to tap into per tele-con PW

RECORDED

OCT 23 1990



R 4 60
 18e.
 8
 P.D.
 T
 3
 H
 16

MICROFILMED
 OCT 22 1990

Michael S. Munsey
(Applicant)

Received by Yls Date 3/13/90 Time 10:37am Preliminary check by RW
Fee \$ 30⁰⁰ Received by RL # W010911 Date 3-13-90
Publication prepared by GG Date 6-27-90 Published in Press-Tribune
Publication approved st Date 7-31-90
7/4 & 7/11/90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:


a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:





State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

July 30, 1993

LANA E MUNSEY
MICHEAL F MUNSEY
15879 PLUM RD
CALDWELL ID 83605

RE: WATER RIGHT NO. 63-11337

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in dark ink, appearing to read 'Jim Johnson', written over the typed name and title.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECORDED

AUG 27 1993

WR0749NP
No. L63-11337

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 07/19/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	MICHEAL F MUNSEY	03/13/1990	AESTHETIC	01-01 12-31	0.05 CFS	36.2 AFA
C	LANA E MUNSEY					
	15879 PLUM RD					
	CALDWELL ID 83605			TOTAL DIVERSION:	0.05 CFS	36.2 AFA
	(208) 459-3354					

Water Source: UNNAMED DRAIN

Tributary to: SNAKE RIVER

Stage: LICENSE

Point(s) of Diversion Capacity: 0.05 CFS

Point(s) of Diversion: T03N R04W S16 NE NE NE

Place of use Legal Description for: AESTHETIC

				NE				NW				SW				SE				
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:
03N	04W	16	:	A																:

Pou County: CANYON

Other Rights: WILDER IRRIGATION DISTRICT

Other Water Rights Listing Overlapping Place(s) of use:
63-10558

Conditions of Approval:

- 004 - The issuance of this right in no way grants any right-of-way
- or easement across the land of another.

Remarks: Use under this right is limited to aesthetic flow through a
small pond.
Source is known locally as Robinson Drain.

Dates:	App. Received:	03/13/1990	Priority Date:	03/13/1990
	Proof Due Date:	10/01/1992	Proof Made Date:	09/21/1992
	Exam Made Date:	06/08/1993	Exam Sent to S.O.:	06/30/1993
	Licensed Date:			

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 07/19/93 CHAPMAN

LICENSE REVIEW CHECKLIST

Permit # 63-11337

Date 7-19-93

Brenda Chapman

	Yes	No	
NAME	<u> </u>	<u>✓</u>	Or Address Change?
PRIORITY DATE	<u> </u>	<u>✓</u>	Advance? <u> </u> Memo to Advance <u> </u>
	<u> </u>	<u>✓</u>	Order to Reinstate Needed?
SOURCE	<u>✓</u>	<u> </u>	Changes? Clarification of Originally Intended source <u>Unnamed DRAIN</u>
	<u> </u>	<u>✓</u>	Notice of Intent to Void - Source change.
P/D	<u> </u>	<u>✓</u>	Amendment Needed? <u> </u>
	<u> </u>	<u>✓</u>	Is Overlap Analysis a Consideration?
P/U	<u> </u>	<u>✓</u>	Amendment Needed? <u> </u>
	<u> </u>	<u>✓</u>	Is Overlap Analysis a Consideration?
TOTAL CFS	<u> </u>	<u>✓</u>	Incorrect Fee for rate recommended?
	<u>-NA-</u>	<u> </u>	Disagree/Measurement <u>NONE DONE</u>
	<u>-NA-</u>	<u> </u>	Pumping Theoretical (8.8) x (.70) x (<u> </u>)
	<u> </u>	<u>✓</u>	(<u> </u> + [2.31 x <u> </u>])
	<u> </u>	<u>✓</u>	system Capacity <u>.05</u>
	<u> </u>	<u> </u>	Allowable Amount: <u>Permitted .05 CFS</u>
TOTAL VOLUME	<u> </u>	<u> </u>	Rate/ac <u> </u> AFA Irr. Season <u> </u>
	<u> </u>	<u> </u>	Standard Irr. Season <u> </u>
	<u> </u>	<u> </u>	Season Recommended <u> </u>
	<u> </u>	<u>✓</u>	Disagree with Examiner's Calculations?
	<u> </u>	<u>✓</u>	Flow limit: <u>.05</u> x <u>365</u> x 1.9835 = <u>36.2</u>
USES	<u> </u>	<u>✓</u>	Change(s) in Nature of Use? <u> </u>
	<u> </u>	<u>✓</u>	Amendment Needed? <u> </u>
REMARKS	<u> </u>	<u>✓</u>	Multiple P/Ds in 1/4 1/4? <u> </u>
	<u>✓</u>	<u> </u>	Non-Irr. Uses <u>Aesthetic</u>
	<u> </u>	<u>✓</u>	Special Overlap Condition <u> </u>
	<u> </u>	<u>✓</u>	Other <u> </u>
CONDITIONS	<u> </u>	<u>✓</u>	Measuring Devices <u> </u>
	<u> </u>	<u>✓</u>	W/Master Control <u> </u>
	<u> </u>	<u>✓</u>	Irrigation Overlap <u> </u>
	<u> </u>	<u>✓</u>	Water Quality <u> </u>
	<u> </u>	<u> </u>	Dates/Misc <u> </u>
	<u> </u>	<u>✓</u>	Water Dist <u> </u>
	<u> </u>	<u> </u>	App Rec'd <u>3-13-90</u>
	<u> </u>	<u> </u>	Exam Made <u>6-8-93</u>
COMMENTS:	<u> </u>		

COMMENTS:

RECOMMENDED

CFS

VOL

Irrigation
Domestic
Stockwater
Aesthetic

.05

36.2

LICENSE ☒

AMEND

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUL 01 1993
Department of Water Resources

A. GENERAL INFORMATION


Permit No. 63-11337
1. Owner: Michael F &/or Lana E Mursey Phone No. 489 3354
Current Address: 15879 Plum Rd Caldwell ID 83605
2. Accompanied by: Owners EXAM. DATE: 6/8/93
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: unnamed drain tributary to Snake River

B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-9311, 63-10558, 63-11550 ☐ Copies Attached
2. Other water rights with same point of diversion: Same ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Robinson drain is a perennially flowing source which is piped through the front of applicant's property. A 4" PVC "T" was tapped into the drain to deliver water into a small pond for aesthetic use, with overflow spilling into a concrete irrigation lateral, approximately 50ft upstream from the previous discharge location of the ~~pipe~~ Robinson drain pipe. Irrigation water is taken from the pond in exchange for district water, and only during times when district water is being permit holder's ~~See~~ See Remarks on page 4 for continuation

- 4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
N/A					

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	NE	16	3N	4W	Canyon	Site Visit, orthophoto

6. **Place(s) of Use:**

Indicate Method of Determination _____

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3N	4W	16	X																

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

None taken. Flow estimated at approx .04 cfs - Applicant
Stated that permit flow originally derived from a ~~measured~~ full
timed
measurement conducted by him. That flow is a reasonable
rate for licensing purposes.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

POND VOL ~~← 2 AF~~ .04 AF

Daily vol .05 x 1.9835 = .09 AF No Storage req'd

DIV VOL = .05 x 365 x 1.9835 = 36.2 AF Nonconsumptive

APPROVED
AUG 27 1993

H. REMARKS AND OVERLAP REVIEW ANALYSIS

delivered down the lateral, in order to avoid impeding downstream deliveries or uses. Irrigation considered to remain under district (Wilder).

Overlaps do not affect this permit. 63-9311 is still an application. 63-11550 & # 10558 are separate sources, other owners.

Robinson drain is an ambiguous source originating at an unknown location. As the drain is not marked on USGS source map, recommend source name change to "unnamed drain".

Source known locally as Robinson Drain

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Aesthetic	1/1	12/31	.05	36.2
Totals:			.05	36.2

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name CINDY HODGES

Signature C. Hodges

Certification Date _____

Field Report Preparation Date 6/10/93

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

INTERIOR
VEY

63-11337 3N4W Sec 16

512


513

50'

514

515

516



September 25, 1992

LANA E. MUNSEY
MICHEAL F. MUNSEY
15879 PLUM RD.
CALDWELL ID 83605

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11337

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager


c: IDWR - Region

RECEIVED

OCT 27 1992

4" PIPE (ROBINSON DRAIN)

PREVIOUS DISCHARGE



OCT 27 1992
WATER RESOURCES

ALL WORK COMPLETED

4" PIPE TO POND.

WATER FLOWS FROM POND

INTO CONCRETE DITCH

ABOUT 80' ABOVE PREVIOUS

DISCHARGE POINT

NO OTHER PROPERTY OR

EASEMENT INVOLVED

RECEIVED

SEP 21 1992

Department of Water Resources

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 63-11337 Reviewed by Klg Date 9/23/92

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit? aesthetic
yes Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

✓ Surface water source
Ground water source
NA Drilling permit required?
Copy in the file? Drilling Permit No. _____
Amount paid for permit _____ Correct?
Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?
50 Amount Submitted
yes Correct?
NA Required?
Installed?
Waiver requested?

PRIORITY CALCULATION

Date proof received NA
Date proof due -
No. of days late =
Priority Date +
New Priority Date

DEFICIENCIES OR ACTION ITEMS

proof acceptable

DATA ENTRY

New Address _____

Proof Made 9/21/92
9/23/92 Klg

July 31, 1992

LANA E. MUNSEY
MICHEAL F. MUNSEY
15879 PLUM RD.
CALDWELL ID 83605

PROOF DUE NOTICE

RE: PERMIT NO. 63-11337

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before October 1, 1992. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


SINCERELY,

Karen L. Gustafson
Secretary/Records Manager



Enclosures

MAILED

OCT 27 1992



Michael (Munsey)
15879 Plum Rd.
Caldwell, Id. 83605



RECEIVED



MICROFILMED

DEC 12 1990

OCT 27 1992

IDaho DEPARTMENT OF WATER RESOURCES

STATEHOUSE

Department of Water Resources
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 63-11337

Name(s) of Permit Holder(s): Michael + Lana Munsey

Post Office Address: 15479 Plum Rd.

Tel. No. 459-3354

☒ I hereby certify that construction of diversion works for the above referenced permit began on 11-18-90 (date). I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:
NOT YET BEGUN

*Note: A financing difficulty is
not an acceptable reason.

12-11-90
Date

Michael F. Munsey
Signature of Permit Holder

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
October 1, 1990

LANA E. MUNSEY
MICHEAL F. MUNSEY
15879 PLUM RD.
CALDWELL, ID 83605

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-11337

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ: SC
Enclosures

MICROFILMED

OCT 22 1990

RECEIVED
SEP 04 1990

Department of Water Resources
Western Regional Office

August 29, 1990

David R. Tuthill, Jr., P.E.
2735 Airport Way
Boise, Idaho 83705

Re: Application for Permit #63-11337

Dear Mr. Tuthill:

Thankyou for your letter with regard to our application for permit #63-11337. I hope we can give you adequate reasons to complete our request.

As a school principal, it would be difficult to meet with you before 4:15. But, we would very much like an opportunity to visit with you and we will try to fit into your schedule.

We really do appreciate your time and help with regards to this matter. Please feel free to contact either my wife or me to arrange an appointment.

Sincerely,

Michael F. Munsey

Michael F. Munsey - S.D.A. Elementary - ph. 459-4313
- Home - ph. 459-3354
Lana E. Munsey - KTSY-FM - ph. 459-3144

Per. meeting, use was changed from irrigation to aesthetic.

Ons 9/4/90

MICROFILMED

OCT 22 1990



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705 - (208) 334-2190

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

August 22, 1990

Michael F. &/or Lana E. Munsey
15879 Plum Rd.
Caldwell, ID 83605

Re: Application for Permit #63-11337

Dear Mr. & Mrs. Munsey;

Enclosed please find a copy of a protest filed with regard to the above-referenced application for permit. Because the final date for protests on this application was July 23, 1990, we cannot consider the protest to be filed in a timely manner and therefore it does not initiate the protest resolution process. However, the items of concern that are raised in the protest appear to be valid. Accordingly, we ask that you provide to this office any information that you have that would show that the Robinson Drain is not fully appropriated by downstream waterusers. We plan to use this information to assess the availability of water with respect to your application.

Please feel free to contact this office if you wish to discuss the process of review of your application.

Sincerely,

DAVID R. TUTHILL, JR., P.E.
Manager, Western Regional Office

DRT:st

CC: Raymond D. Givens, Esq. + *Conformed copy of protest*

MICROFILMED

OCT 22 1990

LAW OFFICES
GIVENS, PURSLEY, WEBB & HUNTLEY

REBECCA W. ARNOLD
ELEANORE S. BAXENDALE*
CHRISTOPHER J. BEESON
MICHAEL C. CREAMER
JEFFREY C. FEREDAY
RAYMOND D. GIVENS
JAMES D. HANSEN
JUDITH K. HOLCOMBE
ROBERT C. HUNTLEY, JR.
KENNETH R. McCLURE
L. EDWARD MILLER
PATRICK J. MILLER
TERRY L. MYERS
STEVEN L. OLSEN
KENNETH L. PURSLEY
MICHAEL T. SPINK
CONLEY WARD
JAY L. WEBB

SUITE 200, PARK PLACE
277 NO. 6TH STREET
POST OFFICE BOX 2720
BOISE, IDAHO 83701

TELEPHONE
(208) 342-6571

TELECOPIER
(208) 343-9492
(208) 342-8920

* ALSO ADMITTED IN OREGON
LISTED ALPHABETICALLY

August 17, 1990

Idaho Dept. of Water Resources
1301 North Orchard
Boise, ID 83706

Re: In the Matter of Application for Issuance of License
in Regard to Permit No. 63-11337

Gentlemen:

Enclosed please find a Protest to be filed in regard to Permit No. 63-11337. Please file the original and return the conformed copy to me in the enclosed self addressed, stamped envelope.

Very truly yours,


Raymond D. Givens

RDG/sr
Enclosure

MICROFILMED

OCT 22 1990

RECEIVED

AUG 20 1990

Department of Water Resources

RECEIVED
AUG 20 1990

Department of Water Resources
Western Regional Office

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

In the Matter of

APPLICATION FOR ISSUANCE OF
LICENSE IN REGARD TO PERMIT
NO. 63-11337

)
) P R O T E S T
)
)
)

COMES NOW the Boise Project Board of Control, by and through its attorney
Raymond D. Givens of the firm Givens, Pursley, Webb & Huntley, and protests the issuance
of permit in the above entitled matter upon the following grounds:

1. That said point of diversion is the Robinson Drain, a drain maintained and
operated by the Boise Project Board of Control and used by the Boise Project Board of
Control for irrigation purposes and are not public waters of the State of Idaho subject to
appropriation.

2. That the rights of the Boise Project Board of Control as to such run-off waters
are superior over and above any claim of applicant.

3. To allow a permit to be issued thus recognizing some vested right in such
water in applicant would cause injury to the existing water rights of Boise Project Board of
Control.

DATED This 17 day of August, 1990.

MICROFILMED

OCT 22 1990


BOISE PROJECT BOARD OF CONTROL

By: Raymond D. Givens
Raymond D. Givens
Givens, Pursley, Webb & Huntley

STATE OF IDAHO)
) ss.
County of Ada)

On this 17 day of August, 1990, before me, the undersigned, a Notary Public in and for said State, personally appeared RAYMOND D. GIVENS, known or identified to me to be the person whose name is subscribed to the within instrument, and acknowledged to me that he executed the same.


IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal the day and year in this certificate first above written.


Notary Public for Idaho
Residing at Mtn. Home, Idaho
My commission expires: 5/15/95

CERTIFICATE OF MAILING

I hereby certify that on the 17 day of August, 1990, I served a true and correct copy of the foregoing PROTEST by depositing same in the United States mail, postage prepaid, to the following person at the last known address as set forth below:

Michael & Lana Munsey
15879 Plum Rd.
Caldwell, ID 83605



MICROFILMED

OCT 22 1990

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

AFFIDAVIT OF PUBLICATION

MARTELL, LETHA M.
1517 BEECH
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt:

SWSWNE Sec 12 T 03N R 04W
SWNWSE Sec 12 T 03N R 04W
(3.200 CFS)
Total Diversion: (3.200 CFS)

Use: IRRIGATION

Date Filed: 3/30/1990
In: T03N R04W S12 NWNE

SWNE NESE NWSE
160.0 ACRES TOTAL

63-11336

MUNSEY, LANA E.
MUNSEY, MICHAEL F.
15879 PLUM RD.
CALDWELL, ID 83605
Source: ROBINSON DRAIN
Diversion Pt:
Use: IRRIGATION
Use: STOCKWATER

Tributary: SMOKE RIVER
NENENE Sec 16 T 03N R 04W
(.030 CFS)
(.020 CFS)
Total Diversion: (.050 CFS)

Date Filed: 3/13/1990
In: T03N R04W S16

1.0 ACRES TOTAL

63-11339

CITY OF NAMPA
411 3RD ST. S.
NAMPA, ID 83651
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

SWSESW Sec 12 T 03N R 02W
(.030 CFS)
Total Diversion: (.040 CFS)
SESW

Date Filed: 3/26/1990
In: T03N R02W S12

1.0 ACRES TOTAL

63-11341

MUSCHBACHER, MARY A.
MUSCHBACHER, ANTHONY W.
24289 HASKINS RD.
WILDER, ID 83676
Source: SPRINGS
Diversion Pt:
Use: IRRIGATION
Use: AESTHETIC

Tributary: RUBY DRAIN
SENWNE Sec 13 T 03N R 05W
(1.00 CFS)
(.100 CFS)
Total Diversion: (.100 CFS)

Date Filed: 2/12/1990
In: T03N R05W S13

5.0 ACRES TOTAL

63-11346

WHITE, CAROL K.
WHITE, TERRANCE R.
5000 SUNNYRIDGE RD.
NAMPA, ID 83686
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

NWSE Sec 10 T 02N R 02W
(.150 CFS)
Total Diversion: (.150 CFS)

Date Filed: 6/13/1990
In: T02N R02W S10

5.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Permits must be filed with the Director, Dept. of Water Resources, Western Region, 2200 N. Boise, Idaho 83705 on or before JULY 23, 1990.

R. KEITH HIGGINSON, Director
JULY 4, 11, 1990

E OF IDAHO)
) ss.
ly of Canyon)

hleen D. Steed

mpa, Canyon County, Idaho, being first duly sworn, deposes and says:

that I am a citizen of the United States of America, and at all hereinafter mentioned was over the age of eighteen years, not a party to the above entitled action.

that I am the Principal Clerk of the Idaho Press-Tribune, a (except Saturday) newspaper published in the City of pa and Caldwell, in the County of Canyon, State of Idaho; the said newspaper is in general circulation in the said y of Canyon, and in the vicinity of Nampa and Caldwell, and een uninterruptedly published in said County during a period twenty-eight consecutive weeks prior to the first publication of notice, a copy of which is hereto attached.

that the notice, of which the annexed is a printed copy, was shed in said newspaper o Times he regular and entire issue of said paper, and was printed in ewspaper proper, and not in a supplement.

that said notice was published the following dates: ly 4, 11, 1990

E OF IDAHO)
)
NTY OF CANYON)

his 11th day of July in the of 1990, before me, a Notary Public, personally red Kathleen D. Steed, known ntified to me to be the person whose name subscribed to the n instrument, and being by me first duly sworn, declared he statements therein are true, and acknowledged to me that e executed the same.

Notary Public for Idaho
Residing at Nampa

MY COMMISSION EXPIRES
JULY 12th, 1991

RECEIVED
JUL 12 1990

Department of Water Resources

63-11337

MUNSEY, MICHEAL F.
15879 PLUM RD.
CALDWELL, ID 83605

Source: ROBINSON DRAIN

Tributary: ~~Snake~~ ^{Snake} RIVER

Diversion Pt: NENENE Sec 16 T 03N R 04W

Use: IRRIGATION (.030 CFS)
STOCKWATER (.020 CFS)
Total Diversion: (.050 CFS)

Date Filed: 3/13/ 1990

In: T03N R04W S16 NENE

1.0 ACRES TOTAL

MICROFILMED

OCT 22 1990