




T 4N
R 4W
S 23
NE NW SE

Well


MICROFILMED
AUG 30 1990

Pleasant Ridge
School

Hand-drawn site plan on graph paper showing a layout for a green leaf area. The plan includes a 'STUD' area (50' x 10'), a 'S. MEX' area (97' x 7'), and a 'PLANT' area (46' x 46'). A 'loading ramp' is indicated near the 'S. MEX' area. The plan is oriented with a north arrow pointing towards the top-left. The overall dimensions are 10' by 97'.

* water is not used in the shed area.

JAN 13 1994



P14
P1d
↓

PERMIT 63-11321 INIT DD
T. R. S. Q/Q
P/D In 4w 23 NW 44
SCALE -
PHOTO ID. -

Pleasant Ridge School

JAN 13 1994

63- 11321



View of P/d. P/d is
located in the center of
the property.

MIS-11321
JAN 13 1994

53-11321



View west of the Wilbur Ellis factory

100

JAN 13 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11321

Priority: May 4, 1990

Maximum Diversion Rate: 0.04 CFS
Maximum Diversion Volume: 0.6 AF

This is to certify, that WILBUR ELLIS CO
PO BOX 988

CALDWELL ID 83606 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 30, 1990; and has submitted Proof of Beneficial Use on August 20, 1991. An examination indicates that the works have a diversion capacity of .060 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
COMMERCIAL	01/01 to 12/31	0.04 CFS	0.5 AF
HEATING	01/01 to 12/31	0.02 CFS	0.1 AF
	Totals	0.04 CFS	0.6 AF

LOCATION OF POINT(S) OF DIVERSION: NENWSE , Sec. 23, Township 04N, Range 04W
CANYON County

PLACE OF USE: COMMERCIAL
TWN RGE SEC
04N 04W 23 NWSE

PLACE OF USE:
HEATING, same as COMMERCIAL use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Commercial use is for a chemical formulation process.
6. Heating use is for a boiler.

MICROFILMED

JAN 13 1994


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11321

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 6TH
day of DECEMBER, 1993.

Acting for


R. Keith Higginson, Director

JAN 13 1994

RECEIVED

AUG 20 1991

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

For Office Use Only

Amt. of Fee \$

Date

Receipt No.

Received by

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-11321 Telephone No. 208-459-16312. Name(s) of Permit Holder(s): WILBUR-ELLIS CO.3. Post Office Address: PO. Box 988, CALDWELL, ID 836064. Source of Water: GROUND WATERa. If ground water, well driller's name: _____ Date drilled: PRIOR TO 1974

b. Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use:

Domestic _____ (No. of households)

Irrigation _____ (No. of acres)

Stockwater _____ (No. and type of stock)

Other COMMERCIAL6. Total rate and/or volume for which proof is submitted .04 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

OR

Flow Measurement Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No8. Fee Enclosed: \$ 0 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Name Dick Barnes Telephone No. 208-459-1631Address PO. Box 988, CALDWELL, ID 83606

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

NOV 19 1991

Date 8-19-91 Signature Dick Barnes - Irrick Sales
(and title if on behalf of a company or organization)

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 63-11321

Proposed Priority: May 4, 1990 Maximum Diversion Rate: 0.04 CFS
This is to certify, that **WILBUR ELLIS CO.**

P.O. BOX 988
CALDWELL, ID 83606

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
COMMERCIAL	01/01 to 12/31	0.04 CFS
HEATING	01/01 to 12/31	0.02 CFS
	Totals	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION: NENWSE Sec. 23, Township 04N, Range 04W
CANYON County

PLACE OF USE: COMMERCIAL

TWN RGE SEC

04N 04W 23 NWSE


PLACE OF USE: HEATING, same as COMMERCIAL use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **September 1, 1991.**
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Commercial use is for formulation process; heating is for a boiler.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

17th day of August, 1990.


for R. Keith Higginson, Director

MICROFILMED

AUG 30 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant WILBUR-ELLIS CO. Phone (208) 459-1631
Post office address P.O. Box 988 CALDWELL, IDAHO 83606
2. Source of water supply GROUNDWATER which is a tributary of _____
3. Location of point of diversion is NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of SE $\frac{1}{4}$, Govt. Lot _____
Sec. 23 Township 4N Range 4W B.M. CANYON County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.04 for COMMERCIAL purposes from 01/01 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.02 for HEATING purposes from 01/01 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.04 cubic feet per second and/or (b) _____ acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. WELL, PIPED INTO COMM USE
FOR MIXING (FORMULATION PROCESS), WATER IS PUT IN BOILER FOR
HEATING AND ONLY FILLED ONCE/YR, THE REST IS BATHROOM & LAUNDRY
b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. Proposed well diameter is 8 inches; proposed depth of well is _____ feet.
d. Is ground water with a temperature of greater than 90°F being sought? NO
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

MICROFILMED

AUG 30 1990

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. _____
- e. Other; describe fully, COMMERCIAL USE IS FORMULATION PROCESS, AND BATHROOM & LAUNDRY USES. HEATING IS FOR BOILER, WATER RECYCLED AND RE-HEATED FOR WARMTH.

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
4N	4W	23														9/4			

Total number of acres to be irrigated Ø


10. Describe any other water rights used for the same purposes as described above. NONE

11. a. Who owns the property at the point of diversion? APPLICANT
- b. Who owns the land to be irrigated or place of use? APPLICANT
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

MICROFILMED

AUG 30 1990



MICROFILMED
AUG 30 1990

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

~~W. L. Smith~~ - Vice President
(Applicant)
Wilbur Ellis Co.

Received by No. 1 Date 4/30/90 Time 1:15pm Preliminary check by _____
Fee \$ 30.00 Receipted by [Signature] # W12345 Date 5-4-90
Publication prepared by _____ GG Date 5-30-90 Published in Press-Tribune
Publication approved _____ [Signature] Date 6-22-90
6/6 & 6/13/90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

MICROFILMED

AUG 30 1990

Effective January 1, 1990

WILBUR-ELLIS COMPANY

Officers:

Chairman:	Carter P. Thacher
President and CEO:	Brayton Wilbur, Jr.
Senior Vice Presidents:	Paul A. O'Leary Donald L. Thomson
Vice Presidents:	Keith G. Boyer Frank M. Brown Frank L. Saviez Kenneth R. Smith✓
Treasurer:	Herbert B. Tully
Controller:	Robert T. Pantzer
Assistant Treasurer:	John C. Hannan
Secretary:	Ingrid Kroneberg
Assistant Secretaries:	Susan W. Harrington Herbert B. Tully

Board of Directors

Robert J. Bransten
William J. Holcombe
Paul A. O'Leary
Russell G. Smith
Carter P. Thacher
Brayton Wilbur, Jr.

(Quorum: 3)

Executive Committee

Robert J. Bransten
Carter P. Thacher
Brayton Wilbur, Jr.

(Quorum: a majority)

MICROFILMED

AUG 30 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 7, 1993

WILBUR ELLIS CO
PO BOX 988
CALDWELL ID 83606

RE: WATER RIGHT NO. 63-11321

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', with a long horizontal line extending to the right.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

MICROFILMED

JAN 13 1994

WRO749NP
No. L63-11321

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 11/30/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	WILBUR ELLIS CO PO BOX 988 CALDWELL ID 83606 (208) 459-1631	05/04/1990	COMMERCIAL HEATING	01-01 12-31 01-01 12-31	0.04 CFS 0.02 CFS	0.5 AFA 0.1 AFA
TOTAL DIVERSION:					0.04 CFS	0.6 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.06 CFS

Point(s) of Diversion: T04N R04W S23 NE NW SE

Place of use Legal Description for: COMMERCIAL

				NE				NW				SW				SE			
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	
04N	04W	23	:															:	
			:															:	

Place of use location for HEATING is the same location as described for: COMMERCIAL

Polu County: CANYON

Other Water Rights Listing Overlapping Place(s) of use:
63-02636

Remarks: Commercial use is for a chemical formulation process.
Heating use is for a boiler.

Dates:	App. Received:	04/30/1990	Priority Date:	05/04/1990
	Proof Due Date:	09/01/1991	Proof Made Date:	08/20/1991
	Exam Made Date:	01/05/1993	Exam Sent to S.O.:	07/08/1993
	Licensed Date:			

Misc: Water District Number: Field Exam Fee: N (Not Required)

Audit: 11/30/93 CHAPMAN

LICENSE REVIEW CHECKLIST

Permit # 63-11321 Date 11-30-93 Brenda Chapman

NAME Yes No Or Address Change?

PRIORITY DATE Advance? Memo to Advance
 Order to Reinstate Needed?
NA Incorrect Fee for rate recommended?

SOURCE Changes? Clarification of **Originally Intended** source
 Notice of Intent to Void - Source change.

P/D Amendment Needed?
 Overlap(s)

P/U Amendment Needed?
 Overlap(s)

TOTAL CFS NA Disagree/Measurement THEORETICAL ONLY
 Theoretical $(8.8 \times .70 \times .75) = .06 \text{ CFS}$
 (Artesian) $(10 + 2.31 \times 30) = .06 \text{ CFS}$
 Capacity .06
 Allowable Amount: Permit limit @ .04 CFS

TOTAL VOLUME Season
 Measurement done?
 Employment uses = .47 af
 HEATING = .10 af
 Flow limit: .04 x 245 x 1.9835 = 19.4

USES Change(s) in Nature of Use?
 Amendment Needed?

REMARKS Multiple P/Ds in 1/4 1/4?
 Special Overlap
 Other

CONDITIONS Measuring/Locking Devices
 W/Master Control Water Dist
 Irrigation Overlap 4-3-90 App Rec'd
 Water Quality Exam Made

COMMENTS:

RECOMMENDED	CFS	DIV VOL	LICENSE
<u>Commercial</u>	<u>.04</u>	<u>.47</u>	<u> </u>
<u>Heating</u>	<u>.02</u>	<u>.10</u>	<u> </u>
<u>Total</u>	<u>.04</u>	<u>.57 = (.6)</u>	<u> </u>
			AMEND <u> </u>
			2ND AMEND <u> </u>

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUL 09 1993
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-11321

1. Owner: Willow Ellis Co. Phone No. 459-1631

Current Address: P.O. Box 988 Caldwell, Idaho 83606

2. Accompanied by: John EXAM DATE: 1-7-93

Address: same Phone No. same

Relationship to Permit Holder: employee

3. Source: groundwater tributary to -N/A-

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 63-02636 no overlap problems exist

2. Other water rights with the same point of diversion: 63-02636

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NE	NW	SE	23	4N	4W	Canyon	Quads - Field Exam


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
4N	4W	23						BC							C				C

JAN 13 1994

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.



Scale: 1" =

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
ARTESIAN	Red Jacket	3/4			

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: Theoretical; $\frac{3}{4} \times 8.8 \times .70 = 4.62 = .07$ inches
 $0 + (2.3 \times 30) = 69$

ARTESIAN

JAN 02 1993

RECEIVED

JAN 19 1994

E. NARRATIVE/REMARKS/COMMENTS

The well is 165' deep with a 8" casing. The well is also a weak artesian and therefore does not have a static or dynamic level. The company does put a 3/4 hp on it so it will pump the water to a tank for heating and for commercial uses such as mixing and general domestic uses.

* The Commercial uses are the same as domestic use! with the exception of the formulator. This machine mixes the water with the chemicals to produce their product. Via the boiler company: company employees, gallons per year can be estimated but cfs cannot. Allow .04 cfs Commercial (same as domestic: formulator): allow .02 cfs for heat. There are 11 employees, 2 sinks, 2 bathrooms, laundry and one bathroom in the factory.

Have conditions of permit approval been met? ☒ yes ☐ no

Michael J. Allen
JAN 13 1994

F. FLOW CALCULATIONS

Measured Method:

☒ Additional Computation Sheets Attached

Theoretical = .07 cfs

Allow .04 cfs Commercial
.02 cfs Heat
* see remarks.

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{LR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ NA

$V = \text{Smaller of } V_{LR} \text{ and } V_{D.R.} =$ _____

* see attachment

2. Volume Calculations for Other Uses:

Commercial = .47 AFA

11 employees 2 bathrooms - 100 gal/day laundry - 2 load a day
2 sinks - 200 gal/day 80 gal/day
1 kitchen - 50 gal/day

Heating - 75 gal yr $= \frac{75}{325850} = .0002$ Allow .1 AFA as min

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Commercial	1-1	12-31	.04 cfs	.47 AFA
Heating	1-1	12-31	.02 cfs	.1 AFA
Totals:			.06 cfs	.57 AFA

2. Recommended Amendments

Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

.04 cfs
(permit limit)

I. AUTHENTICATION

Field Examiner's Name [Signature] Date 1-8-92


Reviewer _____ Date _____

SEAL

MICROFILMED

JAN 13 1994

SYSTEM DESCRIPTION
ATTACHMENT TO FIELD EXAM FORM



Commercial = 2116
11378
 13494 sq ft

* water is not used in
 the shed area.

JAN 13 1994

Commercial: Heating Volume

Wilbur Ellis Co 63-11321

Utilities

Given: 11 employees

2 sinks (estimated use per day)

500 GAL/DAY

2 bath

↓

100 GAL/DAY

1 Kitchen

50 GAL/DAY

1 laundry

80 GAL/DAY (2 loads)

Total Utility Use PER DAY (430)
gal/day

245 OPERATING DAYS PER YEAR

Mixer

(AN EMPLOYEE ESTIMATE IS 46,600 GAL YEAR)

Calculations = Utilities + Mixer

$$430 \text{ GAL/DAY} \times 245 \text{ OPERATING DAYS} + 46,600 = 151,950 \div 325,850 = .47 \text{ AFA}$$

JAN 18 1994

237

Pit

PM
P/D
↓

UNION D

PERMIT 63-11521 INIT [Signature]
T. R. S. Q/Q
P/D In Aug 28 NW 1/4
SCALE 1" = 1/4 MI
PHOTO ID. 1

34

31

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-11321

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 4N, Rge 4W, Sec. 23, NW 1/4 SE 1/4 or Lot _____.

2. Owner: Wilbur Ellis Co.

Address P.O. Box 988, City Caldwell, St. ID.

3. Casing $\geq$ 12 inches above ground: Yes ☒ No ☐


4. Access Port: Yes ☒ No ☐ Static Water Level: 10' est from well 1995
Pressure Gauge: Yes ☐ No ☒ Casing Diameter: 10"
Flowing: Yes ☐ No ☒ Temperature: NA

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes ☐ No ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: _____

JAN 13 1994




View of P/d. P/d is
located in the center of
the PROPERTY.

NOTED

JAN 13 1994

53-1521



View west of the Wilbur Ellis factory

PPH

JAN 13 1994

Sincerely,

Nina Shields
Secretary/Records Manager

c: IDWR - Region

RECEIVED
NOV 19 1991

October 9, 1991

WILBUR ELLIS CO.
P.O. BOX 988
CALDWELL ID 83606

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11321

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Nina Shields
Secretary/Records Manager

c: IDWR - Region

RECEIVED
NOV 19 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 63-11321

Date 10-3-91

GENERAL CONSIDERATIONS

- ☒ Name same as permit?
☒ Address same as permit? If no, indicate below.
☒ Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

- ☐ Surface water source
☒ Ground water source
Prior 1974 ☒ Drill permit req'd?
☒ Copy in file? Drill permit no. _____
☒ Amt paid for drilling permit? _____ Correct?
☒ Well log in file?

LICENSE EXAMINATION FEE

- ☒ Required?
☒ Amount submitted?
☒ Correct amount?

MEASURING DEVICE

- ☒ Measuring device or access port required?
☒ Installed?
☒ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

PRIORITY CALCULATION

LB

Date proof received	<u>NA</u>	_____
Date proof due	<u>/</u>	- _____
No. of days late	<u>/</u>	= _____
Priority date	<u>/</u>	+ _____
NEW PRIORITY DATE	<u>/</u>	= _____

WILBUR ELLIS CO.
P.O. BOX 988
CALDWELL, ID 83606

138819
June 30, 1991

PROOF DUE NOTICE
RE: PERMIT NO. 63-11321

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before September 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

RECEIVED

NOV 19 1991

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
August 20, 1990

WILBUR ELLIS CO.
P.O. BOX 988
CALDWELL, ID 83606

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 63-11321

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

MICROFILMED

AUG 30 1990

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

AUG 30 1990

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-11219

TAMURA BROTHERS
P.O. BOX 275
HOMEDALE, ID 83628
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

Date Filed: 3/16/1990
In: T04N R05W S27

SWSWNW Sec 27 T 04N R 05W
(1.000 CFS) (420.00 AF)
Total Diversion: (1.000 CFS) (420.00 AF)

SWNW S28NENE SENE NESE
120.0 ACRES TOTAL

63-11221

TAMURA PRODUCE CO.
P.O. BOX 275
HOMEDALE, ID 83628
Source: GROUNDWATER
Diversión Pt:
Use: INDUSTRIAL

Date Filed: 3/16/1990
In: T05N R05W S09

SESE Sec 9 T 05N R 05W
(1.000 CFS)
Total Diversion: (1.000 CFS)

SESE

63-11222

TAMURA BROTHERS
P.O. BOX 275
HOMEDALE, ID 83628
Source: GROUNDWATER
Diversión Pt:
Use: DOMESTIC
Use: COMMERCIAL

Date Filed: 3/16/1990
In: T03N R05W S03

NESENE Sec 3 T 03N R 05W
(.020 CFS)
(.040 CFS)
Total Diversion: (.060 CFS)

SENE

63-11226

DALE, LORING J.
DALE, REBECCA A.
31147 CIRCLE DRIVE
PARMA, ID 83660
Source: GROUNDWATER
Diversión Pt:
Use: DOMESTIC
Use: STOCKWATER
Use: IRRIGATION

Date Filed: 3/20/1990
In: T06N R05W S28

NWSESW Sec 28 T 06N R 05W
(.020 CFS)
(.020 CFS)
(.140 CFS)
Total Diversion: (.180 CFS)

SESW

7.0 ACRES TOTAL

63-11240

LITTLE, HARRY M.
LITTLE, MYRNA J.
2990 LEISURE DR.
BOISE, ID 83704
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

Date Filed: 3/21/1990
In: T03N R03W S23

SESE Sec 23 T 03N R 03W
(1.540 CFS)
Total Diversion: (1.540 CFS)

SESE

SWSW

NWNW

S24
S25

77.0 ACRES TOTAL

63-11246

TRUNNELL, DORIS
27527 FERN LN.
WILDER, ID 83676
Source: GROUNDWATER
Diversión Pt:
Use: DOMESTIC
Use: IRRIGATION

Date Filed: 3/22/1990
In: T04N R05W S20

NWNW Sec 20 T 04N R 05W
(.080 CFS)
(.020 CFS)
Total Diversion: (.100 CFS)

NWNW

1.0 ACRES TOTAL

63-11255

STEPHENS, JAMES A.
STEPHENS, JO ANNE E.
14460 SAND HOLLOW RD.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION
Use: DOMESTIC

Date Filed: 3/27/1990
In: T05N R03W S10

SWSE Sec 10 T 05N R 03W
(.150 CFS)
(.040 CFS)
Total Diversion: (.190 CFS)

SWSE

5.0 ACRES TOTAL

VICKERS, KIRBY D.
VICKERS, CHERYL L.
1115 SKYE DR.
NAMPA, ID 83651
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

Date Filed: 4/16/1990
In: T03N R04W S14

NWNW Sec 14 T 03N R 04W
(.200 CFS)
Total Diversion: (.200 CFS)

5.0 ACRES TOTAL

NWNW

63-11319

IDAHO CONCRETE CO.
C/O TIM JOHNSON
P.O. BOX 670
CALDWELL, ID 83606
Source: GROUNDWATER
Diversión Pt:
Use: COMMERCIAL
Use: DOMESTIC

Date Filed: 3/20/1990
In: T04N R03W S21

SWNENW Sec 21 T 04N R 03W
(.040 CFS)
(.060 CFS)
Total Diversion: (.100 CFS)

NENW

63-11321

WILBUR-ELLIS CO.
P.O. BOX 988
CALDWELL, ID 83606
Source: GROUNDWATER
Diversión Pt:
Use: COMMERCIAL
Use: HEATING

Date Filed: 5/4/1990
In: T04N R04W S23

NENWSE Sec 23 T 04N R 04W
(.040 CFS)
(.020 CFS)
Total Diversion: (.040 CFS)

NWSE

63-11323

NICHOLSON, CARL V.
NICHOLSON, THOMAS T.
P.O. BOX 703
MERIDIAN, ID 83642
Source: WASTE WATER
Diversión Pt:

Use: IRRIGATION

Date Filed: 3/21/1990
In: T01N R03W S25

In: T01S R02W S04

Tributary: SNAKE RIVER
NENENW Sec 36 T 01N R 03W
NENWSW Sec 03 T 01S R 03W
(1.500 CFS)
Total Diversion: (1.500 CFS)

NWSW SWSW SESW
S36 NENW
S09 NESE SESE
90.0 ACRES TOTAL
NENE SENE

63-11324

DESHAZER, GARY L.
DESHAZER, SHARON L.
27792 W. USTICK RD.
WILDER, ID 83676
Source: GRIFFITH DRAIN
Diversión Pt:
Use: IRRIGATION

Date Filed: 4/2/1990
In: T04N R05W S33

Tributary: SNAKE RIVER
LOT 1 (SWSW) Sec 33 T 04N R 05W
(.090 CFS)
Total Diversion: (.090 CFS)

3.0 ACRES TOTAL

SWSW

63-11327

URQUIAGA, ED
14151 FROST RD.
CALDWELL, ID 83605
Source: SPRINGS
Diversión Pt:
Use: IRRIGATION
Use: DOMESTIC

Date Filed: 5/18/1990
In: T03N R04W S22

Tributary: SNAKE RIVER
LOT 1 (SWSWSW) Sec 22 T 03N R 04W
(.100 CFS)
(.080 CFS)
Total Diversion: (.180 CFS)

5.0 ACRES TOTAL

Lot 1

(SWSW)

TMCO INC.
P.O. BOX R
NAMPA, ID 83653
Source: GROUNDWATER
Diversión Pt:

Use: IRRIGATION

Date Filed: 5/16/1990
In: T03N R01W S17

NESENW Sec 17 T 03N R 01W
SESENW Sec 17 T 03N R 01W
(2.580 CFS)
Total Diversion: (2.580 CFS)

NWNW

SWNE

SENE

NENW

129.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before JUNE 25, 1990.
R. KEITH HIGGINSON, Director
June 6, 1990

MICROFILMED

AUG 30 1990

63-11321

WILBUR-ELLIS CO.
P.O. BOX 988
CALDWELL, ID 83606

Source: GROUNDWATER

Diversion Pt:

Use: COMMERCIAL
HEATING

NENWSE Sec 23 T 04N R 04W

Total Diversion: (.040 CFS)
(.020 CFS)
(.040 CFS)

Date Filed: 5/ 4/ 1990

In: T04N R04W S23

NWSE

MICROFILMED

AUG 30 1990