





SCALE 1:24 000



CONTOUR INTERVAL 10 FEET
DOTTED LINES REPRESENT 5-FOOT CONTOURS
DATUM IS MEAN SEA LEVEL

THIS MAP COMPLEYS WITH NATIONAL MAP ACCURACY STANDARDS
BY U. S. GEOLOGICAL SURVEY, DENVER 25, COLORADO OR WASHINGTON 25, D. C.
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

63-8462
Existing Water Right

Heavy-duty
Medium-duty



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JAN 25 1993

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Vera Sunetz Permit No. 63-11299
Current Address: 8454 S. Powerline Rd. Nampa 83686 Phone No. 466-4992
2. Accompanied by: Vera Sunetz EXAM. DATE: 7-22-92
Address: same Phone No. same
Relationship to Permit Holder: same
3. Source: groundwater tributary to -NA-

B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-084162, 63-11307 both are owners
but different wells in the same 1/4 1/4 ☐ Copies Attached
2. Other water rights with same point of diversion: 63-11307
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

RECEIVED
APR 22 1993

T5207
8.3

PERMIT 63-11299 INIT DL
T. R. S. Q/Q
P/D 2nd 2nd 1st NW 34
SCALE _____
PHOTO ID. _____

T3362

MICROFILMED

APR 22 1993

23 T3537

T3539

T407423

T5010 H/NW

63-11299



View of well. Notice that
the PIPE is NOT Full, Also
NOTICE THAT THE DITCH IS
DIRT.

well is southeast of Piu



View of motor & turbine
used to power system.

MICROFILMED
APR 22 1993

423-11299



View of PROPERTY. IRRIGATED PROPERTY.
IS TO THE RIGHT SIDE OF PICTURE. THE
DITCH CONTINUES TO IRRIGATE FIELD IN THE
FAR BACK OF PICTURE. THIS FIELD IS INDICATED
BETWEEN THE ARROWS.

RECEIVED
APR 22 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11299

Priority: April 25, 1990

Maximum Diversion Rate: 0.68 CFS
Maximum Diversion Volume: 160.2 AF

This is to certify, that VERA I SWARTZ
8454 S POWERLINE RD
NAMPA ID 83686

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 25, 1990; and has submitted Proof of Beneficial Use on April 22, 1992. An examination indicates that the works have a diversion capacity of .680 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.68 CFS	160.2 AF

LOCATION OF POINT(S) OF DIVERSION: SWSE , Sec. 14, Township 02N, Range 02W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	02W	14	NESW 2	NWSE 31.6	SWSE 2	35.6

Total number of acres irrigated: 35.6

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.
6. The right holder shall fully use all surface water rights appurtenant to the lands identified above prior to using water under this right.

RECORDED

APR 22 1993


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11299

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 25th
day of FEBRUARY, 1993.

Acting for


R. Keith Higginson, Director

APR 22 1993

State of Idaho
Department of Water Resources

RECEIVED

APPROVED

APPLICATION FOR AMENDMENT
(For Licensing Purposes)

FEB 18 1993

WATER RIGHT NO. 63-11299 Department of Water Resources

Date of Priority: April 25, 1990

Maximum Diversion Rate: 0.68 CFS
Maximum Diversion Volume: 160.2 AF

Comes now VERA I SWARTZ
8454 S POWERLINE RD
NAMPA ID 83686

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 63-11299, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.68 CFS	160.2 AF

LOCATION OF POINT(S) OF DIVERSION: SWSE , Sec. 14, Township 02N, Range 02W
CANYON County

<u>PLACE OF USE:</u>	<u>IRRIGATION</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
<u>TWN RGE SEC</u>					
02N 02W 14	NESW 2	NWSE 31.6	SWSE 2		35.6
Total number of acres irrigated:					35.6

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Nampa, Id., this 17 day of February, 1993.

Vera Swartz
(Signature)

MICROFILMED

APR 22 1993

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-11299

FOR DEPARTMENT USE ONLY

Preliminary check by 28 Fee = \$20.00 Received by JW # C026794 Date 2-19-93


ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 63-11299 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.
6. The right holder shall fully use all surface water rights appurtenant to the lands identified above prior to using water under this right.

Witness my hand this 25TH day of FEBRUARY, 1993.


Acting for R. Keith Higginson, Director

RECEIVED

APR 2 1993

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11299

Proposed Priority: April 25, 1990 Maximum Diversion Rate: 0.74 CFS
This is to certify, that **VERA I. SWARTZ**
8454 S. POWERLINE RD.
NAMPA, ID 83686

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.74 CFS

LOCATION OF POINT(S) OF DIVERSION: SENWSE Sec. 14, Township 02N, Range 02W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	02W	14	NWSE 26	SWSE 11		37
Total number of acres irrigated:						37

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **August 1, 1992**.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
5. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

27th day of July, 1990.

[Signature]
for R. Keith Higginson, Director

MICROFILMED

JUL 30 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Schwartz, Vera I Phone 466-4992
Post office address 8454 S Powerline Rd Nampa 83686
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is SE $\frac{1}{4}$ of NW $\frac{1}{4}$ of SE $\frac{1}{4}$, Govt. Lot _____
Sec. 14 Township 2N Range 2W B.M. Canyon County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount .74 for Irrigation purposes from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .74 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. well w/open Dist. to
gravity Irrigation. Drilling Permit 63-90-w-149.
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is 12" inches; proposed depth of well is 200' feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? No
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
2 years (minimum 1 year).

RECORDED

JUL 30 1985

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for *Domestic*) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
2N	2W	14													26	11			26 37


Total number of acres to be irrigated 37

10. Describe any other water rights used for the same purposes as described above. 63-8462

- Who owns the property at the point of diversion? Applicant
- Who owns the land to be irrigated or place of use? "
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: well for additional irrigation of parcels
listed in License # 63-8462 in NWSE & SWSE

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X Vera L. Swartz
(Applicant)

MICROFILMED
JUL 30 1990

Received by RH Date 4-25-90 Time 1:50 p Preliminary check by [Signature]
Fee \$ 45.00 Receipted by JH # W012304 Date 4-25-90
Publication prepared by GG Date 5-9-90 Published in Press-Tribune
Publication approved [Signature] Date 6-7-90
5/16 & 5/23/90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

WATER RESOURCES
DIVISION

APR 25 1990

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-11037
CHURCH OF JESUS CHRIST LATTER DAY SAINTS
REAL ESTATE DIVISION
12TH FLOOR
50 E. N. TEMPLE ST.
SALT LAKE CITY, UT 84150
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

SESESW Sec 26 T 03N R 02W
(.060 CFS)
Total Diversión: (.060 CFS)

Date filed: 12/26/1989
In: T03N R02W S26

2.0 ACRES TOTAL

63-11038
CHURCH OF JESUS CHRIST LATTER DAY SAINTS
REAL ESTATE DIVISION
12TH FLOOR
50 E. N. TEMPLE ST.
SALT LAKE CITY, UT 84150
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION
Use: DOMESTIC

SENE Sec 4 T 04N R 03W
(.150 CFS)
(.050 CFS)
Total Diversión: (.200 CFS)

Date Filed: 12/26/1989
In: T04N R03W S04

5.0 ACRES TOTAL

63-11039
CHURCH OF JESUS CHRIST LATTER DAY SAINTS
REAL ESTATE DIVISION
12TH FLOOR
50 E. N. TEMPLE ST.
SALT LAKE CITY, UT 84150
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

NENENW Sec 9 T 05N R 05W
(.030 CFS)
(.030 CFS)
Total Diversión: (.030 CFS)

Date Filed: 12/26/1989
In: T05N R05W S09

1.0 ACRES TOTAL

63-11043
CHURCH OF JESUS CHRIST LATTER DAY SAINTS
REAL ESTATE DIVISION
12TH FLOOR
50 E. N. TEMPLE ST.
SALT LAKE CITY, UT 84150
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION
Use: DOMESTIC

SESWNE Sec 20 T 03N R 02W
(.060 CFS)
(.050 CFS)
Total Diversión: (.110 CFS)

Date Filed: 12/26/1989
In: T03N R02W S20

2.0 ACRES TOTAL

63-11044
CHURCH OF JESUS CHRIST LATTER DAY SAINTS
REAL ESTATE DIVISION
12TH FLOOR
50 E. N. TEMPLE ST.
SALT LAKE CITY, UT 84150
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

SESWNE Sec 20 T 03N R 02W
(.120 CFS)
(.120 CFS)
Total Diversión: (.240 CFS)

Date Filed: 12/26/1989
In: T03N R02W S20

4.0 ACRES TOTAL

63-11045
CHURCH OF JESUS CHRIST LATTER DAY SAINTS
REAL ESTATE DIVISION
12TH FLOOR
50 E. N. TEMPLE ST.
SALT LAKE CITY, UT 84150
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

SESESE Sec 28 T 03N R 02W
(.030 CFS)
(.030 CFS)
Total Diversión: (.030 CFS)

Date Filed: 12/26/1989
In: T03N R02W S28

1.0 ACRES TOTAL

63-11181
WESTVIEW SHERVIL WATER ASSOC.
504 CENTRAL JEFFERSON
NAMPA, ID 83651
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION
Use: DOMESTIC

SWSW Sec 20 T 03N R 02W
(.400 CFS)
(.400 CFS)
Total Diversión: (.800 CFS)

Date Filed: 3/1/1990
In: T03N R02W S20

20.0 ACRES TOTAL

63-11182
WATKINS, WILFRED E.
WATKINS, BARBARA J.
1616 PRIMROSE LN.
NAMPA, ID 83686
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

NWSW Sec 2 T 02N R 02W
(.030 CFS)
(.030 CFS)
Total Diversión: (.030 CFS)

Date Filed: 3/1/1990
In: T02N R02W S02

1.0 ACRES TOTAL

63-11218
RANCHETTE ESTATES NO. 2 WATER ASSOC. INC.
C/O SHERRY L. SHEETS
23678 FREEZEOUT RD.
Caldwell, ID 83605
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION
Use: DOMESTIC

SWNE Sec 3 T 04N R 03W
(.100 CFS)
(.130 CFS)
Total Diversión: (.230 CFS)

Date Filed: 3/14/1990
In: T04N R03W S03

5.0 ACRES TOTAL

63-11247
SHIPLEY, JENNIE L.
SHIPLEY, WILLIAM M.
21451 W. CHICAGO
Caldwell, ID 83605
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION
Use: STOCKWATER
Use: DOMESTIC

Lot 9 (NWNWSW) Sec 15 T 04N R 03W
(.060 CFS)
(.020 CFS)
(.060 CFS)
Total Diversión: (.140 CFS)

Date Filed: 3/23/1990
In: T04N R03W S15

2.0 ACRES TOTAL

63-11283
DOWNS DAIRY LTD. PARTNERSHIP

31156 MARKER RD.
PARMA, ID 83660
Source: GROUNDWATER
Diversión Pt:

Use: IRRIGATION
Use: STOCKWATER
Use: COMMERCIAL
Use: DOMESTIC

SESENE Sec 23 T 05N R 06W
NESENE Sec 23 T 05N R 06W
(.030 CFS)
(.580 CFS)
(.200 CFS)
(.040 CFS)
Total Diversión: (.650 CFS)

Date Filed: 4/13/1990
In: T05N R06W S23

1.0 ACRES TOTAL

63-11285
FAIRBANKS, LEON
FAIRBANKS, ETHEL
8820 USTICK RD.
BOISE, ID 83704
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

SESESE Sec 28 T 02N R 02W
(1.000 CFS)
Total Diversión: (1.000 CFS)

Date Filed: 4/16/1990
In: T02N R02W S28

80.0 ACRES TOTAL

63-11299
SWARTZ, VERA I.
8454 S. POWERLINE RD.
NAMPA, ID 83686
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

SENWSE Sec 14 T 02N R 02W
(.740 CFS)
Total Diversión: (.740 CFS)

Date Filed: 4/25/1990
In: T02N R02W S14

37.0 ACRES TOTAL

63-11303
AMERICAN CRYSTAL SUGAR
5081 W. USTICK RD.
NAMPA, ID 83651
Source: GROUNDWATER
Diversión Pt:
Use: COMMERCIAL

NENENE Sec 9 T 03N R 01W
(.100 CFS)
Total Diversión: (.100 CFS)

Date Filed: 2/22/1990
In: T03N R01W S09

63-11305

HINCKS, BOYD
8750 TRACK RD.
NAMPA, ID 83686
Source: GARLAND DRAIN
Diversión Pt:
Use: IRRIGATION

SWNWNE Tributary: LAKE LOWELL
Sec 23 T 02N R 02W
(.150 CFS)
Total Diversión: (.150 CFS)

Date Filed: 4/6/1990
In: T02N R02W S23

7.3 ACRES TOTAL

63-11306
OBENDORF, RAY
24034 BATT CORNER RD.
PARMA, ID 83660
Source: UNNAMED STREAM
Diversión Pt:
Use: WILDLIFE

NENESE Tributary: ROSS EAST END DRAIN
SESWSE Sec 35 T 05N R 05W
Sec 36 T 05N R 05W
(2.860 CFS)
Total Diversión: (2.860 CFS)

Date Filed: 3/29/1990
In: T05N R05W S35

63-11308

GEM STATE ACADEMY
16115 MONTANA AVE.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversión Pt:

SENESEW Sec 10 T 03N R 03W
SESW Sec 10 T 03N R 03W
(.320 CFS)
(.480 CFS)
(1.200 CFS)
Total Diversión: (2.000 CFS)

Use: IRRIGATION
Use: COMMERCIAL
Use: DOMESTIC

Date Filed: 2/28/1990
In: T03N R03W S10

63-11309

CITY OF CALDWELL
PARKS DEPARTMENT
P.O. BOX 1177
CALDWELL, ID 83605
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

Lot 7 (SESESE) Sec 16 T 04N R 03W
(.560 CFS)
Total Diversión: (.560 CFS)

Date Filed: 4/20/1990
In: T04N R03W S18
S21

14 ACRES TOTAL

63-11313
SHORT, RONALD E.
25026 GERI LN.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

SWSW Sec 27 T 05N R 03W
(.020 CFS)
Total Diversión: (.020 CFS)

Date Filed: 3/6/1990
In: T05N R03W S27

1.0 ACRES TOTAL

63-11314
GERDES, DON
RT. 1
WILDER, ID 83676
Source: HELLYER DRAIN
Diversión Pt:
Use: IRRIGATION

SESE Tributary: SNAKE RIVER
Sec 11 T 03N R 05W
(1.500 CFS)
Total Diversión: (1.500 CFS)

Date Filed: 3/1/1990
In: T03N R05W S11

75.0 ACRES TOTAL

63-11318
EVANS, DON A.
EVANS, CHARLES
22349 SHELTON RD.
PARMA, ID 83660
Source: GROUNDWATER
Diversión Pt:

NWSW Sec 14 T 05N R 05W
(.020 CFS)
(1.000 CFS)
(.020 CFS)
Total Diversión: (1.000 CFS)

Use: STOCKWATER
Use: COMMERCIAL
Use: DOMESTIC

Date Filed: 3/12/1990
In: T05N R05W S14

NWSW

This permit will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before JUNE 4, 1990.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

March 1, 1993

VERA I SWARTZ
8454 S POWERLINE RD
NAMPA ID 83686

RE: WATER RIGHT NO. 63-11299

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

A handwritten signature in cursive script that reads "Pamela Skaggs".

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED

APR 22 1993



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

February 9, 1993

VERA I SWARTZ
8454 S POWERLINE RD
NAMPA ID 83686

RE: WATER RIGHT NO. 63-11299

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 15 days.

If you do not concur with these findings or if you have any questions, please contact us within the 15-day period.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

APR 22 1993

WR0749NP
No. L63-11299

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 02/03/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	VERA I SWARTZ 8454 S POWERLINE RD NAMPA ID 83686 (208) 466-4992	04/25/1990	IRRIGATION	03-15 11-15	0.68 CFS	160.2 AFA
TOTAL DIVERSION:					0.68 CFS	160.2 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.68 CFS

Point(s) of Diversion: T02N R02W S14 SW SE

Place of use Legal Description for: IRRIGATION

NE				NW				SW				SE					
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM
02N	02W	14	:														
																02	
																31 02	
																TOTAL ACRES	35.6

Pou County: CANYON

Other Rights: 63-8462

Other Water Rights Listing Overlapping Place(s) of use:
63-08462 63-11299

Conditions of Approval:

- R32 - This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

Remarks: The right holder shall fully use all surface water rights appurtenant to the lands identified above prior to using water under this right.

Dates: App. Received: 04/25/1990 Priority Date: 04/25/1990
Proof Due Date: 08/01/1992 Proof Made Date: 04/22/1992
Exam Made Date: 07/22/1992 Exam Sent to S.O.: 01/25/1993
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

Comments: Date: 04/23/1992 User-ID: VAULT Subject: Proof of Beneficial Use Rcvd
Proof of Beneficial Use Rcvd

Date: 06/01/1992 User-ID: JOHNSON Subject: Duplicate Data Entry
Per telephone conversation with the right holder I determined that a duplicate data entry had occurred. Right Number 63-11307 had been created also for this right. Right 63-11307 will be purged from the data base and remarks will be entered to see

028 02-03-93

WR0749NP
NO. 63-11299

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 02/03/93
PAGE: 2

=====
Comments: Date: 06/01/1992 User-ID: JOHNSON Subject: Duplicate Data Entry
this right. Also the receipt number is missing on this right it
had been entered on right 63-11307. The number will be added to
this right.

Audit: 02/03/93 SKAGGS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JAN 25 1993

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-11299

1. Owner: Vera Sunetz Phone No. 466-4992

Current Address: 8454 S. Powerline Rd. 11/11/88 83686

2. Accompanied by: Vera Sunetz EXAM. DATE: 7-22-92

Address: same Phone No. same

Relationship to Permit Holder: same

3. Source: groundwater tributary to -NA-


B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-08462, 63-11307 both are same
but different wells in the area 1/4 ☐ Copies Attached

2. Other water rights with same point of diversion: 63-11307
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

APR 22 1993

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

This system uses a 25hp pump to irrigate. The well is 200' deep and pumps at a dynamic level of 40' the static water level is at 25'. (well logs) The casing is 12" and the well is flowing. A weir measurement was used in a dirt ditch.

USGS (Copy of App. Map) + Aerial map do not concure. Aerial photo most accurately reflects system + concurs with photo of well into ditch system diagram.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
submersible	—	25	—	—	—

*Code to correspond with No. on map and aerial photo

5. ✓ **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SE	SW	SE	14	2N	2W	Canyon	Quads, Aerial, owner Id

6. ✓ **Place(s) of Use:**

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
2N	2W	14									2					31.6	3		35.6
																32.6	3		

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
1 standard weir	—	—	—	—	—	—

2. Measurements:

theoretical; $25 \times 8.8 \times .70 = 154$
 $40 + (2.3 \times 0) = 40$
 $\frac{154}{40} = 3.85 \text{ cfs}$

weir = $4\frac{1}{2}$ " 1 foot weir (Cipolatti) = .68 cfs Exhibit 2

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

weir = .68 cfs capacity

2. Alternate Method for Checking Purposes:

Theoretical = 3.85 cfs

$35.6 \times .02 = .71 \text{ cfs Allowable}$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

NA

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 35.6 \times 4.5 = 160.2 \text{ AFA}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .68 \times 245 \times 1.9835 = 330.45 \text{ AFA}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 160.2 \text{ AFA}$

2. Volume Calculations for Other Uses:

MIN
APR 22 1993

H. REMARKS AND OVERLAP REVIEW ANALYSIS

63-11307 duplicate data entry of this file - Cleared & refers to this right.
 * owner has other wells on the same 1/4, 1/4 but they
 cannot be used on this situated land

* The theoretical calculation is visually wrong. Either the
 notes (25hp) or the large flow the pump or the well
 deliver information concerning the dynamic level is incorrect.
 Whatever the case it is appropriate to take a water
 measurement as the most accurate.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3-15	11-15	.68 cfs	166.2 cfs

Remarks - WB3 (GW/Supp.)
 Conditions - R32

Totals: .68 cfs 166.2 cfs

2. Recommended Amendments

- ☒ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☒ Add P.U. as reflected above

- ☐ None
☐ Other

J. AUTHENTICATION

Field Examiner's Name

DAVID GRAY


Signature

David Gray

Certification Date


Field Report Preparation Date

8-6-92



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

APR 22 1993



T5207
8.3

PERMIT 63-11299 INIT
T. R. S. Q/Q
P/D Jan 2w 14 mwe
SCALE
PHOTO ID.

T5206
4
11.7

T3537
2
9.2

T3362

T5090

T5091

T335

T5010

T3537

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-11299

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 2n, Rge 2w, Sec. 14, nw 1/4 se 1/4 or Lot _____.
2. Owner: Vera Sumitz
Address 8454 S. Powerline, City Winnipeg, St 201
3. Casing $\geq$ 12 inches above ground: Yes X No _____
4. Access Port: Yes X No _____ Static Water Level: 25'
Pressure Gauge: Yes _____ No X Casing Diameter: 12"
Flowing: Yes X No _____ Temperature: NA
5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes _____ No X

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: _____

APR 22 1993

163-11299




View of well. Notice that
the PIPE is NOT FULL, ALSO
NOTICE THAT THE DITCH IS
DIRT.

well is southeast of P1A



View of motors & turbine
used to power system.

RECEIVED
APR 22 1993



View of PROPERTY. IRRIGATED PROPERTY.
 IS TO THE RIGHT SIDE OF PICTURE. THE
 DITCH CONTINUES TO IRRIGATE FIELD IN THE
 FAR BACK OF PICTURE. THIS FIELD IS INDICATED
 BETWEEN THE ARROWS.

APR 22 1993

April 24, 1992

VERA I. SWARTZ
8454 S. POWERLINE RD.
NAMPA ID 83686

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11299

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECEIVED
MAY 20 1992

RECEIVED

STATE OF IDAHO

APR 22 1992 DEPARTMENT OF WATER RESOURCES

Department of Water Resources
Western Regional

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-11299 Telephone No. 466-4992
2. Name(s) of Permit Holder(s): VERA I. SWARTZ
3. Post Office Address: 8454 So. Powerline Road - Nampa, Id. 83686
4. Source of Water: Groundwater
 - a. If ground water, well driller's name: Johnston Drilling Date drilled: 8-15-90
 - b. Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____
5. Extent of Use:

Domestic _____ (No. of households)	Irrigation <u>37</u> (No. of acres)
Stockwater _____ (No. and type of stock)	Other _____
6. Total rate and/or volume for which proof is submitted .74 cfs _____ acre/feet
7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device:	Required? <u>Yes</u> <u>No</u>	Installed? <u>Yes</u> <u>No</u>
OR		
Flow Measurement Port:	Required? <u>Yes</u> <u>No</u>	Installed? <u>Yes</u> <u>No</u>
8. Fee Enclosed: \$ 100.00 (See License Examination Fee Schedule)
9. Person to contact to accompany the Department representative during the field examination:

<u>VERA I. SWARTZ</u>	<u>466-4992</u>
Name	Telephone No.
<u>8454- So. Powerline Rd</u>	<u>Nampa, Id. 83686</u>
Address	
10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Date 4-21-92Signature Vera I. Swartz
(and title if on behalf of a company or organization)RECORDED
MAY 20 1992

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 63-11299 Reviewed by Klg Date 4/23/92

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

 Surface water source
✓ Ground water source
yes Drilling permit required?
yes Copy in the file? Drilling Permit No. 63-90-W-0149
100 Amount paid for permit yes Correct?
yes Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?
100 Amount Submitted
yes Correct?
NA Required?
/ Installed?
/ Waiver requested?

PRIORITY CALCULATION

Date proof received	<u>NA</u>	
Date proof due	<u>/</u>	-
No. of days late	<u>/</u>	=
Priority Date	<u>/</u>	+
New Priority Date	<u>✓</u>	

DEFICIENCIES OR ACTION ITEMS driller 092

proof acceptable

DATA ENTRY

New Address _____ Proof Made 4/22/92
4/24/92 Klg

9/89

DRILLING PERMIT NO.

Water Right Permit

Injection Permit No.

#159 P22

63-11299 (App. Pending)

State of Idaho
Department of Water Resources
DRILLING PERMIT

1. Applicant Schwartz, Vera I

2. Mailing Address 5454 S Powerline

Nampa ID 83686 Telephone 466-4992

☒ Well Owner () Well Operator () Other, specify _____

3. Proposed well location SE 1/4 NW 1/4 or Gov't lot No. _____

Sec. 14 Twp. 2N Rge. 3W County Canyon

Street Address of Well Site N/A

Lot, block and subdivision N/A

4. Proposed use of well:

() Single family or stockwater use (less than 13,000 gallons per day)

☒ Irrigation (more than 1/2 acre)

() Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____

() Other (describe fully) _____

5. Well construction information:

A. ☒ New well () Deepen () Replace - See Condition 9.

B. Proposed surface diameter 12" Maximum depth 200'

C. Anticipated bottom hole temperature:

- ☒ 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212°F or more (Geothermal well)

6. Construction Start Date June 18, 1990

7. Anticipated Well Driller Tekton Drilling Co. - M/LP - Lic # 92

NOTE: The actual well driller must be identified prior to drilling.

8. Applicant's signature Vera I. Schwartz Date 4-28-90

Title _____

(Owner, Firm Representative, Other)

RECORDED

MAY 20 1992

* per telcon with applicant 6/18/90

ACT. OF DEPARTMENT OF WATER RESOUR

This Permit is APPROVED Date 6/18/90

If approved, this permit authorizes the construction of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 95°F or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department rules and regulations.

SPECIFIC CONDITIONS:

Jan Thurtell Acting for Manager, Regional office
Signature of Authorized Department Representative Title

Receipt No. W00220 Received by RH Fee 100.00 Date 4-25-90


MICROFILMED

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date MAY 20 1992

This extension is good for 60 days beyond the above extension approval date.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORTUSE TYPEWRITER OR
BALLPOINT PENState law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>Vera Swartz</u> Address <u>8454 S. Powerline Nampa, ID</u> Owner's Permit No. <u>63-90-W-149</u> Water # <u>63-11299</u>	7. WATER LEVEL Static water level <u>25</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature <u>56</u> OF. Quality _____																																																																	
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) _____	8. WELL TEST DATA ☒ Pump ☐ Bailer ☐ Air ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"><tr><th>Discharge G.P.M.</th><th>Pumping Level</th><th>Hours Pumped</th></tr><tr><td><u>300</u></td><td><u>40</u></td><td><u>8</u></td></tr></table>	Discharge G.P.M.	Pumping Level	Hours Pumped	<u>300</u>	<u>40</u>	<u>8</u>																																																											
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																
<u>300</u>	<u>40</u>	<u>8</u>																																																																
3. PROPOSED USE ☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1" style="width: 100%; border-collapse: collapse;"><thead><tr><th>Hole Diam.</th><th>Depth From</th><th>To</th><th>Material</th><th>Water Yes No</th></tr></thead><tbody><tr><td>12</td><td>0</td><td>1</td><td>top soil</td><td>☒</td></tr><tr><td>"</td><td>1</td><td>5</td><td>broken basalt</td><td>☒</td></tr><tr><td>"</td><td>5</td><td>23</td><td>solid basalt</td><td>☒</td></tr><tr><td>"</td><td>23</td><td>30</td><td>broken basalt</td><td>☒</td></tr><tr><td>"</td><td>30</td><td>58</td><td>solid basalt</td><td>☒</td></tr><tr><td>"</td><td>58</td><td>65</td><td>broken basalt & gas pockets</td><td>☒</td></tr><tr><td>"</td><td>65</td><td>68</td><td>very broken basalt</td><td>☒</td></tr><tr><td>"</td><td>68</td><td>92</td><td>cracks & crevices</td><td>☒</td></tr><tr><td>"</td><td>92</td><td>99</td><td>solid basalt</td><td>☒</td></tr><tr><td>"</td><td>99</td><td>115</td><td>basalt with gas pockets</td><td>☒</td></tr><tr><td>"</td><td>115</td><td>127</td><td>solid basalt</td><td>☒</td></tr><tr><td>"</td><td>127</td><td></td><td>broken basalt</td><td>☒</td></tr></tbody></table>	Hole Diam.	Depth From	To	Material	Water Yes No	12	0	1	top soil	☒	"	1	5	broken basalt	☒	"	5	23	solid basalt	☒	"	23	30	broken basalt	☒	"	30	58	solid basalt	☒	"	58	65	broken basalt & gas pockets	☒	"	65	68	very broken basalt	☒	"	68	92	cracks & crevices	☒	"	92	99	solid basalt	☒	"	99	115	basalt with gas pockets	☒	"	115	127	solid basalt	☒	"	127		broken basalt	☒
Hole Diam.	Depth From	To	Material	Water Yes No																																																														
12	0	1	top soil	☒																																																														
"	1	5	broken basalt	☒																																																														
"	5	23	solid basalt	☒																																																														
"	23	30	broken basalt	☒																																																														
"	30	58	solid basalt	☒																																																														
"	58	65	broken basalt & gas pockets	☒																																																														
"	65	68	very broken basalt	☒																																																														
"	68	92	cracks & crevices	☒																																																														
"	92	99	solid basalt	☒																																																														
"	99	115	basalt with gas pockets	☒																																																														
"	115	127	solid basalt	☒																																																														
"	127		broken basalt	☒																																																														
4. METHOD DRILLED ☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☒ Cable ☐ Dug ☐ Other _____	RECEIVED APR 22 1991 FILMED MAY 20 1992																																																																	
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ Thickness: <u>250</u> inches <u>12 3/4</u> inches <u>1</u> feet <u>34</u> feet Diameter: _____ inches _____ inches _____ feet _____ feet Was casing drive shoe used? ☐ Yes ☒ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches Number _____ From _____ To _____ _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from: _____ feet to _____ feet Surface seal depth <u>34</u> Material used in seal: ☐ Cement grout ☒ Puddling clay ☐ Well cuttings Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between struts Describe access port <u>Pipe with cap</u>	10. Work started <u>7/26/90</u> finished <u>8/15/90</u>																																																																	
6. LOCATION OF WELL Sketch map location must agree with written location.  Subdivision Name _____ Lot No. _____ Block No. _____ County <u>Canyon</u> <u>NW 1/4 Sec. 14 T. 2 N. R. 2 E.</u>	11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>Johnston Drilling</u> Firm No. <u>92</u> Address <u>Box 830 Melba, Id.</u> Date <u>9/10/90</u> Signed by (Firm Official) <u>Elaine D. Johnston</u> and (Operator) <u>Ralph Robinson</u>																																																																	

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. P63-11299
Name(s) of Permit Holder(s): VERA I. SWARTZ
Post Office Address: 8454 So Powerline Rd
Nampa, Id. 83686 Tel. No. 466-4992

☒ I hereby certify that construction of diversion works for the above referenced permit began on JUNE 26, 1990. I understand that I must
(date)

continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control:



MAY 20 1992

*Note: A financing difficulty is
not an acceptable reason.

8-13-90
Date

Vera I. Swartz
Signature of Permit Holder

Vera S. Smith
8454 So. Powerline Road
Nampa, Idaho 83855



MICROFILMED

MAY 20 1992

IDAHO DEPARTMENT OF WATER RESOURCES
STATE HOUSE
Department of Water Resources
BOISE, IDAHO 83720



S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
July 27, 1990

VERA I. SWARTZ
8454 S. POWERLINE RD.
NAMPA, ID 83686

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P63-11299

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the

MICROFILMED

JUL 30 1990

permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

JUL 30 1990

Form No. 202a.
3/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: GG DATE: 4-26-90 APPLICATION: 63-11299

REQUIRED INFORMATION

☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume)
☒ Period of use:
☒ Nature of proposed use: (Include description of use)
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee:
☒ Yes ☐ No* In form to receipt:

Gov't. Lots:
N/A P/D
N/A P/U

ADDITIONAL INFORMATION

YES NO

☒ ☐ Overlapping place of use: (Describe source & relationship to present application on the back.)
☐ ☒ Overlapping point of diversion:
☐ ☐ Field check required: Field check by: _____
☐ ☐ Field report attached:
☐ ☒ Critical groundwater area:
☐ ☒ Groundwater management area:
☐ ☒ Diversion within interim protected river area
☐ ☒ Send dam safety information:
☐ ☒ Send power requirement letter:
☐ ☒ Send fish farm requirement letter:
☐ ☒ Power residency affidavit:
☐ ☒ Power efficiency form:
☐ ☒ Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☐ ☒ Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)
☐ ☒ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: _____

Additional information on reverse side: _____

RECEIVED
JUL 09 1990

Department of Water Resources

PROCESSING

APPLICATION NO. 63-11299

YES ☒ NO ☐

In form for advertising:

Statewide advertising:

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES ☐ NO ☒

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES ☐ NO ☒

U.S. BLM

U.S. Forest Svc.

Water Dist. #

Other

FINAL REGIONAL PROCESSING REVIEW

YES ☒ NO ☐

Affidavit of publication received:

Application published correctly: If not, record action taken.

Publication dates and paper recorded on application:

Protests received. Final date for protest June 4, 1990

Protest dates, resolution of protest recorded on application:

Recommendations attached: Approve, DM

Measuring device required:

Measuring port required: Flow Task Force memo P05

Water delivered by water master? District # 63

Special conditions of approval or cover letter:

26A

See below for additional information

Recommended Date or Priority 4/25/1990

Recommended by: DM

Date 6/30/1990

STATE OFFICE REVIEW

P05, P23

P17

46 26

See below for additional information. By FW

Date 7/23/90

ADDITIONAL INFORMATION

WR 63-8462 is for additional acres, same source (GW) same purpose
Different well

63-11299

SWARTZ, VERA I.
8454 S. POWERLINE RD.
NAMPA, ID 83686

Source: GROUNDWATER

Diversion Pt: SENWSE Sec 14 T 02N R 02W

Use: IRRIGATION (.740 CFS)
Total Diversion: (.740 CFS)

Date Filed: 4/25/ 1990

In: T02N R02W S14 NWSE SWSE

37.0 ACRES TOTAL

MICROFILMED

JUL 30 1990