

ASCS MAP



E6


MICROFILMED
JUL 30 1980

T4N
R1E
S.32
NW 1/4 NW 1/4

NOT TO SCALE

#63-11296
ASCHENBRENNER.

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Kenneth L. Aschbrenner

(Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JAN 25 1993

Department of Water Resources

A. GENERAL INFORMATION


1. ☒ Owner: Kenneth L. Aschenbrenner Permit No. 63-11-296
Current Address: 4990 N. Meridian Rd. Meridian, ID 83642 Phone No. 888-3580
2. Accompanied by: Same EXAM. DATE: 7-10-92
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. ☒ Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: Settler's Irrigation Canal later
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: None
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).

MICROFILMED
APR 22 1993

PERMIT 63-11296 INIT MJS
T. R. S. Q/Q
P/D 4N 1E 32 NE/NE
SCALE _____
PHOTO ID. X-8

T4N
T3N

APR 22 1993




Produced by the Geological Survey

Orthophotograph prepared from 1:80,000-scale aerial
photographs taken July 8, 1981

Projection and 10,000-foot grid ticks: Idaho
coordinate system, west zone

SCALE





E6

APR 22 1993

NOT TO SCALE



PHOTO ONE-

The well w/ 8" discharge pipe.
Point of measurement w/ polysonic



PHOTO TWO-

Point at which Settler's
Irrig. Canal enters the
property. 10" gated pipe
leading to the South
APR 22 1993



PHOTO THREE-

P/U Facing South west.
Point @ which 10" pipe discharges
across weir in ditch. 10" gated pipe
disconnected in background.



PHOTO FOUR-

P/U Facing South west
From weir.

APR 22 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11296

Priority: April 24, 1990

Maximum Diversion Rate: 1.38 CFS
Maximum Diversion Volume: 310.5 AF

This is to certify, that KENNETH L ASCHENBRENNER
4990 N MERIDIAN RD
MERIDIAN ID 83642

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated April 24, 1990; and
has submitted Proof of Beneficial Use on July 12, 1991. An examination indicates
that the works have a diversion capacity of 2.290 cfs of water from a GROUNDWATER
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	1.38 CFS	310.5 AF

LOCATION OF POINT(S) OF DIVERSION: NENW , Sec. 32, Township 04N, Range 01E
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
04N	01E	32	NENW 35	NWNW 34		69

Total number of acres irrigated: 69

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The issuance of this right in no way grants any right-of-way or easement across the land of another.
6. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.
7. The right holder shall fully use all surface water rights appurtenant to the lands identified above prior to using water

RECEIVED

APR 22 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11296

CONDITIONS/REMARKS:

under this right.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 10th
day of FEBRUARY, 1993.

Acting for R. Keith Higginson, Director

APR 22 1993

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 63-11296

Proposed Priority: April 24, 1990 Maximum Diversion Rate: 1.40 CFS

This is to certify, that **KENNETH L. ASCHENBRENNER**
4990 N. MERIDIAN RD.
MERIDIAN, ID 83642

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

BENEFICIAL USE PERIOD OF USE RATE OF DIVERSION

IRRIGATION 03/15 to 11/15 1.40 CFS

LOCATION OF POINT(S) OF DIVERSION: NENENW Sec. 32, Township 04N, Range 01E
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
------------	------------	------------	--------------	--------------	--------------	--------------

04N	01E	32	NENW 30	NWNW 40		70
-----	-----	----	---------	---------	--	----


Total number of acres irrigated: 70

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **August 1, 1991**.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The issuance of this permit in no way grants any right-of-way or easement across the land of another.
5. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

27th day of July, 1990

for 
R. Keith Higginson, Director

MICROFILMED

JUL 30 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant KENNETH L ASCHENBRENNER Phone 888-3580

Post office address 4990 N. MERIDIAN RD. MERIDIAN IDAHO 83642

2. Source of water supply GROUND WATER which is a tributary of _____

3. Location of point of diversion is NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of NW $\frac{1}{4}$, Govt. Lot _____

Sec. 32 Township 4N Range 1E B.M. ADA County; additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 1.4 cfs for IRRIGATION purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 1.4 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. WELL PUMP & GATED PIPE

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet; period of year when water will be diverted to storage: _____ to _____ inclusive.

c. Proposed well diameter is 16 inches; proposed depth of well is 150 feet.

d. Is ground water with a temperature of greater than 90°F being sought? NO

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1.4R years (minimum 1 year).

MICROFILMED

JUL 30 1990

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for *Domestic*) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
04N	01E	32					30	40											70 Ac.

Total number of acres to be irrigated 70 Ac.

10. Describe any other water rights used for the same purposes as described above. _____

SETTLER'S IRRIGATION - CANAL WATER

11. a. Who owns the property at the point of diversion? JOHN TOLK

b. Who owns the land to be irrigated or place of use? JOHN TOLK

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. Leasee Mr. Aschenbrenner

12. Remarks: Supplemental Water

P/D NOT IN THE BOISE RIVER FRONT MANAGEMENT AREA.

NOT RECORDED

JUL 30 1990

HEL

T751

3
16.2

T752

HEL

T753

HEL

2
9.9

T784

HEL

5
11.5

T792

HEL

1/4
3.0

3
1.5

HEL

HEL

E6


MICROFILMED

Not To Scale

463-11296

ASCHENBRENNER

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Kenneth L. Aschburn
(Applicant)

Received by JFW Date Apr. 124, 1990 Time 10:00 AM Preliminary check by SL
Fee \$ 25.00 Receipted by JFW # W012290 Date April 24, 1990
Publication prepared by GG Date 5-9-90 Published in ID Statesman
Publication approved ST Date 6-6-90
5/17 & 5/24/90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

MICROFILMED

JUL 30 1990

RECEIVED
JUN 0 4 1990

The Idaho Statesman

P.O. BOX 40, BOISE, IDAHO 83707

LEGAL ADVERTISING INVOICE

Department of Water Resources
Western Regional Office

Amount Due

138.00

Account Name Idaho Dept. Water Resources - Western			Account Number 47628	
Address 3 2735 Airport Way		City/State Boise ID		Zip 83705
Ordered By G Garrett	P.O. Number	Rate nt	Run Dates May 17, 24, 1990	
Identification Notice of Application for Water Right			Estimated Inches	Real Inches
Number of Affidavits Requested 1				Legal Number 5623

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-11204
LAMPLIGHTER ASSOC.
C/O JENKINS & PETERSON
10332 FAIRVIEW AVE. #103
BOISE, ID 83704
Source: GROUNDWATER
Diversions Pt: SENW Sec 12 T03N R01W
Use: IRRIGATION (.150 CFS)
Total Diversion (.150 CFS)
Date Filed: 3/12/1990
In: T03N R01W S12 SENW
5.0 ACRES TOTAL

63-11282
TMC INC.
P.O. BOX R
NAMP, ID 83651
Source: GROUNDWATER
Diversions Pt: LOT 2 (SEWN) Sec 1 T06N R05W
NEWSW Sec 1 T06N R05W
SWSENE Sec 2 T06N R05W
Use: IRRIGATION (.150 CFS)
Total Diversion (.150 CFS)
Date Filed: 4/16/1990
In: T06N R05W S01 Lot 1 (NENE)
Lot 2 (NENE) SWNE Lot 3 (NEVW)
Lot 4 (NWNW) NESE NWSE SESE
S02 SENE SWNW NESW NWSW
SWSW SESW NESE SESE
T07N R05W S36 SWSW SESW SWSE
SESE
751.0 ACRES TOTAL

63-11284
LAMKINS, ROLAND
3920 REED ST.
BOISE, ID 83714
Source: GROUNDWATER
Diversions Pt: LOT 2 (NWNE) Sec 5 T03N R02E
Use: DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)
Date Filed: 4/13/1990
In: T03N R02E S05 Lot 2 (NWNE)

63-11291
MURGOITIO, LOU L.
7373 S. MAPLE GROVE RD.
BOISE, ID 83709
Source: GROUNDWATER
Diversions Pt: NENENW Sec 12 T02N R01E
Use: IRRIGATION (7.300 CFS)
Total Diversion: (7.300 CFS)
Date Filed: 4/19/1990
In: T02N R01E S01 NESW NWSW
SWSW SESW
NWSE SWSE SESE
S02 NENE SENE
S12 NENW NWNW
365.0 ACRES TOTAL

63-11293
MICRON TECHNOLOGY, INC.
2805 E. COLUMBIA RD.
BOISE, ID 83706
Source: GROUNDWATER
Diversions Pt: LOT 1 (NWNW) Sec 7 T02N R03E
Use: INDUSTRIAL (2.250 CFS)
Total Diversion (2.250 CFS)
Date Filed: 4/19/1990
In: T02N R03E S07 NENW Lot 1 (NWNW)

63-11296
ASCHENBRENNER, KENNETH L.
4990 N. MERIDIAN RD.
MERIDIAN, ID 83642
Source: GROUNDWATER
Diversions Pt: NENENW Sec 32 T04N R01E
Use: IRRIGATION (1.400 CFS)
Date Filed: 4/24/1990
In: T04N R01E S32 NENW NWNW
70.0 ACRES TOTAL

63-11304
JACKSON, JEFFREY
JACKSON, SHARON A.
5278 GOODER JOHN LN.
EAGLE, ID 83616
Source: GROUNDWATER
Diversions Pt: SWNESW Sec 26 T05N R01W
Use: IRRIGATION (.200 CFS)
STOCKWATER (.020 CFS)
Total Diversion: (.200 CFS)
Date Filed: 4/11/1990
In: T05N R01W S26 NESW
10.0 ACRES TOTAL

63-11311
HULT, LEROY J.
2722 W. BANNOCK
BOISE, ID 83702
Source: GROUNDWATER
Diversions Pt: NWSE Sec 12 T02N R01E
NESE Sec 12 T02N R01E
Use: IRRIGATION (.080 CFS)
DOMESTIC (.020 CFS)
Total Diversion: (.100 CFS)
Date Filed: 4/16/1990
In: T02N R01E S12 NESE NWSE
4.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before JUNE 4, 1990.
R. Keith Higginson, Director
Pub. May 17, 24, 1990 5623

bie Richards, being duly sworn, says: That she is the Principal Clerk of The newspaper printed and published at Boise, Idaho, and having a general circulation therein, she has been continuously and uninterruptedly during a period of twelve consecutive publications of the notice, a copy of which is on file with Section 60-108, Idaho Code as follows:

1 consecutive daily ☐ single ☐ odd skip
with the issue of May 17, 1990
e of May 24, 1990

ie Richards

ss.
day of MAY in the year of 1990
me, a Notary Public, personally appeared is known or identified whose name subscribed to the within in- / me first duly sworn, declared that the true, and acknowledged to me that she

Public for Idaho
Boise, Idaho
ng at
mmission expires: 12/93

MICROFILMED
JUL 30 1990



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

February 11, 1993

KENNETH L ASCHENBRENNER
4990 N MERIDIAN RD
MERIDIAN ID 83642

RE: WATER RIGHT NO. 63-11296

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in cursive script that reads "Pamela Skaggs".

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED

APR 22 1993

WR0749NP
No. L63-11296

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 02/01/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	KENNETH L ASCHENBRENNER 4990 N MERIDIAN RD MERIDIAN ID 83642 (208) 888-3580	04/24/1990	IRRIGATION	03-15 11-15	1.38 CFS	310.5 AFA
TOTAL DIVERSION:					1.38 CFS	310.5 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 2.29 CFS

Point(s) of Diversion: T04N R01E S32 NE NW

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE				
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM	
04N	01E	32	:							35	34							:	69.0	
																			TOTAL ACRES	69.0

Pou County: ADA

Other Rights: ~~SETTLERS IRRIGATION~~

Other Water Rights Listing Overlapping Place(s) of use:
63-00161C 63-11296

Conditions of Approval:

- 004 - The issuance of this right in no way grants any right-of-way
- or easement across the land of another.
R32 - This right when combined with all other rights shall provide no
- more than .02 cfs per acre nor more than 4.5 afa per acre for the
- lands above.

Remarks: The right holder shall fully use all surface water rights
appurtenant to the lands identified above prior to using water
under this right.

Dates: App. Received: 04/24/1990 Priority Date: 04/24/1990
Proof Due Date: 08/01/1991 Proof Made Date: 07/12/1991
Exam Made Date: 07/09/1992 Exam Sent to S.O.: 01/22/1993
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 02/01/93 SKAGGS

28 02-01-93

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JAN 25 1993

Department of Water Resources

A. GENERAL INFORMATION


Permit No. 63-11296
1. Owner: Kenneth L. Aschenbrenner Phone No. 888-3580
Current Address: 4990 N. Meridian Rd. Meridian, ID 83642
2. Accompanied by: Same EXAM. DATE: 7-10-92
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: Settler's Irrigation Canal Water ☐ Copies Attached
2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).
- ☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).

MICROFILMED

APR 22 1993

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

A 20²⁵ h.p. pump is located in a 14" well that is 125' deep. The pump discharges through an 8" steel pipe of approx. 10' in length. The steel pipe empties into a 10" gated pipe which runs along the eastern edge of the property and then runs to the west along the north end of the property and near the south end of the property. Water From Settlers Irrigation runs through the middle of the property and it is pumped into the same gated pipe system.

☒ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	G.E.	25		Hayne & Bowler	

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NE	NE	NW	32	4N	1E	Ada	USGS Photo Quad/Aerial Photo

6. Place(s) of Use:

Indicate Method of Determination

Aerial Photo/Planimeter

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
4N	1E	32					35	34											69

Do not use this space

APR 22 1993

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Planimeter		LA Sico	42P	B-90848		
Polysonic Flow Meter		Tymc Flyte	TF-P			

2. Measurements:

2' weir of .53' depth

25 h.p., 20'-25' dynamic level per owner, open discharge

From Polysonic = 1029 GPM = 2.29 cfs capacity

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

69 acres x .02 cfs/acre = 1.38 cfs ✓

1. Measured Method:

Standard Cipolletti Weir Formula
 $Q (cfs) = 3.247 L(H)^{1.48}$

$$3.247 (2') (.53')^{1.48} = 2.53 cfs$$

2. Alternate Method for Checking Purposes:

$$25 h.p. \times 70\% \times 8.8 = 6.16 cfs$$

$$25 + (2.31 \times 20) = 2.16 cfs$$

estimate 20 psi - gated pipe - supports polysonic measurement

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

Acres = 11.5 + 11.7 + 5 + 23.4 + 11.1 + 5 + 5 = 68.4 acres, per ASCS photo

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 69 \times 4.5 = 310.5 a \cdot ft \checkmark$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 1.38 cfs \times 245 \times 1.9835 = 670.6 a \cdot ft \checkmark$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 310.5 a \cdot ft \checkmark$$

2. Volume Calculations for Other Uses:

RECEIVED

APR 22 1993

H. REMARKS AND OVERLAP REVIEW ANALYSIS

The total average was calculated from an ASES aerial photo. During the exam, the gated pipe on the northern end of the property was allowed to discharge into a small irrig. ditch. A 2' weir was placed in the ditch to measure the total discharge of the well. A polysonic measurement was also done on the 8" steel discharge pipe.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3/15	11/15	1.38 cfs	310.5 afa
Remarks - WB3 (GW/Supp) Conditions - R32	Totals:		1.38 cfs	310.5 afa

2. Recommended Amendments


- ☐ Change P.D. as reflected above
☒ Change P.U. as reflected above ^{change of acreage}

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

- ☒ None
☐ Other

J. AUTHENTICATION

Field Examiner's Name Mark Spring
Signature Mark Spring
Certification Date _____
Field Report Preparation Date 7-15-92



- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

APR 22 1993

MODE SELECT
INPUT

OUTER DIAMETER
7.9575 IN

PIPE MATERIAL
? CS,SS

WALL THICKNESS
0.1000 IN

INNER LINING
? NO LING.

KIND OF FLUID
? ANOTHER

SOUND VELOCITY
1440 M/S-

SENSOR MOUNTING
? U

TYPE OF SENSOR
? SMALL

DATA CHANGE
? NO

SPACING
5.536 IN U

MODE SELECT
T0 CHECK


0296.1 MMSEC
099.90 % T0

07-10 12:2300 *R
+003.00 % AI2

ZERO MODE
ZERO OPR

07-10 12:2500 *R
- 1.029E 3GPM

MICROFILMED
APR 22 1993




PERMIT 63-1179 INIT D-5
 T. R. S. Q/Q
 P/D 4N 1E 32 48N 1W
 SCALE
 PHOTO ID. X-5

T4N
 T3N

APR 22 1983
 MED

Produced by the Geological Survey
 Orthophotograph prepared from 1:80,000-scale aerial
 photographs taken July 8, 1981
 Projection and 10,000-foot grid ticks: Idaho
 coordinate system, West zone





Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-11296

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 4N, Rge 1E, Sec. 32, NE 1/4 NW 1/4 or Lot _____.

2. Owner: Kenneth L. Aschenbrenner

Address 4990 N. Meridian Rd., City Meridian, St ID

3. Casing $\geq$ 12 inches above ground: Yes ☒ No ☐

4. Access Port: Yes ☒ No ☐ Static Water Level: 20'
Pressure Gauge: Yes ☐ No ☒ Casing Diameter: 14"
Flowing: Yes ☒ No ☐ Temperature: _____

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes ☐ No ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: _____

APR 22 1993




PHOTO ONE-

The well w/ 8" discharge pipe.
Point of measurement w/ polysonic




PHOTO TWO-

Point at which Settler's
Irrig. Canal enters the
property. 10" gated pipe
leading to the south
APR 22 1993



PHOTO THREE-

P/u Facing South west.
Point @ which 10" pipe discharges
across weir in ditch. 10" gated pipe
disconnected in background.




PHOTO FOUR-

P/u. Facing South west
From weir.

APR 22 1993

September 3, 1991

KENNETH L. ASCHENBRENNER
4990 N. MERIDIAN RD.
MERIDIAN ID 83642

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11296

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Nina Shields
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

OCT 01 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 63-11296

Date 8-9-91

GENERAL CONSIDERATIONS

- ☒ Name same as permit?
☒ Address same as permit? If no, indicate below.
☒ Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

- ☐ Surface water source
☒ Ground water source
☒ Drill permit req'd?
☒ Copy in file? Drill permit no. 63-91-W-094
200.00 Amt paid for drilling permit? ☒ Correct?
☒ Well log in file?

LICENSE EXAMINATION FEE

- ☒ Required?
125.00 Amount submitted?
☒ Correct amount?

MEASURING DEVICE

- NO Measuring device or access port required?
☒ Installed?
☒ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

needs w.l. & D.P. Ok

Proof acceptable

PRIORITY CALCULATION

Date proof received	<u>NA</u>	
Date proof due		-
No. of days late		=
Priority date		+
NEW PRIORITY DATE		=

LB
9-9-91

RECEIVED
JUL 16 1991

STATE OF IDAHO

For Office Use Only
Amt. of Fee \$ 125
Date 7/12/91
Receipt No. W013492
Received by lw

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-11296 Telephone No. 888-3580

2. Name(s) of Permit Holder(s): KENNETH L. ASCHENBRENNER

3. Post Office Address: 4990 N. MERIDIAN RD MERIDIAN ID 83642

4. Source of Water: GROUND WATER

a. If ground water, well driller's name: PETE COPE Date drilled: 6/10/91

b. Pump horsepower: 25 Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use:

Domestic _____ (No. of households) Irrigation 70 (No. of acres)

Stockwater _____ (No. and type of stock) Other _____

6. Total rate and/or volume for which proof is submitted 1.4 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes ☒ No Installed? Yes ☐ No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☐ No

8. Fee Enclosed: \$ 125 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

KEN ASCHENBRENNER 888-3580
Name Telephone No.

4990 N MERIDIAN RD MERIDIAN ID 83642
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

7/12/91
Date

Kenneth L. Aschenbrenner
Signature (and title if on behalf of a company or organization)

OCT 01 1991

State of Idaho
Department of Water Resources

APPLICATION FOR DRILLING PERMIT

1. Applicant (please print) Kenneth Aschenbrenner
2. Mailing Address 4990 N Meridian Rd
Telephone 8-3580

☒ Well Owner () Well Operator () Other, specify _____

3. Proposed well location NE 1/4 NW 1/4, or Gov't Lot No. _____
Sec. 32, Twp. 4N, Rge. 1E, County Ada

Street Address of Well Site _____

Lot, block and subdivision _____

4. Proposed use of well:

() Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

☒ Non-Domestic: Any beneficial use not included within the definition of domestic. Irrigation

() Injection

() Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____

5. Well construction information:

A. ☒ New well () Deepen () Replace - See Condition 9

B. Proposed Surface Diameter 16" Proposed Maximum Depth 150'

C. Anticipated bottom hole temperature:

☒ 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212° or more (Geothermal well)

6. Construction Start Date Mid May 1991

7. Anticipated Well Driller Pete Cope

NOTE: The actual well driller must be identified prior to drilling.

8. Applicant's signature Kenneth Aschenbrenner Date May 28, 91

Title Owner - Renter

(Owner, Firm Representative, Other)

RECEIVED
OCT 01 1991

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is Approved Date 3-28-91

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

Robert B. Whitaker Sr. Agent For Regional Mgr
Signature of Authorized Department Representative Title

Receipt No. W013157 Received by RW Fee \$200.00 Date 3-28-91

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension is good for 60 days beyond the above extension approval date.

OCT 01 1991

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>Ken Aschenbrenner</u> Address <u>4990 N. Meridian Meridian ID</u> Owner's Permit No. <u>63-91-w-094</u>	7. WATER LEVEL Static water level <u>20</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ °F. Quality _____ <i>Describe artesian or temperature zones below.</i>																																																																																																																						
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Well diameter increase ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)	8. WELL TEST DATA ☐ Pump ☐ Bailer ☐ Air ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																																																			
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																																																					
3. PROPOSED USE ☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Bore Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th colspan="2">Water</th> </tr> <tr> <th>From</th> <th>To</th> <th>Yes</th> <th>No</th> </tr> </thead> <tbody> <tr><td>28"</td><td>0</td><td>2</td><td>Top soil</td><td>x</td><td> </td></tr> <tr><td> </td><td>2</td><td>4</td><td>Caleache</td><td> </td><td>x</td></tr> <tr><td> </td><td>4</td><td>42</td><td>River gravel</td><td>x</td><td> </td></tr> <tr><td> </td><td>42</td><td>44</td><td>lite brn clay</td><td> </td><td>x</td></tr> <tr><td> </td><td>44</td><td>60</td><td>fine to crse sand</td><td>x</td><td> </td></tr> <tr><td> </td><td>60</td><td>65</td><td>lite brn clay</td><td> </td><td>x</td></tr> <tr><td> </td><td>65</td><td>71</td><td>fine to crse. sand</td><td>x</td><td> </td></tr> <tr><td> </td><td>71</td><td>74</td><td>lite brn clay</td><td> </td><td>x</td></tr> <tr><td> </td><td>74</td><td>75</td><td>fine to crse. sand</td><td>x</td><td> </td></tr> <tr><td> </td><td>75</td><td>78</td><td>lite brn clay</td><td> </td><td>x</td></tr> <tr><td> </td><td>78</td><td>79</td><td>fine to med. sand</td><td>x</td><td> </td></tr> <tr><td> </td><td>79</td><td>82</td><td>lite brn clay</td><td> </td><td>x</td></tr> <tr><td> </td><td>82</td><td>94</td><td>fine to crse. sand</td><td>x</td><td> </td></tr> <tr><td> </td><td>94</td><td>96</td><td>lite brn clay</td><td> </td><td>x</td></tr> <tr><td> </td><td>96</td><td>126</td><td>fine to crse sand & pea-Gravel</td><td>x</td><td> </td></tr> <tr><td> </td><td>126</td><td>133</td><td>lite brn clay</td><td> </td><td>x</td></tr> <tr><td> </td><td>133</td><td>136</td><td>fine to med. sand</td><td>x</td><td> </td></tr> <tr><td> </td><td>136</td><td>140</td><td>lite brn clay</td><td> </td><td>x</td></tr> </tbody> </table>	Bore Diam.	Depth		Material	Water		From	To	Yes	No	28"	0	2	Top soil	x			2	4	Caleache		x		4	42	River gravel	x			42	44	lite brn clay		x		44	60	fine to crse sand	x			60	65	lite brn clay		x		65	71	fine to crse. sand	x			71	74	lite brn clay		x		74	75	fine to crse. sand	x			75	78	lite brn clay		x		78	79	fine to med. sand	x			79	82	lite brn clay		x		82	94	fine to crse. sand	x			94	96	lite brn clay		x		96	126	fine to crse sand & pea-Gravel	x			126	133	lite brn clay		x		133	136	fine to med. sand	x			136	140	lite brn clay		x
Bore Diam.	Depth		Material	Water																																																																																																																			
	From	To		Yes	No																																																																																																																		
28"	0	2	Top soil	x																																																																																																																			
	2	4	Caleache		x																																																																																																																		
	4	42	River gravel	x																																																																																																																			
	42	44	lite brn clay		x																																																																																																																		
	44	60	fine to crse sand	x																																																																																																																			
	60	65	lite brn clay		x																																																																																																																		
	65	71	fine to crse. sand	x																																																																																																																			
	71	74	lite brn clay		x																																																																																																																		
	74	75	fine to crse. sand	x																																																																																																																			
	75	78	lite brn clay		x																																																																																																																		
	78	79	fine to med. sand	x																																																																																																																			
	79	82	lite brn clay		x																																																																																																																		
	82	94	fine to crse. sand	x																																																																																																																			
	94	96	lite brn clay		x																																																																																																																		
	96	126	fine to crse sand & pea-Gravel	x																																																																																																																			
	126	133	lite brn clay		x																																																																																																																		
	133	136	fine to med. sand	x																																																																																																																			
	136	140	lite brn clay		x																																																																																																																		
4. METHOD DRILLED ☐ Rotary ☐ Air ☐ Hydraulic ☒ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____	10. Work started <u>6/4/91</u> finished <u>6/10/91</u>																																																																																																																						
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>.250 inches</td> <td>16 inches</td> <td>+ 18" feet 30</td> <td>feet</td> </tr> <tr> <td>.250 inches</td> <td>16 inches</td> <td>60 feet 65</td> <td>feet</td> </tr> <tr> <td>.250 inches</td> <td>16 inches</td> <td>75 feet 85</td> <td>feet</td> </tr> <tr> <td>.250 inches</td> <td>16 inches</td> <td>125 feet 135</td> <td>feet</td> </tr> </tbody> </table> Was casing drive shoe used? ☐ Yes ☒ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun Size of perforation _____ inches by _____ inches <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Well screen installed? ☒ Yes ☐ No Manufacturer's name <u>Roscoe Moss</u> Type <u>Continuous wire</u> Model No. <u>Heavy</u> Diameter <u>16</u> Slot size <u>.40</u> Set from <u>30</u> feet to <u>60</u> feet Diameter <u>16</u> Slot size <u>.40</u> Set from <u>65</u> feet to <u>75</u> feet Gravel packed? ☒ Yes ☐ No Size of gravel <u>85-125</u> Placed from <u>140</u> feet to <u>3/8-18</u> feet Surface seal depth <u>18'</u> Material used as seal: ☐ Cement grout ☒ Bentonite ☒ Riddling clay ☐ Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port <u>2" pipe</u>	Thickness	Diameter	From	To	.250 inches	16 inches	+ 18" feet 30	feet	.250 inches	16 inches	60 feet 65	feet	.250 inches	16 inches	75 feet 85	feet	.250 inches	16 inches	125 feet 135	feet	Number	From	To	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>Pete cope Drilling</u> Firm No. <u>213</u> Address <u>6505 W. Chinden</u> Date <u>7/1/91</u> Signed by (Firm Official) <u>[Signature]</u> and (Operator) <u>Kern Chastain</u>																																																																																						
Thickness	Diameter	From	To																																																																																																																				
.250 inches	16 inches	+ 18" feet 30	feet																																																																																																																				
.250 inches	16 inches	60 feet 65	feet																																																																																																																				
.250 inches	16 inches	75 feet 85	feet																																																																																																																				
.250 inches	16 inches	125 feet 135	feet																																																																																																																				
Number	From	To																																																																																																																					
_____ perforations	_____ feet	_____ feet																																																																																																																					
_____ perforations	_____ feet	_____ feet																																																																																																																					
_____ perforations	_____ feet	_____ feet																																																																																																																					
6. LOCATION OF WELL Sketch map location must agree with written location. <table border="1" style="width: 100px; height: 100px; border-collapse: collapse; margin-left: auto; margin-right: auto;"> <tr><td>N</td><td>X</td><td>E</td></tr> <tr><td>W</td><td></td><td>E</td></tr> <tr><td>S</td><td></td><td>E</td></tr> </table> Subdivision Name _____ Lot No. _____ Block No. _____ County <u>Ada</u> ne ¼ nw ¼ Sec. <u>32</u>, T. <u>4n</u> S ☐ R. <u>1e</u> W ☐	N	X	E	W		E	S		E	10. Work started <u>6/4/91</u> finished <u>6/10/91</u>																																																																																																													
N	X	E																																																																																																																					
W		E																																																																																																																					
S		E																																																																																																																					

138671
May 31, 1991

KENNETH L. ASCHENBRENNER
4990 N. MERIDIAN RD.
MERIDIAN, ID 83642

PROOF DUE NOTICE

RE: PERMIT NO. 63-11296

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

RECORDED
CCT 01 1991

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
July 27, 1990

KENNETH L. ASCHENBRENNER
4990 N. MERIDIAN RD.
MERIDIAN, ID 83642

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P63-11296

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

MICROFILMED

JUL 30 1990

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

JUL 3 1990

4N 1E S. 32 PO NENENW PO NENW
NNNN

Form No. 202a.
3/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: SL DATE: 5/4/90 APPLICATION: 63-11296

REQUIRED INFORMATION

☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume) Gov't. Lots:
☒ Period of use: N P/D
☒ Nature of proposed use: (Include description of use) N P/U
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee:
☒ Yes ☐ No* In form to receipt:

ADDITIONAL INFORMATION

YES NO

☒ ☐ Overlapping place of use: (Describe source & relationship to present application on the back.)
☐ ☒ Overlapping point of diversion:
☐ ☐ Field check required: Field check by: _____
☐ ☐ Field report attached:
☐ ☐ Critical groundwater area:
☐ ☐ Groundwater management area:
☐ ☐ Diversion within interim protected river area
☐ ☐ Send dam safety information:
☐ ☐ Send power requirement letter:
☐ ☐ Send fish farm requirement letter:
☐ ☐ Power residency affidavit:
☐ ☐ Power efficiency form:
☐ ☐ Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☐ ☐ Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)
☐ ☐ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

☒ ☐ DATE REQUESTED: _____
☒ ☐ Additional information on reverse side:

RECEIVED
JUL 09 1990

Department of Water Resources

PROCESSING

APPLICATION NO. 63-11296

YES NO

☒ ☒
☒ ☒
☒ ☒

In form for advertising:

Statewide advertising:

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

U.S. BLM

U.S. Forest Svc.

Water Dist. # _____

Other _____

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☒
☒ ☒

Affidavit of publication received:

Application published correctly: If not, record action taken.

☒ ☒

Publication dates and paper recorded on application:

Protests received. Final date for protest

Protest dates, resolution of protest recorded on application:

Recommendations attached: APPROV, DNR

Measuring device required:

Measuring port required:

Water delivered by water master? District # 63-P05

Special conditions of approval or cover letter:

See below for additional information

Recommended Date or Priority 4/24/1990

Recommended by: DNR

Date 7/3/1990

STATE OFFICE REVIEW

P05, P23

P16

46 04

See below for additional information. By KW

Date 7/23/90

ADDITIONAL INFORMATION

Overlap

P16 63-00161C Boise River, Consumers Water Co., irrigation of
unspecified # acres in N 1/2 NW 1/4

63-03060 Different well, Settlers Irrig. Dist. water for same
acres in application.

63-11296

ASCHENBRENNER, KENNETH L.
4990 N. MERIDIAN RD.
MERIDIAN, ID 83642

Source: GROUNDWATER

Diversion Pt: NENENW Sec 32 T 04N R 01E

Use: IRRIGATION (1.400 CFS)
Total Diversion: (1.400 CFS)

Date Filed: 4/24/ 1990

In: T04N R01E S32 NENW NWNW

70.0 ACRES TOTAL

MICROFILMED

JUL 30 1990