13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 nches equal 1 mile.

MICROFILMED
AUG 3 0 1990

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

(Applicant)

3. **Delivery System Diagram**: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = NTS

✓ Copy of USGS Quadrange Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

___ Aerial Photo Attached (required for irrigation of 10+ acres)

✓ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. (model) or Discharge Size
	Franklin	3	No Tag	Grundfos	40-5-30

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. **Measurements:** None - Pressurized System.

MICROFILMED
DEC 02 1993



PERMIT 63-1128D INIT RC

T. R. S. Q/Q

P/D 4N 3W 29 SESW

SCALE

PHOTO ID. X-5 Caldwell

RECEIVED

DEC 0 2 1993

X-5 Caldwell

PHOTO ONE- WELL LOCATED NORTHWEST OF HOME.

RECEIVED
DEC 02 1993

PHOTO TWO- VIEW SOUTHERLY OF MAN-MADE POND USED FOR RAISING FISH. INLET TO POND IS SHOWN TO THE RIGHT SPRAYING TOWARD THE MIDDLE.

PHOTO THREE- View northerly of 4" overflow and landscaped area in the northeast corner of property.

>

MICROFILMED
DEC 02 1993

PHOTO FOUR- View of landscaped sedimentation basin and pond overflow.

PHOTO FIVE- View easterly of back lawn area.

OCT 2 1993

PHOTO SIX- View northerly of west portion of property. Well is situated near shop corner.

ATTN: QUENTIN NESBITT



WELL CASED 140'
3 HP PUMP W/ 2" OUTLET
PUMP SET @ 60'
STATIC WATER @ 19'
DRAWDOWN TO 40 Ft WHEN WELL PUMPED 72 HRS

RECEIVED
DEC 2 6 1991

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11280

Priority: March 9, 1990

Maximum Diversion Rate: 0.17 CFS
Maximum Diversion Volume: 123.0 AF

This is to certify, that RON WARREN
16540 W OAK
CALDWELL ID 83605 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 13, 1990; and has submitted Proof of Beneficial Use on September 25, 1991. An examination indicates that the works have a diversion capacity of .170 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

BENEFICIAL USE	PERIOD OF USE	RATE OF DIVERSION	ANNUAL VOLUME
IRRIGATION	03/15 to 11/15	0.06 CFS	9.0 AF
RECREATION	01/01 to 12/31	0.17 CFS	123.0 AF
RECREATION STORAGE	01/01 to 12/31		7.6 AF
DIVERSION TO STORAGE	01/01 to 12/31	0.17 CFS	
	Totals	0.17 CFS	123.0 AF

LOCATION OF POINT(S) OF DIVERSION: NESESW , Sec. 29, Township 04N, Range 03W
CANYON County

PLACE OF USE: IRRIGATION

TWN	RGE	SEC		ACRES	ACRES	ACRES	TOTAL
04N	03W	29	SESW	2			2

Total number of acres irrigated: 2

PLACE OF USE:
RECREATION, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The right holder shall use the full allotment of his surface water right, to the extent it is available, in conjunction with groundwater diverted pursuant to this right.

MICROFILMED
DEC 02 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11280

CONDITIONS/REMARKS:

6. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.5 afa per acre for the lands above.
7. Recreational use is for private fish pond.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 1st day of November, 1993.

Acting for R. Keith Higginson, Director

MICROFILMED
DEC 02 1993

BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 63-11280 IN THE NAME OF RON WARREN	ORDER OF REINSTATEMENT

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before September 1, 1991; and,

WHEREAS, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder that the permit lapsed for failure of the permit holder to submit the proof of beneficial use; and,

WHEREAS, the Department notified the permit holder that the permit lapsed for failure of the permit holder to submit the proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on September 25, 1991;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 63-11280 be REINSTATED and the priority advanced to March 9, 1990.

Dated this 1st day of November, 1991.

L. GLEN SAXTON, Chief
Water Allocation Bureau

RECEIVED

DEC 26 1991

Form 217
07/90

RECEIVED
SEP 25 1991
Department of Water Resources

-PW 2

For Office Use Only
Amt. of Fee $ 100 00
Date 9/23/91
Receipt No. W013704
Received by JFW

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-11280 Telephone No. 459-8742
2. Name(s) of Permit Holder(s): Ron Warren
3. Post Office Address: 1654 W Oak, Caldwell 83605
4. Source of Water: Groundwater
   a. If ground water, well driller's name: unknown. Date drilled: 1985
   b. Pump horsepower: 3hp. Pressure (psi): _____ Dynamic pumping level (ft.): 19 ft.
5. Extent of Use:
   Domestic _____ (No. of households) Irrigation 2 (No. of acres)
   Stockwater _____ (No. and type of stock) Other Fish Prop.
6. Total rate and/or volume for which proof is submitted .50 cfs _____ acre/feet
7. Refer to the approval conditions on your permit and respond accordingly:
   Measuring device: Required? __Yes X No Installed? __Yes X No
   OR
   Flow Measurement Port: Required? __Yes X No Installed? __Yes X No
8. Fee Enclosed: $ 100 or (See License Examination Fee Schedule)
9. Person to contact to accompany the Department representative during the field examination:
   SAME AS ABOVE
   Name Telephone No.
   Address
10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

RECEIVED
DEC 26 1991
WATER RESOURCES

Date Signature (and title if on behalf of a company or organization)

Form 217
08/89

For Office Use Only
Amt. of Fee $_____
Date _____
Receipt No. _____
Received by _____

ATTN: QUENTIN NESBITT

RECEIVED
AUG 16 1991
Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-11280 Telephone No. 208-459-8742

Name(s) of Permit Holder(s): RONALD V. OR TRINIA K. WARREN

Post Office Address: 16540 W. OAK CALDWELL, ID 83605

Source of Water: WELL

If ground water, well driller's name: _____ Date drilled: 1985

Extent of Use:

Domestic _____ (No. of households) Irrigation 2.28 (No. of acres)

Stockwater _____ (No. and type of stock) Other AQUACULTURE

Total rate and/or volume for which proof is submitted _____ cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: 8/23/90

One of the following may be a condition of approval of your permit:

Measuring device: Required? __Yes __No Installed? __Yes __No

OR

Flow Measurement Port: Required? __Yes __No Installed? __Yes __No

Fee Enclosed: $ _____ (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

RON WARREN 459-8742
Name Telephone No.

16540 W. OAK CALDWELL, ID 83605
Address

RECEIVED
DEC 26 1991

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

8/12/91 Ronald V. Warren - OWNER
Date Signature (and title if on behalf of a company or organization)

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11280

Proposed Priority: February 13, 1990 Maximum Diversion Rate: 0.50 CFS
This is to certify, that **RON WARREN**
16540 W. OAK
CALDWELL, ID 83605
has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

BENEFICIAL USE	PERIOD OF USE	RATE OF DIVERSION
IRRIGATION	04/01 to 10/30	0.06 CFS
FISH PROPAGATION	01/01 to 12/31	0.50 CFS
	Totals	0.50 CFS

LOCATION OF POINT(S) OF DIVERSION: NESESW Sec. 29, Township 04N, Range 03W
CANYON County

PLACE OF USE: IRRIGATION

TWN	RGE	SEC		ACRES	ACRES	ACRES	TOTAL
04N	03W	29	SESW	2			2
					Total number of acres irrigated:		2

PLACE OF USE: FISH PROPAGATION, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **September 1, 1991.**
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
5. Assignment or sale of this permit is subject to a determination by the Department that the permit holder has proceeded to develop the permit with due diligence and without speculation.
6. Return flow if discharged to a subsurface system must be authorized by a separate injection well permit, and return flow if discharged to a surface water system shall meet Idaho Water Quality Standards.
7. The permit holder shall be required to provide the Department, upon request, information showing volume changes per hour necessary to maintain an adequate environment for the propagation facility. Volume changes per hour shall be based upon actual fish production.

MICROFILMED
AUG 30 1990

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11280

CONDITIONS/REMARKS:

8. Use of water under this right is subject to policies set forth in the State of Idaho Water Plan, including Policy No. 5G.
9. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.
10. Facility volume = 1.0 acre-feet.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this

23rd day of August, 1990.

for R. Keith Higginson, Director

MICROFILMED
AUG 3 0 1990

Form 202
6/85

Ident. No. 63-11280

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant LON WARREN Phone 459-8742

   Post office address 16540 W. OAK CALDWELL, ID 83605

2. Source of water supply GROUND WATER which is a tributary of N/A

3. Location of point of diversion is NE ¼ of SE ¼ of SW ¼, Govt. Lot _____

   Sec. 29 Township 4N Range 3W B.M. CANYON County; additional

   points of diversion if any: _____

4. Water will be used for the following purposes:

   Amount .5CFS (cfs ~~or acre-feet per annum~~) for FISH PROD purposes from JAN 1 to DEC 31 (both dates inclusive)

   OR Amount 0.06 (cfs ~~or acre-feet per annum~~) for IRRIGATION purposes from APRIL 1 to OCT 30 (both dates inclusive)

   Amount _____ (cfs or acre-feet per annum) for _____ purposes from _____ to _____ (both dates inclusive)

   Amount _____ (cfs or acre-feet per annum) for _____ purposes from _____ to _____ (both dates inclusive)

5. Total quantity to be appropriated is (a) .5 CFS (cubic feet per second) and/or (b) _____ (acre feet per annum)

6. Proposed diverting works:

   a. Description of ditches, flumes, pumps, headgates, etc. 3 HP SUBMERSIBLE PUMP SET AT 90' UNDERGROUND 2" PIPE CONNECTS TO SUPPLY WATER TO FISH POND & VALVE ALLOWS DIVERSION OF FULL FLOW INTO IRRIGATION/SPRINKLER SYSTEM

   b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total

   reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:

   _____ to _____ inclusive.

   c. Proposed well diameter is 6" inches; proposed depth of well is 140 feet.

   d. Is ground water with a temperature of greater than 90°F being sought? _____

7. Time required for the completion of the works and application of the water to the proposed beneficial use is COMPLETED (1) years (*minimum 1 year*).

MICROFILMED
AUG 30 1990

8. Description of proposed uses (*if irrigation only, go to item 9*):

   a. Hydropower; show total feet of head and proposed capacity in KW. _____

   b. Stockwatering; list number and kind of livestock. _____

   c. Municipal; show name of municipality. _____

   d. Domestic; show number of households. _____

   e. Other; describe fully. FISH PROPAGATION REQUIRES ENOUGH WATER FLOW TO MAINTAIN WATER TEMP & OXYGEN LEVELS

9. Description of place of use:

   a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

   b. If water is used for other purposes, place a symbol of the use (*example: D for Domestic*) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
4N	3W	29												2					2
														H					

Total number of acres to be irrigated 2

10. Describe any other water rights used for the same purposes as described above. NONE

11. a. Who owns the property at the point of diversion? RONALD V. OR TRINA K. WARREN

    b. Who owns the land to be irrigated or place of use? SAME

    c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: APPROXIMATELY 1,000 to 2,000# OF FISH ARE BEING RAISED AT ONE TIME — NONE ARE FOR SALE BUT PRIVATE CONSUMATION ONLY. OVERFLOW OF WATER OCCURS ONLY FROM APRIL — OCT. DURING SUMMER MONTHS ADDITIONAL PUMPS USE POND WATER FOR IRRIGATION PURPOSES.

MICROFILMED

AUG 30 1990

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

AUG 3 0 1990

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

(Applicant)

Received by MS. Date 2/13/90 Time 4:30pm Preliminary check by RW

Fee $ 45.00 Receipted by CH # W008788 Date 2-14-90

Publication prepared by GG Date 4-11-90 Published in Press-Tribune 4/18 & 4/25/90

Publication approved [signature] Date 5-14-90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

   a. SUBJECT TO ALL PRIOR WATER RIGHTS.

   b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

   c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

   d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

   e. Other:

MICROFILMED
AUG 30 1990

State of Idaho
DEPARTMENT OF WATER RESOURCES
1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 2, 1993

RON WARREN
16540 W OAK
CALDWELL ID 83605

RE: WATER RIGHT NO. 63-11280

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

DEC 02 1993

State of Idaho
DEPARTMENT OF WATER RESOURCES
1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 4, 1993

RON WARREN
16540 W OAK
CALDWELL ID 83605

RE: WATER RIGHT NO. 63-11280

Dear Mr. Warren:

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

Because your fish pond was for private use only, it was decided to change the fish propagation use to recreation. It is not a commercial operation which requires much stricter regulatory conditions. The diversion to storage and recreation storage uses were also added to reflect all of the water uses. We feel that the proposed license is now more representative of your actual situation.

In addition, the rate diverted was reduced to the actual amount used, rather than the amount listed on the original permit.

We ask that you review the proposed license and if you do not concur with the information, please let me know within 10 days.

Sincerely,

Brenda L. Chapman

BRENDA L. CHAPMAN
Water Resource Agent

Enclosure

MICROFILMED
DEC 02 1993

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM	USE PERIOD TO	DIVERSION RATE	DIVERSION VOLUME
C	RON WARREN	03/09/1990	IRRIGATION	03-15	11-15	0.06 CFS	9.0 AFA
	16540 W OAK		RECREATION	01-01	12-31	0.17 CFS	123.0 AFA
	CALDWELL ID 83605		RECREATION STORAGE	01-01	12-31		7.6 AFA
	(208) 459-8742		DIVERSION TO STORAGE	01-01	12-31	0.17 CFS	
					TOTAL DIVERSION:	0.17 CFS	123.0 AFA

Water Source: GROUNDWATER Tributary to: Stage: LICENSE

Point(s) of Diversion Capacity: 0.17 CFS

Point(s) of Diversion: T04N R03W S29 NE SE SW

Place of use Legal Description for: IRRIGATION

			NE				NW				SW				SE				
			NENE	NWNE	SWNE	SENE	NENW	NWNW	SWNW	SENW	NESW	NWSW	SWSW	SESW	NESE	NWSE	SWSE	SESE	
T	R	S	Lt Ac	Lt Ac	Lt Ac	Lt Ac	Lt Ac	Lt Ac	Lt Ac	Lt Ac	Lt Ac	Lt Ac	Lt Ac	Lt Ac	Lt Ac	Lt Ac	Lt Ac	Lt Ac	SUM
04N	03W	29												02					2.0
																		TOTAL ACRES	2.0

Place of use location for RECREATION is the same location as described for: IRRIGATION

Pou County: CANYON

Other Water Rights with Same Point(s) of Diversion and Source:
63-11280

Other Water Rights Listing Overlapping Place(s) of use:
63-04722 63-11280

Conditions of Approval:
803 - The right holder shall use the full allotment of his surface
- water right, to the extent it is available, in conjunction with
- groundwater diverted pursuant to this right.
R52 - This right when combined with all other rights shall provide no
- more than .03 cfs per acre nor more than 4.5 afa per acre for the
- lands above.

Remarks: Recreational use is for private fish pond.

Dates: App. Received: 02/13/1990 Priority Date: 03/09/1990 (Priority Date Advanced.)
Proof Due Date: 09/01/1991 Proof Made Date: 09/25/1991 (Proof Received Late.)
Exam Made Date: 07/30/1993 Exam Sent to S.O.: 09/14/1993
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 10/01/93 CHAPMAN

WR0750NP
(OD-138)

IDAHO DEPARTMENT OF WATER RESOURCES
PLACE OF USE 1/4 1/4 COMPARISON REPORT
(REGIONAL)

DATE: 09/28/93
PAGE: 1

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '*' ARE ADJUDICATION CLAIMS)

WR-NUMBER	SOURCE	NE NE Lt	NE NE Ac	NE NW Lt	NE NW Ac	NE SW Lt	NE SW Ac	NE SE Lt	NE SE Ac	NW NE Lt	NW NE Ac	NW NW Lt	NW NW Ac	NW SW Lt	NW SW Ac	NW SE Lt	NW SE Ac	SW NE Lt	SW NE Ac	SW NW Lt	SW NW Ac	SW SW Lt	SW SW Ac	SW SE Lt	SW SE Ac	SE NE Lt	SE NE Ac	SE NW Lt	SE NW Ac	SE SW Lt	SE SW Ac	SE SE Lt	SE SE Ac	SUM
L6311280	T04N R03W S29	GROUNDWATER																						02										2
A6300166A	BOISE RIVE							05										40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	325
A6300167A	BOISE RIVE							05										40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	325
A6300179A	BOISE RIVE							05										40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	325
A6300224	BOISE RIVE							05										40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	325
A6300225	BOISE RIVE							05										40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	325
A6300294	BOISE RIVE							05										40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	325
A6300295	BOISE RIVE							05										40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	325
A6300371	BOISE RIVE							05										40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	325
A6302275	WILSON SLO							05										40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	325
A6302276	MASON CREE							05										40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	325
6302291	BARDSLEY G			40		40																					20						100
A6302291	BARDSLEY G			40		40																					20						100
A6302294	FIVE MILE							05										40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	325
6302529	GROUNDWATE																																	
A6302529	GROUNDWATE							05										40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	325
6302891	WILSON SLO																																	
A6302891	WILSON SLO							05										40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	325
A6302891A	WILSON SLO							05										40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	325
6303178	DIXIE DRAI	40						19																										59
A6303178A	DIXIE DRAI	40						19																										59
6304722	WASTE WATE																							03										3
A6305199	GROUNDWATE							05										40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	325
A6305200	GROUNDWATE							05										40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	325
A6305219	INDIAN CRE							05										40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	325
A6305237	INDIAN CRE							05										40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	325
A6305255	INDIAN CRE							05										40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	325
A6309109	GROUNDWATE							05										40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	325
6311200	GROUNDWATE																														02			2
~~6311280~~	~~GROUNDWATE~~																							~~02~~										~~2~~
A6321443	WASTE WATE							20																										20
A6321731	FIVE MILE							05										40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	325
A6321739	ELIJAH DRA							05										40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	325
A6322210	BARDSLEY G													20		05																		25

Pioneer Irr District
RIGHTS

LICENSE REVIEW CHECKLIST

Permit # 63-11280 Date 9-24-93 Brenda Chapman

	Yes	No	
NAME	___	✓	Or Address Change?
PRIORITY DATE	___	✓	Advance? Done Memo to Advance TO: 3-9-90
	Done		Order to Reinstate Needed?
	___	✓	Incorrect Fee for rate recommended?
SOURCE	___	✓	Changes? Clarification of **Originally Intended** source ___
	___	✓	Notice of Intent to Void - Source change.
P/D	___	✓	Amendment Needed? ___
	___	✓	Overlap(s) ___
P/U	___	✓	Amendment Needed? ___
	___	✓	Overlap(s) ___
TOTAL CFS	-NA-		Disagree/Measurement NONE DONE
			2 ACRES @ .03 = .06
	___	✓	(used 30 psi instead of 20)
	✓	___	Theoretical $\left(\frac{8.8 \times .70 \times 3HP}{40 + 2.31 \times 30}\right)$ = .17 CFS
	✓	___	**Capacity** .17
			Allowable Amount: CAPACITY @ .17CFS
TOTAL VOLUME	___	✓	Disagree with Examiner's Calculations?
			2 acres @ 4.5 = 9 AF
* Use original measurements		*	POND = 300 x 125 x 16 = 600,000
			600,000 / 43,560 = 13.7 af
$\frac{230 \times 130 \times 11}{43560}$ = 7.6 af	___	✓	Flow limit: .17 x 365 x 1.9835 = 123
			Season IRR = 3/15 - 11/15
USES	___	✓	Change(s) in Nature of Use? ___
(TAKES MORE THAN 24 hrs to fill)	✓	___	Amendment Needed? Add FISH PROP STORAGE and DIVERSION TO STORAGE
REMARKS	___	✓	Multiple P/Ds in 1/4 1/4? ___
Add 803 CHECK			Special Overlap PIONEER IRR DISTRICT
	✓	___	Other ~~Add 6017~~ NOT A COMMERCIAL OPERATION DELETE 07A, 01G, 046, 042
CONDITIONS	___	✓	Measuring/Locking Devices
	___	✓	W/Master Control
R52	___		Irrigation Overlap
~~DAC~~	___		Water Quality

Misc/Dates

___ ✓	Water Dist
___ ✓	App Rec'd
___ ✓	Exam Made

COMMENTS: REDUCE RATE TO CAPACITY; ADD DIV TO STORAGE & REC; ~~FISH PROP~~ STORAGE

RECOMMENDED	CFS	DIV VOL
Irrigation	.06	9.0
FISH PROP	.17	123.0
DIV TO STOR	.17	
FISH STOR		13.7 7.6

PER JIM 9/30 Change to Recreation

LICENSE ✓

AMEND ___ (Add Uses)

DO A 10 DAY Special Letter.

Form 219
6/92

RECEIVED
SEP 21 1993
Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 63-11280

1. Owner: Ron Warren Phone No. 459-8742

Current Address: 1654D W. Oak, Caldwell, ID 83605

2. Accompanied by: Ron Warren EXAM DATE: 7/30/93

Address: same Phone No. same

Relationship to Permit Holder: Applicant

3. Source: Groundwater tributary to

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 63-02529, 63-02891, 63-04722

2. Other water rights with the same point of diversion: 63-04722

C. DIVERSION AND DELIVERY SYSTEM

1. **Point(s) of Diversion:**

Ident No.	Gov't Lot	¼	¼	¼	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NE	SE	SW	29	4N	3W	Canyon	AERIAL MAP

2. **Place(s) of Use:** Indicate Method of Determination same as P/D

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
4N	3W	29												2					2

MICROFILMED
DEC 02 1993

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = NTS

✓ Copy of USGS Quadrange Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

___ Aerial Photo Attached (required for irrigation of 10+ acres)

✓ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size (model)
	FRANKLIN	3	NO TAG	Grundfos	40-5-30

Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. **Measurements:** NONE – Pressurized System.

RECEIVED
DEC 02 1993

E. NARRATIVE/REMARKS/COMMENTS

OVERLAPS - P/D - Same QQ, different source (waste water)
P/U - Same QQ, different areas of use.

Well is used for irrigation of lawn and landscaping areas, and for filling and relevering a specific level in pond for fish propogation.
Irrigation is operated by a complete underground system. Pop-ups in the lawn and 2' risers in landscaped areas.
Since the system capacity is 0.21 CFS, the full request of 0.50 CFS cannot be allowed. Recommend the following amendments prior to Licensing:

Diversion to storage: 0.21 CFS
Fish Propogation storage: 14.0 AF
Fish Propogation: 0.21 CFS
Irrigation: 0.06 CFS
TOTAL — 0.21 CFS

Along with the above amendments to change the nature of use, recommend Licensing ~~for 14.0 AF~~ for flows and volume AS STATED above. The irrigation and fish propogation are operated ~~as~~ as one system, but never together.

$$Q_{(THEORETICAL)} = \frac{(8.8)(0.7)(3)}{(2.31 \times 20) + 40} = 0.21 \text{ CFS}$$

Volume not allocated — $V = 0.29 \times 365 \times 1.9835 = 210.0$ AFA
Pond - $V = 300' \times 125' \times 16' = 600000 \text{ FT}^3 = 13.8 \simeq 14.0$ AF

Have conditions of permit approval been met? ✓ yes ___ no

MICROFILMED
DEC 02 1993

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method: NONE - Pressurized system

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R}$ = (Acres Irrigated) x (Irrigation Requirement) = 2 x 4.5 = 9.0 AFA

$V_{D.R}$ = [Diversion Rate (cfs)] x (Days in Irrigation Season) x 1.9835 = 0.21 x 214 x 1.9835 = 89.2 AFA

V = Smaller of $V_{I.R}$ and $V_{D.R}$ = 9.0 AFA

2. Volume Calculations for Other Uses: N/A

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use From	Period of Use To	Rate of Diversion Q (cfs)	Annual Volume V (afa)
IRRIGATION	4/1	10/30	0.06	9.0
Fish Propagation	1/1	12/31	0.21	—
Fish Propagation Storage	1/1	12/31	—	14.0
Diversion to Storage	1/1	12/31	0.21	—
		Totals:	0.21	23.0

2. Recommended Amendments

___ Change P.D. as reflected above ___ Add P.D. as reflected above ✓ None

___ Change P.U. as reflected above ___ Add P.U. as reflected above ___ Other

I. AUTHENTICATION

Field Examiner's Name Rick Collingwood Date 8/13/93

Reviewer _____ Date _____ SEAL

RECEIVED
DEC 02 1993


SOUTH
CANAL
ROEDEL
RIDGE
UPPER
CANAL
CALDWELL CANAL
P/D
P/U
PERMIT 93-11280 INIT RC
T. R. S. Q/Q
P/D 4N 3W 29 SESW
SCALE
PHOTO ID. X-5 Caldwell

DEC 0 2 1993

Form 238-I
05/90

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-11280

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 4N, Rge 3W, Sec. 29, SE 1/4 SW 1/4 or Lot _____.

2. Owner: Ron Warren

   Address 16540 W. Oak, City Caldwell, St ID

3. Casing ≥ 12 inches above ground: Yes ✓ No _____

4. Access Port: Yes ___ No ✓ Static Water Level: 30
   Pressure Gauge: Yes ___ No ✓ Casing Diameter: 6"
   Flowing: Yes ✓ No ___ Temperature: N/A

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes ___ No ✓

   If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: _____

MICROFILMED
DEC 02 1993

Form 238-7
9/82

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

USE TYPEWRITER OR BALLPOINT PEN

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name Ron Warren

Address Rt. 6 Box 33 Caldwell, Idaho

Owner's Permit No. _____

2. NATURE OF WORK

XX New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

XX Domestic ☐ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED

☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary
XX Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: XX Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
.250 inches	6 inches +	2 feet	128 feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? X Yes ☐ No
Was a packer or seal used? ☐ Yes XX No
Perforated? ☐ Yes X No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☐ No
Manufacturer's name _____
Type _____ Model No. _____
Diameter ____ Slot size ____ Set from _____ feet to _____ feet
Diameter ____ Slot size ____ Set from _____ feet to _____ feet
Gravel packed? ☐ Yes ☐ No ☐ Size of gravel _____
Placed from _____ feet to _____ feet
Surface seal depth 35 Material used in seal: ☐ Cement grout
☐ Bentonite XX Puddling clay ☐ _____
Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing
X Overbore to seal depth
Method of joining casing: ☐ Threaded ☐ Welded ☐ Solvent Weld
☐ Cemented between strata
Describe access port _____

7. WATER LEVEL

Static water level 30 feet below land surface.
Flowing? ☐ Yes XX No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature _____ °F. Quality _____
Describe artesian or temperature zones below.

8. WELL TEST DATA

☐ Pump ☐ Bailer XX Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped
30		

9. LITHOLOGIC LOG

Bore Diam.	Depth From	Depth To	Material	Water Yes	Water No
8	0	2	Topsoil		X
8	2	18	Brown clay		X
8	18	45	Gravel		X
6	45	55	Yellow clay		X
6	55	83	Gray clay & sand	X	
6	83	93	White clay		X
6	93	97	Fine sand	X	
6	97	118	Sticky yellow clay		X
6	118	124	Muddy yellow fine sand	X	
6	124	130	Yellow clay		X
6	130	Sand	Sand	X	

10.

Work started 4-14-84 finished 4-26-84

LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____
_____
Lot No. _____ Block No. _____

County Canyon

¼ SW ¼ Sec. 29, T. 4N N/S, R. 3W E/W.

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name Engleman Well Dr. Firm No. 47

Address Rt. 3 Box 3397-A Nampa, Id. Date 5-4-84

Signed by (Firm Official) Ray Engleman

and

(Operator) Ray Engleman

RECEIVED
DEC 02 1993

Permit 63-11280 Photos taken 7/30/93

PHOTO ONE- Well located northwest of home.



MED
DEC 02 1993

PHOTO TWO- View southerly of man-made pond used for raising fish. Inlet to pond is shown to the right spraying toward the middle.

PHOTO THREE- View northerly of 4" overflow and Landscaped area in the northeast corner of property.



MICROFILMED
DEC 02 1993

PHOTO FOUR- View of Landscaped sedimentation basin and pond overflow.

PHOTO FIVE- View easterly of back lawn area.



RECEIVED
OCT 2 1993

PHOTO SIX- View northerly of west portion of property. well is situated near shop corner.

October 31, 1991

RON WARREN
16540 W. OAK
CALDWELL ID 83605

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11280

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order advancing the priority of the permit since the proof was received after the proof due date. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

I note that the permit issued to you by the department requires the installation of a flow measurement port to allow the department to determine the rate of diversion. The proof which you submitted does not show that you have installed this equipment.

The installation of the flow measurement port must be complete by the time the department representative conducts the examination of your system unless the department has rescinded the requirement prior to the field examination. In some cases, the equipment requirement can be rescinded because the equipment cannot be physically installed, is not appropriate or can be accommodated with other measuring methods.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Nina Shields
Secretary/Records Manager

RECEIVED
DEC 26 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 63-11480 Date 10-3-91

GENERAL CONSIDERATIONS
- ✓ Name same as permit?
- ✓ Address same as permit? If no, indicate below.
- NO Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER
- ____ Surface water source
- ✓ Ground water source
  - NA Drill permit req'd?
  - ____ Copy in file? Drill permit no. ____
  - ____ Amt paid for drilling permit? ____ Correct?
  - ____ Well log in file?

1985

LICENSE EXAMINATION FEE
- ✓ Required?
- 50.00 Amount submitted?
- ✓ Correct amount?

MEASURING DEVICE
- Yes Measuring device or access port required?
- No Installed?
- ____ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

needs flow mens.

PRIORITY CALCULATION

✓ Date proof received	Sept 25, 1991	268 ✓
Date proof due	Sept 1, 1991	- 244
No. of days late		= 24
Priority date	Feb 13, 1998	+ ~~267~~ 44
✓ NEW PRIORITY DATE	~~April 1, 1990~~ ~~271~~	68
	March 9, 1990	

LB

ATTN: QUENTIN NESBITT



138812

June 30, 1991

RON WARREN
16540 W. OAK
CALDWELL, ID 83605

PROOF DUE NOTICE

RE: PERMIT NO. 63-11280

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before September 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

DEC 26 1991

S T A T E O F I D A H O

DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
August 23, 1990

RON WARREN
16540 W. OAK
CALDWELL, ID 83605

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-11280

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the flow measurement port.

MICROFILMED
AUG 30 1990

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED
AUG 3 0 1990

CONVERSATION MEMORANDUM

DATE 7/20/90

FILE 63-11280

NAME OF PARTY Ron Warren

EMPLOYEE D. Turhill

RE:

Left message on phone recorder, requesting a return call.
7/20/90 @ 1:50 pm

Desired: Volume of fish facilities. 230' x 130' x 11' deep
= ~~1,000~~ AF
7.6 AC-FT

MICROFILMED
AUG 31 1990

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-11149

PATCHIN, E.A.
6748 SOUTHSIDE BLVD.
NAMPA, ID 83686
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
Use: DOMESTIC

Date Filed: 2/16/1990
In: T02N R02W S36

NWSWNW Sec 36 T 02N R 02W
(.249 CFS)
(.040 CFS)
Total Diversion: (.280 CFS)

SWNW

12.0 ACRES TOTAL

63-11159

WAGENFEHR, WILLIAM H.
P.O. BOX 796
MIDDLETON, ID 83644
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 2/23/1990
In: T04N R02W S07

SENWNE Sec 7 T 04N R 02W
(.040 CFS)
Total Diversion: (.040 CFS)

NWNE

2.0 ACRES TOTAL

63-11254

SSI FOOD SERVICES INC.
2615 E. CLEVELAND
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 3/15/1990
In: T04N R05W S10

NESE Sec 10 T 04N R 05W
(.540 CFS)
Total Diversion: (.540 CFS)

NESE

27.0 ACRES TOTAL

63-11256

STATE OF IDAHO
DEPT. OF FISH & GAME
P.O. BOX 25
BOISE, ID 83720
Source: WILSON DRAIN
Source: SPRINGS
Diversion Pt:

Use: RECREATION

Date Filed: 2/20/1990
In: T02N R02W S03

Tributary: INDIAN CREEK
Tributary: WILSON DRAIN
SESE Sec 3 T 02N R 02W
NESESE Sec 3 T 02N R 02W
NWSESE Sec 3 T 02N R 02W
(50.000 CFS)
Total Diversion: (50.000 CFS)

NESE SESE

63-11263

CLOUDCROFT INC.
T & K FARMS INC.
P.O. BOX 1060
HOMEDALE, ID 83628
Source: GROUNDWATER
Diversion Pt.
Use: IRRIGATION

Date Filed: 3/28/1990
In: T05N R05W S32 NENE

NENENE Sec 32 T 05N R 05W
(3.200 CFS)
Total Diversion: (3.200 CFS)

NWNE SWNE SENE
160.0 ACRES TOTAL

63-11267

TOWNLEY, CLORIECE A.
8758 SOUTHSIDE BLVD.
NAMPA, ID 83686
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 2/16/1990
In: T02N R02W S24

SWNWNW Sec 24 T 02N R 02W
(.030 CFS)
Total Diversion: (.030 CFS)

NWNW

1.0 ACRES TOTAL

63-11268

WARD, BEVERLY J.
WARD, NEAL S.
1120 E. LOCUST LN.
NAMPA, ID 83686
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 2/14/1990
In: T02N R02W S03

NESWSE Sec 3 T 02N R 02W
(.150 CFS)
Total Diversion: (.150 CFS)

SWSE

5.0 ACRES TOTAL

63-11269

SCHULTHIES, DEC., R.H.
C/O BYRON S. SCHULTHIES
RT. 2
MORGAN, UT 84050
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 3/2/1990
In: T02N R02W S15

[illegible] Sec 15 T 02N R 02W
[illegible] CFS)
Total Diversion: [illegible] CFS)

NWNE

40.0 ACRES TOTAL

MICROFILMED
AUG 30 1990

U HAUL REAL ESTATE C
2721 N. CENTRAL AVE.
PHOENIX, AZ 85004

Source: GROUNDWATER
Diversion Pt:
Use: INDUSTRIAL
Use: DOMESTIC

Date Filed: 2/15/1990
In: T03N R02W S08

BAUGHER, LARRY M.
BAUGHER, JUDY L.
26752 WALKER RD.
PARMA, ID 83660
Source: PARMA DRAIN
Diversion Pt:
Use: IRRIGATION

Date Filed: 3/22/1990
In: T05N R05W S03

ISOM, MIKE
ISOM, LINDA
13251 BALLARD LN.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
Use: STOCKWATER
Use: DOMESTIC

Date Filed: 3/14/1990
In: T04N R03W S11

SSI LAND & CATTLE CO. INC.
2615 E. CLEVELAND BLVD.
CALDWELL, ID
Source: GROUNDWATER
Diversion Pt:

NENWNW

Use: IRRIGATION
Use: STOCKWATER
Use: INDUSTRIAL

Date Filed: 3/15/1990
In: T05N R03W S32

CARVER, MARVIN LEROY
CARVER, NANCY LUCILLE
16375 OASIS RD.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 2/22/1990
In: T05N R03W S05

CRISP, RANDALL L.
P.O. BOX 204
MELBA, ID 83641
Source: GROUNDWATER
Diversion Pt:
Use: STOCKWATER
Use: DOMESTIC

Date Filed: 2/28/1990
In: T01S R02W S13

63-11278
MIHAN, GARY
MIHAN, BARBARA
3614 E. Amity
Nampa, ID 83687
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
Use: DOMESTIC

Date Filed: 2/26/1990
In: T03N R02W S25

WARREN, RON
16540 W. OAK
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
Use: FISH PROPAGATION

Date Filed: 2/13/1990
In: T04N R03W S29

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise Idaho 83705 on or before MAY 7, 1990.

R. KEITH HIGGINSON
Director

April 18, 25, 1990

63-11271

SENWSW Sec 8 T 03N R 02W
(.020 CFS)
(.020 CFS)
Total Diversion: (.040 CFS)

NWSW

63-11272

Tributary: BOISE RIVER
SESWSW Sec 3 T 05N R 05W
(.030 CFS)
Total Diversion: (.030 CFS)

SWSW

1.0 ACRES TOTAL

63-11274

LOT 1 (NESE) Sec 11 T 04N R 03W
(.020 CFS)
(.020 CFS)
(.040 CFS)
Total Diversion: (.080 CFS)

Lot 1 (NESE

1.0 ACRES TOTAL

63-11275

SWNENW Sec 32 T 05N R 03W
Sec 32 T 05N R 03W
(1.000 CFS)
(1.000 CFS)
(1.000 CFS)
Total Diversion: (1.000 CFS)

NENW NWNW

66.0 ACRES TOTAL

63-11276

LOT 2 (NWNE) Sec 5 T 05N R 03W
(.120 CFS)
Total Diversion: (.120 CFS)

Lot 2 (NWNE)

4.0 ACRES TOTAL

63-11277

SESW Sec 13 T 01S R 02W
(.030 CFS)
(.060 CFS)
Total Diversion: (.090 CFS)

SESW

SWSESW Sec 25 T 03N R 02W
(.440 CFS)
(.060 CFS)
Total Diversion: (.500 CFS)

SESW

22.0 ACRES TOTAL

63-11280 Vst

NESESW Sec 29 T 04N R 03W
(.060 CFS)
(.500 CFS)
Total Diversion: (.500 CFS)

SESW

2.0 ACRES TOTAL

63-11280

WARREN, RON
16540 W. OAK
CALDWELL, ID 83605

Source: GROUNDWATER

Diversion Pt: NESESW Sec 29 T 04N R 03W

Use: IRRIGATION (.060 CFS)
FISH PROPAGATION (.500 CFS)
Total Diversion: (.500 CFS)

Date Filed: 2/13/ 1990

In: T04N R03W S29 SESW

2.0 ACRES TOTAL

MICROFILMED
AUG 3 0 1990