


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Mary L. Carter or
(Applicant)
Nancy L. Carter

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached
(required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Submersible	Grundfos	2 1/2	82456902	Red Jacket	1 1/4"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS


1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: _____

MICROFILMED NOV 1 1980

NOV 7 1996 RECEIVED



2671 (PARM)
T 6 N
T 5 N
15 MI. TO U.S. 95
BLAC CANYON INTERCHANGE 4.5 MI.
47'30"
4848
4847
770 000
FEET
PARMA 11 MI
1845

Permit No. 63-11276
P/O: T5N A3W ~~to~~ S5 Lot 2 NWNE
W-55 MICHIGAN Ortho.
NOV 07 1996

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____


How far away from the well is this source? _____

9. REMARKS: _____

Sandy Hemenway WR Agent
Signature of Dept. Representative & Title

4/30/96
Inspection Date


PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



MICROFILMED

NOV 07 1996

63-11276
4/30/96 S.H.



P/D:
6" casing
2 1/2 HP submersible
Grundfos
pump,
1 1/4" discharge
1 1/4" ABS to
riser w/hose
attachments
w/rainbird
type nozzles
& drip system



P/U:
Irrigation
3.5 acres
garden,
fruit trees,
& pasture.
Other use:
domestic, &
livestock
(2 pigs,
1 calf)

MICROFILMED
NOV 07 1996

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11276

Priority: February 22, 1990

Maximum Diversion Rate:

0.10 CFS

Maximum Diversion Volume:

15.8 AF

This is to certify, that MARVIN LEROY CARVER
NANCY LUCILLE CARVER

16375 OASIS RD

CALDWELL ID 83605

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 22, 1990; and has submitted Proof of Beneficial Use on September 1, 1995. An examination indicates that the works have a diversion capacity of 0.100 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.10 CFS	15.8 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 2 (NWNE), Sec. 5, Township 05N, Range 03W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
05N	03W	5	Lot 2(NWNE)	3.5		3.5

total number of acres irrigated: 3.5

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.5 afa per acre for the lands above.

MICROFILMED
NOV 07 1996


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11276

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 17th
day of OCTOBER, 1996.


Acting for KARL J. DREHER, Director



MICROFILMED
NOV 17 1996

RECEIVED

SEP 01 1995

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-11276 Telephone No. 208-454-2447
2. Name(s) of Permit Holder(s): MARVIN & NANCY L. CARVER
3. Mailing Address: 16375 OASIS Rd. Cold ID. 83605
4. Source of Water: WELL If **GROUNDWATER** (well), Date Drilled: mo. APR / yr. 1972
DRILLED BEFORE WE BOUGHT IT ALSO BEFORE
a. Well Driller: BILL DODDY Drilling Permit Number: SELLER BOUGHT IT.
b. **OPTIONAL:** ~~PUMP HORSEPOWER~~ 1 1/2 Horse Engine Pressure (psi): 65 PSI Dynamic pumping level (ft): 4 ft.
5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): 1 Stockwater (No. and type of stock): POLITARY & LIVESTOCK
Irrigation (No. of acres): 3 1/2 Other: _____

6. Total rate of diversion and/or volume for which proof is submitted: 20 cfs OR 20 acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? NOTE ON REVERSE SIDE Yes _____ or No _____
Has the measuring device been installed? Yes _____ or No X

Flow Measurement Port: Is a flow measurement port required? Yes _____ or No _____
Has the measurement port been installed? Yes _____ or No X

8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: MARVIN CARVER Telephone Number: 208-454-2447
Address: 16375 OASIS Rd Cold. ID 83605

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho. SEP 15 1995

Signature of permit holder: Marvin L. Carver Date: Aug 30, 95
(include your title, if on behalf of company of organization)

← Note on Reverse side →
Concerning No. 7.

We only have 3 1/2 acres aprox.
To water & Is this Required
To have a measuring device
on the well. (NO. 7)

We tryed To find out they
said write a note on this form
and you would decide.

Sincerely Yours
Marvin
Carver

RECEIVED
SEP 15 1995

RECEIVED

AUG 25 1993

Department of Water Resources

For Office Use Only
\$15 Fee Received by Jul
Date 8-25-93
Receipt No. 6028435

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

REQUEST FOR EXTENSION OF TIME
TO PROVIDE ADDITIONAL TIME IN WHICH TO SUBMIT PROOF OF
BENEFICIAL USE FOR A WATER RIGHT PERMIT

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of water right under the provisions of Section 42-204, Idaho Code.

Permit No. 63-11276

Name(s) of Permit Holder: MARVIN Leroy & NANCY Lucille CARVER

Mailing Address: 16375-Oasis Rd. Caldwell IDAHO 83605

Date Proof is Due Sept 1, 93 Telephone No. 454-2447

Describe what work has been completed toward the development of this water right:
(This must be filled out! If no work has been completed, show "none".)

We have stock water & orchard water. But 3 acres is
Incomplete.

Costing \$?

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

Long Haul Truck Driver & lack of time, money. Had medical & hosp & our well pump
has had problems. We've just been unable to complete the requirements.
We will probably have to buy more pipe & extra.

Permit holder(s) request an extension to Sept 1, 19 95.

FEE: \$15.00

Marvin & Nancy Carver
(Signature)*

*If other than permit holder, Power of Attorney must be supplied.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED
and the time within which to submit proof of beneficial use is
extended to September 1, 1995.

Signed this 27th day August, 19 93

J. Glen Saylor
Chief, Water Allocation Bureau

AUG 31 1993

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11276

Proposed Priority: February 22, 1990 Maximum Diversion Rate: 0.12 CFS
This is to certify, that MARVIN LEROY CARVER

NANCY LUCILLE CARVER
16375 OASIS RD.
CALDWELL, ID 83605

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

IRRIGATION	03/15 to 11/15	0.12 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION: LOT 2(NWNE), Sec. 5, Township 05N, Range 03W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
05N 03W 5 LOT 2(NWNE) 4				4

Total number of acres irrigated: 4

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 1993.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
5. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

23 day of August, 1990.

R. Keith Higginson
for R. Keith Higginson, Director

MICROFILMED

AUG 28 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

MARVIN LEROY CARVER

1. Name of applicant OR NANCY LUCILLE CARVER Phone 454-2263

Post office address 16375 OASIS RD., CALDWELL, ID 83605

2. Source of water supply GROUNDWATER which is a tributary of _____

3. Location of point of diversion is NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of _____ $\frac{1}{4}$, Govt. Lot 2

Sec. 5 Township 5N Range 3W B.M. _____ County; additional
points of diversion if any: CANYON ←

4. Water will be used for the following purposes:

Amount .12 for IRRIGATION purposes from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) .12 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 6" CASED WELL, WITH
3 HP PUMP, 143' DEEP.

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is 6 inches; proposed depth of well is 143 feet.

d. Is ground water with a temperature of greater than 90°F being sought? _____

7. Time required for the completion of the works and application _____ to the proposed beneficial use is
3 years (minimum 1 year).

MICROFILMED

AUG 28 1990

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for *Domestic*) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
5N	3W	5		4.2 4															4

Total number of acres to be irrigated 4

10. Describe any other water rights used for the same purposes as described above. DOMESTIC

CLAIM

11. a. Who owns the property at the point of diversion? APPLICANTS

b. Who owns the land to be irrigated or place of use? "


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: WELL DRILLED AND IN USE SINCE 1973.

MICROFILMED

AUG 28 1990

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



MICROFILMED

AUG 26 1990

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Nancy L. Carter or
(Applicant)
Nancy L. Carter

Received by Ys. Date 2/22/90 Time 10:12 am Preliminary check by RW
Fee \$ 30⁰⁰ Received by NS # W009291 Date 2/22/90
Publication prepared by GG Date 4-11-90 Published in Press-Tribune
4/18 & 4/25/90
Publication approved st Date 5-24-90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOUR. ES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

MICROFILMED

AUG 28 1990

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-11149

PATCHIN, E.A.
6748 SOUTHSIDE BLVD.
NAMPA, ID 83686
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION
Use: DOMESTIC

NWSWNW

Sec 36 T 02N R 02W

(.249 CFS)
(.040 CFS)
Total Diversión: (.280 CFS)

Total Diversión: (.280 CFS)

SWNW

12.0 ACRES TOTAL

63-11159

WAGENFEHR, WILLIAM H.
P.O. BOX 796
MIDDLETON, ID 83644
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

SENWNE

Sec 7 T 04N R 02W

(.040 CFS)
(.040 CFS)
Total Diversión: (.040 CFS)

Total Diversión: (.040 CFS)

NWNW

2.0 ACRES TOTAL

63-11254

SSI FOOD SERVICES INC.
2615 E. CLEVELAND
CALDWELL, ID 83605
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

NESE

Sec 10 T 04N R 05W

(.540 CFS)
(.540 CFS)
Total Diversión: (.540 CFS)

Total Diversión: (.540 CFS)

NESE

27.0 ACRES TOTAL

63-11256

STATE OF IDAHO
DEPT. OF FISH & GAME
P.O. BOX 25
BOISE, ID 83720
Source: WILSON DRAIN
Source: SPRINGS
Diversión Pt:

Tributary: INDIAN CREEK
Tributary: WILSON DRAIN
Sec 3 T 02N R 02W
Sec 3 T 02N R 02W
Sec 3 T 02N R 02W

(50.000 CFS)
(50.000 CFS)
Total Diversión: (50.000 CFS)

SESE
NESESE
NWESESE

NESE

SESE

63-11263

CLOUDCROFT INC.
T & K FARMS INC.
P.O. BOX 1060
HOMEDALE, ID 83628
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

NENENE

Sec 32 T 05N R 05W

(3.200 CFS)
(3.200 CFS)
Total Diversión: (3.200 CFS)

Total Diversión: (3.200 CFS)

NWNW

SWNE

SENE

160.0 ACRES TOTAL

63-11267

TOWNLEY, CLORIECE A.
8758 SOUTHSIDE BLVD.
NAMPA, ID 83686
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

SWNWNW

Sec 24 T 02N R 02W

(.030 CFS)
(.030 CFS)
Total Diversión: (.030 CFS)

Total Diversión: (.030 CFS)

1.0 ACRES TOTAL

63-11268

WARD, BEVERLY J.
WARD, NEAL S.
1120 E. LOCUST LN.
NAMPA, ID 83686
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

NESWSE

Sec 3 T 02N R 02W

(.150 CFS)
(.150 CFS)
Total Diversión: (.150 CFS)

Total Diversión: (.150 CFS)

SWSE

5.0 ACRES TOTAL

63-11269

SCHULTHIES, DEC., R.H.
C/O BYRON S. SCHULTHIES
RT. 2
MORGAN, UT 84050
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

NWNW

Sec 15 T 02N R 02W

(.800 CFS)
(.800 CFS)
Total Diversión: (.800 CFS)

Total Diversión: (.800 CFS)

NWNW

40.0 ACRES TOTAL

Date Filed: 3/2/1990
In: T02N R02W S15

U HAUL REAL ESTATE C
2721 N. CENTRAL AVE.
PHOENIX, AZ 85004

Source: GROUNDWATER
Diversión Pt:
Use: INDUSTRIAL
Use: DOMESTIC

Date Filed: 2/15/1990
In: T03N R02W S08

SENWSW

Sec 8 T 03N R 02W

(.020 CFS)
(.020 CFS)
Total Diversión: (.040 CFS)

Total Diversión: (.040 CFS)

NWSW

63-11272

BAUGHER, LARRY M.
BAUGHER, JUDY L.
26752 WALKER RD.
PARMA, ID 83660
Source: PARMA DRAIN
Diversión Pt:
Use: IRRIGATION

Date Filed: 3/22/1990
In: T05N R05W S03

SESWSW

Tributary: BOISE RIVER

Sec 3 T 05N R 05W

(.030 CFS)
(.030 CFS)
Total Diversión: (.030 CFS)

Total Diversión: (.030 CFS)

SWSW

1.0 ACRES TOTAL

63-11274

ISOM, MIKE
ISOM, LINDA
13251 BALLARD LN.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION
Use: STOCKWATER
Use: DOMESTIC

Date Filed: 3/14/1990
In: T04N R03W S11

LOT 1 (NESE)

Sec 11 T 04N R 03W

(.020 CFS)
(.020 CFS)
(.040 CFS)
(.080 CFS)
Total Diversión: (.080 CFS)

Total Diversión: (.080 CFS)

1.0 ACRES TOTAL

63-11275

SSI LAND & CATTLE CO. INC.
2615 E. CLEVELAND BLVD.
CALDWELL, ID
Source: GROUNDWATER
Diversión Pt:

NENWNW

SWNENW

Sec 32 T 05N R 03W

(1.000 CFS)
(1.000 CFS)
(1.000 CFS)
Total Diversión: (1.000 CFS)

Total Diversión: (1.000 CFS)

NENW

NWNW

66.0 ACRES TOTAL

63-11276

CARVER, MARVIN LEROY
CARVER, NANCY LUCILLE
16375 OASIS RD.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

Date Filed: 2/22/1990
In: T05N R03W S05

LOT 2 (NWNW)

Sec 5 T 05N R 03W

(.120 CFS)
(.120 CFS)
Total Diversión: (.120 CFS)

Total Diversión: (.120 CFS)

Lot 2 (NWNW)

4.0 ACRES TOTAL

63-11277

CRISP, RANDALL L.
P.O. BOX 204
MELBA, ID 83641
Source: GROUNDWATER
Diversión Pt:
Use: STOCKWATER
Use: DOMESTIC

Date Filed: 2/28/1990
In: T01S R02W S13

SESW

Sec 13 T 01S R 02W

(.030 CFS)
(.060 CFS)
(.090 CFS)
Total Diversión: (.090 CFS)

Total Diversión: (.090 CFS)

SESW

MICROFILMED
AUG 28 1990

MIHAN, GARY
MIHAN, BARBARA
3614 E. Amity
Nampa, ID 83687
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION
Use: DOMESTIC

Date Filed: 2/26/1990
In: T03N R02W S25

SWSESW

Sec 25 T 03N R 02W

(.440 CFS)
(.060 CFS)
(.500 CFS)
Total Diversión: (.500 CFS)

Total Diversión: (.500 CFS)

SESW

22.0 ACRES TOTAL

63-11280

WARREN, RON
16540 W. OAK
CALDWELL, ID 83605
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION
Use: FISH PROPAGATION

Date Filed: 2/13/1990
In: T04N R03W S29

NESESW

Sec 29 T 04N R 03W

(.060 CFS)
(.500 CFS)
Total Diversión: (.500 CFS)

Total Diversión: (.500 CFS)

SESW

2.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise Idaho 83705 on or before MAY 7, 1990.

R. KEITH HIGGINSON

Director

April 18, 25, 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

October 18, 1996

MARVIN LEROY CARVER
NANCY LUCILLE CARVER
16375 OASIS RD
CALDWELL ID 83605

RE: WATER RIGHT NO. 63-11276

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Also, please note that as of July 1, 1996, water right owners are required to report any change of water right ownership and any change of mailing address to the department. If you have acquired a water right or have changed your mailing address PRIOR TO July 1, 1996, you have until July 30, 1998, to notify the department. If you acquire a water right or change your mailing address AFTER July 1, 1996, you must notify the department within 120 days of the change.

Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department to obtain the proper reporting form.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosure

MICROFILMED

NOV 07 1996

B/U FIELD EXAM REVIEW
Cindy Zimmerman

01/96

Permit #: 63-11276 Name: Carver Date: 10/17/96 ✓ Lots ✓

NAME Chng Same ✓ Or Address Change?

SOURCE ✓ Clarify source ✓
Prelim. Order to Void - Source change.

P/D ✓ Amendment Needed? ✓ P39
Overlap(s) ✓

P/U ✓ Amendment Needed? ✓ P41
Overlap(s) ✓
(Gov't special #'s) ✓ *P/D & P/U Amend? P37

RATE ✓ Permit/fee limits: 0.12 / 0.20
✓ Measured Q = 0.10 cfs/Theoretical Q = 0.10 cfs
✓ $3.5 \text{ ac} \times 0.03 \text{ cfs/ac} = 0.105 \approx \text{D.H. limit to capacity} = 0.10 \text{ cfs}$
✓ (HP) $\frac{8.8 \times 0.70 \times 2.5}{39 + (2.31 \times 52.5)} = \frac{15.4}{160.275} = 0.096 \approx 0.10 \text{ cfs}$
✓ Recommended capacity 0.10 cfs
✓ Recommended rate 0.10 cfs

VOLUME ✓ Season: (D / 4.5) 3/15 - 11/15 = 246 days
Calculations: $3.5 \times 4.5 = 15.75 \approx 15.8 \text{ AF}$

✓ Flow limit: 0.10 x 246 x 1.9835 = 48.8 AF
Recommended volume 15.8 AF

USES ✓ Same Nature of Use? ✓ P46
Amendment Needed? ✓

REMARKS ✓ Multiple p/d's in 1/4? W32

CONDITIONS ✓ Measuring (R01)/Locking (R02) Devices
✓ Watermaster Control (R04) - WD # ✓
R52 Irrigation rate/volume overlap
✓ GW irrigation replaces surface water (050)
✓ GW irrigation supplements surface water (065)
✓ Water Quality/Other ✓

PRIORITY App Rcd 2/22/90 Due 9/1/95 Rc'd 9/1/95
Receipt# 6033481 Fee OK? (Yes/No)
Order to Reinstate Needed? Yes/No Done? ✓
If Yes, Advanced? Yes/No to: ✓
Priority 2/22/90 Examined 4/30/96

COMMENTS:

USE	CFS	DIV VOL	SRBA Overlap
<u>ln</u>	<u>0.10</u>	<u>15.8</u>	<u>Adjustment Memo</u>
			<u>LICENSE LTR: P49</u>
			<u>#1 AMEND LTR: /P38</u>
<u>TOTAL</u>	<u>0.10</u>	<u>15.8</u>	<u>#2 AMEND LTR: P42/P47</u>

MEMORANDUM

DATE: October 17, 1996
TO: File No. 63-11276
FROM: Cindy Zimmerman *LS*
SUBJECT: Review of Beneficial Use Field Report

The following adjustments¹ were made on the field report:

G. Volume Calculations.

1. Irrigation; AF = acres x acre feet/acre
= 3.5 x 4.5
= ~~15.75~~ ≈ **15.8** AF.

H. Recommendations.

1. Recommended amounts:

Beneficial Use	Period of Use	Rate of diversion	Annual Volume
Irrigation	4/15-11/15	0.10 cfs	<u>15.8</u> AF

Examined: April 30, 1996
Examiner: Sandy Hemingway

¹Adjustments made are **bolded and underlined**.

MICROFILMED
NOV 07 1996

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JUN 12 1996

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-11276

1. Owner: Marvin Leroy & Nancy Lucille Carver Phone No. (208) 454-2447

Current Address: 16375 Oasis Rd Caldwell, Id 83605

2. Accompanied by: Marvin Carver EXAM DATE: 4/30/96

Address: 16375 Oasis Rd Caldwell, Id 83605 Phone No. (208) 454-2447

Relationship to Permit Holder: Self

3. Source: groundwater tributary to —

B. OVERLAP REVIEW

1. Other water rights with the same place of use: none

2. Other water rights with the same point of diversion: none

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	2		NW	NE	5	5N	3W	Canyon	Exam, & USGS Topo. map

2. Place(s) of Use:


Indicate Method of Determination Exam, & USGS Topo. Map

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
5N	3W	5		A															3.5 acres

MICROFILMED

NOV 07 1996

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrange Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Submersible	Grundfos	2 1/2	82456902	Red Jacket	1 1/4"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: _____

MICROFILMED

NOV 7 1996

E. NARRATIVE/REMARKS/COMMENTS

- Cont. Lot #2 was found for P/D + P/U,
- Use is irrigation for 3.5 acres of garden, fruit trees, + pasture. Other uses are domestic, + livestock (2 pigs, 1 calf).
- No other water rights.
- No other water sources available.
- The system consists of: A groundwater source with a 6" casing, 2 1/2 HP submersible Grundfos pump w/ a 1 1/4" discharge. 1 1/4" ABS w/risers, + hose attachments for misc. size rainbirds, + rainbird-type nozzles, plus 1 1/4" ABS w/holes punched out for a drip system are used to irrigate 3 1/2 acres of the 4 acres of yard, garden, fruit trees, + pasture. Marvin Carver stated that the system was shared by Bob Davis for domestic use (no WR claims, or adjudication claims were found filed for a Robert or Bob Davis w/the same P/D or even in the same section).
- Recommend allowing the Theoretical Pump Efficiency Calculation of .100fs as the measurement, since the system had such variable nozzles, + drip system when operated.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED

NOV 07 1996

F. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

Measured Method:

Theoretical Pump Efficiency Calculations (see attachment)
 $= 1.10 \text{ cfs}$

3.5 acres x .03 cfs = .11 cfs

Allow .10 cfs for irrigation of 3.5 acres. No physical measurement

G. VOLUME CALCULATIONS due to variable sprinkler sizes, & drip system

1. Volume Calculations for Irrigation: make up the entire system.

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 3.5 \times 4.5 = 15.75 = 16.0$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .10 \times 246 \times 1.9835 = 48.8 = 49.0$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 16.0$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion	Annual Volume
	From	To	Q (cfs)	V (afa)
Irrigation	3/15	11/15	.10	16.0 *
Totals:			.10	16.0 *

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name Andy Hemenway Date 5/3/96


Reviewer _____ Date _____

SEAL

*Adjustments made during the review of this right for license approval.
 See memo for additional information. 10/17/96

NOT REFILED

NOV 07 1996



2671 (PARM)
T. 6 N
T. 5 N
15 MI TO U.S. 95
BLAC CANYON INTERCHANGE 4.5 MI
47'30"
1848
4847
770 000
FEET
PARMA 11 MI
1845

Permit No. 63-11276
P/O: T5N R3W S5 Lot 2 NWNE
W-55 M154565 Ortho.

① Permit: Irrigation 3/15-11/15 .12 cfs 4 acres 63-11276

② B/u fee: \$50⁰⁰ pd 9/1/95 0-0.20 cfs

③ Max. Allowable:
 $3.5 \text{ acres} \times .03 \text{ cfs} = .105 = .11 \text{ cfs}$

④ Measurement:

Theoretical Pump Efficiency Calculations
(see attachment) = .10 cfs
- capacity of the system

MICROFILMED
NOV 07 1996

THEORETICAL PUMP EFFICIENCY CALCULATIONS

FILE: 63-11276

DATE: 3-MAY-96

COMPLETE BY: SANDY HEMENWAY

HORSEPOWER = 2.5

PUMP EFFICIENCY = 70%

DYNAMIC LIFT = 39 FEET 29' static + 10' per Marvin Carver *

SYSTEM PRESSURE = 52.5 PSI (runs 40-65 psi, average 52.5 psi)

QUANTITY = 0.10 CFS

* other well reports from same area show
static level at 18' + 15', so the 29' measurement
he stated is a good measurement.

MICROFILMED
MAY 07 1996

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: no well report on file OTHER APPLICABLE NO: 63-11276
2. OWNER: Marvin & Nancy Carver Phone: (208) 454-4447
Address: 16275 Oasis Rd Caldwell, Id 83605
3. WELL LOCATION: Twp 5N, Rge. 3W, Sec. 5, NW 1/4 NE 1/4
County Canyon (Provide sketch map and photo on reverse.)
4. DRILLER: Bill Doty Lic. No. 42
When Drilled? 1973
5. WELL CONSTRUCTION:
Casing Diameter 6 inches Water tight cap? ☒ Yes ☐ No Access Port: ☒ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing unknown ft. Method Drilled thinks cable
Condition of Well Casing: ☐ Good ☒ Fair ☐ Poor Describe _____
Control Valve? ☐ Yes ☐ No Pressure Gauge: ☐ Yes ☒ No
Condition of Piping and Valving good
Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION:
Depth to Static Water 29 ft. Water Temperature Cold °F
Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:
☒ Domestic ☒ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____

MICROFILMED
NOV 07 1996

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____


How far away from the well is this source? _____

9. REMARKS: _____

Sandy Hemminger (CR Agent)
Signature of Dept. Representative & Title

4/30/96
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



MICROFILMED

NOV 8 1995

63-11276
4/30/96 S.H.



P/D:
6" casing
2 1/2 HP submersible
Grundfos
pump,
1 1/4" discharge
1 1/4" ABS to
riser w/ hose
attachments
w/ rainbird
type nozzles
+ drip system



P/U:
Irrigation
3.5 acres
garden,
fruit trees,
+ pasture.
Other use:
domestic, +
livestock
(2 pigs,
1 calf)

MICROFILMED
NOV 07 1996

September 12, 1995

MARVIN LEROY CARVER
NANCY LUCILLE CARVER
16375 OASIS RD.
CALDWELL ID 83605

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11276

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

SEP 15 1995

June 30, 1995

MARVIN LEROY CARVER
NANCY LUCILLE CARVER
16375 OASIS RD.
CALDWELL ID 83605

PROOF DUE NOTICE

RE: PERMIT NO. 63-11276

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before September 1, 1995. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures



SEP 15 1995



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

August 27, 1993

Marvin & Nancy Carver
16375 Oasis Rd
Caldwell, ID 83605

Re: Permit No. 63-11276

Dear Permit Holder:

Enclosed is a copy of the approved request for extension of time. The time within which to submit proof of beneficial use is extended to September 1, 1995. Please note that the department has granted this extension based on due diligence. It is important that you work diligently toward the completion of this project during the construction period allowed since the department will not be able to grant additional extensions based on due diligence.

If you have any questions or if I can be of any further assistance, please feel free to contact this office.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

Enclosure

C: IDWR-Regional Office

RECEIVED

AUG 31 1993

June 30, 1993

MARVIN LEROY CARVER
NANCY LUCILLE CARVER
16375 OASIS RD.
CALDWELL ID 83605

PROOF DUE NOTICE

RE: PERMIT NO. 63-11276

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before September 1, 1993. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures

RECEIVED

AUG 31 1993



S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
August 23, 1990

MARVIN LEROY CARVER
NANCY LUCILLE CARVER
16375 OASIS RD.
CALDWELL, ID 83605

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 63-11276

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of

MICROFILMED
AUG - 6 1990

Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

INDEXED

AUG 10 1990

63-11276

CARVER, MARVIN LEROY
CARVER, NANCY LUCILLE
16375 OASIS RD.
CALDWELL, ID 83605

Source: GROUNDWATER

Diversion Pt: LOT 2 (NWNE) Sec 5 T 05N R 03W

Use: IRRIGATION (.120 CFS)
Total Diversion: (.120 CFS)

Date Filed: 2/22/ 1990

In: T05N R03W S05 Lot 2 (NWNE)

4.0 ACRES TOTAL

MICROFILMED

AUG 28 1990