


R2W RIW

MELBA QUADRANGLE

IDAHO

7.5-MINUTE SERIES (ORTHO PHOTOQUAD)



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
DEC 04 1992

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-11267
1. Owner: Cloriece Townley Phone No. 466-9444
Current Address: 8758 Southside Blvd, Nampa Idaho 83686
2. Accompanied by: Cloriece Townley EXAM. DATE: 7-24-92
Address: same Phone No. same
Relationship to Permit Holder: same
3. Source: groundwater tributary to TVA-

B. OVERLAP REVIEW


1. Other water rights with same place of use: None

☐ Copies Attached
2. Other water rights with same point of diversion: None

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

RECEIVED
FEB 03 1993

R2W RIW



PERMIT 63-11767 INIT 24
T. R. S. Q/Q
P/D 24 2W 24 SW NW
SCALE _____
PHOTO ID. _____

RECEIVED
FEB 03 1993

63-11267

Picture of well casing &
pressure tank.



View of East/North
side of property.

MICROFILMED

FEB 08 1993

63-11267



*View from the west side of
the property.*

RECEIVED

FEB 03 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11267

Priority: February 16, 1990

Maximum Diversion Rate:

0.03 CFS

Maximum Diversion Volume:

2.7 AF

This is to certify, that CLORIECE A TOWNLEY
8758 SOUTHSIDE BLVD
NAMPA ID 83686

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated February 16, 1990; and
has submitted Proof of Beneficial Use on August 27, 1991. An examination indicates
that the works have a diversion capacity of .040 cfs of water from a GROUNDWATER
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.03 CFS	2.7 AF

LOCATION OF POINT(S) OF DIVERSION:

NWNW , Sec. 24, Township 02N, Range 02W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	02W	24	NWNW	0.6		0.6

Total number of acres irrigated: 0.6

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than 4.5 afa per acre for the lands above.

MICROFILMED


FEB 03 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11267

This license is issued pursuant to the provisions of Section 42-219, Idaho Code,
Witness the seal and signature of the Director, affixed at Boise, this 4TH
day of JANUARY, 1993.


Acting for R. Keith Higginson, Director

MAILED

FEB 03 1993

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11267

Proposed Priority: February 16, 1990 Maximum Diversion Rate: 0.03 CFS

This is to certify, that CLORIECE A. TOWNLEY
8758 SOUTHSIDE BLVD.
NAMPA, ID 83686

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

IRRIGATION	03/15 to 11/15	0.03 CFS
------------	----------------	----------

<u>LOCATION OF POINT(S) OF DIVERSION:</u>	SWNW	Sec. 24, Township 02N, Range 02W CANYON County
---	------	---

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	02W	24	NWNW	1		1


Total number of acres irrigated: 1

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 1991.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

23 day of August, 1990.

for 
R. Keith Higginson, Director

MICROFILMED

AUG 28 1990



FEB 16 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 63-11267

Department of Water Resources To appropriate the public waters of the State of Idaho

1. Name of applicant CLORIECK A. TOWNLEY Phone 466-9444
Post office address 8758 SOUTHSIDE BLVD. NAMPA, ID 83686
2. Source of water supply GROUNDWATER which is a tributary of _____
3. Location of point of diversion is SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of NW $\frac{1}{4}$, Govt. Lot _____
Sec. 24 Township 2N Range 2W B.M. CANYON County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount .03 for IRRIGATION purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .03 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. WELL, PUMP
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is 8 inches; proposed depth of well is 130 feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? NO
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

MICROFILMED

AUG 28 1990

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
2N	2W	24					1												1

Total number of acres to be irrigated 1

10. Describe any other water rights used for the same purposes as described above. NONE
(SAME WELL AS CLAIM A63-21076)

- Who owns the property at the point of diversion? APPLICANT
- Who owns the land to be irrigated or place of use? APPLICANT
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

MICROFILMED

AUG 28 1990

R2W RIW

MELBA QUADRANGLE
IDAHO

7.5-MINUTE SERIES (ORTHOPHOTOQUAD)

33' 30"

538

539

R 2 W

R 1 W

300 000 FEET

116° 30'

43° 30'

4816

4815

4814


660 000
FEET

PROFILMED

6 2 8 1990



13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




MICROFILMED

AUG 28 1990

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


(Applicant)

Received by YK. JF Date 2/21/90 Time 9:50 am Preliminary check by RW
Fee \$ 30 Receipted by JF # 6014780 Date 2/16/90
Publication prepared by GG Date 4-11-90 Published in Press-Tribune
Publication approved et Date 5-22-90 4/18 & 4/25/90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

MICROFILMED

AUG 28 1990

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

PATCHIN, E.A.
6748 SOUTHSIDE BLVD.
NAMPA, ID 83686
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION
Use: DOMESTIC

63-11149

NWSWNW

Sec 36 T 02N R 02W

(.249 CFS)

(.040 CFS)

Total Diversión: (.280 CFS)

SWNW

12.0 ACRES TOTAL

63-11159

WAGENFEHR, WILLIAM H.
P.O. BOX 796
MIDDLETON, ID 83644
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

SEWNWE

Sec 7 T 04N R 02W

(.040 CFS)

Total Diversión: (.040 CFS)

NWNE

2.0 ACRES TOTAL

63-11254

SSI FOOD SERVICES INC.
2615 E. CLEVELAND
CALDWELL, ID 83605
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

NESE

Sec 10 T 04N R 05W

(.540 CFS)

Total Diversión: (.540 CFS)

NESE

27.0 ACRES TOTAL

63-11256

STATE OF IDAHO
DEPT. OF FISH & GAME
P.O. BOX 25
BOISE, ID 83720
Source: WILSON DRAIN
Source: SPRINGS
Diversión Pt:

SESE

NESESE

NWSESE

Tributary: INDIAN CREEK

Tributary: WILSON DRAIN

Sec 3 T 02N R 02W

Sec 3 T 02N R 02W

Sec 3 T 02N R 02W

(50.000 CFS)

Total Diversión: (50.000 CFS)

NESE

SESE

63-11263

CLOUDCROFT INC.
T & K FARMS INC.
P.O. BOX 1060
HOMEDALE, ID 83628
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

NENENE

Sec 32 T 05N R 05W

(3.200 CFS)

Total Diversión: (3.200 CFS)

NWNE

SWNE

SENE

160.0 ACRES TOTAL

63-11267

TOWNLEY, CLORIECE A.
8758 SOUTHSIDE BLVD.
NAMPA, ID 83686
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

SWNWNW

Sec 24 T 02N R 02W

(.030 CFS)

Total Diversión: (.030 CFS)

NWNW

1.0 ACRES TOTAL

63-11268

WARD, BEVERLY J.
WARD, NEAL S.
1120 E. LOCUST LN.
NAMPA, ID 83686
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

NESWSE

Sec 3 T 02N R 02W

(.150 CFS)

Total Diversión: (.150 CFS)

SWSE

5.0 ACRES TOTAL

63-11269

SCHULTHIES, DEC., R.H.
C/O BYRON S. SCHULTHIES
RT. 2
MORGAN, UT 84050
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

NWNE

Sec 15 T 02N R 02W

(.800 CFS)

Total Diversión: (.800 CFS)

NWNW

40.0 ACRES TOTAL

U HAUL REAL ESTATE C
2721 N. CENTRAL AVE.
PHOENIX, AZ 85004

Source: GROUNDWATER
Diversión Pt:
Use: INDUSTRIAL
Use: DOMESTIC

Date Filed: 2/15/1990
In: T03N R02W S08

BAUGHER, LARRY M.
BAUGHER, JUDY L.
26752 WALKER RD.
PARMA, ID 83660

Source: PARMA DRAIN
Diversión Pt:
Use: IRRIGATION

Date Filed: 3/22/1990
In: T05N R05W S03

ISOM, MIKE
ISOM, LINDA
13251 BALLARD LN.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION
Use: STOCKWATER
Use: DOMESTIC

Date Filed: 3/14/1990
In: T04N R03W S11

SSI LAND & CATTLE CO. INC.
2615 E. CLEVELAND BLVD.
CALDWELL, ID
Source: GROUNDWATER
Diversión Pt:

NENWNW

Use: IRRIGATION
Use: STOCKWATER
Use: INDUSTRIAL

Date Filed: 3/15/1990
In: T05N R03W S32

CARVER, MARVIN LEROY
CARVER, NANCY LUCILLE
16375 OASIS RD.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

Date Filed: 2/22/1990
In: T05N R03W S05

CRISP, RANDALL L.
P.O. BOX 204
MELBA, ID 83641
Source: GROUNDWATER
Diversión Pt:
Use: STOCKWATER
Use: DOMESTIC

Date Filed: 2/28/1990
In: T01S R02W S13

MIHAN, GARY
MIHAN, BARBARA
3614 E. Amity
Nampa, ID 83687
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION
Use: DOMESTIC

Date Filed: 2/26/1990
In: T03N R02W S25

ARREN, RON
16540 W. OAK
CALDWELL, ID 83605
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION
Use: FISH PROPAGATION

Date Filed: 2/13/1990
In: T03N R03W S29

SENWSW

Sec 8 T 03N R 02W

(.020 CFS)

(.020 CFS)

Total Diversión: (.040 CFS)

NWSW

63-11272

SESWSW

Tributary: BOISE RIVER

Sec 3 T 05N R 05W

(.030 CFS)

Total Diversión: (.030 CFS)

SWSW

1.0 ACRES TOTAL

63-11274

LOT 1 (NESE)

Sec 11 T 04N R 03W

(.020 CFS)

(.020 CFS)

(.040 CFS)

Total Diversión: (.080 CFS)

Lot 1 (NESE)

1.0 ACRES TOTAL

63-11275

SWNENW

Sec 32 T 05N R 03W

Sec 32 T 05N R 03W

(1.000 CFS)

(1.000 CFS)

(1.000 CFS)

Total Diversión: (1.000 CFS)

NENW

NWNW

66.0 ACRES TOTAL

63-11276

LOT 2 (NWNW)

Sec 5 T 05N R 03W

(.120 CFS)

Total Diversión: (.120 CFS)

Lot 2 (NWNW)

4.0 ACRES TOTAL

63-11277

SESW

Sec 13 T 01S R 02W

(.030 CFS)

(.060 CFS)

Total Diversión: (.090 CFS)

SESW

SWSESW

Sec 25 T 03N R 02W

(.440 CFS)

(.500 CFS)

Total Diversión: (.500 CFS)

SESW

22.0 ACRES TOTAL

63-11280

NESESW

Sec 29 T 04N R 03W

(.060 CFS)

(.500 CFS)

Total Diversión: (.500 CFS)

SESW

2.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise Idaho 83705 on or before MAY 7, 1990.

R. KEITH HIGGINSON
Director

April 18, 25, 1990

MICROFILMED

AUG 28 1990



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

January 5, 1993

CLORIECE A TOWNLEY
8758 SOUTHSIDE BLVD
NAMPA ID 83686

RE: WATER RIGHT NO. 63-11267

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in cursive script that reads 'Pamela Skaggs'.

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED
FEB 03 1993



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 15, 1992

CLORIECE A TOWNLEY
8758 SOUTHSIDE BLVD
Nampa ID 83686

RE: WATER RIGHT NO. 63-11267

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 15 days.

If you do not concur with these findings or if you have any questions, please contact us within the 15-day period.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

12/21/92

Amendment letter sent in error. Amendment not needed, should have sent a draft license.

Per telephone conversation with permit holder today, the holder agrees to the terms of the license as per the amendment. OK to license.

Ez.

RECEIVED
FEB 03 1993

LICENSE REVIEW CHECKLIST

Permit # 63-11267

Date 12-14-92
28

	<u>Yes</u>	<u>No</u>	
NAME	<u> </u>	<u> </u>	Address Change?
PRIORITY DATE	<u> </u>	<u> </u>	Advance?
	<u> </u>	<u> </u>	Memo to Advance
	<u> </u>	<u> </u>	Order to Reinstate Needed?
TOTAL CFS	<u> </u>	<u> </u>	No Fee paid
	<u> </u>	<u> </u>	Incorrect Fee for rate recommended?
	<u> </u>	<u> </u>	Disagree with Actual Measurement?
	<u> </u>	<u> </u>	<u>.6 Acre / Allow .03 cfs (IRR)</u>
	<u> </u>	<u> </u>	Disagree with Theoretical?
	<u> </u>	<u> </u>	Limited by Capacity? <u>.64 cfs</u> (measured)
TOTAL VOLUME	<u> </u>	<u> </u>	Rate/ac <u>4.5</u> AFA Irr. Season <u>D</u>
	<u> </u>	<u> </u>	<u>3-15 to 11-15</u> Standard Irr. Season
	<u> </u>	<u> </u>	<u>Same Per Permit</u> Season Recommended
	<u> </u>	<u> </u>	Disagree with Examiner's Calculations?
	<u> </u>	<u> </u>	<u>.6 x 4.5 = 2.7 cfs (IRR)</u>
	<u> </u>	<u> </u>	Limited by Flow?
SOURCE	<u> </u>	<u> </u>	Changes? Clarification of <u>Originally</u>
	<u> </u>	<u> </u>	<u>Intended</u> source
	<u> </u>	<u> </u>	Notice of Intent to Void.
P/D	<u> </u>	<u> </u>	Verify with Map
	<u> </u>	<u> </u>	Amendment Needed?
	<u> </u>	<u> </u>	Is Overlap Analysis a Consideration?
P/U	<u> </u>	<u> </u>	Verify with Map
	<u> </u>	<u> </u>	Amendment Needed?
	<u> </u>	<u> </u>	Is Overlap Analysis a Consideration?
USES	<u> </u>	<u> </u>	Change(s) in Nature of Use?
	<u> </u>	<u> </u>	Amendment Needed?
REMARKS	<u> </u>	<u> </u>	Multiple P/Ds in 1/4 1/4?
	<u> </u>	<u> </u>	Non-Irr. Uses
	<u> </u>	<u> </u>	Special Overlap Condition
	<u> </u>	<u> </u>	Other
CONDITIONS	<u> </u>	<u> </u>	Measuring Device
	<u> </u>	<u> </u>	W/Master Control
	<u>R27</u>	<u> </u>	Overlap
	<u> </u>	<u> </u>	Water Quality
	<u> </u>	<u> </u>	DATES/MISC
	<u> </u>	<u> </u>	Water Dist.
	<u> </u>	<u> </u>	App Rec'd
	<u> </u>	<u> </u>	Exam Made

COMMENTS/MEMOS NEEDED: Reduced Acre

License 10-Day 15-Day Special Correspondence

WR0749NP
No. L63-11267

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 12/14/92
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD		DIVERSION RATE	DIVERSION VOLUME
				FROM	TO		
C	CLORIECE A TOWNLEY 8758 SOUTHSIDE BLVD NAMPA ID 83686 (208) 466-9444	02/16/1990	IRRIGATION	03-15	11-15	0.03 CFS	2.7 AFA
TOTAL DIVERSION:						0.03 CFS	2.7 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.04 CFS

Point(s) of Diversion: T02N R02W S24 NW NW

Place of use Legal Description for: IRRIGATION

NE				NW				SW				SE										
NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:	SUM		
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	Lt	Ac	:	
02N	02W	24	:						:					:							:	
				:					:					:					:	0.6		
				:					:					:					:	0.6		
				:					:					:					:	0.6		
				:					:					:					:	0.6		
				:					:					:					:	0.6		
				:					:					:					:	0.6		
				:					:					:					:	0.6		
				:					:					:					:	0.6		
				:					:					:					:	0.6		
				:					:					:					:	0.6		
				:					:					:					:	0.6		
				:					:					:					:	0.6		
				:					:					:					:	0.6		
				:					:					:					:	0.6		
				:					:					:					:	0.6		
				:					:					:					:	0.6		
				:					:					:					:	0.6		
				:					:					:					:	0.6		
				:					:					:					:	0.6		
				:					:					:					:	0.6		
				:					:					:					:	0.6		
				:					:					:					:	0.6		
				:					:					:					:	0.6		
				:					:					:					:	0.6		
				:					:					:					:	0.6		
				:					:					:					:	0.6		
				:					:					:					:	0.6		
				:					:					:					:	0.6		
				:					:					:					:	0.6		
				:					:					:					:	0.6		
				:					:					:					:	0.6		
				:					:					:					:	0.6		
				:					:					:					:	0.6		
				:					:					:					:	0.6		
				:					:					:					:	0.6		
				:					:					:					:	0.6		
				:					:					:					:	0.6		
				:					:					:					:	0.6		
				:					:					:					:	0.6		
				:					:					:					:	0.6		
				:					:					:					:	0.6		
				:					:					:					:	0.6		
				:					:					:					:	0.6		
				:					:					:					:	0.6		
				:					:					:					:	0.6		
				:					:					:					:	0.6		
				:					:					:					:	0.6		
				:					:					:					:	0.6		
				:					:					:					:	0.6		
				:					:					:					:	0.6		
				:					:					:					:	0.6		
				:					:					:					:	0.6		
				:					:					:					:	0.6		
				:					:					:					:	0.6		
				:					:					:					:	0.6		
				:					:					:					:	0.6		
				:					:					:					:	0.6		
				:					:					:					:	0.6		
				:					:					:					:	0.6		
				:					:					:					:	0.6		
				:					:					:								

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
DEC 04 1992

Department of Water Resources

A. GENERAL INFORMATION


Permit No. 63-11267
1. Owner: Clarice Townley Phone No. 466-9444
Current Address: 8758 Southside Blvd, Nampa Idaho 83686
2. Accompanied by: Clarice Townley EXAM. DATE: 7-24-92
Address: same Phone No. same
Relationship to Permit Holder: same
3. Source: groundwater tributary to TVA-

B. OVERLAP REVIEW

1. Other water rights with same place of use: None ☐ Copies Attached
2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
☐ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).
☐ Aerial Photo Attached (required for irrigation of 10 acres or more).

RECEIVED

FEB 03 1993

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

This system uses a 1 hp, 130' well with a 8" casing to irrigate 16 acres. The water level for the area is 49' and the drawdown is 15'. The system is used for lettuce, shock, irrigator pumpers. (Irrigation is done from spigots carried through hoses to the P/U's.)

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Submersible		1			

**Code to correspond with No. on map and aerial photo*

5. Point(s) of Diversion:

[illegible]

Indicate Method of Determination

6. Place(s) of Use:

[illegible]

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
NA						

2. Measurements:

$$\text{Theoretical} = \frac{1.88 \cdot .70}{84 + (2.3 \cdot 50)} = \frac{1.316}{199} = .03 \text{ cfs}$$

estimate

$$5 \text{ gallon bucket} = \text{Exhibit 10} = 17 \text{ seconds} = .04 \text{ cfs}$$

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$\text{Theoretical} = .03$$

2. Alternate Method for Checking Purposes:

$$5 \text{ gallon Bucket} = .04 \text{ cfs}$$

Allow .03
for permit

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

NA

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = .6 \times 4.5 = 2.7 \text{ AFA}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .03 \times 245 \times 1.9835 = 14.6 \text{ AFA}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 2.7 \text{ AFA}$$

2. Volume Calculations for Other Uses:

-NA-

RECEIVED
FEB 03 1993

H. REMARKS AND OVERLAP REVIEW ANALYSIS

There are not any overlaps other than A63-21076 which is the Hydrojunction field in owner. These uses are stockwater, domestic, fire, machinery, etc.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3/15	11/15	.03 cfs	2.7 AFA
Totals:			.03 cfs	2.7 AFA

2. Recommended Amendments

- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

☐ None

☐ Other

J. AUTHENTICATION

Field Examiner's Name

DAVID GRAY


Signature

[Signature]

Certification Date

7-31-92

Field Report Preparation Date



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

RECEIVED

FEB 03 1993

R2W RIW

QUADRANGLE

DAHO

S (ORTHOPHOTOQUAD)

R. 1 W. 300 000 FEET

116° 30'

43° 30'

32' 30"

4816

4815

4814

660 000
FEET

PERMIT 63-11767 INIT BN
T. R. S. Q/Q
P/D Zm Zu R4 SW NW NW
SCALE _____
PHOTO ID. _____

RECEIVED
FEB 03 1993

63-11267



Picture of well casing & pressure tank.



View of East/North side of property.

MICROFILMED

FEB 03 1993

63-11267



View from the west side of
the property.

RECEIVED
FEB 03 1964

October 9, 1991

CLORIECE A. TOWNLEY
8758 SOUTHSIDE BLVD.
NAMPA ID 83686

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11267

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Nina Shields
Secretary/Records Manager

c: IDWR - Region

MAILED
NOV 19 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 63-11267

Date 10-3-91

GENERAL CONSIDERATIONS

- ☒ Name same as permit?
☒ Address same as permit? If no, indicate below.
☒ Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

- ☐ Surface water source
☒ Ground water source
1977 ☒ Drill permit req'd?
☒ Copy in file? Drill permit no. _____
☒ Amt paid for drilling permit? _____ Correct?
☒ Well log in file?

LICENSE EXAMINATION FEE

- ☒ Required?
☒ Amount submitted?
☒ Correct amount?

MEASURING DEVICE

- ☒ Measuring device or access port required?
☒ Installed?
☒ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

PRIORITY CALCULATION

Date proof received NA
Date proof due _____ - _____
No. of days late _____ = _____
Priority date _____ + _____
NEW PRIORITY DATE _____ = _____

LB

RECEIVED
AUG 27 1991For Office Use Only
Amt. of Fee \$ _____
Date _____
Receipt No. _____
Received by _____STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-11267Telephone No. 466-9444Name(s) of Permit Holder(s): Cloriece A. Townley~~Post Office Address:~~ street address: 8758 Southside Blvd. Nampa, ID 83686Source of Water: domestic wellIf ground water, well driller's name: drilled before I purchased Date drilled: prior to 1977
property in 1977

Extent of Use:

Domestic 1 (No. of households)Irrigation 3/4 to 1 (No. of acres)Stockwater -0- (No. and type of stock)Other none, house and surrounding yard onlyTotal rate and/or volume for which proof is submitted 0.03 cfs acre/feet
as printed on your Permit

Show date water was first diverted and beneficially used under this permit: *I received permit dated 8/23/90
however this well and water were used by previous owners, Bruce Loggins prior
to 1977

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes No Installed? Yes No

I have no measuring device to OR
my knowledge and do not know to what you are referring.

Flow Measurement Port: Required? Yes No Installed? Yes NoNo Fee Enclosed: \$ Single family (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Cloriece A. Townley
Name466-9444
Telephone No.8758 Southside Blvd.Nampa, ID 83686
Address

The above information is my true statement of the extent to which the above numbered permit has been developed and I
relinquish any undeveloped portion of the permit to the state of Idaho.

Date

8/26/91Signature Cloriece A. Townley
(and title if not a half of a company or organization)

NOV 19 1991

138809
June 30, 1991

CLORIECE A. TOWNLEY
8758 SOUTHSIDE BLVD.
NAMPA, ID 83686

PROOF DUE NOTICE

RE: PERMIT NO. 63-11267

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before September 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

NOV 19 1991

S T A T E O F I D A H O
DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
August 23, 1990

CLORIECE A. TOWNLEY
8758 SOUTHSIDE BLVD.
NAMPA, ID 83686

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-11267

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

MICROFILMED

AUG 28 1990

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

AUG 28 1990

Form No. 202a.

3/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: Rw DATE: 3/29/90 APPLICATION: 63-11267

REQUIRED INFORMATION

☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume) Gov't. Lots:
☒ Period of use: N P/D
☒ Nature of proposed use: (Include description of use) N P/U
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee:
☒ Yes ☐ No* In form to receipt:

ADDITIONAL INFORMATION

YES	NO	
	☒	Overlapping place of use: (Describe source & relationship to present application on the back.)
☒		Overlapping point of diversion:
		Field check required: Field check by: _____
		Field report attached:
		Critical groundwater area:
		Groundwater management area:
		Send dam safety information:
		Send power requirement letter:
		Send fish farm requirement letter:
		Power residency affidavit:
		Power efficiency form:
		Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
		Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)
		*REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: _____

Additional information on reverse side: _____

RECEIVED
JUL 26 1990

Department of Water Resources

PROCESSING

YES NO

In form for advertising:

Statewide advertising:

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

U.S. BLM

U.S. Forest Svc.

Water Dist. #

Other

FINAL REGIONAL PROCESSING REVIEW

YES NO

Affidavit of publication received:

Application published correctly: If not, record action taken.

Publication dates and paper recorded on application:

Protests received. Final date for protest May 7, 1990

Protest dates, resolution of protest recorded on application:

Recommendations attached: Approve, DM

Measuring device required:

Measuring port required:

Water delivered by water master? District # 63

Special conditions of approval or cover letter:

See below for additional information

Recommended Date or Priority 2/16/1990

Recommended by: Dr Date 7/20/1990

STATE OFFICE REVIEW

See below for additional information. By K.W. Date 8-21-90

ADDITIONAL INFORMATION

P/D overlap w/ A63-B1076

63-11267

TOWNLEY, CLORIECE A.
8758 SOUTHSIDE BLVD.
NAMPA, ID 83686

Source: GROUNDWATER

Diversion Pt: SWNWNW Sec 24 T 02N R 02W

Use: IRRIGATION (.030 CFS)
Total Diversion: (.030 CFS)

Date Filed: 2/16/ 1990

In: T02N R02W S24 NWNW

1.0 ACRES TOTAL

MICROFILMED

AUG 28 1990