


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Mel Turing
(Applicant)

MICROFILMED
JUL 25 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


Permit No. 63-11257
Phone No. 459-2181
1. Owner: Merl Turing, Virginia Turing
Current Address: 21821 RAINBOW LANE CAIDWELL, IDAHO 83605
2. Accompanied by: BOB EXAM. DATE: 7-23-91
Address: same Phone No. same
Relationship to Permit Holder: employee
3. Source: groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-07094 Greenleaf Water Association
No problems ☐ Copies Attached
2. Other water rights with same point of diversion: same no problems
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION


1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

MICROFILMED
JUL 29 1992



63-11257



view from the
south of building.
well is located
on the east side
of building. Offices
are in front and
work areas in back.



location of well
is southeast
corner of building.

MICROFILMED

JUL 29 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11257

Priority: March 13, 1990

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

0.1 AF

This is to certify, that VIRGINIA TUNING
DBA MIKES METAL FABRICATION
MERL TUNING

21821 N RAINBOW LANE
CALDWELL ID 83605

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 13, 1990; and has submitted Proof of Beneficial Use on September 4, 1990. An examination indicates that the works have a diversion capacity of .040 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
COMMERCIAL	01/01 to 12/31	0.02 CFS	0.1 AF

LOCATION OF POINT(S) OF DIVERSION:

SENE , Sec. 21, Township 04N, Range 04W
CANYON County

PLACE OF USE: COMMERCIAL
TWN RGE SEC

04N 04W 21 SENE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Commercial use is for a metal shop.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 15 day of July, 1992.

MICROFILMED

JUL 29 1992

Acting for R. Keith Higginson, Director

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 63-11257

Proposed Priority: March 13, 1990 Maximum Diversion Rate: 0.02 CFS

This is to certify, that **MERL TUNING**
VIRGINIA TUNING
DBA MIKES METAL FABRICATION
21821 RAINBOW LANE
CALDWELL, ID 83605

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
COMMERCIAL	01/01 to 12/31	0.02 CFS

LOCATION OF POINT(S) OF DIVERSION: SESENE Sec. 21, Township 04N, Range 04W
CANYON County

PLACE OF USE: COMMERCIAL

TWN RGE SEC

04N 04W 21 SENE

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 1991.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

28th day of June, 1990.

R. Keith Higginson
for R. Keith Higginson, Director

MICROFILMED

JUL 25 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Merlin Virginia Tuning DBA Mike's Metal Fabrication Phone 259-2181

Post office address 21821 Rainbow Lane Caldwell Idaho 83605

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of NE $\frac{1}{4}$, Govt. Lot _____

Sec. 21 Township 4N Range 4W B.M. CANYON County; additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount *0.02 for Commercial purposes from 01-01 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.02 cubic feet per second and/or (b) _____ acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 160ft Deep 6" Casing
1 up submeasible piped to Shop

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet; period of year when water will be diverted to storage: _____ to _____ inclusive.

c. Proposed well diameter is 6" inches; proposed depth of well is 160' feet.

d. Is ground water with a temperature of greater than 90°F being sought? No

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 yr years (minimum 1 year).

* per orthophoto 3/27/90 82.

FILED

JUL 25 1990

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. Commercial Use is Mike's Metal FABRICATION, Toilet, Sink, Coffee etc. Washing Equipment.

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
4N	4W	21				C													

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. None.

- Who owns the property at the point of diversion? Applicant.
- Who owns the land to be irrigated or place of use? Applicant.
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

* per d. photos 3/27/90 JL.

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



MICROFILMED
JUL 25 1990

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Mark Tuning
(Applicant)

Received by MS Date 3/13/90 Time 9:30am Preliminary check by SL
Fee \$ 30.00 Receipted by Val # W010884 Date 3-13-90
Publication prepared by GG Date 3-28-90 Published in Press-Tribune
Publication approved st Date 5-10-90
4/4 & 4/11/90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

MICROFILMED

JUL 25 1990

NOTICE OF APPLICATION FOR WATER

GHT
a the public waters of

The following application(s) have been filed to appropriate the State of Idaho:

63-11227

MYERS, NORMAN
12787 ORCHARD AVE.
NAMPA, ID 83651
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
Use: DOMESTIC
Use: FIRE PROTECTION

Date Filed: 2/9/1990
In: T03N R03W S24

12.5 ACRES TOTAL

NWNW

Sec 24 T 03N R 03W

(.250 CFS)
(.040 CFS)
(.030 CFS)
Total Diversion: (.320 CFS)

NWNW

SWNW

KENT, BETTY L.
P.O. BOX 174
MARSING, ID 83639
Source: SNAKE RIVER
Diversion Pt:
Use: IRRIGATION
Use: STOCKWATER

Date Filed: 3/16/1990

In: T03N R04W S34 Lot 1 (NWNW) Lot 2 (SWNE) SENE Lot 3 (NESE)

70.0 ACRES TOTAL

Tributary: COLUMBIA RIVER
Sec 34 T 03N R 04W
(1,400 CFS)
(.030 CFS)
Total Diversion: (1,700 CFS)

Lot 1 (NWNW)

Total Diversion: (1,700 CFS)

63-11249

GILLASPY, EUGENE
24767 BOISE RIVER RD.
PARMA, ID 83660
Source: WASTE WATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 3/19/1990

In: T05N R05W S36

37.0 ACRES TOTAL

NESW

Tributary: BOISE RIVER
Sec 36 T 05N R 05W
(.740 CFS)
Total Diversion: (.740 CFS)

NESW

63-11250

MYERS, NORMAN
12787 ORCHARD AVE.
NAMPA, ID 83651
Source: GROUNDWATER
Diversion Pt:
Use: COMMERCIAL
Use: DOMESTIC

Date Filed: 2/9/1990
In: T03N R03W S24

63-11228

NWNW

Sec 24 T 03N R 03W

(.020 CFS)
(.080 CFS)
Total Diversion: (.100 CFS)

NWNW

NEILSEN, MERLYN R.
17885 SAND HOLLOW RD.
CALDWELL, ID 83605
Source: WASTE WATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 3/14/1990
In: T05N R03W S18

40.0 ACRES TOTAL

Lot 1 (NWNW)

Tributary: SAND RUN GULCH
Sec 18 T 05N R 03W
(.800 CFS)
Total Diversion: (.800 CFS)

Lot 1 (NWNW)

63-11252

ELM CREST WATER USERS ASSN.
17056 ELM CREST DR.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
Use: STOCKWATER
Use: DOMESTIC

Date Filed: 2/20/1990
In: T05N R03W S19

16.0 ACRES TOTAL

NENE

Sec 19 T 05N R 03W

(.320 CFS)
(.020 CFS)
(.200 CFS)
Total Diversion: (.540 CFS)

NENE

WINTERS, LONNIE
RT. 2 BOX 20747
WEITZ RD.
CALDWELL, ID 83605
Source: WASTE WATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 3/13/1990
In: T04N R04W S24

28.0 ACRES TOTAL

SWNW

Tributary: DIXIE SLOUGH
Sec 24 T 04N R 04W
(.560 CFS)
Total Diversion: (.560 CFS)

SWNW

63-11253

CITY OF WILDER
219 3RD ST.
WILDER, ID 83676
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 3/16/1990
In: T04N R05W S23

15.0 ACRES TOTAL

SESWSW

Sec 14 T 04N R 05W
(.300 CFS)
Total Diversion: (.300 CFS)

SWNW

63-11256

STATE OF IDAHO
DEPT. OF FISH & GAME
BOX 25
BOISE, ID 83720
Source: WILSON DRAIN
SPRINGS
Diversion Pt:

Use: RECREATION

Date Filed: 2/20/1990
In: T02N R02W S03

63-11260

CITY OF CALDWELL
P.O. BOX 1177
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 3/15/1990
In: T04N R03W S21

5.0 ACRES TOTAL

NENE

Sec 21 T 04N R 03W
(.150 CFS)
Total Diversion: (.150 CFS)

NENE

63-11261

CITY OF CALDWELL
P.O. BOX 1177
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 3/15/1990
In: T04N R03W S21

5.3 ACRES TOTAL

NENE

Sec 21 T 04N R 03W
(.110 CFS)
Total Diversion: (.110 CFS)

NENE

NWNW

63-11262

CITY OF CALDWELL
P.O. BOX 1177
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 3/15/1990
In: T04N R03W S28

40.0 ACRES TOTAL

NWNW

Sec 28 T 04N R 03W
(.800 CFS)
Total Diversion: (.800 CFS)

NWNW

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before APRIL 23, 1990.

R. KEITH HIGGINSON

Director

April 4, 11, 1990

MICROFILMED
JUL 25 1990

July 9, 1992

VIRGINIA TUNING
DBA MIKES METAL FABRICATION
MERL TUNING
21821 N RAINBOW LANE
CALDWELL ID 83605

RE: WATER RIGHT NO. 63-11257

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

MICROFILMED

JUL 29 1992

LICENSE REVIEW CHECKLIST

Permit # 63-11257

Date 6-9-92

28

	Yes	No	
NAME	<u> </u>	<u>✓</u>	Address Change?
PRIORITY DATE	<u> </u>	<u>✓</u>	Advance? <u> </u>
	<u> </u>	<u>✓</u>	Memo to Advance <u> </u>
	<u> </u>	<u>✓</u>	Order to Reinstate Needed?
TOTAL CFS	<u> </u>	<u>✓</u>	Incorrect Fee for rate recommended?
	<u>NA</u>	<u> </u>	Disagree with Actual Measurement?
			<u>.02 cfs (COMM)</u>
	<u> </u>	<u>✓</u>	Disagree with Theoretical? <u>1x8.8x.7 = .042</u>
	<u> </u>	<u> </u>	Limited by Capacity? <u>.04 cfs 100' x (2.51 x 20)</u>
TOTAL VOLUME			Rate/ac <u> </u> AFA Irr. Season <u> </u>
			<u> </u> Standard Irr. Season
			<u> </u> Season Recommended
	<u> </u>	<u>✓</u>	Disagree with Examiner's Calculations?
			<u>Allow .1 afa (COMM)</u>
	<u> </u>	<u>✓</u>	Limited by Flow? <u> </u>
SOURCE	<u> </u>	<u>✓</u>	Changes? Clarification of <u>Originally</u>
	<u> </u>	<u>✓</u>	<u>Intended</u> source <u> </u>
	<u> </u>	<u>✓</u>	Notice of Intent to Void.
P/D	<u> </u>	<u>✓</u>	Verify with Map
	<u> </u>	<u>✓</u>	Amendment Needed? <u> </u>
	<u> </u>	<u>✓</u>	Is Overlap Analysis a Consideration?
P/U	<u> </u>	<u>✓</u>	Verify with Map
	<u> </u>	<u>✓</u>	Amendment Needed? <u> </u>
	<u> </u>	<u>✓</u>	Is Overlap Analysis a Consideration?
USES	<u> </u>	<u>✓</u>	Change(s) in Nature of Use? <u> </u>
	<u> </u>	<u>✓</u>	Amendment Needed? <u> </u>
REMARKS	<u> </u>	<u>✓</u>	Multiple P/Ds in 1/4 1/4? <u> </u>
	<u>✓</u>	<u> </u>	Non-Irr. Uses <u>COMM/ Metal shop</u>
	<u> </u>	<u>✓</u>	Special Overlap Condition <u> </u>
	<u> </u>	<u>✓</u>	Other <u> </u>
CONDITIONS	<u> </u>	<u>✓</u>	Measuring Device
	<u> </u>	<u>✓</u>	W/Master Control
	<u> </u>	<u>✓</u>	Overlap
	<u> </u>	<u>✓</u>	Water Quality
			DATES/MISC
			<u> </u> <u>✓</u> Water Dist.
			<u> </u> <u> </u> App Rec'd
			<u> </u> <u> </u> Exam Made

COMMENTS/MEMOS NEEDED:

License ✓ 10-Day 15-Day Special Correspondence



DATE: 06/09/92
PAGE: 1

Misc: Water District Number: Field Exam Fee: N (Not Required)
Audit: 06/09/92 SKAGGS

USE ADDITIONAL SHEETS IF NECESSARY — FORWARD THE WHITE COPY TO THE DEPARTMENT

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


Permit No. 63-11257
1. Owner: Merl Tunney, Virginia Tunney Phone No. 459-2181
Current Address: 21821 RAINBOW LANE CAIDWELL, IDAHO 83605
2. Accompanied by: BOB EXAM. DATE: 7-23-91
Address: same Phone No. same
Relationship to Permit Holder: employee
3. Source: groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-07094 Green Leaf Water Association
no problem ☐ Copies Attached
2. Other water rights with same point of diversion: same no problem
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

RECEIVED
JUL 29 1992

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

This well is for commercial use at 4 spikes a sink, 2 bathrooms, & a drinking fountain. The well is approximately 165' deep and the static sits at 55'. The 1 hp motor puts out 17 gal a minute through the 6" casing.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Self-miscible	-NA-	1	-NA-	-NA-	-NA-

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		se	se	ne	21	4n	4w	Camp	Land/Ve. Insp.

6. **Place(s) of Use:**

Indicate Method of Determination _____

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
4n	4w	21				C													

MICROFILMED

JUL 29 1992

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
NONE						

2. Measurements:

$1 \text{ hp} \times 8.8 \times .70 \text{ eff} = 6.16 = .04$
Theoretical; $100 \text{ dy} + (2.3 \times 20 \text{ psi}) = 146$
from well $\nearrow$
logs of same $\frac{1}{4}, \frac{1}{4}$

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

Theoretical = .04 cfs. allow .02 per permit

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

: Flow rate: _____ cfs (4)

Water HP: (3) x (4) $\div$ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

NA

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation: NO IRRIGATION

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

~~Volume = 6 cfs (because same use as domestic with no bath)~~

$V_{REQ} = 4.5 \text{ employees} \times 50 \frac{\text{gal}}{\text{day}} \times 5 \frac{\text{days}}{\text{wk}} \times \frac{32 \text{ WKS}}{\text{yr}} = 13,000 \frac{\text{gal}}{\text{yr}} = .04 \text{ AFA allow .1 AFA}$

$V_{DIV} = .002 \times 283 \times 1.9835 = 11.24 \text{ F}$

TOTAL 8 fixtures @ TOTAL AVG 5 employees, 1 part-time, 4 full-time @ 50 gal/day

MICROFILMED
JUL 20 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

~~There are no conflicting water rights. The ditch company is in same area but does not conflict as come on use with Permit.~~
 NO → Commercial use call, see PO 3. (toilet sinks)
 Treat as a domestic water use. It has 2 bedrooms, 3 toilets & 4 to 6 people using the facility.
 Open 5 days weekly. (one woman part time) per Don Comfort, employee 4/17/92 gyt
 3-4 full time employees

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use From	To	Rate of Diversion Q (cfs)	Annual Volume V (afa)
Commercial	1-1	12-31	.02 cfs	on .6272 AFA
Totals:			.02 cfs	on .6272 AFA

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

☒ None

☐ Other

J. AUTHENTICATION

Field Examiner's Name

DAVID GRAY

Signature


David Gray

Certification Date

7-17-91


Field Report Preparation Date

8-07-91



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED
JUL 29 1992



PERMIT 63-11257 INIT Due
T. R. S. Q/Q
P/D 4N 4W 21 seene
SCALE _____
PHOTO ID. _____

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-11257

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 4N, Rge 4W, Sec. 21, SE 1/4 NE 1/4 or Lot _____.

2. Owner: Merl Tuning, Virginia Tuning
Address 71871 Rainbow Lane, City Caldwell, St Idaho

3. Casing $\geq$ 12 inches above ground: Yes X No _____

4. Access Port: Yes _____ No X Static Water Level: 55"
Pressure Gauge: Yes _____ No X Casing Diameter: 6"
Flowing: Yes _____ No X Temperature: NA

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes _____ No X


If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: Well is in fine shape.


MICROFILMED

JUL 29 1992

63-11257



view from the
south of building.
well is located
on the east side
of building. Offices
are in front and
work area in back.



Location of well
is southeast
corner of building.

MICROFILMED

JUL 29 1992

February 12, 1991

DBA MIKES METAL FABRICATION
MERL TUNING
VIRGINIA TUNING
21821 RAINBOW LANE
CALDWELL, ID 83605

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11257

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

RECEIVED
MAR 05 1991

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 63-11257

Date: 10-25-90

General Considerations:

☒ Name same as permit
☒ Signature the same as permit holder
☒ Address change _____ If yes, prepare a data entry
☒ Proof received timely _____
_____ Reinstated

Source of Water:

_____ Surface water
☒ Groundwater
_____ 1. well log in file No
_____ 2. drilling permit Y
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

☒ Rate of diversion appropriate for uses
☒ Is rate or volume and fee appropriate?
☒ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

NO Is a measuring device or access port required?
_____ Has one been installed?
+ Waiver or modification of measuring device requested

Remarks:

*needs w.c. + D.P.
Proof acceptable*

Priority Calculation:

Date proof received	<u>NO</u>	_____
Date proof due	_____	_____
No. of days late	_____	_____
Priority date	_____	_____
NEW PRIORITY DATE	_____	_____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

correct # is 20821 not 21821

RECEIVED

SEP 4 1990

No \$ enclosed
Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

43-88-2-211

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-11257 Telephone No. 459-2181

Name(s) of Permit Holder(s) Merl & Virginia Tuning DBA Mike's Metal Fabrication

Post Office Address: 20821 N. Rainbow Lane, Caldwell, Idaho 83605

Source of Water: Groundwater

If ground water, well driller's name: S.O.S. Well Drilling *\$212* Date drilled: 4-5-1988

Extent of Use:

Domestic _____ (No. of households)

Irrigation _____ (No. of acres)

Stockwater _____ (No. and type of stock)

Other Water for Office, Bathrooms,

Washrooms and some Machinery Clean-up. 1 hp pump With 17 Gallon per min. Capacity used.

Total rate and/or volume for which proof is submitted .02 CFS cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: 4-20-1988

One of the following may be a condition of approval of your permit:

Measuring device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

OR

Flow Measurement Port: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

Fee Enclosed: \$ _____ (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

MERL TUNING or DON COMFORT (208) 459-2181
Name Telephone No.

21048 Highway 19, Greenleaf, Idaho 83605 20821 N. Rainbow Lane, Caldwell, Idaho 83605
Address Address

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MAR 05 1991

July 17, 1990
Date

Danell Comfort
Signature (and title if on behalf of a company or organization)

Form 235-1
4/88

Drilling Permit No. 63-88-Z-211
Water Permit No. _____
Injection Permit No. _____

State of Idaho
Department of Water Resources

DRILLING PERMIT

(Authorizing Construction of a Well)*

REC

OCT 14 1988

Department of Water Resources

1. Applicant Donald Comfort
2. Address 21268 Lower Pleasant Ridge Road
Callwell, Idaho 83605 Telephone (208) 459-4861
☒ Well Owner ☐ Well Operator ☐ Other, specify _____
3. Proposed well location SW 1/4 S.E. 1/4, or Gov't lot No. _____,
Sec. 21, Twp. 4 N, Rge. 4 W, County Canyon,
Lot, block and subdivision _____
4. Proposed use of well: (Check all that apply)
☒ Domestic ☐ Stockwater ☐ Monitoring
☐ Irrigation ☐ Industrial ☐ Municipal
☐ Injection ☐ Other, Specify _____
5. Well construction information:
☒ New well ☐ Deepen ☒ Replace
Proposed surface diameter 6" Maximum depth 175'
Anticipated bottom hole temperature:
☒ 85°F or less (Cold water well)
☐ 85°F to 212°F (Low temp. geothermal well)
☐ 212°F or more (Geothermal well)
6. Anticipated construction start date 10-10-88
7. Well Driller (if known) Earl Skinner DBA Can Ada Well Drilling
Address Rt 1, Kuna 83634
8. Applicant's signature Donald Comfort
Title owner
Date October 11, 1988

304
MICROFILMED

MAR 05 1991

* After other pre-requisite approvals have been obtained.

* Fee is \$10 for single family domestic. Other uses may be \$100, \$50 or \$10.

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
June 29, 1990

DBA MIKES METAL FABRICATION
MERL TUNING
VIRGINIA TUNING
21821 RAINBOW LANE
CALDWELL, ID 83605

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P63-11257

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

MICROFILMED

JUL 25 1990

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

JUL 25 1961

Form No. 202a.
3/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: FL DATE: 3/27/90 APPLICATION: 63-11257

REQUIRED INFORMATION

☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume)
☒ Period of use: Gov't. Lots: N P/D
☒ Nature of proposed use: (Include description of use) N P/U
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee:
☒ Yes ☐ No* In form to receipt:

ADDITIONAL INFORMATION

YES NO

☒ Overlapping place of use: (Describe source & relationship to present application on the back.)
☒ Overlapping point of diversion:
☐ Field check required: Field check by: _____
☐ Field report attached:
☐ Critical groundwater area:
☐ Groundwater management area:
☐ Diversion within interim protected river area
☐ Send dam safety information:
☐ Send power requirement letter:
☐ Send fish farm requirement letter:
☐ Power residency affidavit:
☐ Power efficiency form:
☐ Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☐ Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)
☐ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: _____

☒ Additional information on reverse side:

RECEIVED
JUN 14 1990

Department of Water Resources

PROCESSING

APPLICATION NO. 63-11257

YES NO

In form for advertising:

Statewide advertising:

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

U.S. BLM

U.S. Forest Svc.

Water Dist. #

Other

FINAL REGIONAL PROCESSING REVIEW

~~YES~~ NO

Affidavit of publication received:

Application published correctly: If not, record action taken.

Publication dates and paper recorded on application:

Protests received. Final date for protest *April 23, 1980*

Protest dates, resolution of protest recorded on application:

Recommendations attached: *Agarose, AMS*

Measuring device required:

Measuring port required:

Water delivered by water master? District # 63

Special conditions of approval or cover letter:

~~See below for additional information~~

Recommended Date or Priority 3/13/1990

Recommended by:

Date 6/14/1990

STATE OFFICE REVIEW

See below for additional information. By

Date 6-25-90

ADDITIONAL INFORMATION

Overlap

P/O 63-07094 Different well.

p/w " " " " for domestic use on other land.

63-11257

TUNING, VIRGINIA
TUNING, MERL
DBA MIKES METAL FABRICATION
21821 RAINBOW LN.
CALDWELL, ID 83605

Source: GROUNDWATER

Diversion Pt: SESENE Sec 21 T 04N R 04W

Use: COMMERCIAL (.020 CFS)
 Total Diversion: (.020 CFS)

Date Filed: 3/13/ 1990

In: T04N R04W S21 SENE

MICROFILMED

JUL 25 1990