


8161

A63-


149 acres 40 acres
20 acres



A63 21147
159

MICROFILMED
JUL 25 1990

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		7.5	US Elect	#2355379	12" → 6"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.


Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Theoretical

RECEIVED

JUN 13 1994





12" well
7.5 HP pump

ALCOBARK LTD
JUN 13 1994

6" discharge
into 8" main-
line across
rd - gravity/
Flood irrigation
system.



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 63-11253

Priority: March 16, 1990

Maximum Diversion Rate:

0.30 CFS

Maximum Diversion Volume:

67.5 AF

This is to certify, that CITY OF WILDER
219 3RD ST

WILDER ID 83676

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 16, 1990; and has submitted Proof of Beneficial Use on May 22, 1991. An examination indicates that the works have a diversion capacity of 1.320 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
MUNICIPAL	01/01 to 12/31	0.30 CFS	67.5 AF

LOCATION OF POINT(S) OF DIVERSION: SESWSW , Sec. 14, Township 04N, Range 05W
CANYON County


PLACE OF USE: See Remarks

CONDITIONS/REMARKS:


1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.
6. Place of use is located within the city limits of Wilder.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 9TH day of JUNE, 1994.

Acting for


R. Keith Higginson, Director

JUN 13 1994



STATE OF IDAHO

For Office Use Only
Amt. of Fee \$ 120.00
Date 5/22/91
Receipt No. 0020569
Received by J. J. Johnson

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-11253 Telephone No. 208-482-6204

2. Name(s) of Permit Holder(s): City of Wilder

3. Post Office Address: P. O. Box 687 Wilder, Idaho 83676 219 Third St.

4. Source of Water: Domestic Wells

a. If ground water, well driller's name: _____ Date drilled: 1919 - early 70's

b. Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use:

Domestic 431 (No. of households) Irrigation _____ (No. of acres)

Stockwater _____ (No. and type of stock) Other _____

6. Total rate and/or volume for which proof is submitted .30 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly: AS PER PERMIT

Measuring device: Required? Yes ☒ No Installed? Yes ☐ No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☐ No

8. Fee Enclosed: \$ _____ (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Name

Telephone No.

Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

5-20-1991 Date Glenda V. Chase City Clerk-Treas. Signature (and title if on behalf of a company or organization)
JUN 07 1991

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11253

Proposed Priority: March 16, 1990 Maximum Diversion Rate: 0.30 CFS
This is to certify, that CITY OF WILDER

219 3RD ST.
WILDER, ID 83676

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 10/15	0.30 CFS

LOCATION OF POINT(S) OF DIVERSION: SESWSW Sec. 14, Township 04N, Range 05W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
04N 05W 23	SWNW 15			15

Total number of acres irrigated: 15

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 1991.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

28th day of June, 1990.

R. Keith Higginson
for R. Keith Higginson, Director

RECORDED

JUL 25 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant City of Wilder Phone 208-0204
Post office address 219 3rd Street Wilder Idaho 83676
2. Source of water supply groundwater which is a tributary of _____
3. Location of point of diversion is SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of SW $\frac{1}{4}$, Govt. Lot _____
Sec. 14 Township 4N Range 5W B.M. Canyon County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.30 for Irrigation purposes from 3/15 to 10/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.30 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Well and Pump to lawns and gardens throughout the townsite
b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet; period of year when water will be diverted to storage: _____ to _____ inclusive.
c. Proposed well diameter is _____ inches; proposed depth of well is 80' feet.
d. Is ground water with a temperature of greater than 90°F being sought? No
7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year).

MICROFILMED

JUL 25 1990

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
4N	5W	23							15										15

Total number of acres to be irrigated 15

10. Describe any other water rights used for the same purposes as described above. Individual domestic wells for lawn and garden.
11. a. Who owns the property at the point of diversion? Applicant
- b. Who owns the land to be irrigated or place of use? Applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. NA

12. Remarks: _____


MICROFILMED

JUL 23 1990

8164

A63-

149 acrs 40 acrs
20 ac



13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

[illegible]

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X Glenda V. Chase
(Applicant)
City Clerk Treasurer

Received by Val Date 3-16-90 Time 11:50 Preliminary check by [Signature]
Fee \$ 4500 Received by [Signature] # W011301 Date 3-16-90
Publication prepared by GG Date 3-28-90 Published in Press-Tribune
4/4 & 4/11/90
Publication approved [Signature] Date 5-10-90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:


a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:



NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-11227

MYERS, NORMAN
12787 ORCHARD AVE.
NAMPA, ID 83651
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
Use: DOMESTIC
Use: FIRE PROTECTION

NWNW

Sec 24 T 03N R 03W

(.250 CFS)
(.040 CFS)
(.030 CFS)
Total Diversion: (.320 CFS)

Total Diversion: (.320 CFS)

NWNW

SWNW

12.5 ACRES TOTAL

Date Filed: 2/9/1990
In: T03N R03W S24

63-11228

MYERS, NORMAN
12787 ORCHARD AVE.
NAMPA, ID 83651
Source: GROUNDWATER
Diversion Pt:
Use: COMMERCIAL
Use: DOMESTIC

NWNW

Sec 24 T 03N R 03W

(.020 CFS)
(.080 CFS)
Total Diversion: (.100 CFS)

Total Diversion: (.100 CFS)

NWNW

Date Filed: 2/9/1990
In: T03N R03W S24

63-11229

ELM CREST WATER USERS ASSN.
17056 ELM CREST DR.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
Use: STOCKWATER
Use: DOMESTIC

NENE

Sec 19 T 05N R 03W

(.320 CFS)
(.020 CFS)
(.200 CFS)
Total Diversion: (.540 CFS)

Total Diversion: (.540 CFS)

NENE

Date Filed: 2/20/1990
In: T05N R03W S19

16.0 ACRES TOTAL

63-11230

HILLDROP WATER USERS ASSN.
3407 SUNSET AVE.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt:
Use: DOMESTIC

NENWSE

Sec 33 T 04N R 03W

(.180 CFS)
Total Diversion: (.180 CFS)

Total Diversion: (.180 CFS)

NWSE

Date Filed: 1/23/1990
In: T04N R03W S33

63-11231

HANSEN, L. LEON
25846 EMMETT RD.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

NWNWNW

Sec 25 T 05N R 03W

(.090 CFS)
Total Diversion: (.090 CFS)

Total Diversion: (.090 CFS)

NWNW

Date Filed: 2/2/1990
In: T05N R03W S25

3.0 ACRES TOTAL

63-11257

TUNING, VIRGINIA
TUNING, MERL
DBA MIKES METAL FABRICATION
21821 RAINBOW LN.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt:
Use: COMMERCIAL

SESENE

Sec 21 T 04N R 04W

(.020 CFS)
Total Diversion: (.020 CFS)

Total Diversion: (.020 CFS)

SENE

Date Filed: 3/13/1990
In: T04N R04W S21

63-11258

CITY OF CALDWELL
P.O. BOX 1177
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

SWNE

Sec 36 T 04N R 03W

(1.000 CFS)
Total Diversion: (1.000 CFS)

Total Diversion: (1.000 CFS)

NWNW

SWNE

SENE

NESE

95.0 ACRES TOTAL

Date Filed: 3/15/1990
In: T04N R03W S36

63-11259

CITY OF CALDWELL
P.O. BOX 1177
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

NENE

Sec 28 T 04N R 03W

(.350 CFS)
Total Diversion: (.350 CFS)

Total Diversion: (.350 CFS)

SESE

NENE

Date Filed: 3/15/1990
In: T04N R03W S21
S28

8.7 ACRES TOTAL

KENT, BETTY L.
P.O. BOX 174
MARSING, ID 83639
Source: SNAKE RIVER
Diversion Pt:
Use: IRRIGATION
Use: STOCKWATER

Lot 1 (NWNW)

Tributary: COLUMBIA RIVER

Sec 34 T 03N R 04W

(1.400 CFS)
(.030 CFS)
Total Diversion: (1.700 CFS)

Total Diversion: (1.700 CFS)

Date Filed: 3/16/1990

In: T03N R04W S34 Lot 1 (NWNW) Lot 2 (SWNE) SENE Lot 3 (NESE)
Lot 3 (NWSE)

70.0 ACRES TOTAL

63-11249

GILLASPY, EUGENE
24767 BOISE RIVER RD.
PARMA, ID 83660
Source: WASTE WATER
Diversion Pt:
Use: IRRIGATION

NESW

Tributary: BOISE RIVER

Sec 36 T 05N R 05W

(.740 CFS)
Total Diversion: (.740 CFS)

Total Diversion: (.740 CFS)

Date Filed: 3/19/1990
In: T05N R05W S36

37.0 ACRES TOTAL

63-11250

NEILSEN, MERLYN R.
17885 SAND HOLLOW RD.
CALDWELL, ID 83605
Source: WASTE WATER
Diversion Pt:
Use: IRRIGATION

Lot 1 (NWNW)

Tributary: SAND RUN GULCH

Sec 18 T 05N R 03W

(.800 CFS)
Total Diversion: (.800 CFS)

Total Diversion: (.800 CFS)

Date Filed: 3/14/1990
In: T05N R03W S18

40.0 ACRES TOTAL

Lot 1 (NWNW)

63-11252

WINTERS, LONNIE
RT. 2 BOX 20747
WEITZ RD.
CALDWELL, ID 83605
Source: WASTE WATER
Diversion Pt:
Use: IRRIGATION

SWNW

Tributary: DIXIE SLOUGH

Sec 24 T 04N R 04W

(.560 CFS)
Total Diversion: (.560 CFS)

Total Diversion: (.560 CFS)

Date Filed: 3/13/1990
In: T04N R04W S24

28.0 ACRES TOTAL

SWNW

63-11253

CITY OF WILDER
219 3RD ST.
WILDER, ID 83676
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

SESWSW

Sec 14 T 04N R 05V

(.300 CFS)
Total Diversion: (.300 CFS)

Total Diversion: (.300 CFS)

Date Filed: 3/16/1990
In: T04N R05W S23

15.0 ACRES TOTAL

SWNW

63-11256

STATE OF IDAHO
DEPT. OF FISH & GAME
BOX 25
BOISE, ID 83720
Source: WILSON DRAIN
SPRINGS
Diversion Pt:

Tributary: INDIAN CREEK

WILSON DRAIN

Sec 3 T 02N R 02V

(.300 CFS)
Sec 3 T 02N R 02W
Sec 3 T 02N R 02W
(50.000 CFS)
Total Diversion: (50.000 CFS)

Total Diversion: (50.000 CFS)

Use: RECREATION

Date Filed: 2/20/1990
In: T02N R02W S03

NESE

SESE

63-11260

CITY OF CALDWELL
P.O. BOX 1177
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

NENE

Sec 21 T 04N R 03W

(.150 CFS)
Total Diversion: (.150 CFS)

Total Diversion: (.150 CFS)

Date Filed: 3/15/1990
In: T04N R03W S21

5.0 ACRES TOTAL

NENE

63-11261

CITY OF CALDWELL
P.O. BOX 1177
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

NENE

Sec 21 T 04N R 03W

(.110 CFS)
Total Diversion: (.110 CFS)

Total Diversion: (.110 CFS)

Date Filed: 3/15/1990
In: T04N R03W S21

5.3 ACRES TOTAL

NENE

NWNW

63-11262

CITY OF CALDWELL
P.O. BOX 1177
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

NENWNE

Sec 28 T 04N R 03W

(.800 CFS)
Total Diversion: (.800 CFS)

Total Diversion: (.800 CFS)

Date Filed: 3/15/1990
In: T04N R03W S28

40.0 ACRES TOTAL

NWNW

MICROFILMED

JUL 25 1990

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before APRIL 23, 1990.

R. KEITH HIGGINSON

Director

April 4, 11, 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

June 10, 1994

CITY OF WILDER
219 3RD ST
WILDER ID 83676

RE: WATER RIGHT NO. 63-11253

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in black ink, appearing to be 'Jim Johnson', written over the typed name.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

MICROFILMED

JUN 13 1994

LICENSE REVIEW
Cindy Zimmerman

Permit #: 63-11253 Name: Wilder Date: 5/27/94

NAME	Yes <u> </u> No <u> </u> ☒	Or Address Change?
SOURCE	<u> </u> ☒ <u> </u>	Changes/Clarification source <u> </u> Prelim. Order to Void - Source change.
P/D	<u> </u> ☒ <u> </u>	Amendment Needed? clarify? <u> </u> -P39, P38 Overlap(s) <u> </u>
P/U	<u> </u> ☒ <u> </u>	Amendment Needed? clarify? <u>Place of use within City of Wilder</u> -P41, P38 Overlap(s) <u> </u> *P/D & P/U Amend? P37, P38 (See list for feds.)
RATE	<u> </u> ☒ <u> </u>	Measurement Done? <u> </u>
	<u> </u> ☒ <u> </u>	Theoretical Only? <u>ISA @ .02 cfs/A = .30 cfs</u>
	<u> </u> ☒ <u> </u>	Theoretical (HP) $\frac{8.8 \times 0.70 \times 7.5}{35 + (2.31 \times 0)} = 1.32$
	<u> </u> ☒ <u> </u>	Capacity <u>1.32</u> Allowable Amount: <u>.30</u>
VOLUME	<u> </u> ☒ <u> </u>	Season of Use: <u> </u> Calculations: <u>ISA x 4.5 AF/A = 67.5 AF</u>
		Flow limit: <u>.30</u> x <u> </u> x 1.9835 = <u> </u> Allowable volume <u>67.5</u> AF
USES	<u> </u> ☒ <u> </u> ☒	Change(s) in Nature of Use? <u>Municipal</u> -P46 Amendment Needed? <u> </u>
REMARKS	<u> </u> ☒ <u> </u> ☒	Multiple p/d's in $\frac{1}{4}$? <u> </u> Other <u> </u>
CONDITIONS	<u> </u> ☒ <u> </u> ☒ <u> </u> ☒ <u> </u> ☒	Measuring/Locking Devices ~~R04~~ Watermaster Control - Water District <u> </u> R32 Irrigation Overlap Water Quality Other
PRIORITY	<u> </u> ☒ <u> </u> ☒ <u> </u> ☒	Correct fee submitted? Receipt No. <u>6020569</u> Order to Reinstate Needed? Done? <u> </u> Advance(d)? <u> </u> Advanced to: <u> </u>
	App Rcd <u>3/16/90</u>	Priority <u>3/16/90</u> Exam done <u>7/28/93</u>

COMMENTS: clarify place of use & nature of use - no amendment necessary
RECOMMENDED CFS DIV VOL LICENSE: P49

<u>Municipal</u>	<u>.30</u>	<u>67.5</u>	#1 AMEND LTR: P46 or P39/P41/P37 & P38
<u>TOTAL</u>	<u>.30</u>	<u>67.5</u>	#2 AMEND LTR: P42/P47

WR0743NP
(00-26)

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROOF READING REPORT

05/31/94 15:12:10
Page 1

Water Right Number - L63-11253

Prefix Translation:

LICENSE

Old (D) Number -

+ - - - - Last Name - - - - + + - First Name - - + + - - - - - Address - - - - - +

*** C - CURRENT OWNER ***
CITY OF WILDER

1 - 219 3RD ST

2 -

3 -

City- WILDER

State- ID Zip- 83676

Phone - 208-482-6204

+ - - Priority Date - - + + - - Region - - - + + - - Stage - - - + + - - Status - - - +
03/16/1990 14 WESTERN L - LICENSE

+ - - - - Source - - - - + + - - - - - Tributary - - - - - +
GROUNDWATER

+ - - - - - - - - - - - - - Point of Diversion - - - - - +
Twn Rng Sec Tract Lot RFlg County Diversion Name Diversion Rate Diversion No.
04N 05W 14 SE SW SW (27) CANYON

+ - - - - - - - - - - - - - Water Use - - - - - +
Code Description Period From Period To Diversion Rate Diversion Volume
40 - MUNICIPAL 01/01 12/31 0.300 67.50

+ - Total Div. Rate - + + - Total Div. Volume - + + - Total Div. Capacity - +
0.300 67.50 1.320

+ - - - - - - - - - - - - - Place of Use - - - - - +
Twn Rng Sec Tract Lot Acres Code Description County

+ - - Diversion Means - WELL, PUMP AND PIPELINE

+ - - Non-Irrigation Use -

+ - - Other Rights for Same Use -

+ - - - - - - - - - - - - - Remarks - - - - - +
Place of use is located within the city limits of Wilder.

+ - - - - - - - - - - - - - Old Water Right Numbers - - - - - +
No Old Water Right Numbers found.

+ - - - - - - - - - - - - - Conditions of Approval - - - - - +
R32 - This right when combined with all other rights shall provide no
- more than .02 cfs per acre nor more than 4.5 afa per acre for the
- lands above.

+ - - - - Decree Plaintiff - - - + + - - - - Decree Defendant - - - + + - Decree Date - +
00/00/0000

05/31/94 15:12:10
Page 2


| | | | | | |
|-------------------|--------------|-----------------|--------------|--------------------|-----|
| Proof Due Date | - 07/01/1991 | Field Exam Made | - 07/28/1993 | Field Exam Fee | - R |
| Approved/Denied | - 06/28/1990 | Protested Date | - 00/00/0000 | Swan Falls | - B |
| Proof Made Date | - 05/22/1991 | Hearing Date | - 00/00/0000 | Temporary Right | - P |
| Exam to S.O. Date | - 08/20/1993 | Verified Date | - 00/00/0000 | DLE/Carey Act | - |
| Order Show Cause | - 00/00/0000 | Receipt Number | - C020569 | Water District | - |
| Licensed Date | - 00/00/0000 | Appl Received | - 03/16/1990 | Transfer/Amended | - |
| Decree Date | - 00/00/0000 | Name Connector | - | POU Ownership Flag | - Y |
| Presumption Flag | - | | | | |

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '*' ARE ADJUDICATION CLAIMS)

| WR-NUMBER | SOURCE | NE | | | | NW | | | | SW | | | | SE | | | | SUM |
|-----------|--|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|-----|
| | | Lt | Ac | Lt | Ac | Lt | Ac | Lt | Ac | Lt | Ac | Lt | Ac | Lt | Ac | Lt | Ac | |
| 6311253 | T04N R05W S23 GROUNDWATER | | | | | | | 15 | | | | | | | | | | 15 |
| | | | | | | | | | | | | | | | | | | |
| | NO MATCHES FOR THIS POU IN AJ-POU-TEMP | | | | | | | | | | | | | | | | | |
| 6302388 | BOISE RIVE : | | | | | | | | | | | | | | | | | |
| A6302388 | BOISE RIVE : | | | | | | | | | | | | | | | | | |
| 6304428 | GROUNDWATE : | | | | | | | 25 | | | | | | | | | | 25 |
| A6304428 | GROUNDWATE : | | | | | | | 25 | | | | | | | | | | 25 |
| 6304455 | GROUNDWATE : | | | | | | | | | | | | | | | | | |
| A6304455 | GROUNDWATE : | | | | | | | | | | | | | | | | | |
| 6308665 | GROUNDWATE : | | | | | | | | | | | | | 09 | | | | 79 |
| A6308665 | GROUNDWATE : | | | | | | | | | | | | | 09 | | | | 79 |
| 6311333 | GROUNDWATE : | | | | | | | 33 | | | | | | | | | | 33 |
| 6311691 | GROUNDWATE : | | | | | | | | | | | 35 | 35 | | | | | 70 |
| M6311691 | GROUNDWATE : | | | | | | | | | | | 35 | 35 | | | | | 70 |
| 6311747 | GROUNDWATE : | | | | | | | | | | | | | 09 | | | | 79 |
| M6311747 | GROUNDWATE : | | | | | | | | | | | | | 09 | | | | 79 |
| | C27Q-X 3 : | 39 | 39 | 38 | 39 | 41 | 39 | 40 | 38 | 35 | 39 | 37 | 33 | 35 | 40 | 36 | 20 | 588 |
| | C73Q-X 3 : | 41 | 39 | 40 | 39 | 39 | 39 | 37 | 40 | 35 | 36 | 35 | 32 | 40 | 38 | 37 | 39 | 606 |

[illegible]

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for Irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

| Well or Diversion Identification No.* | Motor Make | Hp | Motor Serial No. | Pump Make | Pump Serial No. or Discharge Size |
|---------------------------------------|------------|-----|------------------|-----------|-----------------------------------|
| | | 7.5 | US Elect | #2355379 | 12" → 6" |
| | | | | | |
| | | | | | |

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

| Measurement Equipment | Type | Make | Model No. | Serial No. | Size | Calib. Date |
|-----------------------|------|------|-----------|------------|------|-------------|
| | | | | | | |
| | | | | | | |

2. Measurements: Theoretical

JUN 13 1994

E. NARRATIVE/REMARKS/COMMENTS

A 12" well with a 7.5HP pump supplies water to 15 acres of lawn within the city of Wilder. The well discharges into a 6" pipe which travels north under the road to an 8" mainline system. Pressure for the system is gained through gravity flow. The lawns are flood irrigated. SRBA claim A63-21147 was filed on a 2nd 12" well that's also used for the lawns and is tied into the same system. This well was covered in the SRBA since it was drilled in 1954. The well on this permit was not drilled until 1969.

Individual domestic wells are also used on some lawns. Separate deep wells are used for internal domestic use for the Wilder residents. No other water rts are used.

This permit should have been filed for municipal use rather than irrigation use.

Have conditions of permit approval been met? ☒ yes ☐ no


JUN 13 1994

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

$$\frac{7.5 \times .70 \times 8.8}{35} = 1.32 \text{ cfs}$$

open discharge into mainline system - gravity /
flood irrigation throughout townsites

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 15 \times 4.5 = 67.5$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .30 \times 246 \times 1.9835 = 146.4$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 67.5$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

| Beneficial Use | Period of Use | | Rate of Diversion
Q (cfs) | Annual Volume
V (afa) |
|----------------|---------------|-------|------------------------------|--------------------------|
| | From | To | | |
| Irrigation | 3/15 | 11/15 | .30 | 67.5 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| Totals: | | | .30 | 67.5 |


2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☒ Add P.U. as reflected above ☐ Other

I. AUTHENTICATIONField Examiner's Name Loi Gnaure Date 8/4/93

Reviewer _____ Date _____

MAINTAINED
JUN 13 1994
SEAL



JUN 13 1968

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: W/K OTHER APPLICABLE NO: 63-11253
2. OWNER: City of Wilder Phone: _____
Address: 219 3rd St Wilder 83676
3. WELL LOCATION: Twp 4N, Rge. 5W, Sec. 14, SW 1/4 SW 1/4
County Canyon (Provide sketch map and photo on reverse.)
4. DRILLER: W/K Lic. No. _____
When Drilled? 1969
5. WELL CONSTRUCTION:
Casing Diameter 12 inches Water tight cap? ☐ Yes ☐ No Access Port: ☐ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing W/K ft. Method Drilled _____
Condition of Well Casing: ☐ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☐ Yes ☒ No Pressure Gauge: ☐ Yes ☐ No
Condition of Piping and Valving OK
Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION:
Depth to Static Water 12 ft. Water Temperature cold °F
Flowing Artesian ☐ Yes ☒ No Pressure: 10 (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:
☐ Domestic ☒ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____

MAINTENANCE
JUN 13 1994

8. **POSSIBLE CONTAMINATION SOURCES:**

Is there evidence of Chemigatic... ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. **REMARKS:** _____

Tom Graven


Signature of Dept. Representative & Title

7/28/93

Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:


JUN 13 1994



12" well
7.5 HP pump

RECEIVED

JUN 13 1994



6" discharge
into 8" main-
line across
rd - gravity/
Flood irrigation
system.

May 24, 1991

CITY OF WILDER
219 3RD ST.
WILDER, ID 83676

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11253

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

JUN 04 1991

138478
April 30, 1991

CITY OF WILDER
219 3RD ST.
WILDER, ID 83676

PROOF DUE NOTICE

RE: PERMIT NO. 63-11253

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before July 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

RECEIVED
CITY OF WILDER
MAY 04 1991

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
June 29, 1990

CITY OF WILDER
219 3RD ST.
WILDER, ID 83676

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P63-11253

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

MICROFILMED

JUL 25 1990

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

ORIGINAL FILED

JUL 25 1990

63-11253

CITY OF WILDER
219 3RD ST.
WILDER, ID 83676

Source: GROUNDWATER

Diversion Pt: SESWSW Sec 14 T 04N R 05W

Use: IRRIGATION (.300 CFS)
 Total Diversion: (.300 CFS)

Date Filed: 3/16/ 1990

In: T04N R05W S23 SWNW

15.0 ACRES TOTAL

MICROFILMED

JUL 25 1990