


T4N
R4W



MICROFILMED
JUL 25 1990

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Lannie Winters
(Applicant)

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = NTS

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No. ^{model}	Pump Make	Pump Serial No. or Discharge Size
	Magnetek Century Elec.	5	6-364556-D1 CAT # K208	Berna	NO TAG

*Code to correspond with No. on map and aerial photo


D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: NO ACCURATE measurement possible. The 1/2" PVC discharged into steel drum, and the diversion into the ditch.

OCT 20 1993



PERMIT 63-11252 INIT RC
T. R. S. Q/Q
P/D 4N 4W 24 SWNW
SCALE _____
PHOTO ID. X-4 NOTUS

NEGATIVE
OCT 20 1993

യ

യ

M/N

13
38.6

$$\begin{array}{r} 14 \\ 214 \end{array}$$
$$\begin{array}{r} 14 \\ 214 \end{array}$$

1413

23/24

TRANSFERRED
TO OWYHEE

33.6

98

248
348

26
31.3

26
31.3

25
31.6

25
31.6

T 1331

T 1331

 M/H M/H

OCT 20 1995

993

A

4

五

T1331

N/W

10127

28
605

28
605



PHOTO ONE- motor and pump sitting atop CMP, approximately 12' long, which serves as collection tank ~~from~~ water from waste ditch.



PHOTO TWO- View north of east portion of irrigated field and irrigation ditch. The metal cylinder has an opening on opposite side to discharge into ditch.

RECORDED
OCT 20 1993



PHOTO THREE-

View west of southern and western portion of irrigated field. The waste ditch is shown to the left. The 10" PVC service line to ditch is shown in foreground.

>



PHOTO FOUR-

Discharge from holding tank to ditch.

RECEIVED
OCT 20 1993



PHOTO FIVE- Siphon Tubes irrigating field.

>

MISSOURI
OCT 20 1993

PHOTO SIX-

10/05/93

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11252

Priority: March 25, 1990

Maximum Diversion Rate: 0.36 CFS
Maximum Diversion Volume: 81.0 AF

This is to certify, that LONNIE WINTERS
RT 2 BOX 20747

CALDWELL ID 83605 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 13, 1990; and has submitted Proof of Beneficial Use on August 13, 1992. An examination indicates that the works have a diversion capacity of .380 cfs of water from:

WASTE WATER tributary to DIXIE SLOUGH

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.36 CFS	81.0 AF

LOCATION OF POINT(S) OF DIVERSION: SWNW , Sec. 24, Township 04N, Range 04W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
04N	04W	24	SWNW	18		18

Total number of acres irrigated: 18

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 63.
6. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

MISSOURI WED


OCT 20 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11252

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 12TH
day of OCTOBER, 1993.

Acting for  R. Keith Higginson, Director

OCT 20 1993

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 63-11252)
IN THE NAME OF LONNIE WINTERS) ORDER OF
REINSTATEMENT)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before August 1, 1992; and,

WHEREAS, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,


WHEREAS, the Department notified the permit holder that the permit had lapsed for failure to submit the proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on August 13, 1992;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 63-11252 be REINSTATED with an advance in priority to March 25, 1990.

Dated this 17th day of August, 1992.


L. GLEN SAXTON
Chief, Water Allocation Bureau

MICROFILMED

SEP 11 1992

RECEIVED

AUG 13 1992

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

OFFICE USE ONLY
Amt. of Fee \$100.00
Date 8-13-92
Receipt No. 0025212
Receipt by [Signature]

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-11252 Telephone No. 208-686-1870
2. Name(s) of Permit Holder(s): LONNIE WINTERS
3. Mailing Address: Rt. 2 Box 20747 Caldwell, Id. (or) 80325 plummer Id.
4. Source of Water: tributary of Dixie Slough

If GROUNDWATER, Well Driller's Name: _____ Date Drilled: _____

OPTIONAL:

Pump horsepower: (5 hp.) Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 28 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted .56 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes ☒ No _____ Installed? _____ Yes ☒ No _____

OR

Flow Measurement Port: Required? _____ Yes ☒ No _____ Installed? _____ Yes ☒ No _____

8. Fee Enclosed: \$ \$100.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Richard Riggs
Name

454-8323
Telephone No.

P.O. Box 687 Caldwell Idaho
Address

10. The above information is my true statement of the extent to which the above numbered permit has been completed and I relinquish any undeveloped portion of the permit to the state of Idaho.

RECORDED

SEP 11 1992

Date

Signature (and title, if on behalf of a company or organization)

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 63-11252

Proposed Priority: March 13, 1990 Maximum Diversion Rate: 0.56 CFS

This is to certify, that **LONNIE WINTERS**
RT. 2 BOX 20747
CALDWELL, ID 83605

has applied for a permit to appropriate water from:

WASTE WATER tributary of **DIXIE SLOUGH**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

IRRIGATION	03/15 to 11/15	0.56 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION: SWNW Sec. 24, Township 04N, Range 04W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
04N 04W 24	SWNW 28			28

Total number of acres irrigated: 28

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **August 1, 1992**.
2. Subject to all prior water rights.
3. Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
4. Use of water under this permit is subject to control by the watermaster of State Water District No. 63.
5. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

9th day of July, 19 90

MICROFILMED

JUL 25 1990

[Signature]
for R. Keith Higginson, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Lonnie Winters Phone _____
Post office address Rt 2 Box 20747 Weitz Rd Caldwell, ID 83605
- * 2. Source of water supply WASTE WATER which is a tributary of Dixie Slough
3. Location of point of diversion is _____ 1/4 of SW 1/4 of NW 1/4, Govt. Lot _____
Sec. 24 Township 4N Range 4W B.M. Canyon County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.56 for IRRIGATION purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.56 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. WASTE Ditch, pump to
Gravity Flow system

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
5 years (minimum 1 year).

* Taken from USGS topo 3-23-90 88

RECEIVED

JUL 25 1990

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for *Domestic*) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
4N	4W	24							28										28

Total number of acres to be irrigated 28


10. Describe any other water rights used for the same purposes as described above. _____

- Who owns the property at the point of diversion? Applicant
- Who owns the land to be irrigated or place of use? Lonnie Winters - Applicant
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____


RECORDED

JUL 20 1990



T4N
R4W

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Lanier Winters
(Applicant)

Received by Ms Date 3/13/90 Time 8:30am Preliminary check by [Signature]
Fee \$ 45.00 Receipted by FD # W010902 Date 3.13.90
Publication prepared by GG Date 3-28-90 Published in Press-Tribune
Publication approved st Date 5-11-90
4/4 & 4/11/90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

RECEIVED

JUL 25 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 13, 1993

LONNIE WINTERS
RT 2 BOX 20747
CALDWELL ID 83605

RE: WATER RIGHT NO. 63-11252

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECEIVED

OCT 20 1993

WR0749NP
No. L63-11252

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 10/04/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	LONNIE WINTERS RT 2 BOX 20747 CALDWELL ID 83605 (208) 686-1870	03/25/1990	IRRIGATION	03-15 11-15	0.36 CFS	81.0 AFA
TOTAL DIVERSION:					0.36 CFS	81.0 AFA

Water Source: WASTE WATER

Tributary to: DIXIE SLOUGH

Stage: LICENSE

Point(s) of Diversion Capacity: 0.38 CFS

Point(s) of Diversion: T04N R04W S24 SW NW

Place of use Legal Description for: IRRIGATION

NE				NW				SW				SE										
T	R	S		NENE	NWNE	SWNE	SENE	: NENW	NWNW	SWNW	SENW	: NESW	NWSW	SWSW	SESW	: NESE	NWSE	SWSE	SESE	:	SUM	
				Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	
04N	04W	24	:					:		18	:					:						18.0
																					TOTAL ACRES	18.0

Pou County: CANYON

Other Water Rights with Same Point(s) of Diversion and Source:
63-11252

Other Water Rights Listing Overlapping Place(s) of use:
63-02652 63-11252

Conditions of Approval:

- R04 - Use of water under this water right will be regulated by the
- watermaster of State Water District No. 63.
R32 - This right when combined with all other rights shall provide no
- more than .02 cfs per acre nor more than 4.5 afa per acre for the
- lands above.

Dates: App. Received: 03/13/1990 Priority Date: 03/25/1990 (Priority Date Advanced.)
Proof Due Date: 08/01/1992 Proof Made Date: 08/13/1992 (Proof Received Late.)
Exam Made Date: 06/25/1993 Exam Sent to S.O.: 09/14/1993
Licensed Date:

Misc: Water District Number: 63 Field Exam Fee: R (Received)

Comments: Date: 08/05/1992 User-ID: VAULT Subject: Lapse Notice Sent
Lapse Notice Sent

Date: 08/13/1992 User-ID: VAULT Subject: Proof of Beneficial Use Rcvd
Proof of Beneficial Use Rcvd

Audit: 10/04/93 CHAPMAN

IDAHO DEPARTMENT OF WATER RESOURCES
PLACE OF USE 1/4 1/4 COMPARISON REPORT
(REGIONAL)

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '*' ARE ADJUDICATION CLAIMS)

WR-NUMBER	SOURCE	NE				NW				SW				SE				SUM
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	
L6311252	T04N R04W S24 WASTE WATER								18									18
6300137A	BOISE RIVE :	I		I		I		I										
A6300166A	BOISE RIVE :											20	20			20		60
A6300167A	BOISE RIVE :											20	20			20		60
A6300179A	BOISE RIVE :											20	20			20		60
A6300224	BOISE RIVE :											20	20			20		60
A6300225	BOISE RIVE :											20	20			20		60
A6300294	BOISE RIVE :											20	20			20		60
A6300295	BOISE RIVE :											20	20			20		60
A6300371	BOISE RIVE :											20	20			20		60
6300374	BOISE RIVE :	I		I		I		I										
A6302275	WILSON SLO :											20	20			20		60
A6302276	MASON CREE :											20	20			20		60
A6302294	FIVE MILE :											20	20			20		60
6302425	UNNAMED DR :	35		25		30		40										130
A6302425	UNNAMED DR :	35		25		30		40										130
6302504	UNNAMED ST :															20	40	60
A6302504	UNNAMED ST :															20	40	60
6302529	GROUNDWATE :																	
A6302529	GROUNDWATE :											20	20			20		60
6302549	WEST END D :											40	40			10		90
A6302549A	WEST END D :											14	14			07		35
A6302549B	WASTEWATER :											25	25					50
6302652	GROUNDWATE :																	120
A6302652A	GROUNDWATE :																	28
6302891	WILSON SLO :																	
A6302891	WILSON SLO :											20	20			20		60
A6302891A	WILSON SLO :											20	20			20		60
6303371	UNNAMED DR :																	70
A6303371	UNNAMED DR :																	70
6304283	UNNAMED DR :																	40
A6304283	UNNAMED DR :											23	02					25
6305036	GROUNDWATE :	30		30		20		40										120
A6305036	GROUNDWATE :	30		30		20		40										120
A6305037	GROUNDWATE :	30		30		20		40										120
6305038	GROUNDWATE :	30		30		20		40										120
A6305038	GROUNDWATE :	30		30		20		40										120
6305039	GROUNDWATE :	30		30		20		40										120
A6305039	GROUNDWATE :	30		30		20		40										120
A6305199	GROUNDWATE :											20	20			20		60
A6305200	GROUNDWATE :											20	20			20		60
A6305219	INDIAN CRE :											20	20			20		60
A6305237	INDIAN CRE :											20	20			20		60
A6305255	INDIAN CRE :											20	20			20		60
A6309109	GROUNDWATE :											20	20			20		60
6310034	GROUNDWATE :	30		30		20		40										120

Ground water
40 (40/28) 40

WR0750NP
(00-138)

IDAHO DEPARTMENT OF WATER RESOURCES
PLACE OF USE 1/4 1/4 COMPARISON REPORT
(REGIONAL)

DATE: 10/04/93
PAGE: 2

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '*' ARE ADJUDICATION CLAIMS)

WR-NUMBER	SOURCE	NE				NW				SW				SE				SUM
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	
A6310034	GROUNDWATE :	30		30		20		40										: 120
~~6311252~~	~~WASTE WATE :~~									28								~~: 28~~
6311960	DRAIN :													15				: 15
A6321731	FIVE MILE :											20		20			20	: 60
A6321739	ELIJAH DRA :											20		20			20	: 60

LICENSE REVIEW CHECKLIST

Permit # 63-11252 Date 10-4-93 Brenda Chapman

NAME	Yes ☐ No ☒	Or Address Change?
PRIORITY DATE	☐ ☒ ☐ ☒ ☐ ☒	Advance? <u>DONE</u> Memo to Advance <u>TO: 3/25/90</u> Order to Reinstate Needed? <u>DONE</u> Incorrect Fee for rate recommended?
SOURCE	☐ ☒ ☐ ☒	Changes? Clarification of Originally Intended source Notice of Intent to Void - Source change.
P/D	☐ ☒ ☐ ☐	Amendment Needed? <u> </u> Overlap(s) <u>CHECK</u>
P/U	☐ ☒ ☐ ☐	Amendment Needed? <u> </u> Overlap(s) <u> </u>
TOTAL CFS	<u>-NA-</u> ☐ ☐ ☒ ☐	Disagree/Measurement <u>DONE DONE</u> <u>18 acres @ .02 = .36</u> <u>LOWER THAN 40 PSI CAN BE USED -</u> <u>Theoretical (8.8 x .70 x 5 HP)</u> <u>(12 + 2.31 x 30 psi) = .38 CFS</u> <u>Capacity .38</u> Allowable Amount: <u>.36</u>
TOTAL VOLUME	☐ ☒ ☐ ☐	Disagree with Examiner's Calculations? <u>18 acres @ 4.5 = 81 AF</u> <u>Flow limit: .36 x 244 x 1.9835 = 175.6</u> Season <u>(D/4.5 3/15-11/5)</u>
USES	☐ ☒ ☐ ☒	Change(s) in Nature of Use? <u> </u> Amendment Needed? <u> </u>
REMARKS	☐ ☒ ☐ ☒	Multiple P/Ds in 1/4 1/4? Special Overlap <u>surface water already</u> Other <u> </u>
CONDITIONS	☐ ☒ ☐ ☒	Measuring/Locking Devices Misc/Dates <u>B04</u> W/Master Control <u>63</u> Water Dist <u>B32</u> Irrigation Overlap <u>3-13-90</u> App Rec'd Water Quality <u>6-25-93</u> Exam Made
COMMENTS:	<u>Reduce rate and acres</u>	

RECOMMENDED	CFS	DIV VOL	LICENSE ☒
<u>Irrigation</u>	<u>.36</u>	<u>81.0</u>	
<u> </u>	<u> </u>	<u> </u>	AMEND <u> </u>
<u> </u>	<u> </u>	<u> </u>	

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
SEP 22 1993

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-11252

1. Owner: Lonnie Winters Phone No. 686-1870

Current Address: RT. 2 Box 20747, Caldwell, ID 83605

2. Accompanied by: Richard Drake EXAM DATE: 6/25/93

Address: _____ Phone No. 459-4438

Relationship to Permit Holder: Employee

3. Source: WASTE WATER tributary to Dixie SLOUGH

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 63-D2529, 63-D2891, 63-D2652

2. Other water rights with the same point of diversion: NONE

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	NW	24	4N	4W	Canyon	Aerial Map


2. Place(s) of Use:

Indicate Method of Determination SAME AS P/D

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
4N	4W	24							18										18

RECORDED
OCT 20 1993

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.



Scale: 1" = NTS

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	model Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Magnetek Century Elec	5	6-364556-D1 CAT # K208	Barma	ND TAG

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: NO ACCURATE MEASUREMENT POSSIBLE. THE 1/8" DIA DISCHARGE INTO STEEL DRAIN, AND THE OVERFLOW INTO THE DITCH.

OCT 20 1993

E. NARRATIVE/REMARKS/COMMENTS

OVERLAPS - P/U - Same RG, different areas of use.

WASTE WATER FROM ditch is pumped from a 4' diameter CMP collection box. A pipe extends from CMP to WASTE WATER ditch.

Water is pumped up to a 10" PVC discharge line approximately 12'. The 10" PVC discharges into a steel drum. The steel drum has a rectangular section cut away from one side. This is the point of discharge into the irrigation ditch. Approximately 120 siphon tubes are used to fill corengates in OATS field.

The theoretical flow calculation was based on an estimate of pressure of 40 psi for this system. Since the actual pressure could not be determined, the accuracy of this flow determination is minimal.

The permit is allocating 0.02 cfs per acre, and since only 18 acres is presently ~~under~~ being irrigated by this system, recommend Licensing for 0.36 cfs, not 0.56 cfs for 28 acres, as requested on permit.

$$Q(\text{theoretical}) = \frac{(8.8)(0.7)(5)}{(2.31 \times 40) + 12} \approx 0.30 \text{ cfs}$$

NOTE: Assumed pressure of 40 psi. No gage available.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED

OCT 20 1993

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method: NO accurate measurement possible.**G. VOLUME CALCULATIONS**

1. Volume Calculations for Irrigation:

$$V_{LR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 18 \times 4.5 = 81.0 \text{ AFA}$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.36 \times 246 \times 1.9835 = 175.7 \text{ AFA}$$

$$V = \text{Smaller of } V_{LR} \text{ and } V_{DR} = 81.0 \text{ AFA}$$

2. Volume Calculations for Other Uses: N/A**H. RECOMMENDATIONS**

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>IRRIGATION</u>	<u>3/15</u>	<u>11/15</u>	<u>0.36</u>	<u>81.0</u>
Totals:			<u>0.36</u>	<u>81.0</u>

2. Recommended Amendments


☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATIONField Examiner's Name Rick Collingwood Date 8/4/93

Reviewer _____ Date _____

SEAL

OCT 20 1993



PERMIT 63-11252 INIT
T. R. S. Q/Q
P/D 4N 4W 24 SWNW
SCALE
PHOTO ID. X-4 NOTUS

OWER DEER

12
8.6

N/W

13
38.6

T13

26
31.3

25
31.6

14
21.4

14
13

TRANSFERRED
TO OWLYHEE

33.6

T1331

N/W

27
10.1

28
60.5

1943

I7

24

44

OCT 8 1993



PHOTO ONE- Motor and Pump sitting ATOP CMP, approximately 12' long, which serves as collection Tank ~~for~~ WATER FROM WASTE ditch.




PHOTO TWO- View north of east portion of irrigated field and irrigation ditch. The metal cylinder has an opening on opposite side to discharge into ditch.

MISSISSIPPI
OCT 20 1993



PHOTO THREE-

View west of southern and western portion of irrigated field. The waste ditch is shown to the left. The 10" PVC service line to ditch is shown in foreground.




PHOTO FOUR-

Discharge from holding tank to ditch.

MAINTENANCE
OCT 20 1993



PHOTO FIVE- Siphon Tubes irrigating field.

>

MISSOURI
OCT 20 1993

PHOTO SIX-



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

August 10, 1993

Lonnie Winters
P.O. Box 375
Plummer, ID 83851

RE: WATER RIGHT PERMIT NO. 63-11252

Dear Mr. Winters:

This letter is in response to your telephone inquiry on August 9, 1993 in connection with the above referenced permit and our subsequent telephone conversation.

The permit issued to you by the department authorized the diversion of 0.56 cfs of wastewater for the irrigation of 28 acres of land in the SW1/4NW1/4 Section 24, T4N, R4W, BM. On August 13, 1992, you submitted proof of beneficial use of the water to the department. The department then conducted a field examination to determine the extent of beneficial use of water and found that approximately 18 acres has actually been irrigated. Since this acreage does not include about 4 acres adjacent to the house, you wanted to know if the department could extend the time in which additional development could take place.

I reviewed the water right file and discussed the matter with the department's field examiner. My conclusion is that there are two options you can pursue in connection with the irrigation of the additional 4 acres of land which was not found to be irrigated during the field exam. The options are as follows:

a. File a second application for permit with the department to cover the irrigation of the additional 4 acres. At the present time, however, the department can not approve such an application due to an existing moratorium against the approval of applications which propose new irrigation uses. If the moratorium is lifted in the future, the department can consider approval of such an application.

b. After the department issues a license of water right, you can file an "application for transfer" which is the document to change the place of use of some of the existing irrigated acres. While the total amount of acreage to be irrigated can not exceed the amount licensed, you can apply to irrigate different land than that which is licensed. For example, you could opt to irrigate the

Microfilm

OCT 20 1993

4 acres around the house and cease to irrigate 4 acres within the original 18 acres found to be irrigated.

Please feel free to contact the department if you have additional questions or if we can be of further assistance.

Sincerely,

A handwritten signature in dark ink, appearing to read "L. Glen Saxton". The signature is fluid and cursive, with the first name "L." being small and the last name "Saxton" being larger and more prominent.

L. GLEN SAXTON, Chief
Water Allocation Bureau

c: IDWR - W. Region

RECEIVED
OCT 20 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

June 1, 1993

Lonnie Winters
Box 375
Plummer, ID 83851

Re: Permit No. 63-11252

Dear Mr. Winters:

I am writing concerning our telephone conversation this morning in reference to the above mentioned water right permit. During that conversation you asked that I send you a proof of beneficial use form so that it could be completed and properly filed. However, a search of the file indicates that proof was filed and an acknowledgment letter sent in August of 1992. Therefore, it is not necessary to file another one. The next step in the process is for the Department to conduct a field examination. The Department will notify Mr. Riggs when they are ready to conduct the field exam so that he may accompany them on the examination.

You indicated on the phone that Mr. Riggs had received some recent correspondence. It may be that the Department is ready to conduct the exam and are trying to notify Mr. Riggs. In any case, I suggest that you discuss this further with Mr. Riggs to determine what type of correspondence he has received. You may want to have him mail the correspondence to you or at least obtain the name of the individual who signed the correspondence and speak directly with that person.

If you have any questions, or if I can be of any further assistance, please feel free to contact me.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

RECEIVED

OCT 20 1993

August 21, 1992

LONNIE WINTERS
RT. 2 BOX 20747
CALDWELL ID 83605

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11252

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order advancing the priority of the permit since the proof was received after the proof due date. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

Enclosure

MICROFILMED

SEP 11 1992

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 63-11252

Reviewed by Keg

Date 8/14/92

GENERAL CONSIDERATIONS

yes Name same as permit?
yes Address same as permit?
no Proof timely received?
If not, complete calculation below.

TYPES OF USE

irrigate -28
Correct Uses? yes

SOURCE OF WATER

✓ Surface water source
Ground water source

NA Drilling permit required?
Copy in the file? Drilling Permit No. _____
Amount paid for permit _____ Correct?
Well log in the file?

LICENSE EXAMINATION FEE

yes Required?
100 Amount Submitted
yes Correct?

MEASURING DEVICE

NA Required?
Installed?
Waiver requested?

PRIORITY CALCULATION

Date proof received 8/13/92 225
Date proof due 8/1/92 - 213
No. of days late = 12
Priority Date 3/13/90 + 72
New Priority Date 3/25/90 84

DEFICIENCIES OR ACTION ITEMS

proof acceptable

needs an order

DATA ENTRY

New Address _____

Proof Made

8/13/92
8/21/92 Keg



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

August 7, 1992

Lonnie Winters
P.O. Box 375
Plummer, ID 83851

RE: PERMIT NO. 63-11252

Dear Mr. Winters:

As a follow-up to our phone conversation today, please find enclosed a copy of the permit, a proof of beneficial use form and instructions to file the proof. The completed proof should be filed with the department soon to keep the permit in good standing.

Also note that the proof submittal must be accompanied by a license examination fee in the amount of one hundred dollars (\$100). If you have additional questions, please feel free to contact the department.

Sincerely,

A handwritten signature in black ink, reading 'L. Glen Saxton'.

L. GLEN SAXTON, Chief
Water Allocation Bureau

Encl: 3

RECEIVED

SEP 11 1992

August 5, 1992

LONNIE WINTERS
RT. 2 BOX 20747
CALDWELL ID 83605

LAPSE NOTICE

RE: PERMIT NO. 63-11252

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated May 31, 1992. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifteen dollar (\$15) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:klg

Enclosures

CERTIFICATION OF MAILING

I hereby certify that on 8/5/92
a copy/an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

Klg

SEP 11 1992

May 31, 1992

LONNIE WINTERS
RT. 2 BOX 20747
CALDWELL ID 83605

PROOF DUE NOTICE

RE: PERMIT NO. 63-11252

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1992. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures

CERTIFIED MAIL

NO. 139053

SEP 11 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
July 11, 1990

LONNIE WINTERS
RT. 2 BOX 20747
CALDWELL, ID 83605

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-11252

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

JUL 25 1990

NOTICE OF APPLICATION FOR WATER

GHT
the public waters ofThe following application(s) have been filed to ap
the State of Idaho:

63-11227

MYERS, NORMAN
12787 ORCHARD AVE.
NAMP, ID 83651
Source: GROUNDWATER
Diverslon Pt:
Use: IRRIGATION
Use: DOMESTIC
Use: FIRE PROTECTION

NWNW

Sec 24 T 03N R 03W

(.250 CFS)
(.040 CFS)
(.030 CFS)
Total Diverslon: (.320 CFS)

NWNW

SWNW

12.5 ACRES TOTAL

Date Filed: 2/9/1990
In: T03N R03W S24

63-11228

MYERS, NORMAN
12787 ORCHARD AVE.
NAMP, ID 83651
Source: GROUNDWATER
Diverslon Pt:
Use: COMMERCIAL
Use: DOMESTIC

NWNW

Sec 24 T 03N R 03W

(.020 CFS)
(.080 CFS)
Total Diverslon: (.100 CFS)

NWNW

Date Filed: 2/9/1990
In: T03N R03W S24

63-11229

ELM CREST WATER USERS ASSN.
17056 ELM CREST DR.
CALDWELL, ID 83605
Source: GROUNDWATER
Diverslon Pt:
Use: IRRIGATION
Use: STOCKWATER
Use: DOMESTIC

NENE

Sec 19 T 05N R 03W

(.320 CFS)
(.020 CFS)
(.200 CFS)
Total Diverslon: (.540 CFS)

NENE

Date Filed: 2/20/1990
In: T05N R03W S19

16.0 ACRES TOTAL

63-11230

HILDROP WATER USERS ASSN.
3407 SUNSET AVE.
CALDWELL, ID 83605
Source: GROUNDWATER
Diverslon Pt:
Use: DOMESTIC

NENWSE

Sec 33 T 04N R 03W

(.180 CFS)
Total Diverslon: (.180 CFS)

NWSE

Date Filed: 1/23/1990
In: T04N R03W S33

63-11231

HANSEN, L. LEON
25846 EMMETT RD.
CALDWELL, ID 83605
Source: GROUNDWATER
Diverslon Pt:
Use: IRRIGATION

NWNWNW

Sec 25 T 05N R 03W

(.090 CFS)
Total Diverslon: (.090 CFS)

NWNW

Date Filed: 2/2/1990
In: T05N R03W S25

3.0 ACRES TOTAL

63-11257

TUNING, VIRGINIA
TUNING, MERL
DBA MIKES METAL FABRICATION
21821 RAINBOW LN.
CALDWELL, ID 83605
Source: GROUNDWATER
Diverslon Pt:
Use: COMMERCIAL

SESENE

Sec 21 T 04N R 04W

(.020 CFS)
Total Diverslon: (.020 CFS)

SENE

Date Filed: 3/13/1990
In: T04N R04W S21

63-11258

CITY OF CALDWELL
P.O. BOX 1177
CALDWELL, ID 83605
Source: GROUNDWATER
Diverslon Pt:
Use: IRRIGATION

SWNE

Sec 36 T 04N R 03W

(1.000 CFS)
Total Diverslon: (1.000 CFS)

NWNW

SWNE

SENE

NESE

95.0 ACRES TOTAL

Date Filed: 3/15/1990
In: T04N R03W S36

63-11259

CITY OF CALDWELL
P.O. BOX 1177
CALDWELL, ID 83605
Source: GROUNDWATER
Diverslon Pt:
Use: IRRIGATION

NENE

Sec 28 T 04N R 03W

(.350 CFS)
Total Diverslon: (.350 CFS)

SESE
NENE

Date Filed: 3/15/1990
In: T04N R03W S21
S28

MICROFILMED
JUL 25 1990

KENT, BETTY L.
P.O. BOX 174
MARSING, ID 83639
Source: SNAKE RIVER
Diverslon Pt:
Use: IRRIGATION
Use: STOCKWATER

Lot 1 (NWNW)

Tributary: COLUMBIA RIVER

Sec 34 T 03N R 04W

(1.400 CFS)
(.030 CFS)
Total Diverslon: (1.700 CFS)

Date Filed: 3/16/1990

In: T03N R04W S34 Lot 1 (NWNW) Lot 2 (SWNE) SENE Lot 3 (NESE)

Lot 3 (NWSE)

70.0 ACRES TOTAL

63-11249

GILLASPY, EUGENE
24767 BOISE RIVER RD.
PARMA, ID 83660
Source: WASTE WATER
Diverslon Pt:
Use: IRRIGATION

NESW

Tributary: BOISE RIVER

Sec 36 T 05N R 05W

(.740 CFS)
Total Diverslon: (.740 CFS)

Date Filed: 3/19/1990
In: T05N R05W S36

37.0 ACRES TOTAL

63-11250

NEILSEN, MERLYN R.
17885 SAND HOLLOW RD.
CALDWELL, ID 83605
Source: WASTE WATER
Diverslon Pt:
Use: IRRIGATION

Lot 1 (NWNW)

Tributary: SAND RUN GULCH

Sec 18 T 05N R 03W

(.800 CFS)
Total Diverslon: (.800 CFS)

Date Filed: 3/14/1990
In: T05N R03W S18

40.0 ACRES TOTAL

Lot 1 (NWNW)

63-11252

WINTERS, LONNIE
RT. 2 BOX 20747
WEITZ RD.
CALDWELL, ID 83605
Source: WASTE WATER
Diverslon Pt:
Use: IRRIGATION

SWNW

Tributary: DIXIE SLOUGH

Sec 24 T 04N R 04W

(.560 CFS)
Total Diverslon: (.560 CFS)

Date Filed: 3/13/1990
In: T04N R04W S24

28.0 ACRES TOTAL

SWNW

63-11253

CITY OF WILDER
219 3RD ST.
WILDER, ID 83676
Source: GROUNDWATER
Diverslon Pt:
Use: IRRIGATION

SESWSW

Sec 14 T 04N R 05V

(.300 CFS)
Total Diverslon: (.300 CFS)

Date Filed: 3/16/1990
In: T04N R05W S23

15.0 ACRES TOTAL

SWNW

63-11256

STATE OF IDAHO
DEPT. OF FISH & GAME
BOX 25
BOISE, ID 83720
Source: WILSON DRAIN
SPRINGS
Diverslon Pt:

Tributary: INDIAN CREEK

WILSON DRAIN

Sec 3 T 02N R 02V

Sec 3 T 02N R 02W

Sec 3 T 02N R 02W

(50.000 CFS)

Total Diverslon: (50.000 CFS)

Use: RECREATION

Date Filed: 2/20/1990
In: T02N R02W S03

NESE

SESE

63-11260

CITY OF CALDWELL
P.O. BOX 1177
CALDWELL, ID 83605
Source: GROUNDWATER
Diverslon Pt:
Use: IRRIGATION

NENE

Sec 21 T 04N R 03W

(1.150 CFS)

Total Diverslon: (.150 CFS)

Date Filed: 3/15/1990
In: T04N R03W S21

5.0 ACRES TOTAL

NENE

63-11261

CITY OF CALDWELL
P.O. BOX 1177
CALDWELL, ID 83605
Source: GROUNDWATER
Diverslon Pt:
Use: IRRIGATION

NENE

Sec 21 T 04N R 03W

(1.110 CFS)

Total Diverslon: (.110 CFS)

Date Filed: 3/15/1990
In: T04N R03W S21

5.3 ACRES TOTAL

NENE

NWNW

63-11262

CITY OF CALDWELL
P.O. BOX 1177
CALDWELL, ID 83605
Source: GROUNDWATER
Diverslon Pt:
Use: IRRIGATION

NENWNE

Sec 28 T 04N R 03W

(1.800 CFS)

Total Diverslon: (.800 CFS)

Date Filed: 3/15/1990
In: T04N R03W S28

40.0 ACRES TOTAL

NWNW

The permit(s) will be subject to all prior water rights. Protests must be filed with
the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise,
Idaho 83705 on or before APRIL 23, 1990.

R. KEITH HIGGINSON

Director

April 4, 11, 1990

63-11252

WINTERS, LONNIE
RT. 2 BOX 20747
WEITZ RD.
CALDWELL, ID 83605

Source: WASTE WATER

Tributary: DIXIE SLOUGH

Diversion Pt: SWNW Sec 24 T 04N R 04W

Use: IRRIGATION (.560 CFS)
Total Diversion: (.560 CFS)

Date Filed: 3/13/ 1990

In: T04N R04W S24 SWNW

28.0 ACRES TOTAL

MICROFILMED

JUL 25 1990