

63-11247
~~AD 3020729~~

T4N R3W


Drilling Permit 63-90-Z-019
(Revised 5/4/90)

-81

Red
Pole
LOT 9

15

MICROFILMED
AUG 28 1990



PL
4/25/90

NO

36.68 26.50 33.20 56.97 43.25

89°51' W.

80.61

79.56
39.78

Sec. 16

80.60

N. 09°14' E.

40.14

52.25

39.78

25.78

18.11

35.80

39.78

80.65

39.78

80.65

39.78

80.65

39.78

80.65

39.78

80.65

39.78

80.65

39.78

80.65

39.78

80.65

39.78

80.65

39.78

STORE CANAL

Ditch

CANAL

Ditch

CANAL

Ditch

CANAL

Ditch

4

40.60

20.80

40.60

20.80

40.60

20.80

40.60

20.80

40.60

20.80

40.60

20.80

40.60

20.80

40.60

20.80

40.60

20.80

40.60

20.80

40.60

20.80

40.60

20.80

40.60

20.80

40.60

20.80

40.60

20.80

40.60

20.80

40.60

20.80

40.60

20.80

40.60

20.80

40.60

20.80

5

31.85

28.30

31.85

28.30

31.85

28.30

31.85

28.30

31.85

28.30

31.85

28.30

31.85

28.30

31.85

28.30

31.85

28.30

31.85

28.30

31.85

28.30

31.85

28.30

31.85

28.30

31.85

28.30

31.85

28.30

31.85

28.30

31.85

28.30

31.85

28.30

31.85

28.30

31.85

28.30

6

41.3

26.50

41.3

26.50

41.3

26.50

41.3

26.50

41.3

26.50

41.3

26.50

41.3

26.50

41.3

26.50

41.3

26.50

41.3

26.50

41.3

26.50

41.3

26.50

41.3

26.50

41.3

26.50

41.3

26.50

41.3

26.50

41.3

26.50

41.3

26.50

41.3

26.50

41.3

26.50

7

28.30

13.00

28.30

13.00

28.30

13.00

28.30

13.00

28.30

13.00

28.30

13.00

28.30

13.00

28.30

13.00

28.30

13.00

28.30

13.00

28.30

13.00

28.30

13.00

28.30

13.00

28.30

13.00

28.30

13.00

28.30

13.00

28.30

13.00

28.30

13.00

28.30

13.00

28.30

13.00

8

37.50

12.20

37.50

12.20

37.50

12.20

37.50

12.20

37.50

12.20

37.50

12.20

37.50

12.20

37.50

12.20

37.50

12.20

37.50

12.20

37.50

12.20

37.50

12.20

37.50

12.20

37.50

12.20

37.50

12.20

37.50

12.20

37.50

12.20

37.50

12.20

37.50

12.20

37.50

12.20

9

41.3

26.50

41.3

26.50

41.3

26.50

41.3

26.50

41.3

26.50

41.3

26.50

41.3

26.50

41.3

26.50

41.3

26.50

41.3

26.50

41.3

26.50

41.3

26.50

41.3

26.50

41.3

26.50

41.3

26.50

41.3

26.50

41.3

26.50

41.3

26.50

41.3

26.50

41.3

26.50

10

41.3

26.50

41.3

26.50

41.3

26.50

41.3

26.50

41.3

26.50

41.3

26.50

41.3

26.50

41.3

26.50

41.3

26.50

41.3

26.50

41.3

26.50

41.3

26.50

41.3

26.50

41.3

26.50

41.3

26.50

41.3

26.50

41.3

26.50

41.3


26.50

41.3

26.50

41.3

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = NTS

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	NO TAG		NO TAG		

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
5 gallon bucket						

2. Measurements: 5 gallon bucket at spigot near motor home.
 $Q = 5 \text{ gpm} = 0.11 \text{ CFS} = 0.02 \text{ CFS}$

APR 15 1994



PHOTO ONE- View southeast of well and motor home. motor home is domestic use.



APR 15 1994

PHOTO TWO- View northeast of motor home and a portion of proposed irrigated property.



PHOTO THREE- View southwest of proposed irrigated Land.

>

PHOTO FOUR-

63-11247

APR 15 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11247

Priority: March 23, 1990

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

0.6 AF

This is to certify, that WILLIAM M SHIPLEY
JENNIE L SHIPLEY

21451 W CHICAGO

CALDWELL ID 83605

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 23, 1990; and has submitted Proof of Beneficial Use on August 12, 1992. An examination indicates that the works have a diversion capacity of .020 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 9(NWNWSW), Sec. 15, Township 04N, Range 03W
CANYON County

PLACE OF USE: DOMESTIC

TWN RGE SEC

04N 03W 15 Lot 9(NWSW)

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 9TH day of April, 1994.

Acting for R. Keith Higginson, Director

APR 15 1994

RECEIVED

AUG 12 1992

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

OFFICE USE ONLY

Amt. of Fee \$ 50.00Date 8-12-92Receipt No. 0025195Receipt by g

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-11247 Telephone No. (208) 459-8275
2. Name(s) of Permit Holder(s): William M. + Jennie L. Shipley
3. Mailing Address: 21451 W. Chicago, Caldwell, ID 83605
4. Source of Water: Groundwater

If GROUNDWATER, Well Driller's Name: Holmes & Son Date Drilled: 2-12-90
~~8-19-90~~

OPTIONAL:

Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic 2 (No. of households) Stockwater 10 cattle 10 Horses (No. and type of stock)

Irrigation 2 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted 0.140 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes ✓ No _____ Installed? _____ Yes _____ No

OR

Flow Measurement Port: Required? _____ Yes ✓ No _____ Installed? _____ Yes _____ No

8. Fee Enclosed: \$ 50.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

William M. Shipley (208) 459-8275
Name Telephone No.

21451 W. Chicago, Caldwell, IDAHO
Address

10. The above information is my true statement of the extent to which the above numbered permit has been completed and I relinquish any undeveloped portion of the permit to the state of Idaho.

8-8-92
Date

William M. Shipley Owner
Signature (and title, if on behalf of a company or organization)

AUG 21 1992

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11247

Proposed Priority: March 23, 1990 Maximum Diversion Rate: 0.14 CFS

This is to certify, that JENNIE L. SHIPLEY
WILLIAM M. SHIPLEY
21451 W. CHICAGO
CALDWELL, ID 83605

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.06 CFS
STOCKWATER	01/01 to 12/31	0.02 CFS
DOMESTIC	01/01 to 12/31	0.06 CFS
Totals		0.14 CFS

LOCATION OF POINT(S) OF DIVERSION: LOT 9(NWNWSW), Sec. 15, Township 04N, Range 03W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
04N	03W	15	LOT 9(NWSW)	2		2

Total number of acres irrigated: 2

PLACE OF USE: STOCKWATER, same as IRRIGATION use

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 1992.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
5. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.
6. Stockwater use is for 10 cattle and 10 horses; domestic use is for 2 homes.

MICROFILMED

AUG 28 1990

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11247

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

13th day of August, 1990.

R. Keith Higginson

for
R. Keith Higginson, Director

MICROFILMED

AUG 28 1990

Ident. No. 63-11247

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: JENNIE L. SHIPLEY 208-459-8275
Address: 21451 WEST CHICAGO
CALDWELL, ID 83605
AND/OR
Name: WILLIAM M. SHIPLEY 208-459-8275
Address: 21451 WEST CHICAGO
CALDWELL, ID 83605

2. Source: GROUNDWATER

Trib. to:

3. Location of Point of Diversion: LOT 9 (NNWWSW) Sec. 15, Township 04N, Range 03W
CANYON County *

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
IRRIGATION	03/15	11/15	0.060		
STOCKWATER	01/01	12/31	0.020		
DOMESTIC	01/01	12/31	0.060		

5. Total quantity appropriated is:
0.140 CFS (and/or)

AF

6. Proposed diverting works:

- a. Description of ditches, flumes, pumps, headgates, etc.
WELL, 6" CASING, 86' DEEP
- b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
- c. Proposed well diameter is 6 inches; proposed depth of well is 86
feet.
- d. Is groundwater with a temperature greater than 90F being sought? NO

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 3 years.

8. Description of proposed uses:

IRRIGATION, DOMESTIC 2/HOUSES, LIVESTOCK (20 h *not in database*) *

MICROFILMED

* database check & update

4/25/90

SL

AUG 28 1990

Ident. No. 63-11247
Page 2

9. Place of Use: IRRIGATION

TWN	RGE	SEC	LOT	ACRES	ACRES	ACRES	TOTAL
04N	03W	15	Lot 9 (NWSW)	2			2
Total number of acres irrigated:							2

Place of Use: STOCKWATER, same as IRRIGATION use
Place of Use: DOMESTIC, same as IRRIGATION use

10. Describe any other water rights used for the same purposes.
NONE

11. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

13. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Jennie L. Shipley
Applicant

Received by GG Date 3-23-90 Time 11:58 Preliminary check by SL

Fee \$ 30.⁰⁰ Receipted by GG # W611651 Date 3-23-90

Publication prepared by GG Date 5-9-90 Published in Press-Tribune

Publication approved st Date 5/16 & 5/23/90
6-7-90

* database update 4/25/90, SL

MICROFILMED

AUG 28 1990

2374

PL
4/25/90

NO

36.68 26.50 33.20 56.97 43.25

89°51' W.

40.60

40.80

40.30

40.30

40.30

40.30

40.30

40.30

40.30

40.30

40.30

40.30

40.30

40.30

40.30

40.30

40.30

40.30

40.30

40.30

40.30

40.30

40.30

40.30

40.30

40.30

40.30

40.30

40.30

40.30

40.30

40.30

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

RIVER

5

6

7

6

41.3

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

5

6

7

6

41.3

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

5

6

7

6

41.3

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

5

6

7

6

41.3

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

5

6

7

6

41.3

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

5

6

7

6

41.3

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

5

6

7

6

41.3

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54

26.54</

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-11037
CHURCH OF JESUS CHRIST LATTER DAY SAINTS
REAL ESTATE DIVISION
12TH FLOOR

50 E. N. TEMPLE ST.
SALT LAKE CITY, UT 84150
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

Date filed: 12/26/1989
In: T03N R02W S26

SESESW

Sec 26 T 03N R 02W

(.060 CFS)

Total Diversion: (.060 CFS)

2.0 ACRES TOTAL

63-11038
CHURCH OF JESUS CHRIST LATTER DAY SAINTS
REAL ESTATE DIVISION
12TH FLOOR

50 E. N. TEMPLE ST.
SALT LAKE CITY, UT 84150
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION
Use: DOMESTIC

Date Filed: 12/26/1989
In: T04N R03W S04

SENE

Sec 4 T 04N R 03W

(.150 CFS)

(.050 CFS)

Total Diversion: (.200 CFS)

5.0 ACRES TOTAL

63-11039
CHURCH OF JESUS CHRIST LATTER DAY SAINTS
REAL ESTATE DIVISION
12TH FLOOR

50 E. N. TEMPLE ST.
SALT LAKE CITY, UT 84150
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

Date Filed: 12/26/1989
In: T05N R05W S09

NENENW

Sec 9 T 05N R 05W

(.030 CFS)

Total Diversion: (.030 CFS)

1.0 ACRES TOTAL

63-11043
CHURCH OF JESUS CHRIST LATTER DAY SAINTS
REAL ESTATE DIVISION
12TH FLOOR

50 E. N. TEMPLE ST.
SALT LAKE CITY, UT 84150
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION
Use: DOMESTIC

Date Filed: 12/26/1989
In: T03N R02W S20

SESWNE

Sec 20 T 03N R 02W

(.060 CFS)

(.050 CFS)

Total Diversion: (.110 CFS)

2.0 ACRES TOTAL

63-11044
CHURCH OF JESUS CHRIST LATTER DAY SAINTS
REAL ESTATE DIVISION
12TH FLOOR

50 E. N. TEMPLE ST.
SALT LAKE CITY, UT 84150
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

Date Filed: 12/26/1989
In: T03N R02W S20

SESWNE

Sec 20 T 03N R 02W

(.120 CFS)

Total Diversion: (.120 CFS)

4.0 ACRES TOTAL

63-11045
CHURCH OF JESUS CHRIST LATTER DAY SAINTS
REAL ESTATE DIVISION
12TH FLOOR

50 E. N. TEMPLE ST.
SALT LAKE CITY, UT 84150
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

Date Filed: 12/26/1989
In: T03N R02W S28

SESESE

Sec 28 T 03N R 02W

(.030 CFS)

Total Diversion: (.030 CFS)

1.0 ACRES TOTAL

63-11191
WESTVIEW SHERVIL WATER ASSOC.
504 CENTRAL JEFFERSON
NAMPA, ID 83651

Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION
Use: DOMESTIC

Date Filed: 3/1/1990
In: T03N R02W S20

SWSW

Sec 20 T 03N R 02W

(.400 CFS)

(.400 CFS)

Total Diversion: (.800 CFS)

20.0 ACRES TOTAL

63-11192
WATKINS, WILFRED E.

WATKINS, BARBARA J.

1616 PRIMROSE LN.

NAMPA, ID 83688

Source: GROUNDWATER

Diversión Pt:

Use: IRRIGATION

Date Filed: 3/1/1990

In: T02N R02W S02

NWSW

Sec 2 T 02N R 02W

(.030 CFS)

Total Diversion: (.030 CFS)

1.0 ACRES TOTAL

63-11218
RANCHETTE ESTATES NO. 2 WATER ASSOC. INC.
C/O SHERRY L. SHEETS
23678 FREEZEOUT RD.

CALDWELL, ID 83605

Source: GROUNDWATER

Diversión Pt:

Use: IRRIGATION

Use: DOMESTIC

Date Filed: 3/14/1990

In: T04N R03W S03

SWNE

Sec 3 T 04N R 03W

(.100 CFS)

(.130 CFS)

Total Diversion: (.230 CFS)

5.0 ACRES TOTAL

SHIPLEY, JENNIE L.

SHIPLEY, WILLIAM M.

21451 W. CHICAGO

CALDWELL, ID 83605

Source: GROUNDWATER

Diversión Pt:

Use: IRRIGATION

Use: STOCKWATER

Use: DOMESTIC

Date Filed: 3/23/1990

In: T04N R03W S15

Lot 9 (NWNWSW)

Sec 15 T 04N R 03W

(.060 CFS)

(.020 CFS)

(.060 CFS)

Total Diversion: (.140 CFS)

2.0 ACRES TOTAL

63-11283

DOWNS DAIRY LTD. PARTNERSHIP

31155 MARKER RD.

PARMA, ID 83660

Source: GROUNDWATER

Diversión Pt:

Use: IRRIGATION

Use: STOCKWATER

Use: COMMERCIAL

Use: DOMESTIC

Date Filed: 4/13/1990

In: T05N R06W S23

SESENE

NENESE

Sec 23 T 05N R 06W

Sec 23 T 05N R 06W

(.030 CFS)

(.580 CFS)

(.200 CFS)

(.040 CFS)

Total Diversion: (.650 CFS)

1.0 ACRES TOTAL

FAIRBANKS, LEON

FAIRBANKS, ETHEL

8820 USTICK RD.

BOISE, ID 83704

Source: GROUNDWATER

Diversión Pt:

Use: IRRIGATION

Date Filed: 4/16/1990

In: T02N R02W S28

SESESE

Sec 28 T 02N R 02W

(1.000 CFS)

Total Diversion: (1.000 CFS)

80.0 ACRES TOTAL

SWARTZ, VERA L.

8454 S. POWERLINE RD.

NAMPA, ID 83688

Source: GROUNDWATER

Diversión Pt:

Use: IRRIGATION

Date Filed: 4/25/1990

In: T02N R02W S14

SENWSE

Sec 14 T 02N R 02W

(.740 CFS)

Total Diversion: (.740 CFS)

37.0 ACRES TOTAL

63-11303
AMERICAN CRYSTAL SUGAR

5061 W. USTICK RD.

NAMPA, ID 83651

Source: GROUNDWATER

Diversión Pt:

Use: COMMERCIAL

Date Filed: 2/22/1990

In: T03N R01W S08

NENENE

Sec 9 T 03N R 01W

(.100 CFS)

Total Diversion: (.100 CFS)

63-11305

HINCKS, BOYD

8750 TRACK RD.

NAMPA, ID 83688

Source: GARLAND DRAIN

Diversión Pt:

Use: IRRIGATION

Date Filed: 4/6/1990

In: T02N R02W S23

SWNWNE

Tributary: LAKE LOWELL

Sec 23 T 02N R 02W

(.150 CFS)

Total Diversion: (.150 CFS)

7.3 ACRES TOTAL

OBENDORF, RAY

24034 BATT CORNER RD.

PARMA, ID 83660

Source: UNNAMED STREAM

Diversión Pt:

Use: WILDLIFE

Date Filed: 3/29/1990

In: T05N R05W S35

Tributary: ROSS EAST END DRAIN

NENESE

SESWSE

Sec 35 T 05N R 05W

Sec 36 T 05N R 05W

(2.860 CFS)

Total Diversion: (2.860 CFS)

63-11308

GEM STATE ACADEMY

16115 MONTANA AVE.

CALDWELL, ID 83605

Source: GROUNDWATER

Diversión Pt:

Use: IRRIGATION

Use: COMMERCIAL

Use: DOMESTIC

Date Filed: 2/28/1990

In: T03N R03W S10

SENESE

SESW

Sec 10 T 03N R 03W

Sec 10 T 03N R 03W

(.320 CFS)

(.480 CFS)

(.120 CFS)

Total Diversion: (2.000 CFS)

16.0 ACRES TOTAL

63-11309
CITY OF CALDWELL

PARKS DEPARTMENT

P.O. BOX 1177

CALDWELL, ID 83605

Source: GROUNDWATER

Diversión Pt:

Use: IRRIGATION

Date Filed: 4/20/1990

In: T04N R03W S16

Lot 7 (SESESE)

Sec 16 T 04N R 03W

(.560 CFS)

Total Diversion: (.560 CFS)

14 ACRES TOTAL

63-11313
SHORT, RONALD E.

25026 GERI LN.

CALDWELL, ID 83605

Source: GROUNDWATER

Diversión Pt:

Use: IRRIGATION

Date Filed: 3/6/1990

In: T05N R03W S27

SWSW

Sec 27 T 05N R 03W

(.020 CFS)

Total Diversion: (.020 CFS)

1.0 ACRES TOTAL

63-11314
GERDES, DON

RT. 1

WILDER, ID 83676

Source: HELLYER DRAIN

Diversión Pt:

Use: IRRIGATION

Date Filed: 3/1/1990

In: T03N R05W S11

SESE

Tributary: SNAKE RIVER

Sec 11 T 03N R 05W

(1.500 CFS)

Total Diversion: (1.500 CFS)

75.0 ACRES TOTAL

EVANS, DELPHIA

EVANS, CHARLES

27349 SHELDON RD.

PARMA, ID 83660

Source: GROUNDWATER

Diversión Pt:

Use: STOCKWATER

Use: COMMERCIAL

Use: DOMESTIC

Date Filed: 3/12/1990

In: T05N R05W S14

Lot 14 (NWNWSW)

Sec 14 T 05N R 05W

(.020 CFS)

(.000 CFS)

(.020 CFS)

Total Diversion: (.000 CFS)

1.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protection must be filed with the Director, Dept. of Water Resources, Western Region, 273 Airport Way, Boise, Idaho 83705 on or before JUNE 4, 1990.

R. KEITH HIGGINSON, Director



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

April 11, 1994

WILLIAM M SHIPLEY
JENNIE L SHIPLEY
21451 W CHICAGO
CALDWELL ID 83605

RE: WATER RIGHT NO. 63-11247

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECEIVED

APR 15 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUL 09 1993
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-11247

1. Owner: Jennie L. & William M. Shipley Phone No. 459-8275

Current Address: 21451 Chicago, Caldwell, ID 83605

2. Accompanied by: William Shipley EXAM DATE: 6/3/93

Address: SAME Phone No. SAME

Relationship to Permit Holder: Applicant

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 63-0932, 63-00232, 63-02283, 63-02878

2. Other water rights with the same point of diversion: 63-09302

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NW	SW	15	4N	3W	Canyon	Quad Map


2. Place(s) of Use:

Indicate Method of Determination SAME AS P/D

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
4N	3W	15																	

APR 15 1994

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = NTS

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	NO TAG		NO TAG		

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
5 gallon bucket						

2. Measurements:

5 gallon bucket at spigot near motor home.
 $Q = 5 \text{ gpm} = 0.11 \text{ CFS} \approx 0.02 \text{ CFS}$

E. NARRATIVE/REMARKS/COMMENTS

OVERLAPS - P/D - Same QR, different source

P/U - Same QR, different source and use.

Well is operating and services one motor home only. Permit requests allocation also for ~~B~~ STOCKWATER and irrigation of 2 acres. Applicant has no livestock and no irrigation system in place. Measured flow is ~~only~~ from spigot was slightly greater than 0.1 CFS. Therefore, and since no lawn is in place to irrigate, recommend Licensing for 0.02 CFS Domestic. Irrigation and STOCKWATER requests are denied and should be removed prior to licensing. No theoretical could be determined due to no pump data.

~~Q(Theor)~~

No pump information known, thus no theoretical calculation can be performed.

Have conditions of permit approval been met? ☐ yes ☒ no

APR 15 1994

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

5 gallon bucket at spigot.

 $Q = 0.011 \text{ cfs}$, use 0.02 cfs .**G. VOLUME CALCULATIONS**1. Volume Calculations for Irrigation: *N/A* $V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{2cm}}$ $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}}$ $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\hspace{2cm}}$

2. Volume Calculations for Other Uses:

 $V_{\text{internal}} = 0.6 \text{ AFA}$ **H. RECOMMENDATIONS**

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<i>Domestic</i>	<i>1/1</i>	<i>12/31</i>	<i>0.02</i>	<i>0.6</i>
Totals:			<i>0.02</i>	<i>0.6</i>

2. Recommended Amendments

____ Change P.D. as reflected above ____ Add P.D. as reflected above ☒ None
____ Change P.U. as reflected above ____ Add P.U. as reflected above ____ Other

I. AUTHENTICATION

Field Examiner's Name _____ Date _____

Reviewer _____ Date _____

SEAL

MICROFILMED

APR 15 1994

CANYON
School

1104
1104

PERMIT 123-11247 INIT RC
T. R. S. Q/Q
P/D 1N 3W 15 NW 1/4
SCALE
PHOTO ID. X-5 Calwell

Well

2493
Field

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-11247

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 4N, Rge 3W, Sec. 15, NW 1/4 SW 1/4 or Lot _____.

2. Owner: Jennire L. & William M. Shipley
Address 21451 W. Chicago, City Caldwell, ID

3. Casing $\geq$ 12 inches above ground: Yes _____ No ☒

Access Port:	Yes _____ No ☒	Static Water Level:	<u>5'</u>
Pressure Gauge:	Yes _____ No ☒	Casing Diameter:	<u>6"</u>
Flowing:	Yes ☒ No _____	Temperature:	<u>N/A</u>

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes _____ No ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: _____

APR 15 1994



PHOTO ONE- View southeast of well and motor home. motor home is domestic use.



APR 15 1994

PHOTO TWO- View northeast of motor home and a portion of proposed irrigated property.




PHOTO THREE- View southwest of proposed irrigated Land.

>

[Handwritten signature]

PHOTO FOUR-

APR 15 1994

63-11247

Shepley

6" well casing

Flow - 5 gpm

No irrigation ~~is~~ system in STOCK at this
Time. Will have in FUTUR
Only domestic to meter home from spigot.

RECORDED

APR 15 1994

August 14, 1992

JENNIE L. SHIPLEY
WILLIAM M. SHIPLEY
21451 W. CHICAGO
CALDWELL ID 83605

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11247

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

AUG 21 1992

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

June 30, 1992

JENNIE L. SHIPLEY
WILLIAM M. SHIPLEY
21451 W. CHICAGO
CALDWELL ID 83605

PROOF DUE NOTICE

RE: PERMIT NO. 63-11247

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before September 1, 1992. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures





MICROFILMED

AUG 21 1992

Shupley

21451 W. Chicago

Caldwell, Id 83605



RECEIVED

AUG 31 1990

Department of Water Resources



MICROFILMED

AUG 21 1992

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 63-11247
Name(s) of Permit Holder(s): Jennie L. + William M. Shipley
Post Office Address: 21451 W. Chicago St.,
Baldwin, Id 83605 Tel. No. 459-8275

☐ I hereby certify that construction of diversion works for the above referenced permit began on 8-9-90 completed 8-13-90 and that I must continue to develop the water system and my goal to maintain a valid permit.

☐ I hereby certify that construction of diverting works on above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

8-30-90
Date

Jennie L. Shipley
Signature of Permit Holder

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
August 13, 1990

JENNIE L. SHIPLEY
WILLIAM M. SHIPLEY
21451 W. CHICAGO
CALDWELL, ID 83605

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-11247

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you

MICROFILMED

AUG 28 1990

commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

AUG 28 1990

CONVERSATION MEMORANDUM

DATE 4/25/90
FILE 63-11247NAME OF PARTY Jennie Shipley 459-8275EMPLOYEE Steve LesterRE: Drilling Permit 63-90-2-019 approved2/8/90 for D/I s/or stockwater use. Fee was\$10. With water right appl. 63-11247for irrigation (2 ac.), domestic (2 homes),stockwater, drilling permit should be
revised to \$100 category before63-11247 is approved.She will discuss this with William (spouse)I send \$90 or withdraw application.

MICROFILMED

AUG 28 1990

REVISED 5/4/90

Drilling Permit No. 63-90-7-019Water Right Permit No. 53-11247 (Pending)

Injection Permit No. _____

RECEIVED

FEB 09 1990

Department of Water Resources
Western Regional OfficeState of Idaho
Department of Water Resources

DRILLING PERMIT

RECEIVED

FEB 09 1990

Department of Water Resources
Western Regional Office

1. Applicant (Please Print) Bill Shipley
2. Mailing Address Route 8, Box 60 Caldwell Id
- Telephone _____

(X) Well Owner () Well Operator () Other, specify _____

3. Proposed well location NE 1/4 SE 1/4, or Gov't lot No. 6,
Sec. 15, Twp. 4N, Rge. 3W, County Canyon County
Street Address of Well Site 21451 Chicago Caldwell,
Lot, block and subdivision _____

4. Proposed use of well:

- (X) Single family or stockwater use (less than 13,000 gallons per day)
- (X) Irrigation (more than 1/2 acre)
- () Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____
- (X) Other (describe fully) Domestic, 2 homes

5. Well construction information:

- A. (X) New well () Deepen () Replace - See Condition 9.
- B. Proposed surface diameter 6" Maximum depth 100'
- C. Anticipated bottom hole temperature:
(X) 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212°F or more (Geothermal well)

6. Construction Start Date 2/8/90

7. Anticipated Well Driller Holder Drilling

NOTE: The actual well driller must be identified prior to drilling.

Applicant's signature Ed Holder Driller Date 2/8/90

Title Ed Holder Driller
(Owner, Firm Representative, Other)

MICROFILMED

AUG 28 1990

COPY for file 63-11247

ACTION OF DEPARTMENT OF WATER RESOURCES

This Permit is

APPROVED

Date

56. 8 1990

If approved, this permit authorizes the construction of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The Well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85°F or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

Letwick Reese By [Signature] Groundwater Prot. Section
Signature of Authorized Department Representative Title

Receipt No. W012342 CO14494 Received by SL lt Fee \$900 10⁰⁰ Date 5-4-90 2-8-90 SL

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension is good for 60 days beyond the above extension approval date.

MICROFILMED

AUG 28 1990

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]

USE ADDITIONAL SHEETS IF NECESSARY — FOLD AND THE WHITE COPY TO THE DEPARTMENT

63-11247

SHIPLEY, JENNIE L.
SHIPLEY, WILLIAM M.
21451 W. CHICAGO
CALDWELL, ID 83605

Source: GROUNDWATER

Diversion Pt: LOT 9 (NWNWSW) Sec 15 T 04N R 03W

Use: IRRIGATION	(.060 CFS)
STOCKWATER	(.020 CFS)
DOMESTIC	(.060 CFS)
Total Diversion:	(.140 CFS)

Date Filed: 3/23/ 1990

In: T04N R03W S15 Lot 9 (NWSW)

2.0 ACRES TOTAL

MICROFILMED

AUG 28 1990