




Type	WR #	Owner	Source	TRS	NENE	NWNE	SWNE	SENE	NE/NW	SW/NW	SE/NW	NESW	NWSW	SWSW	SESW	NESE	NWSE	SWSE	SESE	Total
Claim	63 21767	GARY VAN VLIET, JOAN D VAN VLIET,	ALKALI DRAIN	05N06W14	21			39												60
Right	63 7688	GARY VAN VLIET,	ALKALI DRAIN	05N06W14				37												37
Right	63 7689	JOHN C LAMB,	ALKALI DRAIN	05N06W14	31															31
Claim	63 2389	THE RIVERSIDE IRRIGATION DISTRICT LTD	ARENA LAKE DRAIN	05N06W14								5	40		28			40		110
Claim	63 226	THE RIVERSIDE IRRIGATION DISTRICT LTD	BOISE RIVER	05N06W14								5	40		25			40		110
Claim	63 227	THE RIVERSIDE IRRIGATION DISTRICT LTD	BOISE RIVER	05N06W14								5	40		25			40		110
Claim	63 228	THE RIVERSIDE IRRIGATION DISTRICT LTD	BOISE RIVER	05N06W14								5	40		25			40		110
Claim	63 229	THE RIVERSIDE IRRIGATION DISTRICT LTD	BOISE RIVER	05N06W14								5	40		25			40		110
Claim	63 299	THE RIVERSIDE IRRIGATION DISTRICT LTD	BOISE RIVER	05N06W14								5	40		25			40		110
Claim	63 300	THE RIVERSIDE IRRIGATION DISTRICT LTD	BOISE RIVER	05N06W14								5	40		25			40		110
Claim	63 19937	JOE P WAGNER, ADA G WAGNER,	GROUND WATER	05N06W14	X										0					0
Claim	63 19937	JOE P WAGNER, ADA G WAGNER,	GROUND WATER	05N06W14	X										0					0
Claim	63 20394	DONALD CONE,	GROUND WATER	05N06W14							X				0					0
Claim	63 20394	DONALD CONE,	GROUND WATER	05N06W14							X				0					0
Claim	63 21768	JOAN D VAN VLIET, GARY VAN VLIET,	GROUND WATER	05N06W14	X										0					0
Claim	63 23605	VICTOR J MAROSTICA,	GROUND WATER	05N06W14															X	0
Claim	63 23605	VICTOR J MAROSTICA,	GROUND WATER	05N06W14															X	0
Claim	63 25794	JOHNSON T MARTIN,	GROUND WATER	05N06W14													X			0
Claim	63 25794	JOHNSON T MARTIN,	GROUND WATER	05N06W14													X			0
Claim	63 25919	IRA E POWERS,	GROUND WATER	05N06W14																0
Claim	63 25939	HOWARD O PENNINGTON, JOAN PENNING	GROUND WATER	05N06W14											X					0
Claim	63 25939	HOWARD O PENNINGTON, JOAN PENNING	GROUND WATER	05N06W14											X					0
Permit	63 11245	JOAN D VAN VLIET, GARY VAN VLIET,	GROUND WATER	05N06W14	X										X					0
Right	63 11245	JOAN D VAN VLIET, GARY VAN VLIET,	GROUND WATER	05N06W14	X															0
Claim	63 2279	THE RIVERSIDE IRRIGATION DISTRICT LTD	INDIAN CREEK	05N06W14								5	40		28			40		110
Claim	63 2374	THE RIVERSIDE IRRIGATION DISTRICT LTD	INDIAN CREEK	05N06W14								5	40		25			40		110
Right	63 2279	THE RIVERSIDE IRRIGATION DISTRICT	INDIAN CREEK	05N06W14		33	33	31								31	35	36	10	209
Right	63 2374	THE RIVERSIDE IRRIGATION DISTRICT	INDIAN CREEK	05N06W14								23	2		2					54
Claim	63 4008	THE RIVERSIDE IRRIGATION DISTRICT LTD	MAMMEN GULCH CREEK	05N06W14								5	40		25			40		110
Claim	63 4007	THE RIVERSIDE IRRIGATION DISTRICT LTD	MEADOWS GULCH DRAIN	05N06W14								5	40		25			40		110
Claim	63 30208	ADA G WAGNER, JOE P WAGNER,	NORTH ALKALI DRAIN	05N06W14																10
Right	63 12180	ADA G WAGNER, JOE P WAGNER,	NORTH ALKALI DRAIN	05N06W14		10														10
Right	63 4805	ADA G WAGNER, JOE P WAGNER,	NORTH ALKALI DRAIN, SCOTT DRAIN	05N06W14		37														37
Claim	63 2904A	WILLA G WITHINGTON, LOWELL WITHINGT	SCOTT DRAIN	05N06W14																35
Claim	63 2904B	RANDY JOE WAGNER,	SCOTT DRAIN	05N06W14																35
Claim	63 7429	VICTOR J MAROSTICA,	SCOTT DRAIN	05N06W14			35													35
Right	63 2904A	LOWELL WITHINGTON, WILLA WITHINGTO	SCOTT DRAIN	05N06W14																30
Right	63 2904B	RANDY JOE WAGNER,	SCOTT DRAIN	05N06W14																30
Right	63 7429	VICTOR J MAROSTICA,	SCOTT DRAIN	05N06W14			35													35
Claim	3 2030	DONALD CONE,	SNAKE RIVER	05N06W14																30
Right	3 2030	DONALD CONE,	SNAKE RIVER	05N06W14					37			28								65
Right	63 2904	JOSEPH P BRUMBACH,	UNNAMED DRAIN	05N06W14					37		28									65
Right	63 2630B	JOHN STEEL,	UNNAMED DRAIN	05N06W14			35									35				70
Right	63 2630C	ALVIN A STEEL,	UNNAMED STREAM	05N06W14				39												39
Claim	63 4010	THE RIVERSIDE IRRIGATION DISTRICT LTD	UNNAMED STREAM	05N06W14			10													10
Claim	63 4805	JOE P WAGNER, ADA G WAGNER,	WEST END DRAIN	05N06W14								5	40		25			40		110
Claim	63 4805	JOE P WAGNER, ADA G WAGNER,	WEST END DRAIN	05N06W14		37														37




Model 70J



DIMENSIONS AND WEIGHTS (All dimensions are in inches and weights in lbs. Do not use for construction purposes.)


HP	Stages	W.E. Order No.	Motor Order No.	PH	Motor Volts	Motor Length	W.E. Length	L.O.A.	Wt. (lbs.)
3	2	70J03	S09940	1	230	23.5	9.0	32.5	55
			S09978	200					
			S09970	230					
			S09975	460	20.6	9.0	29.6	55	
			S09979	575					
5	4	70J05	S10940	1	230	29.5	11.5	41.0	70
			S10978	200					
			S10970	230					
			S10975	460	23.5	11.5	35.0	70	
			S10979	575					
7.5	6	70J07	S11970	1	230	28.0	15.0	43.0	149
			S11978	200					
			S11971	230					
			S11972	460	24.2	15.0	39.2	124	
			S11979	575					

HP	Stages	W.E. Order No.	Motor Order No.	PH	Motor Volts	Motor Length	W.E. Length	L.O.A.	Wt. (lbs.)
10	9	70J10	S12970	1	230	30.6	20.3	50.9	173
			S12978	200					
			S12971	230					
			S12972	460	25.5	20.3	45.0	143	
			S12979	575					
15	13	70J15	S13970	1	230	33.1	24.8	57.0	191
			S13978	200					
			S13971	230					
			S13972	460	28.0	24.8	52.8	165	
			S13979	575					
20	17	70J20	S14978	200					
			S14971	230					
			S14972	460	30.6	29.7	60.3	188	
			S14979	575					
			S15978	200					
25	21	70J25	S15971	230					
			S15972	460	33.2	36.0	69.2	220	
			S15979	575					



*Non-stock motors have a six (6) week lead time.
Water end and motor must be ordered separately
and are packaged separately.

VAN VLIET DAIRY DIAGRAM



0.1 0 0.1 0.2 Miles


 **SECTION LINES**
 **1/4 1/4 LINES**

MICROFILMED

JUN 20 2001



VAN VLIET DAIRY DIAGRAM 1987 AERIAL PHOTO



0.1 0 0.1 0.2 Miles


SECTION LINES
1/4 1/4 LINES

MICROFILMED

JUN 20 2001



VAN VLIET DAIRY DIAGRAM




0.1 0 0.1 0.2 Miles

SECTION LINES
 1/4 1/4 LINES

MICROFILMED

JUN 20 2001





T5N
R6W
Sec 14
NENE

No Gov Lts
in NENE

MICROFILMED
JUN 20 2001



VAN VLIET DAIRY




MICROFILMED
JUN 20 2001



VAN VLIET DAIRY

MICROFILMED
JUN 20 2001






RECYCLED WATER TANK




BULK TANKS



MILK PARLOR
2 SIDES @
12 STALLS/SIDE

MICROFILMED
JUN 20 2001



6" well
5 HP submersible



10" well
7.5 HP submersible

MICROFILMED
JUN 20 2001

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 63-11245

Priority: May 24, 2000

Maximum Diversion Rate: 0.34 CFS
Maximum Diversion Volume: 39.1 AF

It is hereby certified that GARY VAN VLIET Or JOAN D VAN VLIET
27859 SCOTT PIT RD
PARMA ID 83660 have complied with the terms and conditions of the
permit, issued pursuant to Application for Permit dated March 22, 1990; and have submitted Proof of
Beneficial Use on May 24, 2000. An examination indicates that the works have a diversion capacity of
0.35 cfs of water from:

SOURCE

GROUND WATER

and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL DIVERSION VOLUME</u>
STOCKWATER	01/01 to 12/31	0.34 CFS	39.1 AF

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER NE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 14, Twp 05N, Rge 06W, B.M., CANYON County
GROUND WATER NE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 14, Twp 05N, Rge 06W, B.M., CANYON County

PLACE OF USE: STOCKWATER

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
05N	06W	14	X																

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed and sealed this 6TH day of JUNE, 2001.


Acting for KARL J. DREHER
Director

MICROFILMED

JUN 20 2001

**BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO**

IN THE MATTER OF LAPSED PERMIT)
NO. 63-11245 IN THE NAME OF)
GARY VAN VLIET AND JOAN D. VAN)
VLIET)
_____)

REINSTATEMENT ORDER

This matter having come before the Idaho Department of Water Resources ("Department"), the Department makes the following Findings of Fact, Conclusions of Law and Order:

FINDINGS OF FACT

1. On June 28, 1990, the Department issued Permit No. 63-11245 ("permit") to Gary Van Vliet and Joan D. Van Vliet ("permit holder") authorizing the diversion of 0.65 cubic feet per second ("cfs") of ground water to be used for stockwater for 1,000 head of dairy cattle within the NE1/4NE1/4 Section 14, T5N, R6W, B.M., Canyon County, Idaho. A condition of permit approval required the permit holder to submit proof of beneficial use of water ("proof") to the Department on or before July 1, 1991.

2. On April 30, 1991, the Department notified the permit holder by certified mail that proof of beneficial use of water ("proof") was due on or before July 1, 1991. The permit holder did not respond to the proof due notice.

3. On July 8, 1991, the Department sent a Lapse Notice to the permit holder, since the permit holder had not submitted either the proof or a request for extension of time in which to submit the proof. The permit holder did not respond resulting in the permit becoming of no further force nor effect.

4. On May 24, 2000, the permit holder submitted proof to the Department.

CONCLUSIONS OF LAW

1. Section 42-218a.2, Idaho Code, provides as follows:

That upon receipt of proof of beneficial use after sixty (60) days after such notice of lapsing, the director shall require sufficient evidence to be submitted by the permit holder to clearly establish the extent of beneficial use made during the

time authorized by the permit and any extensions of time previously approved. Upon finding that beneficial use had occurred during the authorized period and upon a showing of reasonable cause for filing a late proof of beneficial use, the director may reinstate the permit with the priority date advanced to the day that proof of beneficial use was received;

2. The permit holder has provided sufficient information and reasonable cause for the Department to reinstate the permit by submitting proof of beneficial use on May 24, 2000.


3. The Department should reinstate the permit with the priority advanced to the date that proof and the license examination fee were received.

ORDER

IT IS THEREFORE, HEREBY ORDERED that Permit No. 63-11245 in the name of Gary Van Vliet and Joan D. Van Vliet is **REINSTATED** with the priority advanced to **May 24, 2000**.

IT IS FURTHER HEREBY ORDERED that the rate of diversion for the reinstated permit not exceed 0.34 cfs.

Dated this 29th day of May, 2001.



L. GLEN SAXTON, P.E.
Chief, Water Allocation Bureau

RECEIVED

MAY 25 2000

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

RECEIVED

MAY 24 2000

WATER RESOURCES
WESTERN REGION

Department of Water Resources

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner.

1. Permit No. 63-11245 Telephone No. 208 722-6543
2. Name of Permit Holder(s): Gary or Jean Van Vliet 722-6002
880-9260
3. Mailing Address: 26257 Matthews
City Parma State ID Zip 83660
4. Source of Water: Groundwater If **GROUNDWATER** (well), Date Drilled: mo. _____ / yr. _____
Well Driller: _____ Drilling Permit Number: _____ - _____ - _____ - _____
5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): _____ Stockwater (No. and type of stock): 1000 Dairy
Irrigation (No. of acres): _____ Other: _____
6. Total rate of diversion and/or volume for which proof is submitted: .65 cfs OR _____ acre-feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is **not optional**. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)
Measuring Device: Is a measuring device required? Yes _____ or No X
Has the measuring device been installed? Yes _____ or No X
8. Fee Enclosed: \$ \$100.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system.
Name: Gary Van Vliet Telephone Number: 880-9260 cel
Address: Same
10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted. I agree to relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Gary Van Vliet owner Date: 5-24-00
(include your title, if on behalf of company or organization)

MICROFILMED

JUN 20 2001

NOTICE

This file has been REPRODUCED
from MICROFICHE because:

For a possible Reinstatement.

Paula H. Block
Person Recreating File

5-31-01
Date

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11245

Proposed Priority: March 22, 1990 Maximum Diversion Rate: 0.65 CFS

This is to certify, that GARY VAN VLIET
JOAN D. VAN VLIET
27859 SCOTT PIT RD.
PARMA, ID 83660

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

BENEFICIAL USE	PERIOD OF USE	RATE OF DIVERSION
STOCKWATER	01/01 to 12/31	0.65 CFS

LOCATION OF POINT(S) OF DIVERSION: NENE Sec. 14, Township 05N, Range 06W
CANYON County

PLACE OF USE: STOCKWATER

TWN RGE SEC

05N 06W 14 NENE

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 1991.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. 2 points of diversion in NENE, S14, T5N, R6W.
5. Stockwater use is for 1000 dairy cattle.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

28th day of June, 1990

R. Keith Higginson
R. Keith Higginson, Director

for

Ident. No. 63-11245

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: GARY VAN VLIET 208-722-6543
Address: 27859 SCOTT PIT RD.
PARMA, ID 83660
OR
Name: JOAN D. VAN VLIET 208-722-6543
Address: 27859 SCOTT PIT RD.
PARMA, ID 83660
2. Source: GROUNDWATER Trib. to:
3. Location of Point of Diversion: NENE Sec. 14, Township 05N, Range 06W
CANYON County
4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
STOCKWATER	01/01	12/31	0.650		
5. Total quantity appropriated is:
0.650 CFS (and/or) AF
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc.
2 WELLS; 200' & 230' DEEP, 6" & 10" CS, 5 & 7.5 HP PUMPS
 - b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
 - c. Proposed well diameter is $\frac{6}{16}$ inches; proposed depth of well is $\frac{200}{230}$ feet. *from 6m*
 - d. Is groundwater with a temperature greater than 90F being sought? NO
7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 years.
8. Description of proposed uses:
DAIRY FARM
9. Place of Use: STOCKWATER (1000 h.d. dairy, already in situation 26 4/27/40)

TWN RGE SEC
05N 06W 14 NENE

10. Describe any other water rights used for the same purposes.
NONE

11. a. Who owns the property at the point of diversion?
APPLICANT

b. Who owns the land to be irrigated or place of use?
APPLICANT

c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

~~WELLS ARE UNDER THE SAME SYSTEM.~~ (Removed from Antelope by S.O. 3/8/90)
Two points of diversion in TSN, R.W. Sec. 14, none added to A.S. 4/25/90

13. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to
appropriate the public waters of the State of Idaho as herein set forth.


Doug Van Vleet
Applicant

Received by L. Werner Date 3-22-90 Time 1130 Preliminary check by SL

Fee \$ 45.00 Receipted by L. Werner # W11575 Date 3-21-90

Publication prepared by GG Date 4-25-90 Published in Press-Tribune
5/3 & 5/10/90

Publication approved AT Date 5-29-90



NOTICE OF APPLICATION FOR WATER RIGHT
The application(s) have been filed to appropriate the public waters of the State of Idaho:

BATT, REBECK C.
BATT, ELLIEN
BATT, KATHARINA
BATT, ELLIEN
P.O. BOX 636
WILDER, ID 83476
Source: GROUNDWATER
Division Pt.
Use: IRRIGATION

SENENW Sec 22 T 04N R 05W
Total Diversion: (2.760 CFS)

Date Filed: 3/18/1990
In: T05N R05W S15
S22

138.0 ACRES TOTAL
63-11195
NENW NWSW
NENW NWSW

MIC CURTICK, RALPH
P.O. BOX 460
MIDULTON, ID 83444
Source: GROUNDWATER
Division Pt.
Use: IRRIGATION

SESENE Sec 21 T 05N R 02W
Total Diversion: (.440 CFS)

Date Filed: 3/6/1990
In: T05N R02W S21

22.0 ACRES TOTAL
63-11243
SENE

ANDERSON
2615 E. CLEVELAND BLVD.
CALDWELL, ID 83605
Source: GROUNDWATER
Division Pt.
Use: IRRIGATION
Use: STOCKWATER

SESW Sec 8 T 04N R 05W
Total Diversion: (3.200 CFS)
(.050 CFS)
(3.200 CFS)

Date Filed: 3/22/1990
In: T05N R05W S15

160.0 ACRES TOTAL
63-11245
NWSW SWGW SESW

VAN VLIET, GARY
VAN VLIET, JOAN D.
27859 SCOTT PIT RD.
PATIMA, ID 83640
Source: GROUNDWATER
Division Pt.
Use: STOCKWATER

NENE Sec 14 T 05N R 06W
Total Diversion: (.650 CFS)
(.650 CFS)

Date Filed: 3/22/1990
In: T05N R06W S14

63-11264
NENE

STEWART, JAMES J.
STEWART, MARICELLA F.
5459 DEER FLAT RD.
NANPA, ID 83696
Source: GROUNDWATER
Division Pt.
Use: IRRIGATION

NENE Sec 19 T 02N R 01W
Total Diversion: (.520 CFS)
(.520 CFS)

Date Filed: 3/29/1990
In: T02N R01W S19

26.0 ACRES TOTAL
63-11288
NENE

LEFFLER, CHUDY
LEFFLER, BLAINE
25405 WAVER, 3RD
CALDWELL, ID 83605
Source: GROUNDWATER
Division Pt.
Use: IRRIGATION

NENE Sec 30 T 05N R 03W
Total Diversion: (.040 CFS)
(.040 CFS)

Date Filed: 3/27/1990
In: T05N R03W S20

2.0 ACRES TOTAL
63-11289
NESE

THOMPSON, JOAN
THOMPSON, KEITH
24509 ROSWELL RD.
PATIMA, ID 83640
Source: GROUNDWATER
Division Pt.
Use: IRRIGATION
Use: COMMERCIAL

SWNE Sec 31 T 05N R 05W
Total Diversion: (.080 CFS)
(.020 CFS)
(.100 CFS)

Date Filed: 3/22/1990
In: T05N R05W S31

4.0 ACRES TOTAL
63-11290
SWNE

J.R. SIMPLOT CO.
P.O. BOX 27
BOISE, ID 83707
Source: GROUNDWATER
Division Pt.
Use: INDUSTRIAL
Use: DOMESTIC

NWSW Sec 8 T 05N R 05W
Total Diversion: (.040 CFS)
(.040 CFS)
(.040 CFS)
(.040 CFS)

Date Filed: 3/27/1990
In: T06N R05W S08

63-11297
NWSW

BLOCH, L. JOY
BLOCH, THOMAS E.
1421 DEARBORN
CALDWELL, ID 83605
Source: WASTEWATER
Division Pt.
Use: IRRIGATION

SENWWSW Tributary: BOISE RIVER
Sec 20 T 05N R 03W
Total Diversion: (.500 CFS)
(.500 CFS)

Date Filed: 3/27/1990
In: T05N R03W S20

25.0 ACRES TOTAL
63-11298
NWSW SWWSW

ADAMSON, SYLVAN
12630 ORCHARD
NANPA, ID 83651
Source: GROUNDWATER
Division Pt.
Use: IRRIGATION
Use: DOMESTIC

SESW Sec 13 T 03N R 03W
Total Diversion: (.420 CFS)
(.040 CFS)
(.460 CFS)

Date Filed: 3/12/1990
In: T03N R03W S13

21.0 ACRES TOTAL
SESW

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before MAY 21, 1990.

R. KEITH HIGGINSON
Director
May 2, 9, 1990

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
County of Canyon)

MAY 10 1990

Department of Water Resources
Western Regional Office

Kathleen D. Steed

I, Kathleen D. Steed, being first duly sworn, deposes and says:

That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of eighteen years, and a party to the above entitled action.

That I am the Principal Clerk of the Idaho Press-Tribune, a (except Saturday) newspaper published in the City of Boise and Caldwell, in the County of Canyon, State of Idaho; the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa and Caldwell, and has been continuously published in said County during a period of twenty-eight consecutive weeks prior to the first publication of this notice, a copy of which is hereto attached.

That the notice, of which the annexed is a printed copy, was published in said newspaper on the 2nd day of May, 1990.

That the regular and entire issue of said paper, and was printed in said newspaper proper, and not in a supplement.

That said notice was published the following dates:

May 2, 9, 1990

STATE OF IDAHO)

County of Canyon)

On this 9th day of May, 1990, before me, a Notary Public, personally appeared Kathleen D. Steed, known to me to be the person whose name subscribed to the instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that she executed the same.

Notary Public for Idaho
Residing at Nampa

MY COMMISSION EXPIRES
JULY 12th, 1991

Phoned Gary Van Vliet at
number on field exam. address
on exam is Gary (Sr.). Gary (Sr.)
gave me his address. Mail
recept & address change form
included.

Kari Lipe
6.12.01

RECEIVED

JUN 12 2001 *ldf*

Department of Water Resources

Gary & Joan Van Vliet
26257 Matthews Rd
Parma Id 83660

IDAHO DEPARTMENT OF WATER RESOURCES

1301 North Orchard St.

P.O. Box 83720

Boise, ID 83720-0098

(208) 327-7900

JOAN D VAN VLIET

GARY VAN VLIET

27859 SCOTT PIT RD

PARMA ID 83660

WA

OFFICE



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

June 7, 2001

JOAN D VAN VLIET
GARY VAN VLIET
27859 SCOTT PIT RD
PARMA ID 83660

RE: License No. 63-11245 - Issuance of License

Dear Water Right Holder(s):

The Department of Water Resources has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review the conditions of approval and remarks listed on your license.

The license is a PRELIMINARY ORDER issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

Please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-327-7946.

Sincerely,

Shelley W. Keen

Water Rights Supervisor

SWK:klt

Enclosure(s)

MICROFILMED


JUN 20 2001

CERTIFICATE OF MAILING

I hereby certify that on June 7, 2001 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved License) to the person(s) listed below:

RE: WATER RIGHT NO. 63-11245

**JOAN D VAN VLIET
GARY VAN VLIET
27859 SCOTT PIT RD
PARMA ID 83660**

A handwritten signature in black ink, appearing to read "Kari Lynn Townsend", written over a horizontal line.

**Kari Lynn Townsend
Secretary**

**MICROFILMED
JUN 20 2001**

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "Preliminary Order" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

LICENSE REVIEW CHECKLIST

Permit No. 63-11245 Date: 5-30-01 Reviewer: Kay Walker

Change/OK

Name/Address

change address per exam

Source

Point of Diversion:

ok
ok

Does change clarify original intended source? If no, void permit.

Change (P39/P49) Add (P45/P44) Feds (P40)

W32 (multiple in 1/4/1/4)

W36 (overlap)

W59 (subdivision description)

Place of Use

ok

Change (P41/P49) Add (P41/P44) Feds (P43)

W60 (subdivision description)

W27 (ppu acre limit)

Overlaps: Right(s):

File reviewed _____ Profile reports printed _____

P/D & P/U amend (P37) Feds (P48)

Rate of Diversion:

Permitted rate 0.34 cfs

Fee Limit _____ cfs

Measured _____ cfs

Theoretical 0.35 cfs

Recommended Total Diversion Rate 0.34

Season of Use per new Standards

Water Uses

ok

Change (P46)

Irrigation _____ cfs _____ af

Stockwater _____ cfs _____ af

Domestic 0.34 cfs 39.2 af

_____ cfs _____ af

_____ cfs _____ af

Total 0.34 cfs 39.2 af

Irrigation - overlap (R58-R61, R62-R65, R66-R69)

supp. Gw (WB7/065/104)

overlap spec combined rts (W35)

1 acre (W31)

Domestic (W01/wb5/070/071/075)

Power (W42 or W43/025/027/R22 or R23)

Fish (042)

Fire (077)

Water Quality (081/R07)

Payette - (W22/047/27A)

Stockwater for US (R37)

Volume Determination

_____ cfs x 1.9835 x _____ days = _____ af (vs) _____ acres x _____ (FHR) = _____ af

Remarks:

1000 hd dairy x 0.0391 = 39.1

Additional Conditions

☒ Watermaster Control

☒ GW Measurement/Measuring Device

☒ Other

☒ Trust R55 - remove 051)

☒ Non-trust (048/049)

GW Dist? ☒

Water Msmt. Dist? ☒

Crit. GWMA? ☒

GWMA? ☒

Government Lots? ☒

Advance Priority? ☒ yes

☒ no

If yes, explain why below.

SRBA Claim?

Not Req'd

Adjust memo

ok

Amend Letters

P87, S06

Second Amendment Notice

S06

*per stockwater
chart -
Admin. Memo
#4*

Idaho Dept. of Water Resources Place of Use Comparison Report

[illegible]

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAY 29 2001
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-11245

1. Owner: Gary Van Vliet Phone No. 208-722-6543

Current Address: 27859 Scott Pitt Rd, Parma ID 83660

2. Accompanied by: Gary EXAM DATE : 5/24/2001

Address: _____ Phone No. _____

Relationship to Permit Holder: Owner

3. Source: Ground water tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 63-21767, 63-21768, 63-31231

2. Other water rights with the same point of diversion: 63-21768, 63-31231

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Govt. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	NE	14	5N	6W	Canyon	USGS Quad, Aerial Photos, Exam
									(2 wells)

2. Place(s) of Use:

Indicate Method of Determination same as above

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
5N	6W	14	S																

MICROFILMED

JUN 20 2001

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.

SEE ATTACHED SHEET

Y Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

N/A Aerial Photo Attached (required for irrigation of 10+ acres).

Y Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		7.5	Submersible	Pump	
		5	"	"	

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: Used pump curve from Adamson Pump and Drilling, who installed the 7.5 hp pump in the 10" well in 1986. 220" total dynamic head was determined by using 105' lift, where the pump was set, and 50 psi. Since the 6" well is located within 25 yards of the 10" well, the same variables were used in a theoretical to determine GPM, since a pump curve was not available for the 5 hp submersible pump

E. NARRATIVE/REMARKS/COMMENTS

A 10" well equipped with a 7.5 hp submersible pump and a 6" well equipped with a 5 hp submersible pump supply water to a dairy operation via 2.5" buried mainline. The water is pumped into a 2000 gallon pressure tank, which is then used throughout the dairy. Water used for cooling milk, backflushing, and cleaning the bulk tanks is recycled through a 5000 gallon storage tank and is then used in the wash pen.

The dairy was started in 1971, in which the 6" well was sufficient, then went through an expansion in 1986, when the 10" well was added.

REPROFILMED
JUN 20 2001

In 1990, applicant filed SRBA claim 63-21768 use of the 6" well for his home and this permit listing both wells for the dairy. The problem is that applicant only listed stockwater use on the permit for 1000 dairy cows. Commercial use was not included. As a result, this permit is limited to 35,000 gallons per day or 39.2 afa. Because the dairy operation existed prior to 1987, the applicant has agreed to file application for permit, no. 63-31231, which can be processed, for the additional dairy uses not covered by this permit. The application is limited to the system's capacity in 1987, which was .34 cfs as recommended for this permit. The dairy needs about 95 afa to operate. A system capacity of .34 cfs is capable of providing up to 246 afa, which is more than sufficient to satisfy this dairy's existing needs.

Applicant irrigates surrounding lands with license 63-21767 with water from Alkali Drain tributary to the Snake River. No other rights are used.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
JUN 20 2001

F. FLOW CALCULATIONS

___Y___ Additional Computation Sheets Attached (Pump Curve)

Measured Method:

Pump curve for 7.5 hp pump with 220' TDH = 90 gpm = .20 cfs

Theo: $\frac{7.5 \text{ hp} \times 8.8 \times .7}{105' + 50 \text{ psi} \times 2.31} = .21 \text{ cfs}$

$\frac{5 \text{ hp} \times 8.8 \times .7}{105' + 50 \text{ psi} \times 2.31} = .14 \text{ cfs}$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{2cm}}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\hspace{2cm}}$

2. Volume Calculations for Other Uses:

1000 milking cows $\times$ 35 gal/dy/cow = 35,000 gal $\times$ 365 dys/325850 = 39.2 afa

.34 cfs $\times$ 1.9835 $\times$ 365 dys = 246 afa capability

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion	Annual Volume
	From	To	Q (cfs)	V (afa)
<u>Stockwater</u>	<u>1/1</u>	<u>12/31</u>	<u>.34</u>	<u>39.2</u>
Totals:			<u>.34</u>	<u>39.2</u>

2. Recommended Amendments

___ Change P.D. as reflected above ___ Add P.D. as reflected above x None

___ Change P.U. as reflected above ___ Add P.U. as reflected above ___ Other

I. AUTHENTICATION

Lori Graves -Senior Agent

Field Examiner's Name Lori Graves Date 5/29/01

Reviewer _____ Date _____


SEAL

MICROFILMED

JUN 20 2001



Model 70J




JUN 20 2001

Curve Reference SU 518

DIMENSIONS AND WEIGHTS (All dimensions are in inches and weights in lbs. Do not use for construction purposes.)


HP	Stages	W.E. Order No.	Motor Order No.	PH	Motor Volts	Motor Length	W.E. Length	L.O.A.	Wt. (lbs.)
3	2	70J03	S09940	1	230	23.5	8.0	32.5	55
			S09978	3	200	20.6	9.0	29.6	55
			S09970	3	230	20.6	9.0	29.6	55
			S09975	3	460	20.6	9.0	29.6	55
			S09979	3	575	20.6	9.0	29.6	55
5	4	70J05	S10940	1	230	29.5	11.5	41.0	70
			S10978	3	200	23.5	11.5	35.0	70
			S10970	3	230	23.5	11.5	35.0	70
			S10975	3	460	23.5	11.5	35.0	70
			S10979	3	575	23.5	11.5	35.0	70
7.5	6	70J07	S11970	1	230	28.0	15.0	43.0	149
			S11978	3	200	24.2	15.0	39.2	124
			S11971	3	230	24.2	15.0	39.2	124
			S11972	3	460	24.2	15.0	39.2	124
			S11979	3	575	24.2	15.0	39.2	124

HP	Stages	W.E. Order No.	Motor Order No.	PH	Motor Volts	Motor Length	W.E. Length	L.O.A.	Wt. (lbs.)
10	9	70J10	S12970	1	230	30.6	20.3	50.9	173
			S12978	3	200	25.5	20.3	45.0	143
			S12971	3	230	25.5	20.3	45.0	143
			S12972	3	460	25.5	20.3	45.0	143
			S12979	3	575	25.5	20.3	45.0	143
15	13	70J15	S13970	1	230	33.1	24.8	57.0	191
			S13978	3	200	28.0	24.8	52.8	165
			S13971	3	230	28.0	24.8	52.8	165
			S13972	3	460	28.0	24.8	52.8	165
			S13979	3	575	28.0	24.8	52.8	165
20	17	70J20	S14978	1	200	30.6	29.7	60.3	188
			S14971	3	230	30.6	29.7	60.3	188
			S14972	3	460	30.6	29.7	60.3	188
			S14979	3	575	30.6	29.7	60.3	188
			S15978	1	200	33.2	36.0	69.2	220
25	21	70J25	S15071	3	230	33.2	36.0	69.2	220
			S15972	3	460	33.2	36.0	69.2	220
			S15979	3	575	33.2	36.0	69.2	220



*Non-stock motors have a six (6) week lead time.
Water end and motor must be ordered separately
and are packaged separately.

VAN VLIET DAIRY DIAGRAM



0.1 0 0.1 0.2 Miles

 **SECTION LINES**
 **1/4 1/4 LINES**

MICROFILMED
JUN 20 2001



VAN VLIET DAIRY DIAGRAM 1987 AERIAL PHOTO



0.1 0 0.1 0.2 Miles

A horizontal scale bar with four segments. The first segment is labeled '0.1', the second '0', the third '0.1', and the fourth '0.2 Miles'.


 **SECTION LINES**
 **1/4 1/4 LINES**

MICROFILMED

JUN 20 2001



VAN VLIET DAIRY DIAGRAM



0.1 0 0.1 0.2 Miles


A horizontal scale bar with four segments. The first segment is labeled '0.1', the second '0', the third '0.1', and the fourth '0.2 Miles'.

 **SECTION LINES**
 **1/4 1/4 LINES**

MICROFILMED

JUN 20 2001





T5N
R6W
Sec 14
NENE

No Gov Lts
in NENE

MICROFILMED
JUN 20 2001




VAN VLIET DAIRY




MICROFILMED

JUN 20 2001




6" well
5 HP submersible



10" well
7.5 HP submersible


MICROFILMED
JUN 20 2001



RECYCLED WATER TANK



BULK TANKS



MILK PARLOR
2 SIDES @
12 STALLS/SIDE

MICROFILMED
JUN 20 2001

Use found for Van Vliet Dairy per
5/24/01 field investigation

Worksheet 1. Calculating Daily Herd Requirements for Fresh Water

Drinking Water Estimates (see Table 1 & 2)

	Number	Estimated Use (gallons per day)	
		Individual per day	Total
Milking Cows	<u>1000</u>	<u>35</u>	<u>35000</u>
Dry Cows	<u>150</u>	<u>12</u>	<u>1800</u>
Heifers			
16-24 mo	<u>1000</u>	<u>8</u>	<u>8000</u>
13-15 mo	<u> </u>	<u> </u>	<u> </u>
9-12 mo	<u> </u>	<u> </u>	<u> </u>
5-8 mo	<u> </u>	<u> </u>	<u> </u>
3-4 mo	<u> </u>	<u> </u>	<u> </u>
0-2 mo	<u> </u>	<u> </u>	<u> </u>

Total herd drinking water used

A. 44800

Wash Pen Estimate (see Table 3)

1 - Sprinkler discharge per nozzle

2 - Number of nozzles

3 - Minutes per day used

Total wash pen water used

(Line 1 x line 2 x line 3)

5 GPM
60
105

B. 31500

Milk house and Parlor Estimate (see Table 4)

Water per operation

* Bulk tank

Pipeline

* Backflush

Cleanup

(Parlor, milk house and holding pen)

Cow prep

* Plate cooler

(ignore if water recycled)

Total milk house and parlor water used

2 milking/dy
Gallons per day

150

300

1000

2000

3 gal/cow

6000

(2 fire hoses)

(12 drop down hose)

C. 8300

Equipment Washing
Towel Washing

250 > 500
250 >

TOTAL FRESH WATER ESTIMATE (A + B + C)

MICROFILMED

85,100 = 95.3 AFA

JUN 20 2001

* recycled to wash pen



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

May 30, 2001

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

GARY VAN VLIET
JOAN VAN VLIET
26257 MATTHEWS
PARMA ID 83660

PROOF ACKNOWLEDGEMENT LETTER

RE: PERMIT NO. 63-11245

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit and the completed Beneficial Use Field Report prepared by Lori Graves.

Enclosed is an order reinstating the permit since proof and the license examination fee were submitted more than 60 days after the lapse notice was issued. Please note that the priority date has been advanced to **May 24, 2000**, as provided in Section 42-218a(2), Idaho Code, which was the date you originally filed your proof of beneficial use with the department. Additionally, the diversion rate for this water right has been established at 0.34 cfs according to the field report.

The next step is for the department to issue a license for this water right after final review.

Sincerely,

Deborah J. Gibson
Administrative Assistant
Water Allocation Bureau

Enclosure

c: IDWR - Region
Rob Whitney
Lori Graves
Adamson Pump & Drilling Co.

MICROFILMED

JUN 20 2001

05/28/2001

IDAHO DEPARTMENT OF WATER RESOURCES
Water Application Report

WATER RIGHT NO. 63-31231

Owner Type Name and Address
 Current Owner GARY VAN VLIET
 27859 SCOTT PIT RD
 PARMA, ID 83660
 (208)722-6543

Priority Date: 05/28/2001
 Status: Draft

Source: Tributary to
 GROUND WATER

<u>Beneficial Use</u>	<u>From</u>	<u>To</u>	<u>Diversion Rate</u>	<u>Volume</u>	<u>Subuse Code</u>
STOCKWATER	01/01	12/31	0.34 CFS		
COMMERCIAL	01/01	12/31	0.34 CFS		
Total Diversion			0.34 CFS		

Location of Point(s) of Diversion:

GROUND WATER	NENE	Sec. 14	Township 05N	Range 06W	CANYON County
GROUND WATER	NENE	Sec. 14	Township 05N	Range 06W	CANYON County

STOCKWATER Use:
 Number of stock: 1150

Place(s) of use:

Place of Use Legal Description: STOCKWATER CANYON County

<u>Township</u>	<u>Range</u>	<u>Section</u>	<u>Lot</u>	<u>Tract</u>	<u>Acres</u>	<u>Lot</u>	<u>Tract</u>	<u>Acres</u>	<u>Lot</u>	<u>Tract</u>	<u>Acres</u>	<u>Lot</u>	<u>Tract</u>	<u>Acres</u>
05N	06W	14		NENE										

Place of Use Legal Description: COMMERCIAL CANYON County

<u>Township</u>	<u>Range</u>	<u>Section</u>	<u>Lot</u>	<u>Tract</u>	<u>Acres</u>	<u>Lot</u>	<u>Tract</u>	<u>Acres</u>	<u>Lot</u>	<u>Tract</u>	<u>Acres</u>	<u>Lot</u>	<u>Tract</u>	<u>Acres</u>
05N	06W	14		NENE										

Comments:

<u>Author</u>	<u>Date</u>	<u>Subject</u>	<u>Comment</u>
Igraves	5/28/2001	General Comments/Analysis	This application is for the uses found during the field exam for permit 63-11245, conducted on 5/24/01, that were not covered by the permit. The dairy needs ~95.3 afa to operate. 39.2 afa stockwater was recommended for licensing under permit 63-11245. Another 11 afa is needed for stockwater and 45 afa is needed for the commercial uses (see attached dairy worksheet). This application is limited to the 1987 system capacity, which was .34 cfs. This right, when combined with right 63-11245, is limited to .34 cfs.
Igraves	5/28/2001	Legal Notice Remarks	Development completed by November 1987.

Dates:

Water Right 63-31231

Date Application Received: 05/28/2001
Date Application Denied:
Last Date of Beneficial Use:
Extension End Date:
Protest Deadline Date:
Number of Protests: 0
Enlargement Use Priority Date:
Enlargement Statute Priority Date:

Other Information:

Receipt Number(s):
State or Federal:
Owner Name Connector:
Water District Number:
Generic Max Rate per Acre:
Generic Max Volume per Acre:
Application Type: New Appropriation

Applicant Remarks: Dairy has existed since 1971, with a major expansion in 1986. Stockwater for 1000 milking cows has been covered under right 63-11245. This application is for additional stockwater for 1000 replacement heifers and 150 dry stock and also the dairys commercial needs.

Other Water Rights: 63-11245
Time to Complete Works: 1
Transfer Affected Description:
Transfer Affected Contracts:
Old Transfer Number:
Transfer Reason:
Transfer Return Flows:
Swan Falls Trust or Nontrust:
Swan Falls Dismissed:
DLE Act Number:
Cary Act Number:
Mitigation Plan: False



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

May 11, 2001

GARY VAN VLIET
JOAN VAN VLIET
26257 MATTHEWS
PARMA ID 83660

RE: LAPSED PERMIT NO. 63-11245


Dear Mr. and Mrs. Van Vliet:

This letter acknowledges receipt of the additional evidence submitted to the department by Dave Adamson relative to the existence of your well during the development period for the above referenced permit. The information describes the existence of the well but not the extent of beneficial use made of the water.

Since you are seeking to abandon or cease using the existing well and replace it with another well, the department needs to determine the rate of flow from the existing well before reinstating the permit and before issuing a drilling permit for a replacement well. The purpose of taking the measurement is to determine the extent of beneficial use you have made of the water in the past. If your water needs, in terms of rate or volume, are larger than the amount measured, you will need to file an application for permit to make up for the difference between the amount measured which can be included on the reinstated permit and the amount of water you need.

I will contact the regional office staff and ask them to schedule a measurement of well output as soon as they can fit it into their schedule. Upon receipt of the results of the measurement, I can further consider reinstatement of the lapsed permit. At that time, the department can further consider issuance of a drilling permit. If you have any questions regarding Well Construction Rules for Abandoned wells, please contact Rob Whitney at the Western Region at (208) 334-2190.

Sincerely,




L. Glen Saxton, Chief
Water Allocation Bureau

c: Rob Whitney
Steve Lester

MICROFILMED

JUN 20 2001



Adamson Pump & Drilling Company

Pumps - *Dave Adamson* - Wells

1320 Smith Avenue - Nampa, ID 83651

208-466-6439 - Fax 208-466-0008

RECEIVED

MAY 10 2001

Department of Water Resources

May 8, 2001

Mr. Glenn Saxton
State of Idaho
Dept of Water Resources
1301 N. Orchard
Boise, ID 83720-0098

Re: Well drilled for Gary VanVliet in 1986, T - 5N, R - 6W, Sec 14, NE NE and attached invoices for drilling and pump

Dear Mr. Saxton:

This is a letter to verify that Adamson Pump and Drilling did drill and has been servicing the referenced well and pumping systems at the Gary VanVliet Dairy. We can verify continuing beneficial use of the water since the well was drilled in 1986 to present. The well has declined in production and we would like to obtain a drilling permit to replace the well. We understand that you have requested this information in order to re-instate water right permit #63-11245.


Sincerely,

Dave Adamson

Dave Adamson
Owner/Driller

State of Idaho
County of Canyon


Subscribed and sworn/affirmed to before me this 8th day of May, 2001, by Janice Schaefer.



Janice Schaefer
Notary Public

MICROFILMED Commission Expires: 01/31/07

JUN 20 2001



Adamson Pump & Drilling Company

Pumps - *Dave Adamson* - Wells
1320 Smith Avenue - Nampa, ID 83651
208-466-6439 - Fax 208-466-0008

RECEIVED

OCT 19 2000

Department of Water Resources

October 17, 2000

Attn: Deborah Gibson
Idaho Dept of Water Resources
P.O. Box 83720
Boise, ID 83720-0098

Re: Gary Van Vliet

Dear Debbie:

The following is a copy of a service invoice for a 10" well with a depth of 260' and static of 30'. We serviced this well on December 18, 1990, for Mr. Van Vliet.

The original is on its way as I am unsure of the quality of the fax. Please call our office if you need any further assistance.

Sincerely,

Jan Schaefer
Office Manager

Attachment: Copy of invoice dated 12-21-90

MICROFILMED

JUN 20 2001

RECEIVED

OCT 5 - 2000

Department of Water Resources

September 25, 2000

State of Idaho
Dept. Of Water Resources
P.O. Box 83720
Boise, ID 83720-0098

Re: Water Rights

Dear Deborah:

This is a letter to inform the Dept of Water Resources that during construction of my dairy and the drilling of the current well, that everyone was so busy and there was so much going on that I failed to report back to the department on the beneficial use. Would you please except this letter of apology and the other two letters showing beneficial use, so that I can drill another well and continue business?

Thank You!



Gary VanVliet

MICROFILMED
JUN 20 2001

Debbie —

If we do accept this
as a reason for late-late
proof, the construction
of a new well is
not authorized under
the lapsed permits.

Only the amt of use

including already
developed rate of
div during the
development period
can be reinstated.

(not past-permitted)
but developed rate.

Veg
10-06

RECEIVED

OCT 5 - 2000

Department of Water Resources

To Whom It may concern;


I know that Gary Van Vleet
has used water for dairy cattle
during 6-28-1990 thru 7-1-1991.

Linda Trent, CPA

LINDA Trent, CPA

State of Idaho
County of Canyon

Subscribed and sworn/affirmed to before me this 25 day of September,
²⁰⁰⁰
19 , by Linda Trent, CPA.



Rose Ann Spatz
Notary Public

MICROFILMED
JUN 20 2001

My Commission Expires: 06/28/06

Attribution Clause: This Jurat Certificate is prepared for, and exclusively belongs to, the
accompanying document entitled _____, which
consists of 1 page(s) and is dated _____. If this Certificate is
appropriated to any document other than the one described herein, it shall be deemed null and void.

Department of Water Resources

Adamson Pump & Drilling Company

Pumps - *Dave Adamson* - Wells

1320 Smith Avenue - Nampa, ID 83651

208-466-6439 - Fax 208-466-0008


Fax Cover Sheet

To: *Allen Saxton*
Fax: *327-7866*
From: *Jan*
Fax# _____
Number of pages: *2* (Including cover sheet)
Remarks: _____

The original is coming in the mail!

If not all pages were received, the fax is not readable, or for any reason this fax is not complete, please call 466-6439 as soon as possible. Thank You!

MICROFILMED
JUN 20 2001



Adamson Pump & Drilling Company

Pumps - *Dave Adamson* - Wells

1320 Smith Avenue - Nampa, ID 83651

208-466-6439 - Fax 208-466-0008

May 8, 2001

Mr. Glenn Saxton
State of Idaho
Dept of Water Resources
1301 N. Orchard
Boise, ID 83720-0098

Re: Well drilled for Gary VanVliet in 1986, T - 5N, R - 6W, Sec 14, NE NE and attached invoices for drilling and pump

Dear Mr. Saxton:


This is a letter to verify that Adamson Pump and Drilling did drill and has been servicing the referenced well and pumping systems at the Gary VanVliet Dairy. We can verify continuing beneficial use of the water since the well was drilled in 1986 to present. The well has declined in production and we would like to obtain a drilling permit to replace the well. We understand that you have requested this information in order to re-instate water right permit #63-11245.

Sincerely,

Dave Adamson
Owner/Driller

State of Idaho
County of Canyon


Subscribed and sworn/affirmed to before me this 8th day of May, 2001, by Janice Schaefer.


Notary Public

My Commission Expires: 01/31/07

MICROFILMED

JUN 20 2001



Adamson Pump & Drilling Company

Pumps - *Dave Adamson* - Wells

1320 Smith Avenue - Nampa, ID 83651

208-466-6439 - Fax 208-466-0008

October 17, 2000

Attn: Deborah Gibson
Idaho Dept of Water Resources
P.O. Box 83720
Boise, ID 83720-0098

Re: Gary Van Vliet

Dear Debbie:

The following is a copy of a service invoice for a 10" well with a depth of 260' and static of 30'. We serviced this well on December 18, 1990, for Mr. Van Vliet.

The original is on its way as I am unsure of the quality of the fax. Please call our office if you need any further assistance.

Sincerely,

A handwritten signature in cursive script that reads "Jan Schaefer".

Jan Schaefer
Office Manager

Attachment: Copy of invoice dated 12-21-90

MICROFILMED

JUN 20 2001

Casing size 10" well depth 260 static water 50

GOULDS

Water Systems

Cary Van Vleet
Route # 3 Box 2038
Parna, Mo

INVOICE

Date 12/21/90 Well Depth _____ Water Depth _____ Pump Setting _____

[illegible]

MICROFILMED

~~JUN 20 2001~~



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098
Phone: (208) 327-7900 FAX: (208) 327-7866

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

August 11, 2000

GARY VAN VLIET
JOAN VAN VLIET
26257 MATTHEWS
PARMA ID 83660

Re: Lapsed Permit No. 63-11245

Dear Mr. Van Vliet:

This letter is a follow up to our telephone conversation of June 6, 2000. At that time we spoke about the type of documents the department needs from you to support your Proof of Beneficial Use as requested in my May 31, 2000 letter. I have not yet received the documents we talked about. I need documentation from you to provide evidence that (1) proof of the use of the water occurred during the authorized permit period (6/28/90 to 7/1/91), which can be affidavits from your neighbors or any individual with first hand knowledge of your well and diversion during the development period; and (2) reasonable cause why the Proof of Beneficial Use was submitted late. **Please send this documentation to my attention within 30 days from the date of this letter.** If you do not timely provide the requested information or do not provide adequate information, the department will reject the proof you have submitted.

If you have any questions, please contact me at (208)327-7953.

Sincerely,

Deborah Gibson

Deborah Gibson
Administrative Assistant
Water Allocation Bureau

cc: Rob Whitney - Western Region

MICROFILMED
JUN 20 2001

U.S. MAIL SERVICE	
CERTIFIED MAIL RECEIPT	
(Domestic Mail Only; No Insurance Coverage Provided)	
Article Sent To:	
<i>Gary Van Vliet</i>	
Postage	\$.32
Certified Fee	
Return Receipt Fee (Endorsement Required)	
Restricted Delivery Fee (Endorsement Required)	
Total Postage & Fees	\$
Postmark Here	
8/11/00	
Name (Please Print Clearly) (To be completed by mailer)	
<i>Gary Van Vliet / Joan Van Vliet</i>	
Street, Apt. No., or PO Box No.	
<i>26257 Matthews</i>	
City, State, ZIP+4	
<i>Parma Id. 83660</i>	



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

May 31, 2000

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

Gary Van Vliet
Joan Van Vliet
26257 Matthews
Parma, ID 83660

RE: Lapsed Permit No. 63-11245

Dear Permit Holder:

This letter is in response to the Proof of Beneficial Use you filed on May 24, 2000, regarding the above Lapsed Permit. Pursuant to Section 42-218a, Idaho Code, the permit can be reinstated only if you submit the following information for department consideration:

- ▶ **Two (2) pieces of evidence** to show that beneficial use of the water did commence, and to show the extent of the use of water, during the authorized permit period. This documentation must show evidence from the time the permit was issued (June 28, 1990), until the proof due date (July 1, 1991), and;
- ▶ Reasonable cause why the Proof of Beneficial Use was submitted late.

You can submit pump records, receipts from equipment purchased and/or installed, affidavits from persons with first hand knowledge of your development of the right, or other information to verify use during the authorized development period.

Please be aware that this permit has **lapsed** and is of no force nor effect unless it is reinstated. Upon receipt of the above requested documentation, if the information meets the department's criteria, an order can be issued reinstating your permit, however, your priority date will have changed to the date of the filing of the Proof of Beneficial Use. Therefore, I must receive the requested information, sent to my attention, within **15 days** from the date of this letter.

Additionally, our records show your address was: 127859 Scott Pit Rd., Parma, ID 83660. I have updated our database to show the address on your Proof of Beneficial Use to: 26257 Matthews, Parma, ID 83660.

MICROFILMED
JUN 20 2001

Gary Van Vliet
Joan Van Vliet
May 31, 2000
Page 2

If you have any questions regarding this matter, please contact me at (208)327-7953.

Sincerely,

A handwritten signature in cursive script that reads "Deborah Drew-Ellis".

Deborah Drew-Ellis
Administrative Assistant
Water Allocation Bureau

cc: IDWR - Region
Rob Whitney, Western Region

MICROFILMED
JUN 20 2001

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 63-11245 Reviewed by D. Ellis Date 5/31/00

GENERAL CONSIDERATIONS

Yes Name same as permit?
No Address same as permit?
No Proof timely received?
If not, complete calculation below.

TYPES OF USE

Stockwater / Dairy (E)

Correct Uses? Yes

SOURCE OF WATER

No Surface water source

✓ Ground water source

Yes Drilling permit required?

7 Copy in the file? Drilling Permit No. 7

7 Amount paid for permit

7 Well log in the file?

7 Correct?

LICENSE EXAMINATION FEE

Yes Required?

\$100 Amount Submitted

Yes Correct?

MEASURING DEVICE

No Required?

No Installed?

No Waiver requested?

PRIORITY CALCULATION

Date proof received 5/24/00 144

Date proof due 7/1/91 -

No. of days late Over 60 =

Priority Date 3/22/90 +

New Priority Date 5/24/00

DEFICIENCIES OR ACTION ITEMS

5/31/2000 - Letter requesting proof of development & reason for late filing.

DATA ENTRY

New Address 26257 Matthews
Parma, Id. 83060

Proof Made 5/24/00

NOTICE

This file has been REPRODUCED
from MICROFICHE because:

For a possible Reinstatement

L. Ouellet Block
Person Recreating File

5-31-01
Date

(INTER-DEPARTMENT MEMO —)

FROM Sam Skaggs

DATE 10-4-91

TO File # 63-11245

SUBJECT Film & Destroy

Permit holder contacted Jim about reinstatement.
Hold an additional 30 days to allow permit
holder to respond. If no response, film & destroy
file.

✓ No response.
11-15-91
25

Sam Skaggs
SIGNATURE

I certify that file No. 63-11245

has been reviewed and is ready to be MICROFILMED
and DESTROYED.

Sam Skuyge
Signature

9-27-91
Date

The attached proof report is the water right as it appeared in the database prior to the final status and deletion from the database.

WR580BNP
(00-26)

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROOF READING REPORT

09/27/91 06:38:12
Page 1

Water Right Number - 63-11245

Prefix Translation:

WATER RIGHT

Old (D) Number -

+ - - - - Last Name - - - - + + - First Name - - + + - - - - - Address - - - - - +

*** C - CURRENT OWNER ***
VAN VLIET

GARY

1 - 27859 SCOTT PIT RD.
2 -
3 -

City- PARMA State- ID Zip- 83660
Phone - 208-722-6543

VAN VLIET

JOAN D.

1 - 27859 SCOTT PIT RD.
2 -
3 -

City- PARMA State- ID Zip- 83660
Phone - 208-722-6543

+ - - Priority Date - - - + + - - Region - - - + + - - Stage - - - + + - - Status - - - +
03/22/1990 14 WESTERN P - PERMIT

+ - - - - Source - - - - + + - - - - - Tributary - - - - - +
GROUNDWATER

+ - - - - Point of Diversion - - - - - +
Tw n Rng Sec Tract Lot Rflg County Stream Index (Blank if no Index Code)
05N 06W 14 NE NE (27) CANYON

+ - - - - Water Use - - - - - +
Code Description Period From Period To Diversion Rate Diversion Volume
04 - STOCKWATER 01/01 12/31 0.650

+ - Total Div. Rate - + + - Total Div. Volume - + + - Total Div. Capacity - +
0.650

+ - - - - Place of Use - - - - - +
Tw n Rng Sec Tract Lot Acres Code Description County
05N 06W 14 NE NE 04 STOCKWATER (27) CANYON

+ - - Diversion Means - WELLS & PUMPS.

+ - - Non-Irrigation Use -

+ - - Other Rights for Same Use -

+ - - - - Remarks - - - - - +
2 points of diversion in NENE, S14, T5N, R6W.
Stockwater use is for 1000 dairy cattle.

+ - - - - Old Water Right Numbers - - - - - +
No Old Water Right Numbers found.

WR5808NP
(00-26)

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROOF READING REPORT

09/27/91 06:38:12
Page 2

Water right number - 63-11245

Prefix Translation: WATER RIGHT

+ - - - - Conditions of Approval - - - - - +
046 - Permit holder shall comply with the drilling permit requirements
- of Section 42-235, Idaho Code.

+ - - - - Decree Plaintiff - - - + + - - - - Decree Defendant - - - + + - Decree Date - +
00/00/0000

+ - - - - Comments - - - - - +
No Comments Found

+ - - Audit Fields - 03/23/90 WERNER 04/10/90 CURTIS 04/25/90 LESTER 06/25/90 CURTIS 06/26/90 CURTIS

+ - - - - Water Rights Dates and Flags Area - - - - - +

Proof Due Date - 07/01/1991	Field Exam Made - 00/00/0000	Field Exam Fee -
Approved/Denied - 06/28/1990	Protested Date - 00/00/0000	Swan Falls -
Proof Made Date - 00/00/0000	Hearing Date - 00/00/0000	Temporary Right - P
Exam to S.O. Date - 00/00/0000	Verified Date - 00/00/0000	DLE/Carey Act -
Order Show Cause - 00/00/0000	Receipt Number -	Water District -
Licensed Date - 00/00/0000	Appl Received - 03/22/1990	Transfer/Amended -
Decree Date - 00/00/0000	Presumption Flag -	

July 5, 1991

GARY VAN VLIET
JOAN D. VAN VLIET
27859 SCOTT PIT RD.
PARMA, ID 83660

LAPSE NOTICE

RE: PERMIT NO. 63-11245

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated April 30, 1991. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifteen dollar (\$15) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.


L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:rf

Enclosures

CERTIFICATION OF MAILING

I hereby certify that on 7-8-91
a true and correct original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.



138476
April 30, 1991

GARY VAN VLIET
JOAN D. VAN VLIET
27859 SCOTT PIT RD.
PARMA, ID 83660

PROOF DUE NOTICE
RE: PERMIT NO. 63-11245

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before July 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
June 29, 1990

GARY VAN VLIET
JOAN D. VAN VLIET
27859 SCOTT PIT RD.
PARMA, ID 83660

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P63-11245

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

63-11245

VAN VLIET, GARY
VAN VLIET, JOAN D.
27859 SCOTT PIT RD.
PARMA, ID 83660

Source: GROUNDWATER

Diversion Pt: NENE Sec 14 T 05N R 06W

Use: STOCKWATER (.650 CFS)
Total Diversion: (.650 CFS)

Date Filed: 3/22/ 1990

In: T05N R06W S14 NENE