



13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Sumner M. Johnson
(Applicant)



3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
submersible		1/3			
submersible		1 1/2			

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
None						

2. **Measurements:** Need: $.53 \times .03 = .02 \text{ cfs}$ Allow $.02$ domestic

Theoreticals = $.33 \times 8.8 \times .70 = 2.03$ $1.5 \times 8.8 \times .70 = 9.24$
 $2 + (2.3 \times 30) = 91$ $27 + (2.3 \times 35) = 102.5$
 $.02$ $.07 \text{ cfs}$

APR 22 1993



1
Plu A/d

PERMIT 63-11237 INIT DI
T. R. S. Q/Q
P/D 3m 2w 33 SECURE
SCALE
PHOTO ID. APR 22 1993

63-11237



view of the well casing: LOCATED
on THE EAST SIDE OF THE House.




View of the lawn

APR 22 1993

APR 22 1993



View to the north west



THE WELL FOR ADJ.
CLAIM 63 ~~11237~~.
7854

APR 22 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11237

Priority: March 1, 1990

Maximum Diversion Rate:

0.05 CFS

Maximum Diversion Volume:

2.9 AF

This is to certify, that SUMNER M JOHNSON
BETTY J JOHNSON

444 W IOWA AVE
Nampa ID 83686

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 1, 1990; and has submitted Proof of Beneficial Use on March 19, 1991. An examination indicates that the works have a diversion capacity of .110 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.03 CFS	2.3 AF
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF
	Totals	0.05 CFS	2.9 AF

LOCATION OF POINT(S) OF DIVERSION:

SWNE , Sec. 33, Township 03N, Range 02W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	02W	33	SWNE	0.5		0.5

Total number of acres irrigated: 0.5

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than 4.5 afa per acre for the lands above.

APR 22 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11237

CONDITIONS/REMARKS:

6. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 3RD
day of MARCH, 1993.

Acting for R. Keith Higginson, Director

APR 22 1993

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11237

Proposed Priority: March 1, 1990 Maximum Diversion Rate: 0.05 CFS

This is to certify, that SUMNER M. JOHNSON
BETTY J. JOHNSON
444 W. IOWA AVE.
NAMP, ID 83686

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.03 CFS
DOMESTIC	01/01 to 12/31	0.02 CFS
	Totals	0.05 CFS

LOCATION OF POINT(S) OF DIVERSION: SESWNE Sec. 33, Township 03N, Range 02W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	02W	33	SWNE	1		1
Total number of acres irrigated:						1

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 1991.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.
5. The maximum rate of diversion for irrigation purposes under this permit shall not exceed 0.03 cfs.
6. Domestic use is for one home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

4th day of June, 1990

MICROFILMED

JUN 03 1990

for R. Keith Higginson, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Sumner M. Johnson or Betty J. Johnson Phone 208-466-4242
Post office address 444 W. Iowa Ave., Nampa, Idaho 83686
2. Source of water supply ground water which is a tributary of N/A
3. Location of point of diversion is SE 1/4 1/4 of SW 1/4 1/4 of NE 1/4 1/4, Govt. Lot _____
Sec. 33 Township 3 North Range 2 West B.M. Canyon County; additional
points of diversion if any: N/A

4. Water will be used for the following purposes:

Amount 0.02 for domestic purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Allowable 0.03 3-15-90 RA
Amount 0.06 for irrigation purposes from Mar. 15 to Nov. 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.05 3-15-90 X and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. The well was drilled in Oct., 1978, by Davis well drilling of Nampa, Idaho. The well driller was responsible for the well drilling permit. A 1/2 HP submersible pump for domestic use was installed in the well and placed into service in Nov., 1978. The pump discharges at the rate of approximately 10 gpm through a 1 1/4" opening of a pitless adaptor installed in the well casing below grade and then into a well-x-trol pressure tank that supplies the domestic system. *

b. Height of storage dam N/A feet; active reservoir capacity N/A acre-feet; total
reservoir capacity N/A acre-feet; period of year when water will be diverted to storage:
N/A to N/A inclusive.

c. Proposed well diameter is 6" inches; proposed depth of well is 13 **RECEIVED**

d. Is ground water with a temperature of greater than 90°F being sought? No JUN 05 1990

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
Allow 1 yr. - kw
(see Ans. to 6.) years (minimum 1 year).

* In addition a 1 1/2 HP centrifugal pump for irrigation purposes was installed in a pump pit adjacent to the well with a 1 1/2" suction line extended into the well through the other outlet of the pitless adaptor and then extended as a suction line into the well to a depth below the domestic pump intake. The pump discharges into an irrigation sprinkling system serving an approximately one acre garden & yard. It was placed in service in May, 1979.

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. N/A
- b. Stockwatering; list number and kind of livestock. N/A
- c. Municipal; show name of municipality. N/A
- d. Domestic; show number of households. one household
- e. Other; describe fully. Irrigate approximately one acre garden and yard.

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
3N	2W	33			1														1
3N	2W	33			D														

Total number of acres to be irrigated 1


10. Describe any other water rights used for the same purposes as described above. N/A

11. a. Who owns the property at the point of diversion? The applicant
- b. Who owns the land to be irrigated or place of use? The applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. N/A

12. Remarks: The water has already been put to beneficial use with domestic use starting in Nov., 1978, and irrigation use starting in May, 1979. They have both been in use every year since then.

JUN 05 1980

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Sumner H. Johnson
(Applicant)

Received by Ms. Date 3/1/90 Time 10:55 am Preliminary check by GLP
Fee \$ 30.00 Receipted by VA # W010086 Date 3-1-90
Publication prepared by Gg Date 3-28-90 Published in Press-Tribune
4/4 & 4/11/90
Publication approved at Date 5-4-90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES


This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

MICROFILMED

JUN. 0 5 1990



NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to the public waters of the State of Idaho:

AMPIELL, MARJORIE
VANGSGARD, GARY
VANGSGARD, BETTY J.
1135 STONE LN.
CALDWELL, ID 83605
Source: UNNAMED DRAIN
Diversion Pt:
Use: IRRIGATION

Date Filed: 2/14/1990
In: T04N R03W S03

4.0 ACRES TOTAL

PACHE HEIGHT WATER CORP.
O RUSSELL E. LEWIS, PRES.
207 S. CHICAGO ST.
NAMPA, ID 83688
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
Use: DOMESTIC

Date Filed: 2/28/1990
In: T02N R02W S11

8.0 ACRES TOTAL

OMERO, VICTOR
OMERO, ADA
O. BOX 277
MIDDLETON, ID 83644
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
Use: STOCKWATER

Date Filed: 3/5/1990
In: T05N R02W S26

1.0 ACRES TOTAL

SGOOD, LAWRENCE V.
SGOOD, LINDA
3422 LINDEN
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 3/9/1990
In: T04N R03W S29

2.5 ACRES TOTAL

THOMAS, GEORGE T.
547 WARREN SPUR ROAD
MELBA, ID 83641
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 3/13/1990
In: T01S R02W S24

80.0 ACRES TOTAL

ILKINS, DONALD F.
ILKINS, ANNE B.
2412 PURPLE SAGE RD.
MIDDLETON, ID 83644
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 2/14/1990
In: T05N R03W S25

3.2 ACRES TOTAL

AVENPORT, DAVE
704 FOOT HILL RD.
MIDDLETON, ID 83644
Source: UNNAMED STREAM
Diversion Pt:
Use: IRRIGATION

Date Filed: 3/14/1990
In: T04N R02W S02

4.0 ACRES TOTAL

LATT, EMERSON/ELIZABETH
AMURA FARMS INC.
O. BOX 275
BOMEDALE, ID 83628
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 3/16/1990
In: T03N R04W S11

27.0 ACRES TOTAL

Tributary: BOISE RIVER
Sec 3 T 04N R 03W
(.120 CFS)
Total Diversion: (.120 CFS)

SES

NWNW Sec 11 T 02N R 02W
(.160 CFS)
(.220 CFS)
Total Diversion: (.380 CFS)

NENW

NESW Sec 26 T 05N R 02W
(.030 CFS)
(.020 CFS)
Total Diversion: (.030 CFS)

NESW

SWSE Sec 29 T 04N R 03W
(.080 CFS)
(.080 CFS)
Total Diversion: (.080 CFS)

SWSE

SWNW Sec 24 T 01S R 02W
(1.000 CFS)
Total Diversion: (1.000 CFS)

NESW NWSW

SWSW Sec 25 T 05N R 03W
(.100 CFS)
(.100 CFS)
Total Diversion: (.100 CFS)

SWSE

Tributary: LANKTREE GULCH
Lot 3 (NENENW) Sec 2 T 04N R 02W
(.080 CFS) (14.00 AF)
Total Diversion: (.080 CFS)

Lot 3 (NENW)

SESE Sec 11 T 03N R 04W
(.540 CFS) (94.50 AF)
Total Diversion: (.540 CFS) (94.50 AF)

SES

SNAKE RIVER CHEMICAL INC.
BOX 1196 HWY. 20 26
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt:
Use: COMMERCIAL
Use: DOMESTIC

Date Filed: 2/12/1990
In: T04N R03W S25

63-11233

NENWNE Sec 25 T 04N R 03W
(.020 CFS)
(.020 CFS)
Total Diversion: (.020 CFS)

NWNE

LAKEVIEW WATER CO.
C/O WAYNE STEPHENS
24604 EMMETT RD.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
Use: DOMESTIC

Date Filed: 2/13/1990
In: T03N R03W S16

63-11234

NENE Sec 16 T 03N R 03W
(.150 CFS)
(.200 CFS)
Total Diversion: (.350 CFS)

NENE

5.0 ACRES TOTAL

63-11235
STEPHENS, WAYNE
24604 EMMETT RD.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
Use: COMMERCIAL

Date Filed: 2/13/1990
In: T04N R03W S24

63-11236

SESE Sec 24 T 04N R 03W
(.030 CFS)
(.200 CFS)
Total Diversion: (.230 CFS)

SESE

1.0 ACRES TOTAL

NELSON DEPPE INC.
BOX 768
NAMPA, ID 83651
Source: GROUNDWATER
Diversion Pt:
Use: INDUSTRIAL

Date Filed: 2/22/1990
In: T03N R03W S15

63-11237

NWSWNW Sec 15 T 03N R 03W
(.440 CFS)
Total Diversion: (.440 CFS)

SWNW

JOHNSON, SUMNER M.
JOHNSON, BETTY J.
444 W. IOWA AVE.
NAMPA, ID 83686
Source: GROUNDWATER
Diversion Pt:
Use: DOMESTIC
Use: IRRIGATION

Date Filed: 3/1/1990
In: T03N R02W S33

63-11238

SESWNE Sec 33 T 03N R 02W
(.02 CFS)
(.030 CFS)
Total Diversion: (.050 CFS)

SWNE

1.0 ACRES TOTAL

DAHL WATER USERS ASSN.
C/O MIKE SIMMONS
2708 HIGH AVE.
NAMPA, ID 83651
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
Use: DOMESTIC

Date Filed: 3/1/1990
In: T03N R02W S19

63-11239

SESESE Sec 19 T 03N R 02W
(.050 CFS)
(.140 CFS)
Total Diversion: (.190 CFS) (8.60 AF)

SESE

2.5 ACRES TOTAL

SCHNEIDER, THAYNE C.
SCHNEIDER, ALTHEA
123 SHERWOOD DR.
NAMPA, ID 83651
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
Use: DOMESTIC

Date Filed: 2/7/1990
In: T03N R02W S20

63-11242

NWSENE Sec 20 T 03N R 02W
(.040 CFS)
(.040 CFS)
Total Diversion: (.040 CFS)

SENE

2.0 ACRES TOTAL

THOMPSON, TERRY D.
THOMPSON, CAROL ANN
16772 ROSEBURY LN.
NAMPA, ID 83651
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 2/28/1990
In: T03N R01W S07

0.2 ACRES TOTAL

SWWNE Sec 7 T 03N R 01W
(.030 CFS)
Total Diversion: (.030 CFS)

SWNE

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before APRIL 23, 1990.

R. KEITH HIGGINSON
Director
April 4, 11, 1990

RECORDED
INDEXED
APR 05 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

March 4, 1993

SUMNER M JOHNSON
BETTY J JOHNSON
444 W IOWA AVE
Nampa ID 83686

RE: WATER RIGHT NO. 63-11237

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in cursive script that reads 'Pamela Skaggs'.

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECORDED

APR 22 1993

LICENSE REVIEW CHECKLIST

Permit # 63-11237

Date 02-22-93

	Yes	No	
NAME		☒	Address Change?
PRIORITY DATE		☒	Advance? _____
		☒	Memo to Advance _____
		☒	Order to Reinstate Needed? _____
TOTAL CFS		☒	Incorrect Fee for rate recommended? _____
	☒	☒	Disagree with Actual Measurement? _____
		☒	Disagree with Theoretical? _____
		☒	Limited by Capacity? _____
TOTAL VOLUME			Rate/ac <u>4.5</u> AFA Irr. Season <u>D</u>
			<u>3-15 to 11-15</u> Standard Irr. Season _____
			<u>Same Per Permit</u> Season Recommended _____
	☒	☒	Disagree with Examiner's Calculations? _____
		☒	Limited by Flow? _____
SOURCE		☒	Changes? Clarification of <u>Originally</u>
		☒	<u>Intended</u> source _____
		☒	Notice of Intent to Void. _____
P/D			Verify with Map _____
		☒	Amendment Needed? _____
		☒	Is Overlap Analysis a Consideration? _____
P/U			Verify with Map _____
		☒	Amendment Needed? _____
		☒	Is Overlap Analysis a Consideration? _____
USES		☒	Change(s) in Nature of Use? _____
		☒	Amendment Needed? _____
REMARKS		☒	Multiple P/Ds in 1/4 1/4? _____
	☒	☒	Non-Irr. Uses <u>DOM/1 Home</u> _____
		☒	Special Overlap Condition _____
		☒	Other _____
CONDITIONS		☒	Measuring Device _____
		☒	W/Master Control _____
	<u>R27</u>	☒	Overlap _____
		☒	Water Quality _____
			DATES/MISC
		☒	Water Dist. _____
		☒	App Rec'd _____
		☒	Exam Made _____

COMMENTS: _____

LICENSE ✓ AMEND _____ SPECIAL PARAGRAPH _____

DATE: 02/22/93
PAGE: 1

Audit: 02/22/93 SKAGGS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
FEB 19 1993

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 163-11237

1. Owner: Summer for Betty Johnson Phone No. 466-4242

Current Address: 444 W. Tava Ave Nampa Idaho 83686

2. Accompanied by: Summer Johnson EXAM DATE: 7-15-92

Address: Same Phone No. Same

Relationship to Permit Holder: Same

3. Source: groundwater tributary to N/A

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 163-07854

2. Other water rights with the same point of diversion: 163-07854

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SE	SW	NE	33	3n	2w	Larimer	Quads, Field Exam


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
3n	2w	33			.53														.53

APR 22 1993

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" =

☒ Copy of USGS Quadrange Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Submersible		1/3			
submersible		1 1/2			

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
None						

2. Measurements: Need: $.53 \times .03 = .02 \text{ cfs}$ Allow .02 domestic
 Theoreticals = $.33 \times 8.8 \times .70 = 2.03$ $1.5 \times 8.8 \times .70 = 9.24$
 $22 + (2.3 \times 30) = 91$ $22 + (2.3 \times 35) = 102.5$

APR 22 1993

E. NARRATIVE/REMARKS/COMMENTS

This system makes use of a 93' well with a 6" casing. The well waters $\frac{1}{2}$ acre with underground sprinklers. The well has a static water level of 8' ; a drawdown of 14' (lower est. well logs). The well also has two pumps a $\frac{1}{2}$ domestic ; a 1.5 irrigation well.

63-7954 is Surface water source on adjacent acres.

Have conditions of permit approval been met? ☒ yes ☐ no

APPROVED

APR 22 1993

Additional Computation Sheets Attached

$$\frac{1}{3} L_p \text{ Domestic} = \text{THEORETICAL} = .02 \text{ cfs}$$

5hp Irrigation = Theoretical = .04 cts

System Capacity = .11 cfs

Allow = .04ct

Permit = .65 cts

Domestic = .62 cfs
Irrigation = .03 cfs

can allow .03
for irrig.

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = .53 \times 4.5 = 2.39 \text{ AFA}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 62 \times 245 \times 1.9835 = 9,747 \text{ AFM}$$

$$V = \text{Smaller of } V_{IB} \text{ and } V_{DB} = 2.394 \text{ V}$$

Allow = Gradomeste: no law

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Irrigation</u>	<u>3-15</u>	<u>11-15</u>	<u>.02 cfs</u>	<u>2.39 AFA</u>
<u>Domestic</u>	<u>1-1</u>	<u>12-31</u>	<u>.62 cfs</u>	<u>.6 AFA</u>
Totals:			<u>.04 cfs</u> <u>.05 GFS</u>	<u>2.99 AFA</u>

Change P.D. as reflected above

Add P.D. as reflected above

☒ None

Change P.U. as reflected above

Add P.U. as reflected above


Other

Field Examiner's Name

Date 8-17-92

Reviewer

Date 1/25/93



9
100-110

PERMIT 63-1187 UNIT 24
T. R. S. 1/9
P/D 30 82 23
SCALE
PHOTO ID. APR 22 1993

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-11237

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 3n, Rge 2w, Sec. 33, SW 1/4 ne 1/4 or Lot _____.

2. Owner: Samuel & Betty Johnson

Address 444 W. Tenth Ave, City Nampa, St Idaho

3. Casing $\geq$ 12 inches above ground: Yes ☒ No ☐

4. Access Port: Yes ☒ No ☐ Static Water Level: 5'
Pressure Gauge: Yes ☐ No ☒ Casing Diameter: 6"
Flowing: Yes ☐ No ☒ Temperature: _____

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes ☐ No ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: _____

APR 22 1993

DEPARTMENT OF WATER RESOURCES WELL DRILLER'S REPORT

BALLPOINT PEN

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name Samuel Johnson
Address Rte 7 Glasper
Owner's Permit No. _____

7. WATER LEVEL

Static water level 5 feet below land surface.
Flowing? ☐ Yes ☐ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature _____ °F. Quality _____

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning) _____

8. WELL TEST DATA

☐ Pump ☐ Bailer ☐ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped

3. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

9. LITHOLOGIC LOG

Hole Diam.	Depth		Material	Water	
	From	To		Yes	No
	0	3	Topsoil & hard pan		X
	3	15	Hard clay	X	
	15	37	Gravel		X
	37	60	Hard clay	X	
	60	72	Hard clay		X
	72	80	Gravel		X
	80	91	Hard clay		X
	91	93	Gravel & granite	X	

4. METHOD DRILLED

☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____
Thickness 250 inches Diameter 7 1/2 inches + 1 1/2 feet To 74 1/2 feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet

Was casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No

How perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches
Number _____ From _____ To _____
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet

Well screen installed? ☐ Yes ☒ No
Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth 20 Material used in seal: ☐ Cement grout

☒ Pudding clay ☐ Well cuttings

Sealing procedure used: ☐ Slurry pit ☒ Temp. surface casing

☐ Overbore to seal depth

Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent

Weld

☐ Cemented between strata

Describe access port _____

APR 22 1993
RECEIVED
JUN 10 1993

Department of Water Resources
Western Regional Office

63-11237




view of the well casing: LOCATE
on THE EAST SIDE OF THE House



View of the lawn

APR 22 1993



View to the north west



THE WELL FOR ADS.
CLAIM 63-~~11337~~.
7854

APR 22 1993

April 12, 1991

SUMNER M. JOHNSON
BETTY J. JOHNSON
444 W. IOWA AVE.
NAMPA, ID 83686

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11237

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MAILED
APR 22 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 63-11237

Date 4-10-91

GENERAL CONSIDERATIONS

- ☒ Name same as permit?
☒ Address same as permit? If no, indicate below.
☐ Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

- ☐ Surface water source
☒ Ground water source
NA Drill permit req'd?
☐ Copy in file? Drill permit no. _____
☐ Amt paid for drilling permit? _____ Correct?
☐ Well log in file?

LICENSE EXAMINATION FEE

- Yes Required?
\$50.00 Amount submitted?
yes Correct amount?

MEASURING DEVICE

- No Measuring device or access port required?
☐ Installed?
☐ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

not acceptable

PRIORITY CALCULATION

Date proof received	<u>NA</u>	_____
Date proof due	_____	- _____
No. of days late	_____	= _____
Priority date	_____	+ _____
NEW PRIORITY DATE	_____	= _____

[Signature]

RECEIVED

MAR 19 1991

Amt. of Fee \$ 50.00Date 3/19/91Receipt No. 6019977Received by J. Johnson

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-11237 Telephone No. 208-466-4242

Name(s) of Permit Holder(s): Sumner M. Johnson or Betty J. Johnson

Post Office Address: 444 W. Iowa Ave., Nampa, Idaho 83686

Source of Water: Ground water

If ground water, well driller's name: Davis Well Drilling Date drilled: Oct., 1978

Extent of Use:
Domestic 1 (No. of households) Irrigation 1 (No. of acres)
Stockwater _____ (No. and type of stock) Other _____

Total rate and/or volume for which proof is submitted 0.05 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: Nov., 1978

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes ☒ No ☐ Installed? Yes ☒ No ☐

OR

Flow Measurement Port: Required? Yes ☒ No ☐ Installed? Yes ☒ No ☐

Fee Enclosed: \$ 50.00 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Sumner M. Johnson 208-466-4242
Name Telephone No.
444 W. Iowa Ave., Nampa, Idaho 83686
Address

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

3-17-91
Date

Sumner M. Johnson
Signature (and title if on behalf of a company or organization)

APR 22 1991

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
June 4, 1990

SUMNER M. JOHNSON
BETTY J. JOHNSON
444 W. IOWA AVE.
NAMPA, ID 83686

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P63-11237

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

MicroFILMED

JUN 05 1990

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

RECEIVED
JUN 05 1990

Form No. 202a.
3/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: GP DATE: 3-15-90 APPLICATION: 63-11237

REQUIRED INFORMATION

☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume)
☒ Period of use:
☒ Nature of proposed use: (Include description of use)
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee:
☒ Yes ☐ No* In form to receipt:

Gov't. Lots:
N/A P/D
N/A P/U

ADDITIONAL INFORMATION

YES	NO	
☒	☒	Overlapping place of use: (Describe source & relationship to present application on the back.)
☒	☒	Overlapping point of diversion:
☐	☐	Field check required: Field check by: _____
☐	☐	Field report attached:
☐	☒	Critical groundwater area:
☐	☒	Groundwater management area:
☐	☒	Diversion within interim protected river area
☐	☒	Send dam safety information:
☐	☒	Send power requirement letter:
☐	☒	Send fish farm requirement letter:
☐	☒	Power residency affidavit:
☐	☒	Power efficiency form:
☐	☒	Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☐	☒	Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)
☐	☒	*REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: _____
Additional information on reverse side:

RECEIVED
MAY 18 1990

Department of Water Resources

PROCESSING

APPLICATION NO. 63-11237

YES NO

☒ ☒
☒ ☒
☒ ☒

In form for advertising:

Statewide advertising:

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☒ ☒
☒ ☒
☒ ☒
☒ ☒

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

☒ ☒
☒ ☒
☒ ☒
☒ ☒

U.S. BLM

U.S. Forest Svc.

Water Dist. #

Other

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☒
☒ ☒

Affidavit of publication received:

Application published correctly: If not, record action taken.

Publication dates and paper recorded on application:

Protests received. Final date for protest April 23, 1990

Protest dates, resolution of protest recorded on application:

Recommendations attached:

Measuring device required:

Measuring port required:

Water delivered by water master? District # 63-P05

Special conditions of approval or cover letter:

See below for additional information

Recommended Date or Priority

3/1/1990

Recommended by:

DM

Date 5/17/1990

STATE OFFICE REVIEW

P05, P23

P16

46

28 (irrig., 0.03 cfs)

See below for additional information. By

KW

Date 5-23-90

ADDITIONAL INFORMATION

63-11237

JOHNSON, SUMNER M.
JOHNSON, BETTY J.
444 W. IOWA AVE.
NAMPA, ID 83686

Source: GROUNDWATER

Diversion Pt: SESWNE Sec 33 T 03N R 02W
 DOMESTIC (.02 CFS)
Use: IRRIGATION (.030 CFS)
 Total Diversion: (.050 CFS)

Date Filed: 3/ 1/ 1990

In: T03N R02W S33 SWNE

1.0 ACRES TOTAL

MICROFILMED
JUN 03 1990