


3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Commercial, Domestic	U.S. Motors	1			

*Code to correspond with No. on map and aerial photo


D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: Theoretical is only measurement.

NOV 08 1995




PERMIT 65-11227 INIT DA
 T. R. S. Q/Q
 P/D 30 30 24 ADDED
 SCALE
 PHOTO ID. _____

NOV 08 1995

423
 424
 425
 426
 427
 428
 429
 430
 431
 432
 433
 434
 435
 436
 437
 438
 439
 440
 441
 442
 443
 444
 445
 446
 447
 448
 449
 450
 451
 452
 453
 454
 455
 456
 457
 458
 459
 460
 461
 462
 463
 464
 465
 466
 467
 468
 469
 470
 471
 472
 473
 474
 475
 476
 477
 478
 479
 480
 481
 482
 483
 484
 485
 486
 487
 488
 489
 490
 491
 492
 493
 494
 495
 496
 497
 498
 499
 500

63-11228




View of well & Pressure
tank system.



View of the two
domestics.

NOV 08 1995

63-11228



View of the CABINET
SHOP.

NOV 08 1995

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11228

Priority: February 9, 1990

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

2.6 AF

This is to certify, that NORMAN MYERS
12787 ORCHARD AVE
NAMPA ID 83651

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 9, 1990; and has submitted Proof of Beneficial Use on July 18, 1990. An examination indicates that the works have a diversion capacity of 0.050 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
COMMERCIAL	01/01 to 12/31	0.02 CFS	0.2 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	2.4 AF
	Totals	0.04 CFS	2.6 AF

LOCATION OF POINT(S) OF DIVERSION:

NWNW , Sec. 24, Township 03N, Range 03W
CANYON County

PLACE OF USE: COMMERCIAL

TWN RGE SEC

03N 03W 24

NWNW

PLACE OF USE:

DOMESTIC, same as COMMERCIAL use

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Commercial use is for a cabinet shop.
6. Domestic use is for 2 homes.

MICROFILMED


NOV 08 1995


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11228

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 7TH
day of NOVEMBER, 1995.


Acting for KARL J. DREHER, Director



NOV 08 1995

RECEIVED
JUL 18 1990For Office Use Only
Amt. of Fee \$ 0
Date 7/18/90
Receipt No. 0017715
Received by C. W. King

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-11228 Telephone No. 467-6645Name(s) of Permit Holder(s): Norman MyersPost Office Address: 12787 ORCHARD AVE NAMPA ID 83651Source of Water: GROUNDIf ground water, well driller's name: DAVIS Date drilled: new well 1968 ±

Extent of Use:

Domestic 2 (No. of households)

Irrigation _____ (No. of acres)

Stockwater _____ (No. and type of stock)

Other Cabinet Shop STOOD +WASH BASIN 0-02Total rate and/or volume for which proof is submitted 0.10 cfs 0.04 acre/feetShow date water was first diverted and beneficially used under this permit: OLD WELL NO DATE APPROX 1945

One of the following may be a condition of approval of your permit:

Measuring device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

OR

Flow Measurement Port: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ NoFee Enclosed: \$ 0 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Name Norman Myers Telephone No. 467-6645 or 467-6501Address 12787 Orchard Ave Nampa ID 83651**MICROFILMED**

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

DEC 18 1990

Date 7/16/90Signature (and title if on behalf of a company or organization) Norman L. Myers

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 63-11228

Proposed Priority: February 9, 1990 Maximum Diversion Rate: 0.10 CFS

This is to certify, that **NORMAN MYERS**
12787 ORCHARD AVE.
NAMPA, ID 83651

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
COMMERCIAL	01/01 to 12/31	0.02 CFS
DOMESTIC	01/01 to 12/31	0.08 CFS
	Totals	0.10 CFS

LOCATION OF POINT(S) OF DIVERSION: NWNW Sec. 24, Township 03N, Range 03W
CANYON County

PLACE OF USE: COMMERCIAL

TWN RGE SEC

03N 03W 24 NWNW

PLACE OF USE: DOMESTIC, same as COMMERCIAL use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 1991.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Commercial use is for a cabinet shop; domestic use is for 2 homes.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

28th day of June, 1990

R. Keith Higginson
for R. Keith Higginson, Director

MICROFILMED

DEC 18 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Norman Myers Phone 467-6645
Post office address 12787 Orchard Ave., Nampa 83651
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is _____ $\frac{1}{4}$ of NW $\frac{1}{4}$ of NW $\frac{1}{4}$, Govt. Lot _____
Sec. 24 Township 3N Range 3W B.M. Canyon County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.08 for Domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.02 for Commercial purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.10 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. Well, Pump, Pipe to P/u
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is 6 inches; proposed depth of well is 58 feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? No
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

MICROFILMED

DEC 18 1990

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. 2 homes w/ lawn
- e. Other; describe fully. Commercial - 2 restrooms in cabinet shop

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3N	3W	24					D/C												

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. None


11. a. Who owns the property at the point of diversion? Applicant
- b. Who owns the land to be irrigated or place of use? Applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

MICROFILMED

DEC 18 1990

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

MICROFILMED

DEC 18 1980

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Norman L. Meyer
(Applicant)

Ms. 2/14/90 4:30 pm
Received by L. Werner Date 2-9-90 Time 3:30 p Preliminary check by RW
Fee \$ 30- Received by L. Werner # M 5830 Date 2-9-90
Publication prepared by GG Date 3-28-90 Published in Press-Tribune
Publication approved ST Date 5-10-90 4/4 & 4/11/90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

MICROFILMED

DEC 18 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

November 7, 1995

NORMAN MYERS
12787 ORCHARD AVE
NAMPA ID 83651

RE: WATER RIGHT NO. 63-11228

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RECEIVED

NOV 08 1995

LICENSE REVIEW CHECKLIST

PERMIT NO. 103-11228 DATE 11-10-95



NAME Change OK ☒ Or Address Change? ☐

PRIORITY DATE Advance? ☒ Advanced to: Order to reinstate needed? ☐
Incorrect fee for rate recommended? YES
NO FEES PAID.

SOURCE Changes or just clarification of originally intended source? ☒
Notice of Intent to Void necessary? ☐

POINT OF DIV Amendment needed? ☒
Overlaps? ☒

PLACE OF USE Amendment needed? ☒
Overlaps? ☒

DIV RATE ☒ Permit/fee limits: .04 CFS
Meas Q = 2 domestics @ .04 Theo Q = .05 Recommend: .04
Com OK @ .02
Combined rates exceed capacity ☐

ANNUAL VOLUME ☒ Volume Limit: Season: 1-1 to 12-31
Calculations: 2 dom with lawns = 2.4 gF
10 employees / 312 days = .2 gF
Flow limit: cfs x 1.9835 =
Combined volumes exceed capacity/allowable ☐

USES ☒ Change in Nature of Use or additional uses? ☐
Amendment necessary? ☐

ADDITIONAL INFO Supplemental Groundwater ☐ PPU Scenario ☐
Irr/Dom Combination ☐ Shared G/W System ☐

NEW REMARKS ☐ Multiple p/d(s) in 1/4 1/4?
☒ Other edit uses remark.

NEW CONDITIONS ☐ Watermaster control - District ☐
☐ Measuring/Locking Devices ☐
☐ Irrigation Overlap ☐
☐ Other ☐
☐ Water Quality ☐ Heat/Cool/Fish verified ☐

COMMENTS: Rate limited by. proof filed. No fee paid.

RECOMMENDATION	CFS	VOLUME	SRBA Claim Filed	<u>NO</u>
<u>Commercial</u>	<u>.02</u>	<u>.20</u>	Adjustment Memo Needed	<u>YES</u>
<u>Domestic</u>	<u>.04</u>	<u>2.4</u>	LICENSE	☒
<u>TOTAL</u>	<u>.04</u>	<u>2.6</u>	1ST AMEND LETTER	
			2ND AMEND LETTER	

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

OCT 18 1995

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-11228

1. Owner: NORMAN MYERS Phone No. 467-6645

Current Address: 12787 ORCHARD AVE NAMPA, ID 83651

2. Accompanied by: NORMAN MYERS EXAM DATE: 7-27-92

Address: SAME Phone No. SAME

Relationship to Permit Holder: SAME

3. Source: GROUNDWATER tributary to NA

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 63-8461 Ebberts, 63-11227 Myers

2. Other water rights with the same point of diversion: 63-11227 Myers

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NW	NW	24	3n	3W	CANYON	QUADS: Field Exam


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
3N	3W	24						C,D											C,D.

NOV 08 1995

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate well size/ditch size/pipe I.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Commercial, Domestic	U.S. Motors	1			

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: Theoretical is only measurement.

NOV 08 1995

E. NARRATIVE/REMARKS/COMMENTS

This system is used for 2 domestics : A CABINET SHOP. THE WELL LOGS WERE UNAVAILABLE, BUT THE CASING IS 6" : the depth can be taken from the APPLICATION TO BE 58'. THE STATIC CAN ALSO BE ASSUMED TO BE 10' (well logs same 1 1/4") so the dynamic can be estimated at 34'. The well is used to irrigate the lawns : is used in the shop by bathrooms, SINKS, etc.

x There are no overlaps that effect this permit.

Have conditions of permit approval been met? ☐ yes ☒ no

MICROFILMED

NOV 08 1995

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method:

$$\text{Theoretical} = \frac{1 \times 8.8 \times .70}{34' + (2.3 \times 35)} = \frac{6.16}{114.5} = .05 \text{ cfs}$$

Domestics = Allow .05 ^{system limit} for 2

Commercial = .02 ^{same as domestics}

system capacity = .05 allow

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \text{NA}$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$$

2. Volume Calculations for Other Uses:

2 domestics (internal) 2 x .6 AFA

+ 1 lawn (external) 1 x .6 = 1.8 AFA

Domestics = 1.8 AFA two domestics with 1 lawn

Commercial = 10 employees = 1 bath sink = 15 flushes + 25 sink flushes/day = 155 gal/day
312 working days 7 gal/flush 2 gal 312

$$\frac{48360 \text{ gal/yr}}{325850} = .15 \text{ AFA OR } .2$$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afs)
	From	To		
Commercial	1-1	12-31	.02 cfs	.20 AFA
Domestic	1-1	12-31	.05 cfs	1.8 AFA
Totals:			.05 cfs	2.00 AFA

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name David Ray Date 8-18-92

Reviewer gyl w/193 Date _____

SEAL

* See adjustment memo. BC

NOV 08 1995

MEMORANDUM

TO: File 63-11228 / Norman Myers
FROM: Brenda Chapman
DATE: November 6, 1995
RE: Recommendation Adjustment(s)

=====

The final licensing recommendations for Right 63-11228 are based on the information below:

G. VOLUME CALCULATIONS

The exam delivery system diagram and photos both show lawn around the 2 homes; therefore, the domestic volume recommendation has been adjusted accordingly.

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use	Rate of Div	Annual Vol
Commercial	1-01 to 12-31	.02	.2
Domestic	1-01 to 12-31	.04	2.4

No examination fee was paid; therefore, the total rate of flow recommendation cannot exceed .04 cfs.

NOV 08 1995

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-11228

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 3~, Rge 3W, Sec. 24, 1/4 1/4 1/4
or Lot _____

2. Owner: Norman Myers

Address 12787 Orchard Ave, City Nampa, St IDH

3. Casing $\geq$ 12 inches above ground: Yes ☒ No _____

4. Access Port: Yes ☒ No _____ Static Water Level: 10'
Pressure Gauge: Yes _____ No ☒ Casing Diameter: 8"
Flowing: Yes _____ No ☒ Temperature: _____


5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes _____ No ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: _____

MINNEAPOLIS
NOV 08 1995

63-11228



View of well & Pressure
tank system.



View of the two
domestics.

NOV 08 1995

63-11228



View of the CABINET
SHOP.

NOV 08 1995

December 7, 1990

NORMAN MYERS
12787 ORCHARD AVE.
NAMPA, ID 83651

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11228

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED
DEC 18 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 63-11228

Date: 11-30-90

General Considerations:

- ☒ Name same as permit
☐ Signature the same as permit holder
☒ Address change _____ If yes, prepare a data entry
☒ Proof received timely _____
_____ Reinstated

Source of Water:

- ☐ Surface water
☒ Groundwater
_____ 1. well log in file
_____ 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

- ☒ Rate of diversion appropriate for uses
☒ Is rate or volume and fee appropriate?
_____ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

- ☒ Is a measuring device or access port required?
_____ Has one been installed?
_____ Waiver or modification of measuring device requested

Remarks:

*Proof acceptable
- consider proof submitted for
a total rate of 0.04 cfs not 0.10
cfs for a stool & wash basin*

Priority Calculation:

N/A Date proof received _____
Date proof due _____
No. of days late _____
Priority date _____
NEW PRIORITY DATE _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
June 29, 1990

NORMAN MYERS
12787 ORCHARD AVE.
NAMPA, ID 83651

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P63-11228

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

MICROFILMED

DEC 18 1990

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

DEC 18 1990

NOTICE OF APPLICATION FOR WATER RIGHT
The following application(s) have been filed to a public waters of
the State of Idaho:

MYERS, NORMAN
12787 ORCHARD AVE.
NAMPA, ID 83651
Source: GROUNDWATER
Diversions Pt:
Use: IRRIGATION
Use: DOMESTIC
Use: FIRE PROTECTION

63-11227

NWNW Sec 24 T 03N R 03W
(.250 CFS)
(.040 CFS)
(.030 CFS)
Total Diversion: (.320 CFS)

Date Filed: 2/9/1990
In: T03N R03W S24

12.5 ACRES TOTAL

MYERS, NORMAN
12787 ORCHARD AVE.
NAMPA, ID 83651
Source: GROUNDWATER
Diversions Pt:
Use: COMMERCIAL
Use: DOMESTIC

63-11228

NWNW Sec 24 T 03N R 03W
(.020 CFS)
(.080 CFS)
Total Diversion: (.100 CFS)

Date Filed: 2/9/1990
In: T03N R03W S24

ELM CREST WATER USERS ASSN.
17056 ELM CREST DR.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversions Pt:
Use: IRRIGATION
Use: STOCKWATER
Use: DOMESTIC

63-11229

NENE Sec 19 T 05N R 03W
(.320 CFS)
(.020 CFS)
(.200 CFS)
Total Diversion: (.540 CFS)

Date Filed: 2/20/1990
In: T05N R03W S19

16.0 ACRES TOTAL

HILLDROP WATER USERS ASSN.
3407 SUNSET AVE.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversions Pt:
Use: DOMESTIC

63-11230

NENWSE Sec 33 T 04N R 03W
(.180 CFS)
Total Diversion: (.180 CFS)

Date Filed: 1/23/1990
In: T04N R03W S33

HANSEN, L. LEON
25846 EMMETT RD.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversions Pt:
Use: IRRIGATION

63-11231

NWNWNW Sec 25 T 05N R 03W
(.090 CFS)
Total Diversion: (.090 CFS)

Date Filed: 2/2/1990
In: T05N R03W S25

3.0 ACRES TOTAL

TUNING, VIRGINIA
TUNING, MERL
DBA MIKES METAL FABRICATION
21821 RAINBOW LN.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversions Pt:
Use: COMMERCIAL

63-11257

SESENE Sec 21 T 04N R 04W
(.020 CFS)
Total Diversion: (.020 CFS)

Date Filed: 3/13/1990
In: T04N R04W S21

CITY OF CALDWELL
P.O. BOX 1177
CALDWELL, ID 83605
Source: GROUNDWATER
Diversions Pt:
Use: IRRIGATION

63-11258

SWNE Sec 36 T 04N R 03W
(1.000 CFS)
Total Diversion: (1.000 CFS)

Date Filed: 3/15/1990
In: T04N R03W S36

NWNE SWNE SENE NESE
95.0 ACRES TOTAL

CITY OF CALDWELL
P.O. BOX 1177
CALDWELL, ID 83605
Source: GROUNDWATER
Diversions Pt:
Use: IRRIGATION

63-11259

NENE Sec 28 T 04N R 03W
(.350 CFS)
Total Diversion: (.350 CFS)

Date Filed: 3/15/1990
In: T04N R03W S21
S28

8.7 ACRES TOTAL

KENT, BETTY L.
P.O. BOX 174
MARSING, ID 83639
Source: SNAKE RIVER
Diversions Pt:
Use: IRRIGATION
Use: STOCKWATER

63-11248

Date Filed: 3/16/1990
In: T03N R04W S34

Lot 1 (NWNE) Lot 2 (SWNE) SENE Lot 3 (NESE)
Lot 3 (NWSE)
70.0 ACRES TOTAL

GILLASPY, EUGENE
24767 BOISE RIVER RD.
PARMA, ID 83660
Source: WASTE WATER
Diversions Pt:
Use: IRRIGATION

63-11249

Date Filed: 3/19/1990
In: T05N R05W S36

37.0 ACRES TOTAL

NEILSEN, MERLYN R.
17885 SAND HOLLOW RD.
CALDWELL, ID 83605
Source: WASTE WATER
Diversions Pt:
Use: IRRIGATION

63-11250

Date Filed: 3/14/1990
In: T05N R03W S18

40.0 ACRES TOTAL

WINTERS, LONNIE
RT. 2 BOX 20747
WEITZ RD.
CALDWELL, ID 83605
Source: WASTE WATER
Diversions Pt:
Use: IRRIGATION

63-11252

Date Filed: 3/13/1990
In: T04N R04W S24

28.0 ACRES TOTAL

CITY OF WILDER
219 3RD ST.
WILDER, ID 83676
Source: GROUNDWATER
Diversions Pt:
Use: IRRIGATION

63-11253

Date Filed: 3/16/1990
In: T04N R05W S23

15.0 ACRES TOTAL

STATE OF IDAHO
DEPT. OF FISH & GAME
BOX 25
BOISE, ID 83720
Source: WILSON DRAIN
SPRINGS
Diversions Pt:

63-11256

Use: RECREATION

Date Filed: 2/20/1990
In: T02N R02W S03

CITY OF CALDWELL
P.O. BOX 1177
CALDWELL, ID 83605
Source: GROUNDWATER
Diversions Pt:
Use: IRRIGATION

63-11260

Date Filed: 3/15/1990
In: T04N R03W S21

5.0 ACRES TOTAL

CITY OF CALDWELL
P.O. BOX 1177
CALDWELL, ID 83605
Source: GROUNDWATER
Diversions Pt:
Use: IRRIGATION

63-11261

Date Filed: 3/15/1990
In: T04N R03W S21

5.3 ACRES TOTAL

CITY OF CALDWELL
P.O. BOX 1177
CALDWELL, ID 83605
Source: GROUNDWATER
Diversions Pt:
Use: IRRIGATION

63-11262

Date Filed: 3/15/1990
In: T04N R03W S28

40.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests must be filed with
the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise,
Idaho 83705 on or before APRIL 23, 1990.

R. KEITH HIGGINSON
Director

April 4, 11, 1990

MICROFILMED

DEC 18 1990

63-11228

MYERS, NORMAN
12787 ORCHARD AVE.
NAMPA, ID 83651

Source: GROUNDWATER

Diversion Pt: NWNW Sec 24 T 03N R 03W

Use: COMMERCIAL	(.020 CFS)
DOMESTIC	(.080 CFS)
Total Diversion:	(.100 CFS)

Date Filed: 2/ 9/ 1990

In: T03N R03W S24 NWNW

MICROFILMED

DEC 18 1990