







University of Idaho
Agriculture Experiment Sta

TSN
R5W
SEC 9
SESE

Parma

Municipal
Airport

BOISE
RIVER

P/D, PTM

PARMA
CANAL

OCT 20 1993



well + 25 HP pump

warehouse



RECORDED

OCT 20 1993

09/23/93

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11221

Priority: March 16, 1990

Maximum Diversion Rate:

0.70 CFS

Maximum Diversion Volume:

8.6 AF

This is to certify, that TAMURA PRODUCE CO
PO BOX 275

HOMEDALE ID 83628

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 16, 1990; and has submitted Proof of Beneficial Use on December 31, 1990. An examination indicates that the works have a diversion capacity of .700 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
INDUSTRIAL	07/01 to 09/30	0.70 CFS	8.6 AF

LOCATION OF POINT(S) OF DIVERSION:

SESE, Sec. 9, Township 05N, Range 05W
CANYON County

PLACE OF USE: INDUSTRIAL

TWN RGE SEC

05N 05W 9 SESE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Water used under this right if discharged into a natural channel or subsurface system shall meet Idaho Water Quality Standards.
6. Industrial use is for a potato washing plant.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 24th day of SEPTEMBER, 1993.

RECORDED

Acting for

R. Keith Higginson, Director

OCT 20 1993

RECEIVED
DEC 31 1990

For Office Use Only
Amt. of Fee \$ 100.00
Date 12-31-90
Receipt No. CD19247
Received by guy

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

No. 546

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-11221 Telephone No. 208-337-3837

Name(s) of Permit Holder(s): Tamura Produce Co.

Post Office Address: PO Box 275 Homedale, Id. 83628

Source of Water: Ground water

If ground water, well driller's name: Pete Cape Drilling Co Date drilled: Aug 1981

Extent of Use:

Domestic _____ (No. of households)

Irrigation _____ (No. of acres)

Stockwater _____ (No. and type of stock)

Other Industrial

Total rate and/or volume for which proof is submitted 1000 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: _____

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes (No) Installed? Yes (No)

OR

Flow Measurement Port: Required? Yes (No) Installed? Yes (No)

Fee Enclosed: \$ 100 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

George Tamura 208-337-3837
Name Telephone No.

PO Box 275 Homedale, Id 83628
Address

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

12/27/90 George Tamura
Date Signature (and title if on behalf of a company or organization)

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11221

Proposed Priority: March 16, 1990 Maximum Diversion Rate: 1.00 CFS
This is to certify, that TAMURA PRODUCE CO.

P.O. BOX 275
HOMEDALE, ID 83628

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

INDUSTRIAL

01/01 to 12/31

1.00 CFS

LOCATION OF POINT(S) OF DIVERSION:

SESE Sec. 9, Township 05N, Range 05W
CANYON County

PLACE OF USE: INDUSTRIAL

TWN RGE SEC

05N 05W 9

SESE

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 1991.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Water used under this permit if discharged into a natural channel or subsurface system shall meet Idaho Water Quality Standards.
5. Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
6. Industrial use is for potato washing plant.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

13th day of

August, 1990.

R. Keith Higginson
for R. Keith Higginson, Director

MICROFILMED

AUG 28 1990

45
Ident. No. 63-11221

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: TAMURA PRODUCE COMPANY 208-337-3837
Address: P.O. BOX 275
HOMEDALE, ID 83628
2. Source: GROUNDWATER Trib. to:
3. Location of Point of Diversion: SESE Sec. 9, Township 05N, Range 05W
CANYON County
4. Water will be used for the following purposes:
- | Purpose | From | To | CFS | (or) | AF |
|------------|-------|-------|-------|------|----|
| INDUSTRIAL | 01/01 | 12/31 | 1.000 | | |
5. Total quantity appropriated is:
1.000 CFS (and/or) AF
6. Proposed diverting works:
- Description of ditches, flumes, pumps, headgates, etc.
205' WELL W/16" CASING AND PUMP TO WASHING PLANT
 - Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
 - Proposed well diameter is 12 inches; proposed depth of well is 205
feet.
 - Is groundwater with a temperature greater than 90F being sought? NO
7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 years.
8. Description of proposed uses:
INDUSTRIAL AND FIRE PROTECTION
9. Place of Use: INDUSTRIAL

TWN RGE SEC
05N 05W 9

SESE

MICROFILMED

AUG 28 1990

Ident. No. 63-11221
Page 2

Place of Use: FIRE PROTECTION

TWN RGE SEC
05N 05W 9 SESE

10. Describe any other water rights used for the same purposes.
NA

11. a. Who owns the property at the point of diversion?

APPLICANT

b. Who owns the land to be irrigated or place of use?


APPLICANT

c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.
NA

12. Remarks:
NA

13. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


Applicant

Received by BAS Date 3/16/90 Time 14/54 Preliminary check by BAS
Fee \$ 45 Receipted by BAS # W011256 Date 3/16/90
Publication prepared by GG Date 5-30-90 Published in Press-Tribune
6/6 & 6/13/90
Publication approved AT Date 6-21-90

MICROFILMED

AUG 28 1990

Officers

Tamura Farms

President	George Tamura
Vice Pres.	Ken Tamura
Secretary -	Ben Tamura
Treasurer - "	"

Tamura Brothers Partnership


Partner	George Tamura
Partner	Ken Tamura
Partner	Ben Tamura

Tamura Produce Co.

President	Ken Tamura
Vice President	Ben Tamura
Secretary-Treasurer	George Tamura

MICROFILMED

AUG 28 1990





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

September 27, 1993

TAMURA PRODUCE CO
PO BOX 275
HOMEDALE ID 83628

RE: WATER RIGHT NO. 63-11221

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in black ink, appearing to be 'Jim Johnson', written over a horizontal line.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECEIVED

OCT 20 1993

DATE: 09/20/93
PAGE: 1

Audit: 09/20/93 CHAPMAN

LICENSE REVIEW CHECKLIST

Permit # 63-11221 Date 9-20-93 Brenda Chapman

	Yes	No	
NAME	<u> </u>	<u> </u>	Or Address Change?
PRIORITY DATE	<u> </u>	<u> </u>	Advance? <u> </u> Memo to Advance <u> </u>
	<u> </u>	<u> </u>	Order to Reinstate Needed?
	<u> </u>	<u> </u>	Incorrect Fee for rate recommended?
SOURCE	<u> </u>	<u> </u>	Changes? Clarification of Originally Intended source <u> </u>
	<u> </u>	<u> </u>	Notice of Intent to Void - Source change.
P/D	<u> </u>	<u> </u>	Amendment Needed? <u> </u>
	<u> </u>	<u> </u>	Is Overlap Analysis a Consideration?
P/U	<u> </u>	<u> </u>	Amendment Needed? <u> </u>
	<u> </u>	<u> </u>	Is Overlap Analysis a Consideration?
TOTAL CFS	<u>-NA-</u>	<u> </u>	Disagree/Measurement <u>NONE DONE</u>
	<u> </u>	<u> </u>	<u>Pressure measured at 70 PSI</u>
	<u> </u>	<u> </u>	Pumping Theoretical $(8.8 \times .70 \times 25 \text{ HP})$
	<u> </u>	<u> </u>	$(60 + 2.31 \times 70 \text{ PSI}) = .7 \text{ CFS}$
	<u> </u>	<u> </u>	System Capacity <u>.7</u>
	<u> </u>	<u> </u>	Allowable Amount: <u>REDUCE TO CAPACITY</u>
TOTAL VOLUME	<u> </u>	<u> </u>	Disagree with Examiner's Calculations?
	<u> </u>	<u> </u>	<u>TRUCK</u>
	<u> </u>	<u> </u>	<u>SPRAYERS</u> } $30,000 \text{ day} \times 92 \text{ days} \div 325,850 = 8.6 \text{ gal}$
	<u> </u>	<u> </u>	<u>CLEANUP</u> (gallons)
	<u> </u>	<u> </u>	Flow limit: <u>.7</u> x 92 x 1.9835 = <u>127</u>
	<u> </u>	<u> </u>	Season Recommended <u>7-1 to 10-1</u>
USES	<u> </u>	<u> </u>	Change(s) in Nature of Use? <u> </u>
	<u> </u>	<u> </u>	Amendment Needed? <u> </u>
REMARKS	<u> </u>	<u> </u>	Multiple P/Ds in 1/4 1/4? <u> </u>
	<u> </u>	<u> </u>	Special Overlap Condition <u> </u>
	<u> </u>	<u> </u>	Other <u> </u>
CONDITIONS	<u> </u>	<u> </u>	Measuring/Locking Devices Misc/Dates
	<u> </u>	<u> </u>	W/Master Control Water Dist
	<u> </u>	<u> </u>	Irrigation Overlap <u>3-16-90</u> App Rec'd
	<u>ONE</u>	<u> </u>	Water Quality <u>6-10-93</u> Exam Made

COMMENTS: Reduce rate

RECOMMENDED	CFS	DIV VOL	LICENSE <u> </u>
<u>Industrial</u>	<u>.7</u>	<u>8.6</u>	
<u> </u>	<u> </u>	<u> </u>	AMEND <u> </u>
<u> </u>	<u> </u>	<u> </u>	

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

AUG 25 1993

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-11221

1. Owner: Tamura Produce Co Phone No. 337-3837

Current Address: PO Box 275 Homedale Id 83628

2. Accompanied by: Allen Sprague EXAM DATE: 6/10/93

Address: Parma Phone No. 722-6777

Relationship to Permit Holder: Mgr

3. Source: Ground water tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 63-04537

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SE	SE	9	5N	5W	CANYON	USGS Quad


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
5N	5W	9																I	

Handwritten: MAINTAINED
OCT 20 1993

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	USE Electric	25	not found	Johnston	16"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

theoretical

OCT 20 1993

E. NARRATIVE/REMARKS/COMMENTS

A well with a 25 HP pump supplies water to a vegetable washing and shipping warehouse. The well is used ~8 hrs per day, 3 months per year (July to Oct) for washing vegetables and clean up.

A 10" buried line runs ~40 yards from the well to the warehouse. The well is used to fill a 3000 gal washing tank once a day, sprayers and wash lines eight hrs per day and for clean up one hr per day. Pressure was measured at 70 psi. The primary vegetables washed are onions and spuds.

No other water nts are used commercially. City water is used for the domestic purposes.

Have conditions of permit approval been met? ☒ yes ☐ no

RECEIVED
OCT 20 1993

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method:

$$\frac{25 \times 8.8 \times .7}{60 + 70 \times 2.31} = .70 \text{ cfs}$$

(based on well log info - pumping level on log at 86',
however larger pump probably used - est dynamic
pumping level @ 68' for 25 HP.)

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$$

2. Volume Calculations for Other Uses:

(per mgr's estimates)

washing tank — 3000 GPD (1 time fill/dy)
 sprayers — 4600 GPD (20 GPM x 60 min x 8 hrs)
 fire hose — 18000 GPD (300 GPM x 60 min x 1 hr)
 for clean-up — 30,600 GPD x 92 dgs/yr ÷ 325850 = 8.6 afa
 vs
 .70 x 92 x 1.9835 = 127.7 afa

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
INDUSTRIAL	7/1	9/30	.70	8.6
Totals:			.70	8.6

2. Recommended Amendments


☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name Lon Grewer Date 6/14/93

Reviewer _____ Date _____

SEAL
 RECORDED
 OCT 20 1993



IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: _____ OTHER APPLICABLE NO: 63-11221

2. OWNER: Tamura Produce Co Phone: 337-3837
Address: PO Box 275 Homedale id 83628

3. WELL LOCATION: Twp 5N, Rge. 5W, Sec. 9, Se 1/4 Se 1/4
County Canyon (Provide sketch map and photo on reverse.)

4. DRILLER: Pete Cape Lic. No. 213
When Drilled? 7/81

5. WELL CONSTRUCTION:

Casing Diameter 16 inches Water tight cap? ☒ Yes ☐ No Access Port: ☒ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing 195 ft. Method Drilled _____
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☒ Yes ☐ No Pressure Gauge: ☒ Yes ☐ No
Condition of Piping and Valving good
Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)

6. HYDROLOGIC INFORMATION:

Depth to Static Water 6 ft. Water Temperature cold °F
Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____

7. WELL USE:

☐ Domestic	☐ Irrigation	☐ Stock
☐ Test	☐ Municipal	☒ Industrial
☐ Abandoned	☐ Waste Disposal/Injection	☐ Not Used
☐ Other: _____		

RECEIVED
REC'D
OCT 20 1993

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS:



Signature of Dept. Representative & Title

6/10/93

Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

PROCESSED

OCT 20 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

USE TYPEWRITER OR
POINT PEN

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name Tamura Farms
Address Box 275-Homedale, ID. 83628
Owner's Permit No.

7. WATER LEVEL

Static water level 6 feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow
Artesian closed-in pressure p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature °F. Quality

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning)

8. WELL TEST DATA

☒ Pump ☐ Baller ☐ Air ☐ Other

Discharge G.P.M.	Pumping Level	Hours Pumped
900	86'	10

3. PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other (specify type)

9. LITHOLOGIC LOG

Hole Diam.	Depth		Material	Water Yes No
	From	To		
28	0	10	2' Sandy Top Soil-8' Blu Clay w/Sand	
	10	12	Blue Clay w/Sand Streaks	
	12	22	Sand-Gravel - River Rocks	
	22	32	Blue Clay	
	32	35	Blue Sand w/ Clay Streaks	
	35	38	Blue Clay	
	38	45	Fine Blue Sand	X
	45	55	Fine Blue Sand w/ Traces of Blu. Clay	
	55	62	Coarse Blue Sand - 10% Pea Gravel	
	62	65	Blue Clayw/Traces of Fine Sand	
	65	75	Fine Blue Sand w/Traces of Blu Clay	
	75	88	Fine Blue Sand	
	88	95	Blue Clay	
	95	105	Blue Clay w/ Silty Sand Streaks	
	105	110	Fine Sand	
	110	115	Blue Clay	
	115	118	Fine Blue Sand	
	118	123	Fine-coarse w/ small gravel	X
	123	125	Blue Clay w/Traces of Sand	
	125	138	Fine Blu Sand w/ Sandy Clay	
	138	146	Blue Clay	
	146	183	Fine to Med. w/Traces of "	
	183	186	Blue Clay	
	186	193	Fine Blu Sand w/ Clay Streaks	
	193	196	Fine to Medium Sand	
	196	200	Fine Sand w/ Clay Streaks	

4. METHOD DRILLED

☐ Rotary ☐ Air ☐ Hydraulic ☒ Reverse rotary
☐ Cable ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other

Thickness	Diameter	From	To
.250 inches	16 inches	2 feet	145 feet
.250 inches	16 inches	185 feet	195 feet

Was casing drive shoe used? ☐ Yes ☒ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation inches by inches

Number	From	To

Well screen installed? ☒ Yes ☐ No
Manufacturer's name Johnson Stainless Steel
Type Model No.
Diameter Slot size Set from 145 feet to 185 feet
Diameter Slot size Set from feet to feet
Gravel packed? ☒ Yes ☐ No ☐ Size of gravel 3/8" minus
Placed from 29' feet to 200 feet
Surface seal depth 29' Material used in seal: ☒ Cement grout
☐ Puddling clay ☐ Well cuttings
Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing
☒ Overbore to seal depth
Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent
Weld
☐ Cemented between strata
Describe access port 1 1/2"

RECEIVED

AUG 20 1981

Department of Water Resources
Western Regional Office

10.

Work started 7-29-81 finished 8-13-81

6. LOCATION OF WELL

Sketch map location must agree with written location.

Subdivision Name
Lot No. Block No.

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were
complied with at the time the rig was removed.

PETE COPE DRILLING CO., INC.


Firm Name Firm No. 213

Address P.O. Box 251-Meridian, ID. Date 8/13/81

Signed by (Firm Official) Pete Cope

and

(Operator)



well + 25 HP pump

warehouse



RECORDED

OCT 20 1993

February 12, 1991

TAMURA PRODUCE CO.
P.O. BOX 275
HOMEDALE, ID 83628

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11221

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

I note that the permit issued to you by the department requires the installation of a flow measurement port to allow the department to determine the rate of diversion. The proof which you submitted does not show that you have installed this equipment.


The installation of the flow measurement port must be complete by the time the department representative conducts the examination of your system unless the department has rescinded the requirement prior to the field examination. In some cases, the equipment requirement can be rescinded because the equipment cannot be physically installed, is not appropriate or can be accommodated with other measuring methods.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region



ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 103-11221

Date 2-1-91

GENERAL CONSIDERATIONS

- ☒ Name same as permit?
☒ Address same as permit? If no, prepare data entry form.
☒ Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

- ☐ Surface water source
☒ Ground water source
☒ Drill permit req'd?
☒ Copy in file? Drill permit no. _____
☒ Well log in file?
☒ Amt paid for drilling permit? _____ Correct?

LICENSE EXAMINATION FEE

- ☒ Required?
☒ Amount submitted? 100.00
☒ Correct amount?

MEASURING DEVICE

- ☒ Measuring device or access port required?
☒ Installed?
☐ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

needs flow measurement

PRIORITY CALCULATION

Date proof received	<u>NA</u>	
Date proof due		-
No. of days late		=
Priority date		+
NEW PRIORITY DATE		=

FILED

MAR 1 1991

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
August 13, 1990

TAMURA PRODUCE CO.
P.O. BOX 275
HOMEDALE, ID 83628

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 63-11221

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the flow measurement port.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

MICROFILMED

AUG 28 1990

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED
AUG 28 1990

NOTICE OF APPLICATION FOR WATER RIGHTS

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

TAMURA BROTHERS
P.O. BOX 275
HOMEDALE, ID 83628
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
Date Filed: 3/16/1990
In: T04N R05W S27

63-11219
SWSWNW Sec 27 T 04N R 05W
(1,000 CFS) (420.00 AF)
Total Diversion: (1,000 CFS) (420.00 AF)
SWNW S28NENE SENE NESE
120.0 ACRES TOTAL

TAMURA PRODUCE CO.
P.O. BOX 275
HOMEDALE, ID 83628
Source: GROUNDWATER
Diversion Pt:
Use: INDUSTRIAL
Date Filed: 3/16/1990
In: T05N R05W S09

63-11221
SESE Sec 9 T 05N R 05W
(1,000 CFS)
Total Diversion: (1,000 CFS)
SESE

TAMURA BROTHERS
P.O. BOX 275
HOMEDALE, ID 83628
Source: GROUNDWATER
Diversion Pt:
Use: DOMESTIC
Use: COMMERCIAL
Date Filed: 3/16/1990
In: T03N R05W S03

63-11222
NESENE Sec 3 T 03N R 05W
(.020 CFS)
(.040 CFS)
Total Diversion: (.060 CFS)
SENE

DALE, LORING J.
DALE, REBECCA A.
31147 CIRCLE DRIVE
PARMA, ID 83660
Source: GROUNDWATER
Diversion Pt:
Use: DOMESTIC
Use: STOCKWATER
Use: IRRIGATION
Date Filed: 3/20/1990
In: T06N R05W S28

63-11226
NWSESW Sec 28 T 06N R 05W
(.020 CFS)
(.020 CFS)
(.140 CFS)
Total Diversion: (.180 CFS)
SESW

LITTLE, HARRY M.
LITTLE, MYRNA J.
2990 LEISURE DR.
BOISE, ID 83704
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
Date Filed: 3/21/1990
In: T03N R03W S23

63-11240
SESE Sec 23 T 03N R 03W
(1,540 CFS)
Total Diversion: (1,540 CFS)
SESE SWSW NWNW
77.0 ACRES TOTAL

TRUNNELL, DORIS
27527 FERN LN.
WILDER, ID 83676
Source: GROUNDWATER
Diversion Pt:
Use: DOMESTIC
Use: IRRIGATION
Date Filed: 3/22/1990
In: T04N R05W S20

63-11246
NWNW Sec 20 T 04N R 05W
(.080 CFS)
(.020 CFS)
Total Diversion: (.100 CFS)
NWNW

STEPHENS, JAMES A.
STEPHENS, JO ANNE E.
14460 SAND HOLLOW RD.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
Use: DOMESTIC
Date Filed: 3/27/1990
In: T05N R03W S10

63-11255
SWSE Sec 10 T 05N R 03W
(.150 CFS)
(.040 CFS)
Total Diversion: (.190 CFS)
SWSE

VICKERS, KIRBY D.
VICKERS, CHERYL L.
1115 SKYE DR.
NAMPA, ID 83651
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
Date Filed: 4/16/1990
In: T03N R04W S14

NWNW Sec 14 T 03N R 04W
(.200 CFS)
Total Diversion: (.200 CFS)
NWNW

IDAHO CONCRETE CO.
C/O TIM JOHNSON
P.O. BOX 670
CALDWELL, ID 83606
Source: GROUNDWATER
Diversion Pt:
Use: COMMERCIAL
Use: DOMESTIC
Date Filed: 3/20/1990
In: T04N R03W S21

63-11319
SWNENW Sec 21 T 04N R 03W
(.040 CFS)
(.060 CFS)
Total Diversion: (.100 CFS)
NENW

WILBUR-ELLIS CO.
P.O. BOX 988
CALDWELL, ID 83606
Source: GROUNDWATER
Diversion Pt:
Use: COMMERCIAL
Use: HEATING
Date Filed: 5/4/1990
In: T04N R04W S23

63-11321
NENWSE Sec 23 T 04N R 04W
(.040 CFS)
(.020 CFS)
Total Diversion: (.040 CFS)
NWSE

NICHOLSON, CARL V.
NICHOLSON, THOMAS T.
P.O. BOX 703
MERIDIAN, ID 83642
Source: WASTE WATER
Diversion Pt:
Use: IRRIGATION
Date Filed: 3/21/1990
In: T01N R03W S25

63-11323
Tributary: SNAKE RIVER
NENENW Sec 36 T 01N R 03W
NENWSW Sec 03 T 01S R 03W
(1,500 CFS)
Total Diversion: (1,500 CFS)

DESHAZER, GARY L.
DESHAZER, SHARON L.
27792 W. USTICK RD.
WILDER, ID 83676
Source: GRIFFITH DRAIN
Diversion Pt:
Use: IRRIGATION
Date Filed: 4/2/1990
In: T04N R05W S33

63-11324
NWSW SWSW SESW
S36 NESE NENW SESE
S09 NENE SENE
90.0 ACRES TOTAL

URQUIAGA, ED
14151 FROST RD.
CALDWELL, ID 83605
Source: SPRINGS
Diversion Pt:
Use: IRRIGATION
Use: DOMESTIC
Date Filed: 5/18/1990
In: T03N R04W S22

63-11327
Tributary: SNAKE RIVER
LOT 1 (SWSW) Sec 33 T 04N R 05W
(.090 CFS)
Total Diversion: (.090 CFS)
SWSW

TMCO INC.
P.O. BOX R
NAMPA, ID 83653
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
Date Filed: 5/16/1990
In: T03N R01W S17

63-11330
NESENW Sec 17 T 03N R 01W
SESENW Sec 17 T 03N R 01W
(2,580 CFS)
Total Diversion: (2,580 CFS)
Lot 1 (SWSW)

63-11330
SWNE SENW SENE NENW
129.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before JUNE 25, 1990.
R. KEITH HIGGINSON, Director
June 6, 13, 1990

MICROFILMED
AUG 28 1990

63-11221

TAMURA PRODUCE CO.
P.O. BOX 275
HOMEDALE, ID 83628

Source: GROUNDWATER

Diversion Pt: SESE Sec 9 T 05N R 05W

Use: INDUSTRIAL (1.000 CFS)
Total Diversion: (1.000 CFS)

Date Filed: 3/16/ 1990

In: T05N R05W S09 SESE

MICROFILMED

AUG 28 1990