


13.

TIS
R2W

ber,




Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X. *Jean Renska*
(Applicant)

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
1	Red Jacket	20	40273P192		

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: Theoretical Horsepower

AUG 08 1994



T

1520 Sec 13

AUG 08 1994



152W

APPROVED
AUG 08 1994

T3867

T3899

T3962

T3990

T3915

T5125

T3832

4.8

6.5

7.5 8

2

NW

3

3.6

27.7

5.4

2

H/NW

5.2

H/NW

2.7

H/NW

3

7.3

4

3.3

2.8

H/NW

7

H/NW

4

5.6

3

2.6

2

6.6

N/NW

5.8

N/NW

2.6

N/NW

1.8

2

N/NW

4.5

3

17.5

N/NW

8

H/NW

6.2

10.5

7

22.3

4.5

5.6

1

N/NW

4

4.5

6

2.2

3

1.7

1.1

1.1

1.1

1.1

1.1

1.1

63-11212

5/18/93



P/D NESE 13



Point of discharge
into delivery ditch

MURKIN

AUG 08 1994



Portion of Pru (south end) recently planted
Delivery ditch runs length of Pru (North-South)
& irrigation is by gravity flow.

AUG 08 1994

63-11212
5/18/93

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11212

Priority: March 5, 1990

Maximum Diversion Rate: 0.52 CFS
Maximum Diversion Volume: 117.0 AF

This is to certify, that JEAN REINEKE
2645 CAN ADA RD
MELBA ID 83641

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated February 26, 1990; and
has submitted Proof of Beneficial Use on July 8, 1991. An examination indicates
that the works have a diversion capacity of .560 cfs of water from a GROUNDWATER
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.52 CFS	117.0 AF

LOCATION OF POINT(S) OF DIVERSION:

NESE , Sec. 13, Township 01S, Range 02W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
01S	02W	13	SENE 19	NESE 7		26

Total number of acres irrigated: 26

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.
6. The right holder shall fully use all surface water rights appurtenant to the lands identified above prior to using water under this right.

MICROFILMED


AUG 08 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11212

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 3RD
day of AUGUST, 1994.


Acting for R. Keith Higginson, Director

MAILED
AUG 08 1994

RECEIVED
JUL 08 1991

STATE OF IDAHO

For Office Use Only
Amt. of Fee \$ 100.00
Date 7-8-91
Receipt No. 0021086
Received by [Signature]

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

- Permit No. 63-11212 Telephone No. 495-2448
- Name(s) of Permit Holder(s): Jean Reineke
- Post Office Address: 2675 Can-Ada Rd. So. Melba, ID 83641
- Source of Water: ground water
 - If ground water, well driller's name: Charles H. Reineke Date drilled: 1977
 - Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____
- Extent of Use:

Domestic _____ (No. of households)	Irrigation <u>27</u> (No. of acres)
Stockwater _____ (No. and type of stock)	Other _____
- Total rate and/or volume for which proof is submitted 0.54 cfs _____ acre/feet
- Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

OR

Flow Measurement Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No
- Fee Enclosed: \$ 100.00 (See License Examination Fee Schedule)
- Person to contact to accompany the Department representative during the field examination:

Mike Lenz 495-2866
Name Telephone No.

Melba, ID 83641
Address
- The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

RECEIVED
AUG 06 1991

6-27-91
Date

Jean Reineke
Signature (and title if on behalf of a company or organization)

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 63-11212 IN THE)
NAME OF JEAN REINEKE) ORDER OF REINSTATEMENT
_____)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before July 1, 1991; and,

WHEREAS, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,


WHEREAS, the Department notified the permit holder that the permit lapsed for failure of the permit holder to submit the proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on July 8, 1991;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 63-11212 be REINSTATED and the priority advanced to March 5, 1990.

Dated this 25th day of July, 1991.


L. GLEN SAXTON, Chief
Water Allocation Bureau

MICROFILMED

AUG 06 1991

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11212

Proposed Priority: February 26, 1990 Maximum Diversion Rate: 0.54 CFS
This is to certify, that **JEAN REINEKE**

2645 CAN ADA RD.
MELBA, ID 83641

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.54 CFS

LOCATION OF POINT(S) OF DIVERSION: NESE Sec. 13, Township 01S, Range 02W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
01S 02W 13	SENE 20	NESE 7		27
Total number of acres irrigated:				27

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 1991.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

11th day of June, 1990.

R. Keith Higginson
for R. Keith Higginson, Director

MICROFILMED

JUN 21 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Jean Reineke Phone 208-495-2448
Post office address 2645 Can-Ada Rd., Melba, ID 83641
2. Source of water supply groundwater which is a tributary of _____
3. Location of point of diversion is _____ 1/4 of NE 1/4 of SE 1/4, Govt. Lot _____
Sec. 13 Township 15 Range 2W B.M. Canyon County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.54 for irrigation purposes from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.54 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. Well, pump & pipeline to ~~sprink~~ ditches.
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet; period of year when water will be diverted to storage: _____ to _____ inclusive.
 - c. Proposed well diameter is 18 inches; proposed depth of well is 400 feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? NO
7. Time required for the completion of the works and for the water to the proposed beneficial use is 1 years (minimum 1 year).

MICROFILMED

JUN 21 1990

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
15	2W	13				20									7				27

Total number of acres to be irrigated 27

10. Describe any other water rights used for the same purposes as described above. Boise-Kuna Irrig. Dist. shares

- Who owns the property at the point of diversion? Applicant
- Who owns the land to be irrigated or place of use? Applicant
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: Well has been in since 1977. This is a supplemental Filing.

FILED
JUN 21 1990

13.

TIS

ber,

R2W

620 000
FEET

4801

4800

4799

4798

20' **InterfIL**

JUN 21 1990

16 MI
KUN 897

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X *John Reinske*
(Applicant)

Received by KEW Date 3-1-90 Time 9:15 am Preliminary check by FL
Fee \$ 45.00 Receipted by KEW # 2014969 Date 3-26-90
Publication prepared by GG Date 3/14/90 Published in Press-Tribune
Publication approved _____ Date 3/21 & 3/28/90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

MICROFILMED
JUN 21 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

August 3, 1994

JEAN REINEKE
2645 CAN ADA RD
MELBA ID 83641

RE: WATER RIGHT NO. 63-11212

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

JIM JOHNSON, Manager
Water Right Permits Section

JJ:dc

Enclosure

MAILED 10

AUG 08 1994

LICENSE REVIEW
Cindy Zimmerman

Permit #: 63-11212 Name: Reinke Date: 6/27/94

NAME	Yes ☐ No ☒	Or Address Change?
SOURCE	☐ ☒	Change/Clarify source Prelim. Order to Void - Source change.
P/D	☐ ☒	Amendment Needed? clarify? <u> </u> -P39, P38 Overlap(s) <u> </u>
P/U	☐ ☒	Amendment Needed? reduce? <u>ok NGSE 7A TOTAL 26A</u> Overlap(s) <u> </u> -P41, P38 *P/D & P/U Amend? <u> </u> (See list for feds.)
RATE	☐ ☒	Measurement Done? <u> </u>
	☒ ☐	Theoretical Only? <u>26A x .02 cfs/A = 0.52 cfs.</u>
	☒ ☐	Theoretical (HP) $\frac{8.8 \times 0.70 \times 20}{220 + (2.31 \times 0)} = 0.56 \text{ cfs}$
	☒ ☐	Capacity <u>0.56</u> cfs Allowable Amount: <u>0.52</u> cfs
VOLUME	☒ ☐	Season of Use: <u>irr: 3/15-11/15</u> days <u>246</u> Calculations: <u>26A x 4.5 AF/A = 117.0 AF/A</u> Flow limit: <u>.52</u> x <u>246</u> x <u>1.9835</u> = <u>273.2</u> AF Allowable volume <u>117.0</u> AF
USES	☐ ☒	Change(s) in Nature of Use? <u> </u> -P46 Amendment Needed? <u> </u>
REMARKS	☐ ☒	Multiple p/d's in $\frac{1}{4}$? <u> </u> ☒ ☒ Other <u>WB3</u>
CONDITIONS	☒ ☒	Measuring/Locking Devices ~~R04~~ Watermaster Control - Water District <u> </u> ~~R32~~ Irrigation Overlap ☒ Water Quality ☒ Other
PRIORITY	☒ ☐	Correct fee submitted? Receipt No. <u>6021086</u> ☐ ☒ Order to Reinstate Needed? Done? <u>7/25/91</u> Advance(d)? ☒ Advanced to: <u>3/5/90</u> App Rcd <u>2/16/90</u> Priority <u>2/26/90</u> Exam done <u>5/18/93</u>

COMMENTS: reduce to 26 A

RECOMMENDED	CFS	DIV VOL	LICENSE <u>P49</u>
<u>irr/26A</u>	<u>0.52</u>	<u>117.0</u>	#1 AMEND LTR: P46 or P39/P41/P37 & P38
<u>TOTAL</u>	<u>0.52</u>	<u>117.0</u>	#2 AMEND LTR: P42/P47

WR0749NP
No. L63-11212

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 08/01/94
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	JEAN REINEKE 2645 CAN ADA RD MELBA ID 83641 (208) 495-2448	03/05/1990	IRRIGATION	03-15 11-15	0.52 CFS	117.00 AFA
TOTAL DIVERSION:					0.52 CFS	117.00 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.56 CFS

Point(s) of Diversion: T01S R02W S13

NESE

CANYON County

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE															
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	SUM	
01S	02W	13	:									:								:					:					:	26.0
																												07	:	26.0	
																												TOTAL ACRES	:	26.0	

Pou County: CANYON

Other Rights: BOISE-KUNA IRRIGATION DISTRICT SHARES

Other Water Rights with Same Point(s) of Diversion and Source:
63-11212

Other Water Rights Listing Overlapping Place(s) of use:
63-11212

Conditions of Approval:

- R32 - This right when combined with all other rights shall provide no
- more than .02 cfs per acre nor more than 4.5 afa per acre for the
- lands above.

Remarks: The right holder shall fully use all surface water rights
appurtenant to the lands identified above prior to using water
under this right.

Dates:	App. Received:	02/26/1990	Priority Date:	03/05/1990	(Priority Date Advanced.)
	Proof Due Date:	07/01/1991	Proof Made Date:	07/08/1991	(Proof Received Late.)
	Exam Made Date:	05/18/1993	Exam Sent to S.O.:	06/29/1993	
	Licensed Date:				

Misc: Water District Number: 63 Field Exam Fee: R (Received)

Audit: 06/27/94 CZIMMERM

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '*' ARE ADJUDICATION CLAIMS)

		NE								NW								SW								SE																			
WR-NUMBER	SOURCE	NE		NW		SW		SE		NE		NW		SW		SE		NE		NW		SW		SE		NE		NW		SW		SE		SUM											
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac														
6311212	T01S R02W S13	GROUNDWATER																																											
	:																				20	:																				:	07	:	27
6302388	BOISE RIVE :																				:	:																				:			
A6302388	BOISE RIVE :																				:	:																				:			
6311115	GROUNDWATE :																				:	:																				:			
	C27Q-Y 56 :	40		39						39	37	37	37	:	36	36	39	36	:	39	38	40	38	:	79																				
	C73Q-Y 56 :	40		39		40				37	38	39	40	:	40	39	40	42	:	42	41	40	42	:	605																				
																																639													

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 30 1993
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 68-11212

1. Owner: Jean Reineke

Phone No. 495-2448

Current Address: 2645 Can Ada Rd Melba 83641

2. Accompanied by: Fred Burdick/Jean Reineke

EXAM DATE: 5/18/93

Address: _____

Phone No. _____

Relationship to Permit Holder: _____

3. Source: groundwater

tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: NONE

2. Other water rights with the same point of diversion: NONE

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	SE	13	15	2W	Canyon	Site Visit, Orthophoto


2. Place(s) of Use:

Indicate Method of Determination Site Visit, ASCS

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
15	2W	13				19											7		26
	</																		

AUG 08 1994

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.D. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
1	Red Jacket	20	40273P192		

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: Theoretical Horsepower

AUG 08 1994

E. NARRATIVE/REMARKS/COMMENTS

Pump @ 220', Submersible.
6" x 350' well, underground main dumps into cement ditch, combined w/ canal water for supplemental irrigation via siphon tube. Water could be delivered to other acres except for insufficient capacity but has only been developed on the one parcel, approx 27 acres.
* well usually pumps dry in a few hours

Well not in operation at time of exam. Ground has been planted to corn & potatoes. Well used last year and will be used end of season this year if necessary.

Wood Pump Co - Pump Installation
Well log should be on file

Have conditions of permit approval been met? ☒ yes ☐ no

RECEIVED
AUG 08 1994

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method: HP

$$\frac{20 \times 8.8 \times .7}{\cancel{220'}} = .56 \text{ cfs}$$

psi = 0, open discharge

allow .52 cfs

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 26 \times 4.5 = 117$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .52 \times 246 \times 1.9835 = 253.7$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{117}$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>IRR</u>	<u>3/15</u>	<u>11/15</u>	<u>.52</u>	<u>117</u>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			<u>.52</u>	<u>117</u>

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION


Field Examiner's Name CJ Hodges Date 5/28/93

Reviewer _____ Date _____

SEAL

NOT RECORDED

AUG 08 1994



4802
T 15

620 000
FEET

4801

4800

4799

4798


20'

16 MI
KUN 87

4796

15200 Sec 13

AUG 02 1994



T3867

N/NW

H/NW

H/NW

T3899

H/NW

H/NW

4

5.6

3

2.6

6

8.1

7.2

2.1

11

5

7.2

14.2

1

14.2

N/NW

H/NW

2

3.5

H/NW

3

4.3

4

19.0

H/NW

5

3.4

6

1.4

N/NW

H/NW

T3915

H/NW

3

8.1

H/NW

5.2

4.7

2.7

T3990

N/NW

2

25.7

11.0

8

15.5

7

14.2

6

8.1

3

2.6

6.6

2

N/NW

5.8

8

7.8

5

7.3

3

7.3

H/NW

3.6

NW

8

6.5

4.8

T3962

N/NW

1

14.2

8

15.5

7

14.2

6

8.1

3

2.6

6.6

2

N/NW

5.8

8

7.8

5

7.3

3

7.3

H/NW

3.6

NW

8

6.5

4.8

11.8

2

N/NW

4.5

3

17.5

8

6.2

H/NW

13.5

2

4.1

H/NW

13.5

2

4.1

H/NW

13.5

2

4.1

H/NW

13.5

2

4.1

H/NW

13.5

2

4.1

H/NW

13.5

2

4.1

H/NW

13.5

2

4.1

H/NW

13.5

2

4.1

H/NW

13.5

2

4.1

H/NW

13.5

2

4.1

H/NW

13.5

2

4.1

H/NW

13.5

2

4.1

H/NW

13.5

2

4.1

H/NW

13.5

2

4.1

H/NW

13.5

2

4.1

H/NW

13.5

2

4.1

H/NW

13.5

2

4.1

H/NW

13.5

2

4.1

H/NW

13.5

2

4.1

H/NW

13.5

2

4.1

H/NW

13.5

2

4.1

H/NW

13.5

2

4.1

H/NW

13.5

2

4.1

H/NW

13.5

2

4.1

H/NW

13.5

2

4.1

H/NW

13.5

2

4.1

H/NW

13.5

2

4.1

H/NW

13.5

2

4.1

H/NW

13.5

2

4.1

H/NW

13.5

2

4.1

H/NW

13.5

2

4.1

H/NW

13.5

2

4.1

H/NW

13.5

2

4.1

H/NW

13.5

2

4.1

H/NW

13.5

2

4.1

H/NW

13.5

2

4.1

H/NW

13.5

2

4.1

H/NW

13.5

2

4.1

H/NW

13.5

2

4.1

H/NW

13.5

2

4.1

H/NW

13.5

2

4.1

H/NW

13.5

2

4.1

H/NW

13.5

2

4.1

H/NW

13.5

2

4.1

H/NW

13.5

2

4.1

H/NW

13.5

2

4.1

H/NW

13.5

2

4.1

H/NW

13.5

2

4.1

H/NW

13.5

2

4.1

H/NW

13.5

2

4.1

H/NW

13.5

2

4.1

H/NW

13.5

2

4.1

H/NW

13.5

2

4.1

H/NW

13.5

2

4.1

H/NW

13.5

2

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 103-11212

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 15, Rge 2W, Sec. 13, NE 1/4 SE 1/4 or Lot _____.

2. Owner: Jean Reineke
Address _____, City _____, St _____

3. Casing $\geq$ 12 inches above ground: Yes ☒ No _____

4. Access Port:	Yes ☒ No ☐	Static Water Level: _____
Pressure Gauge:	Yes ☐ No ☒	Casing Diameter: <u>6</u>
Flowing:	Yes ☐ No ☒	Temperature: <u>COLD</u>

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes _____ No ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: _____

RECORDED

AUG 08 1994

63-11212

5/18/93



P/D NESE 13



Point of discharge
into delivery ditch

RECEIVED

AUG 08 1994



Portion of Pru (south end) recently planted
Delivery ditch runs length of Pru (North-South)
& irrigation is by gravity flow.

AUG 08 1994

63-11212
5/18/93

July 26, 1991

JEAN REINEKE
2645 CAN ADA RD.
MELBA, ID 83641

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11212

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order advancing the priority of the permit since the proof was received after the proof due date. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

Enclosure

RECEIVED


AUG 06 1991

Mrs. Jean Reineke
2645 Carr-Ada Road S.
Melba, Idaho 83641

AUG 06 1991

RECEIVED

Dept. of Water Resources
1501 W. Orchard St.
Statehouse Mail
Boise, ID 83720-9000



WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

July 5, 1991

JEAN REINEKE
2645 CAN ADA RD.
MELBA, ID 83641

LAPSE NOTICE

RE: PERMIT NO. 63-11212

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated April 30, 1991. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifteen dollar (\$15) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:rf


Enclosures

MICROFILMED

AUG 06 1991

CERTIFICATION OF MAILING

I hereby certify that on 7-8-91
a copy/an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.



JEAN REINEKE
2645 CAN ADA RD.
MELBA, ID 83641

138466
April 30, 1991

PROOF DUE NOTICE
RE: PERMIT NO. 63-11212

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before July 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

AUG 06 1991

S T A T E O F I D A H O

DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
June 11, 1990

JEAN REINEKE
2645 CAN ADA RD.
MELBA, ID 83641

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P63-11212

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

JUN 21 1990

63-11212

REINEKE, JEAN
2645 CAN ADA RD.
MELBA, ID 83641

Source: GROUNDWATER

Diversion Pt: NESE Sec 13 T 01S R 02W

Use: IRRIGATION (.540 CFS)
 Total Diversion: (.540 CFS)

Date Filed: 2/26/1990

In: T01S R02W S13 SENE NESE

27.0 ACRES TOTAL

MICROFILMED

JUN 21 1990