


T02 N, R02W, Sec 1

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

T02N R02W



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

LeRoy Blickenstaff
(Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JAN 25 1993

Department of Water Resources

A. GENERAL INFORMATION


Permit No. 63-11210
1. Owner: Le Roy & Debbie Blackenstaff Phone No. 469-5944
Current Address: 3115 S. HAPPY VALLEY Rd. Nampa IDAHO 83651
2. Accompanied by: Le Roy Blackenstaff EXAM. DATE: 7-20-92
Address: same Phone No. same
Relationship to Permit Holder: same
3. Source: groundwater tributary to -N/A-

B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-11209 Blackenstaff
☐ Copies Attached
2. Other water rights with same point of diversion: 63-11209 Blackenstaff
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION


1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☒ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

MICROFILMED
FEB 18 1993



PROTECTED
FEB 18 1993
2 lines
33 head
8 head

PERMIT	63-11210	INIT	DT
T.	R.	S.	Q/Q
P/D	2n 2w 1	rese	
SCALE			
PHOTO ID.			



T3
T2

4822

4821

32' 30"

4820

4819

4818

4817000mN 8 1993

32' 30"

538

539

540000mE

43° 30'
116° 30'

28 2 lines of 20
 12" irrigation nursery
 15hp 1 1/2 hp well log
2 pressure tanks

10hp. Baldo,
 8" casing 25 Acres
 3/4 for shop.

466-6872.

66 @ 1/8"

66 x 3.30
 3.40


.5 cfs

92.4

126.5
 50
 176.5

PHOTO FILMED
 FEB 18 1993

63-11210




View of some of the
~~the~~ plus: and scenery
at the Nursery.



NOT RECORDED

FEB 18 1993

63-11210.



View of the well housing.



MICROFILMED

FEB 18 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 63-11210

Priority: February 1, 1990

Maximum Diversion Rate: 0.57 CFS
Maximum Diversion Volume: 206.4 AF

This is to certify, that LE ROY BLICKENSTAFF
DELORES BLICKENSTAFF
MICHAEL BLICKENSTAFF

3115 S HAPPY VALLEY RD
NAMPA ID 83686

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 1, 1990; and has submitted Proof of Beneficial Use on August 15, 1990. An examination indicates that the works have a diversion capacity of .570 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.51 CFS	184.5 AF
COMMERCIAL	01/01 to 12/31	0.06 CFS	21.9 AF
Totals		0.57 CFS	206.4 AF

LOCATION OF POINT(S) OF DIVERSION:

NESE , Sec. 1, Township 02N, Range 02W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	02W	1	NESE 15	NWSE 3	SWSE 5	
			SESE 18			41

Total number of acres irrigated: 41

PLACE OF USE: COMMERCIAL, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

RECORDED

FEB 18 1993


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 63-11210

CONDITIONS/REMARKS:

5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.
6. The right holder shall fully use all surface water rights appurtenant to the lands identified above prior to using water under this right.
7. Commercial use is for a nursery.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 3RD day of FEBRUARY, 1993.

Acting for  R. Keith Higginson, Director

FEB 18 1993

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 63-11210

Proposed Priority: February 1, 1990 Maximum Diversion Rate: 0.82 CFS
This is to certify, that **LE ROY BLICKENSTAFF**

DELORES BLICKENSTAFF
MICHAEL BLICKENSTAFF
3115 S. HAPPY VALLEY RD.
NANPA, ID 83686

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.82 CFS
COMMERCIAL	01/01 to 12/31	0.06 CFS
	Totals	0.82 CFS

LOCATION OF POINT(S) OF DIVERSION: NENESE Sec. 1, Township 02N, Range 02W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	02W	1	NESE 15	NWSE 3	SWSE 5	41
			SESE 18			
						41

Total number of acres irrigated: 41

PLACE OF USE: COMMERCIAL, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 1991.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.
5. Commercial use is for a plant and shrub nursery.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

14th day of June, 1990

MICROFILMED

JUL 24 1990

R. Keith Higginson
R. Keith Higginson, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant BLICKENSTAFF, LEROY & DELORES, & MICHAEL Phone 208-466-5944
Post office address 3115 So. Happy Valley Rd., Nampa, ID 83686
2. Source of water supply GROUNDWATER which is a tributary of _____
3. Location of point of diversion is NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of SE $\frac{1}{4}$, Govt. Lot _____
Sec. 01 Township 02N Range 02W B.M. CANYON County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount (0.82) 0.82 cfs for IRRIGATION purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-foot per annum)
Amount 0.06 cfs for COMMERCIAL purposes from 01/01 to 12/31 (both dates inclusive)
(cfs or acre-foot per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-foot per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-foot per annum)
5. Total quantity to be appropriated is (a) 0.82 cfs and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. WELL, EXISTING, 12" CASING, 97' DEPTH
WITH 1.5 HP & 1.5 HP PUMP WITH PIPE & SPARKLER SYSTEM, ALSO SERVICE
TO NURSERY & GREENHOUSES FOR YEAR-ROUND PLANT CARE.
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. EXISTING ~~Proposed~~ well diameter is 12" inches; proposed depth of well is 97' feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? NO
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 YR. EXISTING years (minimum 1 year).

MICROFILMED

JUL 24 1990

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. _____
- e. Other; describe fully. COMMERCIAL FOR NURSERY FOR PLANT & SHRUB CARE

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
BRN	DRW	01													1503.9	5.9	18.0		41.0

Total number of acres to be irrigated 41.0


10. Describe any other water rights used for the same purposes as described above. NAMPA - MERIDIAN DITCH RTS

11. a. Who owns the property at the point of diversion? CLAIMANT/APPLICANT
- b. Who owns the land to be irrigated or place of use? APPLICANT
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: WELL WAS ACTUALLY USED FOR THESE PURPOSES SINCE DEC. OF 1972.

MICROFILMED

JUL 24 1990




T02 N, R02 W, SEC 1

SCALE 1:24,000

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

T02N R02W



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

LeRoy Blickenstaff
(Applicant)

Received by Ys. kw Date 2/2/90 Time 2:15pm Preliminary check by RW
Fee \$ 45.00 Receipted by kw # 0014342 Date 2-1-1990
Publication prepared by GG Date 3/14/90 Published in Press-Tribune
3/21 & 3/28/90
Publication approved st Date 5-16-90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

MICROFILMED
JUL 24 1990

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

filed to appropriate the public waters of

63-11203

DIVETIS, HANIL
DIVETIS, EDITH
16290 OAKS RD.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversions Pt:
Use: IRRIGATION
Date Filed: 2/20/1990
In: T05N R03W S05

63-11150

LOT 2 (NENWNE)

Sec 5 T 05N R 03W
(.040 CFS)
(.040 CFS)
Total Diversion: (.040 CFS)

1.5 ACRES TOTAL

63-11155

PIONEER BREED INT. INC.
9178 LAKESHORE DR.
NAMP, ID 83686
Source: GROUNDWATER
Diversions Pt:
Use: COMMERCIAL
Date Filed: 3/1/1990
In: T02N R02W S10

SENE

Sec 16 T 02N R 02W
(.040 CFS)
(.040 CFS)
Total Diversion: (.040 CFS)

63-11156

GANIUSCIO, JOSEPH M.
GANIUSCIO, KATHLEEN C.
12340 GALLOWAY
MIDDLETON, ID 83644
Source: GROUNDWATER
Diversions Pt:
Use: IRRIGATION
Use: STOCKWATER
Use: DOMESTIC
Date Filed: 2/23/1990
In: T05N R03W S25

NWNE

Sec 25 T 05N R 03W
(.150 CFS)
(.020 CFS)
(.040 CFS)
Total Diversion: (.200 CFS)

5.0 ACRES TOTAL

63-11158

CHANCE, BEN
18403 MIDDLETON RD.
NAMP, ID 83687
Source: GROUNDWATER
Diversions Pt:
Use: IRRIGATION
Date Filed: 2/09/1990
In: T04N R02W S31

SESENE

Sec 31 T 04N R 02W
(.120 CFS)
(.120 CFS)
Total Diversion: (.120 CFS)

4.0 ACRES TOTAL

63-11160

JOHNSON, E. RANDALL
JOHNSON, BETTY L.
720 FLECHER DR.
NAMP, ID 83686
Source: GROUNDWATER
Diversions Pt:
Use: COMMERCIAL
Date Filed: 2/26/1990
In: T02N R02W S35

NWNE

Sec 35 T 02N R 02W
(.040 CFS)
(.040 CFS)
Total Diversion: (.040 CFS)

63-11174

ITAMI, DENNIS J.
ITAMI, EVELYN K.
16272 LAKE AVE.
NAMP, ID 83651
Source: GROUNDWATER
Diversions Pt:
Use: IRRIGATION
Use: DOMESTIC
Date Filed: 2/27/1990
In: T03N R03W S12

NWSW

Sec 12 T 03N R 03W
(.130 CFS)
(.020 CFS)
Total Diversion: (.150 CFS)

6.5 ACRES TOTAL

63-11187

THANNINGTON, CHARLES A.
THANNINGTON, MARCIETA JOY
22368 LOWER PLEASANT RIDGE RD.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversions Pt:

LOT 3 (NWSW)
LOT 4 (SWSW)
SESW
NESE
Total Diversion: (3.000 CFS)

250.0 ACRES TOTAL

63-11188

QUENZER, GEORGE G.
QUENZER, DIANE R.
7760 FOOTHILL RD.
MIDDLETON, ID 83644
Source: LANKTREE CULCH
Diversions Pt:
Use: IRRIGATION
Date Filed: 2/28/1990
In: T04N R02W S02

SENE

Tributary: MILL SLOUGH
Sec 2 T 04N R 02W
(.800 CFS)
(.800 CFS)
Total Diversion: (.800 CFS)

49.0 ACRES TOTAL

63-11193

MILLER, R. KEITH
MILLER, VICTORIA A.
6946 USTICK RD.
NAMP, ID 83687
Source: GROUNDWATER
Diversions Pt:
Use: IRRIGATION
Date Filed: 3/1/1990
In: T04N R02W S30

SWSWSW

Sec 36 T 04N R 02W
(.030 CFS)
(.030 CFS)
Total Diversion: (.030 CFS)

1.0 ACRES TOTAL

63-11201

REYNOLDS, JOHN B.
REYNOLDS, CLARA L.
7820 USTICK RD.
NAMP, ID 83687
Source: GROUNDWATER
Diversions Pt:
Use: IRRIGATION
Use: DOMESTIC
Date Filed: 2/16/1990
In: T04N R02W S35

SESWSW

Sec 35 T 04N R 02W
(.030 CFS)
(.040 CFS)
(.070 CFS)
Total Diversion: (.070 CFS)

1.0 ACRES TOTAL

63-11202

KRAJNIK, ED
KRAJNIK, ONVETA
4749 RIM RD.
NAMP, ID 83686
Source: GROUNDWATER
Diversions Pt:
Use: IRRIGATION
Use: DOMESTIC
Date Filed: 2/16/1990
In: T02N R03W S13

NWSENE

Sec 13 T 02N R 03W
(.150 CFS)
(.040 CFS)
(.180 CFS)
Total Diversion: (.180 CFS)

5.0 ACRES TOTAL

ALLEN, GEORGE H.
21832 USTICK RD.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversions Pt:
Use: IRRIGATION
Use: STOCKWATER
Use: DOMESTIC
Date Filed: 2/21/1990
In: T04N R04W S33

SWSW

Sec 33 T 04N R 04W
(.100 CFS)
(.020 CFS)
(.040 CFS)
Total Diversion: (.160 CFS)

5.0 ACRES TOTAL

63-11205

SUNNY SLOPE FRUIT CO.
14068 SUNNY SLOPE RD.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversions Pt:
Use: COMMERCIAL
Date Filed: 2/28/1990
In: T03N R04W S23

SWSE

Sec 23 T 03N R 04W
(.200 CFS)
(.200 CFS)
Total Diversion: (.200 CFS)

SWSE

63-11206

MERTZ, JAMES P.
SYMMS, R.A.
14068 SUNNY SLOPE RD.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversions Pt:
Use: COMMERCIAL
Date Filed: 2/20/1990
In: T03N R05W S12

NENENE

Sec 12 T 03N R 05W
(.200 CFS)
(.200 CFS)
Total Diversion: (.200 CFS)

NENE

63-11208

SCHUMACHER, FREDERICK
SCHUMACHER, JUNE
16531 PLUM RD.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversions Pt:
Use: IRRIGATION
Date Filed: 2/21/1990
In: T03N R04W S09

NESE

Sec 9 T 03N R 04W
(.020 CFS)
(.020 CFS)
Total Diversion: (.020 CFS)

NESE

0.5 ACRES TOTAL

63-11209

BLICKENSTAFF, LEROY
BLICKENSTAFF, DELORES
3115 S. HAPPY VALLEY RD.
NAMP, ID 83686
Source: GROUNDWATER
Diversions Pt:
Use: IRRIGATION
Use: COMMERCIAL
Date Filed: 2/1/1990
In: T02N R02W S01

SWNESE

Sec 1 T 02N R 02W
(.800 CFS)
(.040 CFS)
Total Diversion: (.800 CFS)

NESE

NWSE

40.0 ACRES TOTAL

63-11210

BLICKENSTAFF, LEROY
BLICKENSTAFF, DELORES
3115 S. HAPPY VALLEY RD.
NAMP, ID 83686
Source: GROUNDWATER
Diversions Pt:
Use: IRRIGATION
Date Filed: 2/01/1990
In: T02N R02W S01

NENESE

Sec 1 T 02N R 02W
(.820 CFS)
(.020 CFS)
Total Diversion: (.820 CFS)

41. ACRES TOTAL

63-11212

REINEKE, JEAN
2645 CANADA RD.
MELDA, ID 83641
Source: GROUNDWATER
Diversions Pt:
Use: IRRIGATION
Date Filed: 2/26/1990
In: T01S R02W S13

NESE

Sec 13 T 01S R 02W
(.540 CFS)
(.540 CFS)
Total Diversion: (.540 CFS)

SENE

NESE

27.0 ACRES TOTAL

63-11214

ROLLING HILLS WATER CORP.
19072 OWYHIEE DR.
NAMP, ID 83651
Source: GROUNDWATER
Diversions Pt:
Use: IRRIGATION
Use: DOMESTIC
Date Filed: 3/08/1990
In: T01N R02W S04

Lot 1 (SWNE)

Sec 4 T 01N R 02W
Sec 4 T 01N R 02W
(.800 CFS)
(.540 CFS)
Total Diversion: (1.340 CFS)

Lot 1 (NENE)

SENE

40.0 ACRES TOTAL

63-11215

KLAIR AND KLAIR INC.
2203 ELLIS AVE.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversions Pt:
Use: IRRIGATION
Date Filed: 3/02/1990
In: T04N R04W S01

SESW

Sec 36 T 05N R 04W
(2.000 CFS)
(2.000 CFS)
Total Diversion: (2.000 CFS)

Lot 6 (NWNW)

SWNE

Lot 5 (NENW) Lot 4 (NWNW)

SESE

NESE

NWSW

SWSW

SESW

270.0 ACRES TOTAL

63-11216

PINTLER, BRAD
PINTLER, CHARLES
13541 SURRY LN.
NAMP, ID 83686
Source: GROUNDWATER
Diversions Pt:
Use: COMMERCIAL
Date Filed: 2/05/1990
In: T03N R02W S16

NENESW

Sec 35 T 02N R 03W
(.200 CFS)
(.200 CFS)
Total Diversion: (.200 CFS)

SESE

63-11217

KINDNESS AND HIGGINSON
1420 MIDLAND BLVD.
NAMP, ID 83651
Source: GROUNDWATER
Diversions Pt:
Use: STOCKWATER
Use: COMMERCIAL
Date Filed: 2/05/1990
In: T03N R02W S16

NWNWSW

Sec 16 T 03N R 02W
(.020 CFS)
(.080 CFS)
(.100 CFS)
Total Diversion: (.100 CFS)

NWSW

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before APRIL 9, 1990.
R. KEITH HIGGINSON
Director
March 21, 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

February 5, 1993

LE ROY BLICKENSTAFF
DELORES BLICKENSTAFF
MICHAEL BLICKENSTAFF
3115 S HAPPY VALLEY RD
NAMPA ID 83686

RE: WATER RIGHT NO. 63-11210

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in cursive script that reads 'Pamela Skaggs'.

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECORDED

FEB 18 1993

LICENSE REVIEW CHECKLIST

Permit # 63-11210

Date 01-28-93
CB

	<u>Yes</u>	<u>No</u>	
NAME	<u> </u>	<u>✓</u>	Address Change?
PRIORITY DATE	<u> </u>	<u>✓</u>	Advance?
	<u> </u>	<u>✓</u>	Memo to Advance
	<u> </u>	<u>✓</u>	Order to Reinstate Needed?
TOTAL CFS	<u> </u>	<u>✓</u>	Incorrect Fee for rate recommended?
	<u> </u>	<u> </u>	Disagree with Actual Measurement?
	<u> </u>	<u> </u>	<u>41 x .02 = .82 / .51 cfs (IRR) .06 cfs (COMM)</u>
	<u> </u>	<u>✓</u>	Disagree with Theoretical?
	<u>✓</u>	<u> </u>	Limited by Capacity? <u>.51 + .06 = .57 cfs</u>
TOTAL VOLUME			Rate/ac <u>4.5</u> AFA Irr. Season <u>D</u>
			<u>3-15 to 11-15</u> Standard Irr. Season
			<u>Same Per Permit</u> Season Recommended
	<u> </u>	<u>✓</u>	Disagree with Examiner's Calculations?
	<u> </u>	<u> </u>	<u>41 x 4.5 = 184.5 afa (IRR) 21.9 afa (COMM)</u>
	<u> </u>	<u>✓</u>	Limited by Flow? <u>.51 x 246 x 1.9835 = 248.8 > 184.5</u>
SOURCE	<u> </u>	<u>✓</u>	Changes? Clarification of <u>Originally</u>
	<u> </u>	<u>✓</u>	<u>Intended</u> source
	<u> </u>	<u> </u>	Notice of Intent to Void.
P/D	<u> </u>	<u>✓</u>	Verify with Map
	<u> </u>	<u>✓</u>	Amendment Needed?
	<u> </u>	<u>✓</u>	Is Overlap Analysis a Consideration?
P/U	<u> </u>	<u>✓</u>	Verify with Map
	<u> </u>	<u>✓</u>	Amendment Needed?
	<u> </u>	<u>✓</u>	Is Overlap Analysis a Consideration?
USES	<u> </u>	<u>✓</u>	Change(s) in Nature of Use?
	<u> </u>	<u>✓</u>	Amendment Needed?
REMARKS	<u> </u>	<u>✓</u>	Multiple P/Ds in 1/4 1/4?
	<u>✓</u>	<u> </u>	Non-Irr. Uses <u>COMM/Nursery</u>
	<u>WB3</u>	<u> </u>	Special Overlap Condition <u>GLW/supp.</u>
	<u> </u>	<u>✓</u>	Other
CONDITIONS	<u> </u>	<u>✓</u>	Measuring Device
	<u> </u>	<u>✓</u>	W/Master Control
	<u>R32</u>	<u> </u>	Overlap
	<u> </u>	<u>✓</u>	Water Quality
			DATES/MISC
		<u>✓</u>	Water Dist.
		<u>✓</u>	App Rec'd
		<u>✓</u>	Exam Made

COMMENTS: _____

LICENSE ✓ AMEND SPECIAL PARAGRAPH

WR0749NP
No. L63-11210

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 01/28/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	LE ROY BLICKENSTAFF	02/01/1990	IRRIGATION	03-15 11-15	0.51 CFS	184.5 AFA
C	DELORES BLICKENSTAFF		COMMERCIAL	01-01 12-31	0.06 CFS	21.9 AFA
C	MICHAEL BLICKENSTAFF					
	3115 S HAPPY VALLEY RD					
	NAMPA ID 83686					
	(208) 466-5944					
				TOTAL DIVERSION:	0.57 CFS	206.4 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.57 CFS

Point(s) of Diversion: T02N R02W S01 NE SE

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE						
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM	
02N	02W	1	:															15	03	05	18	41.0
																				TOTAL ACRES	41.0	

Place of use location for COMMERCIAL is the same location as described for: IRRIGATION

Pou County: CANYON

Other Rights: NAMPA-MERIDIAN DITCH

Other Water Rights Listing Overlapping Place(s) of use:
63-11209 63-11210

Conditions of Approval:

- R32 - This right when combined with all other rights shall provide no
- more than .02 cfs per acre nor more than 4.5 afa per acre for the
- lands above.

Remarks: Commercial use is for a nursery.
The right holder shall fully use all surface water rights
appurtenant to the lands identified above prior to using water
under this right.

Dates: App. Received: 02/01/1990 Priority Date: 02/01/1990
Proof Due Date: 07/01/1991 Proof Made Date: 08/15/1990
Exam Made Date: 07/20/1992 Exam Sent to S.O.: 01/23/1993
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 01/28/93 SKAGGS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JAN 25 1993

Department of Water Resources

A. GENERAL INFORMATION


Permit No. 63-11210
Phone No. 469-5944
1. Owner: Le Ray & Deborah Blackenshaff
Current Address: 3115 S. HAPPY VALLEY Rd. Nampa IDAHO 83651
2. Accompanied by: Le Ray Blackenshaff EXAM. DATE: 7-20-92
Address: same Phone No. same
Relationship to Permit Holder: same
3. Source: groundwater tributary to N/A

B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-11209 Blackenshaff ☐ Copies Attached
2. Other water rights with same point of diversion: 63-11209 Blackenshaff ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).
☒ Aerial Photo Attached (required for irrigation of 10 acres or more).

RECEIVED
FEB 18 1993

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

This system uses a 12", 97' deep well with a 15hp & a 1.5hp pump for uses on irrigated land as well as commercially at a Greenhouse Nursery. The static for the area is 20' while the drawdown can be estimated @ 30'. The system uses underground lines to the Plots. Both pumps are independent.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Submersible		3/4 1.5			
" "		15			

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NE	NE	SE	1	2N	2W	CANYON	Quads; Aerials; Field Exam
									Aerials

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
2N	2W	1													15	3	5	18	41.0 *

* per permit

Do not use this space

FEB 18 1993

Do not use this space

D. FLOW MEASUREMENTS

☒ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

$$\text{Theoretical: } 15 \times 8.8 \times .70 = 92.4 = .52 \text{ cfs} \quad \text{irrigation}$$

$$50 + (2.3 \times 55 \text{ psi}) = 176.5$$

$$1.5 \times 8.8 \times .70 = 9.24 = .05 \text{ cfs}$$

$$50 + (2.3 \times 55 \text{ psi}) = 176.5$$

$$@ 50 \text{ psi} = .06 \text{ cfs}$$

$$\text{See remarks, attached.}$$

$$\text{Sprinkler Head: } \text{Exhibit 9}$$

$$66 \text{ head} / \frac{1}{8} \text{ nozzle @ } 55 \text{ psi} = 66 \times 3.46 \times .00223 = .51 \text{ cfs}$$

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$\text{Sprinkler Head} = .51 \text{ cfs} \quad \text{irrigation}$$

$$\text{Theoretical} = .05 \text{ cfs} \quad \text{Commercial}$$

$$\text{Irr need} = 41.8 \times .02 = .84 \text{ cfs}$$

2. Alternate Method for Checking Purposes:

$$\text{Theoretical} = .52 \text{ cfs}$$

Allow system capacity of .51 cfs for irr

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 41 \times 4.5 = 184.5 \text{ AFA}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .51 \times 245 \times 1.9835 = 248.8 \text{ AFA}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 184.5 \text{ AFA}$$

2. Volume Calculations for Other Uses:

$$\text{Commercial} = .06 \text{ cfs} \times (12 \times \frac{1}{4} \times \frac{1}{2} \times \frac{365}{\text{day}}) \times 1.9835 = 21.7 \text{ AFA/hr}$$

$$\text{Commercial} = .05 \text{ cfs} \times 60 \times 60 \times 12 \times 365 = 788400 = 2.42 \text{ AFA}$$

$$21.7 \text{ AFA/hr} \times 24 \text{ hr} = 520.8 \text{ AFA}$$

The system is on drip systems as well as the use of bathrooms' spigots

2 Bathroom sinks 4 spigots

$$50 \text{ gal/day} + 100 \text{ gal/day} + 50 \text{ gal/day} = 200 \text{ gal/day}$$

$$21.7 \text{ AFA/hr} + .22 \text{ AFA} = 21.92 \text{ AFA}$$

$$200 \text{ gal/day} / 365 = 73000 / 325850 = .22 \text{ AFA}$$

H. REMARKS AND OVERLAP REVIEW ANALYSIS

There are no overlaps that effect this permit.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	3-15	11-15	.51 cfs	184.5 AFA
Commercial	1-1	12-31	.06 cfs	2.64 AFA ²⁵
				21.92 AFA
Totals:			.57 cfs	187.14 AFA
				206.42 AFA

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☐ None

☒ Change P.U. as reflected above

☒ Add P.U. as reflected above

☐ Other


J. AUTHENTICATION

Field Examiner's Name

Signature

Certification Date

Field Report Preparation Date



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

FEB 18 1993

THEORETICAL HORSEPOWER EQUATION WORKSHEET (cjh 1/92)

Water Right No.: 63-11210
 Examiner: D Gray
 Date of Field Exam: 7-20-92


	OPTION 1	OPTION 2	OPTION 3
P/D No.:	1	2	2
PUMP HORSEPOWER	15	1.5	1.5
BOOSTER HORSEPOWER			
PUMPING LEVEL	50	50	50
DISCHARGE PRESSURE	55	55	50
RATE OF FLOW (cfs)	0.52	0.05	0.06

for pump #2, commercial
 uses, Comparison done
 w/ less pressure. Since
 examiner states pumps
 are independent, it is
 unlikely that the 1.5 HP
 is operating against
 55 psi, found in the
 irrigation system. A drop
 of only 5 psi gives the
 permit limit. Suggest
 this amount be used.

MICROFILMED

FEB 18 1993

gy 1/1/93



PERMIT 63-11210 INIT DM
T. R. S. Q/Q
P/D 2n 2w 1 nese
SCALE _____
PHOTO ID. _____

T3
T2

4822

4821

32' 30"

4820

4819

4818

4817000mN 8 1993

43° 30'
116° 30'

32' 30"

538

539

540000mE

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-11210

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 2n, Rge 2w, Sec. 1, se 1/4 se 1/4 or Lot _____.

2. Owner: Le Roy Blumenthoff

Address 315 S. Happy Valley Rd., City Nampa, St Idaho

3. Casing $\geq$ 12 inches above ground: Yes ☒ No ☐

4. Access Port: Yes ☒ No ☐ Static Water Level: 20'
Pressure Gauge: Yes ☒ No ☐ Casing Diameter: 12"
Flowing: Yes ☐ No ☒ Temperature: NA

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes ☐ No ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: _____

FEB 18 1993

12" irrigation
 15hp 1/2 hp nursery
 2 pressure tanks well long
 28 2 lines of 20

10hp. Baldo,
 8" casing 25 Acres
 3/4 for stop.

466-6872.

46 @ 1/8 c

46 x 3.30
 3.40

.5 x 5

92.4


126.5
 50
 176.5

MICROFILMED
 FEB 18 1993

63-11210




View of some of the
~~new~~ plots and scenery
at the Nursery.



FEB 18 1953

63-11210.



View of the well housing.

RECEIVED

FEB 18 1993

December 7, 1990

LE ROY BLICKENSTAFF
DELORES BLICKENSTAFF
MICHAEL BLICKENSTAFF
3115 S. HAPPY VALLEY RD.
NAMPA, ID 83686

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11210

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

DEC 18 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 63-11210

Date: 11-30-90

General Considerations:

☒ Name same as permit
☐ Signature the same as permit holder
☒ Address change ☐ If yes, prepare a data entry
☒ Proof received timely
☒ Reinstated

Source of Water:

☐ Surface water
☒ Groundwater
1. well log in file
2. drilling permit
A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

☒ Rate of diversion appropriate for uses
☒ Is rate or volume and fee appropriate?
☒ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

☒ Is a measuring device or access port required?
☐ Has one been installed?
☐ Waiver or modification of measuring device requested

Remarks:


Proof acceptable

N/A

Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	-
No. of days late	_____	=
Priority date	_____	+
NEW PRIORITY DATE	_____	=

BB
SEND FILES TO DATA ENTRY AND THEN TO MICROFILM



For Office Use Only
Amt. of Fee \$ 100.00
Date 8/15/90
Receipt No. C-28035
Received by J. Duran

STATE OF IDAHO

Department of Water Resources

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-11210 Telephone No. 466-5944

Name(s) of Permit Holder(s): LE Roy : Deloras & Michael Blickenstaff

Post Office Address: 3115 S. Happy Valley Rd. Nampa, IDA 83686

Source of Water: GROUNDWATER

If ground water, well driller's name: _____ Date drilled: BEFORE 1970

Extent of Use:

Domestic _____ (No. of households)

Irrigation 41 (No. of acres)

Stockwater _____ (No. and type of stock)

Other COMMERCIAL

Total rate and/or volume for which proof is submitted .82 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: 1970

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes ☒ No Installed? Yes ☐ No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☐ No

Fee Enclosed: \$ 100.00 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Name SAME Telephone No. _____

Address _____

MICROFILMED

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

DEC 18 1990

Date 8-15-90

LE Roy Blickenstaff
Signature (and title if on behalf of a company or organization)

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
June 29, 1990

LE ROY BLICKENSTAFF
DELORES BLICKENSTAFF
MICHAEL BLICKENSTAFF
3115 S. HAPPY VALLEY RD.
NAMPA, ID 83686

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P63-11210

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

JUL 24 1990

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

JUL 24 1990

Form No. 202a.
3/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: RW DATE: 2-27-90 APPLICATION: 63-11210

REQUIRED INFORMATION

☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume)
☒ Period of use:
☒ Nature of proposed use: (Include description of use)
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee:
☒ Yes ☐ No* In form to receipt:

Gov't. Lots:
N P/D
N P/U

ADDITIONAL INFORMATION

YES	NO	
☒	☐	Overlapping place of use: (Describe source & relationship to present application on the back.)
☒	☐	Overlapping point of diversion:
☒	☐	Field check required: Field check by: _____
☒	☐	Field report attached:
☒	☐	Critical groundwater area:
☒	☐	Groundwater management area:
☒	☐	Send dam safety information:
☒	☐	Send power requirement letter:
☒	☐	Send fish farm requirement letter:
☒	☐	Power residency affidavit:
☒	☐	Power efficiency form:
☒	☐	Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☒	☐	Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)
☒	☐	<u>*REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT</u>

DATE REQUESTED: _____

Additional information on reverse side: _____

63-11210

PROCESSING

YES NO

☒ ☐

In form for advertising:

☐ ☒

Statewide advertising:

☒ ☐

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☐ ☒

I.D. Health and Welfare

☐ ☒

I.D. Fish and Game

☐ ☒

I.D. Lands

☐ ☒

Adjudication Bureau

YES NO

☐ ☒

U.S. BLM

☐ ☒

U.S. Forest Svc.

☐ ☒

Water Dist. #

☐ ☒

Other

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☐

Affidavit of publication received:

☒ ☐

Application published correctly: If not, record action taken.

☒ ☐

Publication dates and paper recorded on application:

☒ ☐Protests received. Final date for protest April 9, 1990☒ ☐

Protest dates, resolution of protest recorded on application:

☒ ☐Recommendations attached: Approve, Deny☒ ☐

Measuring device required:

☒ ☐

Measuring port required:

☐ ☐Water delivered by water master? District # 63-P05☐ ☐

Special conditions of approval or cover letter:

☐ ☐No flow meas port recommended due to Flow Task Force memo☐ ☐

See below for additional information

Recommended Date or Priority 2/1/1990Recommended by: BarDate 5/24/1990STATE OFFICE REVIEWP05, P23P1646☐ ☐See below for additional information. By KWDate 6-4-90ADDITIONAL INFORMATION

63-11210

BLICKENSTAFF, LEROY
BLICKENSTAFF, DELORES
3115 S. HAPPY VALLEY RD.
NAMPA, ID 83686

Source: GROUNDWATER

Diversion Pt: NENESE Sec 1 T 02N R 02W

Use: IRRIGATION (.820 CFS)
Total Diversion: (.820 CFS)

Date Filed: 2/01/1990

In: T02N R02W S01 NESE NWSE SWSE SESE

41. ACRES TOTAL

MICROFILMED

JUL 24 1990