


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number. T02N, R02W, Sec 1



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Leroy Blickenstaff
(Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JAN 25 1993

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Le Roy Blickenstaff Permit No. 63-11209
Current Address: 3115 S. HAPPY VALLEY RD NAMPA, ID 83696 Phone No. 466-5944
2. Accompanied by: Le Roy Blickenstaff EXAM. DATE: 7-20-92
Address: same Phone No. same
Relationship to Permit Holder: same
3. Source: groundwater tributary to -NA-

B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-11200 Blickenstaff ☐ Copies Attached
2. Other water rights with same point of diversion: 63-11210 Blickenstaff ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more)
☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

RECEIVED
FEB 18 1993




T31
T21

PERMIT 63-11209 INIT *[signature]*
T. R. S. Q/Q
2-2w 1 nse


← PK
D/I

MISSOURI
FEB 18 1993

32' 30" 538 539 4000mE 43° 30' 116° 30'



63-11209



View of well. 8" casing.
It has two lines as you
can see. One to the shop
& one to the irrigation
system.



P/U with its hand lines.

RECORDED

FEB 18 1993

63-11209



View of Commercial Use.



*View of OPEN DISCHARGE
SYSTEM USED.*

UNRECORDED
FEB 18 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11209

Priority: February 1, 1990

Maximum Diversion Rate: 0.54 CFS
Maximum Diversion Volume: 113.1 AF

This is to certify, that LE ROY BLICKENSTAFF
DELORES BLICKENSTAFF

3115 S HAPPY VALLEY RD
NAMPA ID 83686

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 1, 1990; and has submitted Proof of Beneficial Use on August 15, 1990. An examination indicates that the works have a diversion capacity of .620 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.50 CFS	113.0 AF
COMMERCIAL	01/01 to 12/31	0.04 CFS	0.1 AF
Totals		0.54 CFS	113.1 AF

LOCATION OF POINT(S) OF DIVERSION:

NESE , Sec. 1, Township 02N, Range 02W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	02W	1	NESE 13	NWSE 12.1		25.1
Total number of acres irrigated:						25.1

PLACE OF USE: COMMERCIAL, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

RECEIVED

FEB 18 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11209

CONDITIONS/REMARKS:

5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.
6. The right holder shall fully use all surface water rights appurtenant to the lands identified above prior to using water under this right.
7. Commercial use is for an agriculture farm shop.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 3RD day of FEBRUARY, 1993.

Acting for R. Keith Higginson, Director

FEB 18 1993

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 63-11209

Proposed Priority: February 1, 1990 Maximum Diversion Rate: 0.80 CFS

This is to certify, that **LE ROY BLICKENSTAFF**
DELORES BLICKENSTAFF
3115 S. HAPPY VALLEY RD.
NAMPA, ID 83686

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.80 CFS
COMMERCIAL	01/01 to 12/31	0.04 CFS
	Totals	0.80 CFS

LOCATION OF POINT(S) OF DIVERSION: SWNESE Sec. 1, Township 02N, Range 02W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	02W	1	NESE 20	NWSE 20		40
Total number of acres irrigated:						40

PLACE OF USE: COMMERCIAL, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 1991.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.
5. Commercial use is for an agriculture farm shop.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

11 day of June, 1990

for *[Signature]*
R. Keith Higginson, Director
MICROFILMED

JUN 21 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant BLICKENSTAFF, LE ROY & DELORES Phone 466-5944
Post office address 3115 SO. HAPPY VALLEY RD. NAMPA, ID 83686
2. Source of water supply GROUNDWATER which is a tributary of _____
3. Location of point of diversion is SW $\frac{1}{4}$ of NE $\frac{1}{4}$ of SE $\frac{1}{4}$, Govt. Lot _____
Sec. 01 Township 02N Range 02W B.M. CANYON County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.80 CFS for IRRIGATION purposes from 3/15 to 11/15 (both dates inclusive)
(cfs ~~or acre-feet per annum~~)
Amount 0.04 CFS for COMMERCIAL purposes from 01/01 to 12/31 (both dates inclusive)
(cfs ~~or acre-feet per annum~~)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.80 CFS and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. DRILLED WELL, 8" CASING. APPROX 40' DEPTH, W/ 5 H.P. & 0.75 HP PUMPS TO GRAVITY IRRIG. & FARM SHOP USE.
b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. ~~Proposed~~ EXISTING well diameter is 8 inches; proposed depth of well is 40 feet.
d. Is ground water with a temperature of greater than 90°F being sought? NO
7. Time required for the completion of the works and application of the water to proposed beneficial use is
1 YR
EXISTING years (minimum 1 year).

MICROFILMED

JUN 21 1990

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. COMMERCIAL USE IS FOR AGRICULTURAL FARM SHOP USE
WASHING, CLEANING, DOMESTIC ETC.

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
02N	02W	01													20	20			40

Total number of acres to be irrigated 40


10. Describe any other water rights used for the same purposes as described above. NAMPA-MERIDIAN DITCH

- Who owns the property at the point of diversion? APPLICANT
- Who owns the land to be irrigated or place of use? APPLICANT
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: COMMERCIAL USE APPLIED FOR IS USE IN THE OPERATION
OF A SHOP TO CARE FOR THE EQUIPMENT FOR THE FARM OPERATION.

MICROFILMED


JUN 1 1981



SCALE 1:1000

T 02N, R 02W, SEC 1

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number. T 02 N, R 02 W, Sec 1



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

LeRoy Blickenstaff
(Applicant)

Received by Yls. [signature] Date 2-2-90 Time 2:15 pm Preliminary check by [signature]
Fee \$ 45.00 Receipted by [signature] # 0014342 Date 2-1-1990
Publication prepared by GG Date 3/14/90 Published in Press-Tribune
Publication approved [signature] Date 5-16-90
3/21 & 3/28/90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

MICROFILMED

JUN 21 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

February 5, 1993

LE ROY BLICKENSTAFF
DELORES BLICKENSTAFF
3115 S HAPPY VALLEY RD
NAMPA ID 83686

RE: WATER RIGHT NO. 63-11209

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in cursive script that reads 'Pamela Skaggs'.

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED

FEB 18 1993

LICENSE REVIEW CHECKLIST

Permit # 63-11209

Date 01-28-93
38

	Yes	No	
NAME	☐	☒	Address Change?
PRIORITY DATE	☐	☒	Advance? _____
	☐	☒	Memo to Advance _____
	☐	☒	Order to Reinstate Needed? _____
TOTAL CFS	☐	☒	Incorrect Fee for rate recommended? _____
	☒ NA	☐	Disagree with Actual Measurement? _____
	☒	☐	Disagree with Theoretical? $25.1 \times .02 = .50 \text{ cfs (IRR)}$ $.04 \text{ cfs (COMM)}$ _____
	☐	☒	Limited by Capacity? $5 \times 8.8 \times .7 = .580$ $30' + (2.31 \times 10)$ $\text{COMM @ } 40 \text{ psi} = .037$ _____
TOTAL VOLUME	☐	☒	Rate/ac <u>4.5</u> AFA Irr. Season <u>D</u> _____
	☒	☐	3-15 to 11-15 Standard Irr. Season _____
	☐	☒	Same Per Permit Season Recommended _____
	☐	☒	Disagree with Examiner's Calculations? _____
	☐	☒	Limited by Flow? $25.1 \times 4.5 = 112.95 \approx 113 \text{ afa (IRR)}$ $.1 \text{ afa (COMM)}$ _____
SOURCE	☐	☒	Changes? Clarification of Originally Intended source _____
	☐	☒	Notice of Intent to Void. _____
P/D	☐	☒	Verify with Map _____
	☐	☒	Amendment Needed? _____
	☐	☒	Is Overlap Analysis a Consideration? _____
P/U	☐	☒	Verify with Map _____
	☐	☒	Amendment Needed? _____
	☐	☒	Is Overlap Analysis a Consideration? _____
USES	☐	☒	Change(s) in Nature of Use? _____
	☐	☒	Amendment Needed? _____
REMARKS	☐	☒	Multiple P/Ds in 1/4 1/4? _____
	☒	☐	Non-Irr. Uses <u>COMM/Shop</u> _____
	☒ WB3	☐	Special Overlap Condition <u>GW/Supp.</u> _____
	☐	☒	Other _____
CONDITIONS	☐	☒	Measuring Device _____
	☐	☒	W/Master Control _____
	☒ B32	☐	Overlap _____
	☐	☒	Water Quality _____
		☒	DATES/MISC _____
		☒	Water Dist. _____
		☒	App Rec'd _____
		☒	Exam Made _____

COMMENTS:

Used 10 psi estimate for IRR HP equation - pipeline to ditch
Used 40 psi estimate for COMM HP equation - same as DOM

LICENSE ☒ AMEND ☐ SPECIAL PARAGRAPH ☐

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JAN 25 1993

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Le Roy Blickenstaff Permit No. 63-11209
Current Address: 3115 S. HAPPY VALLEY RD Phone No. 466-5944
ILANDA, ID 83696
2. Accompanied by: Le Roy Blickenstaff EXAM. DATE: 7-20-92
Address: same Phone No. same
Relationship to Permit Holder: same
3. Source: groundwater tributary to -NA-

B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-11200 Blickenstaff ☐ Copies Attached
2. Other water rights with same point of diversion: 63-11210 Blickenstaff ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more)
☐ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater.)

RECEIVED
FEB 18 1993

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

THIS SYSTEM USES A 5hp : a 3/4 hp for Irrigation : Commercial Uses.
The well is 8" and 40' deep the static for the area is 8.20' : the drawdown is 10'. The system run underground pipeline that split off to four ^(est) large open discharge areas. The 3/4 is used solely in the shop : the 5hp is used for Irrigation.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
submersible		3/4			
submersible		5			

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SW	NE	SE	1	2N	2W	LANUON	Budd, Aerial, Field Exam

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
2N	2W	1													13	12.0			25.0

FEB 18 1993

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Irrigation Theoretical: $5 \times 8.8 \times .70 = 30.8 = 1.03 \text{ cfs}$ need $25.1 \times .02 = .5 \text{ cfs}$
 $30' + (2.3 \times 0) = 30$

Commercial Theoretical: $\frac{3}{4} \times 8.8 \times .70 = 4.62 = .05 \text{ cfs}$
 $30' + ((2.31 \times 30) \div 99) = 99$

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

Theoretical = 1.03 cfs : irrigation allow $.5 \text{ cfs}$ Commercial Allow = $.04$ same as domestic use.

2. Alternate Method for Checking Purposes:

None Available at time of Exam

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi $\times 2.31 =$ _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) $\times$ (4) $\div 8.8 =$ _____ (5)

Meter Input KW: $3.6 \times$ _____ KH $\times$ _____ CTR or _____ MULT $\times$ _____ PTR $\times$ _____ N/ _____ T = _____ (6)

Meter Input HP: (6) $\times 1.34 =$ _____ (7)

Panel Input KW: _____ Ave PF $\times$ _____ Ave Volts $\times$ _____ Ave Amps $\times .001732 =$ _____ (6)

Panel Input HP: (6) $\times 1.34 =$ _____ (7) Efficiency: (5)/(7) $\times 100 =$ _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 25.0 \times 4.5 = 112.5 \text{ AFA}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .5 \times 245 \times 1.9835 = 242.98 \text{ AFA}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 112.5 \text{ AFA}$

2. Volume Calculations for Other Uses:

Commercial; bathroom: 2 (wash equipment etc.)
 sinks misc.

$10 \text{ gal/day} + 20 \text{ gal/day} + 50 \text{ gal/day} = 80 \text{ gal/day} \times 365 \text{ days} = 29200 / 32500 = .1 \text{ AFA}$

FEB 18 1993

H. REMARKS AND OVERLAP REVIEW ANALYSIS

* The overlap occurs in the same $1/4$ but is not used at the same
P/U WR # 63-11210 is for Greenhurst Nursery.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Commercial	1-1	12-31	.04 cfs	1 AFA
Irrigation	3-15	11-15	.50 cfs	112.50 AFA
Totals:			.54 cfs	113.50 AFA

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

- ☒ None
☐ Other


J. AUTHENTICATION

Field Examiner's Name DAVID GRAY

Signature [Signature]

Certification Date 1/7/93

Field Report Preparation Date _____



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

FEB 18 1993

T3:
T21

PERMIT 63-11209 INIT *RF*
T. R. S. Q/Q
21 2w 1 res

32' 30"

38

39

540000mE

43° 30'

4822

4821

32' 30"


4820

4819

4818

4817000mN

FEB 18 1961



Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-11209

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 2n, Rge 2w, Sec. 1, re 1/4 se 1/4 or Lot _____.
2. Owner: Le Roy: Dolores Blitzenstiff
Address 3115 S. Happy Valley Rd., City Nampa, St Idaho
3. Casing $\geq$ 12 inches above ground: Yes ☒ No ☐
4. Access Port: Yes ☒ No ☐ Static Water Level: _____
Pressure Gauge: Yes ☐ No ☒ Casing Diameter: 8"
Flowing: Yes ☐ No ☒ Temperature: N/A
5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes ☐ No ☒


If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks:


RECEIVED

FEB 18 1993

63-11209




View of well. 8" casing.
It has two lines as you
can see. One to the shop
& one to the irrigation
system.




P/u with its hand lines.

RECEIVED
FEB 18 1993

63-11209



View at Commercial Use.



*View of OPEN DISCHARGE
SYSTEM USED.*

RECEIVED

FEB 18 1993

December 7, 1990

LE ROY BLICKENSTAFF
DELORES BLICKENSTAFF
3115 S. HAPPY VALLEY RD.
NAMPA, ID 83686

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11209

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED
DEC 18 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 63-11209

Date: 11-30-90

General Considerations:

☒ Name same as permit
☐ Signature the same as permit holder
☒ Address change _____ If yes, prepare a data entry
☒ Proof received timely
☒ N Reinstated

Source of Water:

☐ Surface water
☒ Groundwater
_____ 1. well log in file
_____ 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

☒ Rate of diversion appropriate for uses
☒ Is rate or volume and fee appropriate?
☒ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

☒ Is a measuring device or access port required?
☐ Has one been installed?
☐ Waiver or modification of measuring device requested

Remarks:

proof acceptable

N/A

Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	- _____
No. of days late	_____	= _____
Priority date	_____	+ _____
NEW PRIORITY DATE	_____	= _____

SB
SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED

AUG 15 1990

STATE OF IDAHO

For Office Use Only
Amt. of Fee \$ 100.00
Date 8/15/90
Receipt No. C-018025
Received by J. Davis

Department of Water Resources

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-11209 Telephone No. 466-5944

Name(s) of Permit Holder(s): LE Roy & DEBORAH BLICKENSTAFF

Post Office Address: 3115 S Happy Valley Rd. Nampa, ID 83686

Source of Water: GROUNDWATER

If ground water, well driller's name: Chuck Davis Date drilled: Dec. 1972

Extent of Use:
Domestic _____ (No. of households) Irrigation 40 (No. of acres)
Stockwater _____ (No. and type of stock) Other COMMERCIAL

Total rate and/or volume for which proof is submitted .80 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: 1973

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes ☒ No Installed? Yes ☐ No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☐ No

Fee Enclosed: \$ 100.00 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

SAME AS ABOVE
Name Telephone No.

Address

The above information is my true statement of the extent to which the above described project has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

DEC 18 1990

8-15-90
Date

Le Roy Blickenstaff
Signature (and title if on behalf of a company or organization)

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
June 11, 1990

LE ROY BLICKENSTAFF
DELORES BLICKENSTAFF
3115 S. HAPPY VALLEY RD.
NAMPA, ID 83686

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P63-11209

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

MICROFILMED

JUN 21 1990

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

JUN 21 1990

Form No. 202a.
3/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: RW DATE: 2-28-90 APPLICATION: 63-11209

REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume)
☒ Period of use:
☒ Nature of proposed use: (Include description of use)
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee:
☒ Yes ☐ No* In form to receipt:
- Gov't. Lots:
N P/D
N P/U

ADDITIONAL INFORMATION

- | YES | NO | |
|--------------------------|-------------------------------------|--|
| ☐ | ☒ | Overlapping place of use: (Describe source & relationship to present application on the back.) |
| ☐ | ☒ | Overlapping point of diversion: |
| ☐ | ☐ | Field check required: Field check by: _____ |
| ☐ | ☐ | Field report attached: |
| ☐ | ☐ | Critical groundwater area: |
| ☐ | ☐ | Groundwater management area: |
| ☐ | ☐ | Send dam safety information: |
| ☐ | ☐ | Send power requirement letter: |
| ☐ | ☐ | Send fish farm requirement letter: |
| ☐ | ☐ | Power residency affidavit: |
| ☐ | ☐ | Power efficiency form: |
| ☐ | ☐ | Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.) |
| ☐ | ☐ | Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.) |
| ☐ | ☐ | *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT |

DATE REQUESTED: _____

Additional information on reverse side: _____

Department of Water Resources

63-11209

PROCESSING

YES NO

☒ ☐ In form for advertising:
☒ ☐ Statewide advertising:
☒ ☐ Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☐ ☒ I.D. Health and Welfare
☐ ☒ I.D. Fish and Game
☐ ☒ I.D. Lands
☐ ☒ Adjudication Bureau

YES NO

☐ ☒ U.S. BLM
☐ ☒ U.S. Forest Svc.
☐ ☒ Water Dist. # _____
☐ ☒ Other _____

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☐ Affidavit of publication received:
☒ ☐ Application published correctly: If not, record action taken.

☒ ☐ Publication dates and paper recorded on application:
☒ ☐ Protests received. Final date for protest April 9, 1990
☒ ☐ Protest dates, resolution of protest recorded on application:
☒ ☐ Recommendations attached: Approve, DM
☒ ☐ Measuring device required:
☒ ☐ Measuring port required:
☐ ☐ Water delivered by water master? District # 63-P05
☐ ☐ Special conditions of approval or cover letter:
No flow meas port recommended due to flow task force memo.

See below for additional information

Recommended Date or Priority 2/1/1990 ☒
 Recommended by: DM Date 5/24/1990

STATE OFFICE REVIEW

P05, P23 P116 46
 See below for additional information. By KW Date 6-4-90

ADDITIONAL INFORMATION

63-11209

BLICKENSTAFF, LEROY
BLICKENSTAFF, DELORES
3115 S. HAPPY VALLEY RD.
NAMPA, ID 83686

Source: GROUNDWATER

Diversion Pt: SWNESE Sec 1 T 02N R 02W

Use: IRRIGATION (.800 CFS)
COMMERCIAL (.040 CFS)
Total Diversion: (.800 CFS)

Date Filed: 2/01/1990

In: T02N R02W S01 NESE NWSE

40.0 ACRES TOTAL

MICROFILMED

JUN 24 1990