


STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR TRANSFER OF WATER RIGHT
PART 3


- A. Draw a map or attach a USGS map indicating the new point(s) of diversion and/or the new place of use for rights described in part 1. Clearly depict the land by section, township and range number.



MICROFILMED

DEC 10 1997

SCALE: 2 inches equal 1 mile. Draw plan in ink.



T 3 N
R 4 W
Sec. 23

P/D
SW 1/4 of SE 1/4

FILED
JUN 21 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 30 1993
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-11205
1. Owner: Sunny Slope Fruit Co. Phone No. 459 4821
Current Address: 14068 Sunny Slope Rd Caldwell ID 83605
2. Accompanied by: Kevin Mott/Dick Symms EXAM. DATE: 6/8/93
Address: _____ Phone No. 459-7222
Relationship to Permit Holder: Winemaker/President (Kevin-winery)
3. Source: groundwater tributary to _____

B. OVERLAP REVIEW


1. Other water rights with same place of use: NONE

☐ Copies Attached
2. Other water rights with same point of diversion: 63-8469 Same well.

☐ Copies Attached ☒ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NONE

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

MAINTAINED
AUG 08 1994



LOWER DEER FLAT

Chalk Hills

Huston

Sunnyslope

3N4W

63-11205

P/W

HOLDING TAN

MCD

10
11
12

BALL POINT PEN

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name: Syma Fruit Ranch (Dick Syma)Address: Route 24 Caldwell, 83605

Owner's Permit No. _____

2. WATER LEVEL

Static water level: 45 feet below land surfaceFlowing? ☐ Yes ☒ No G.P.M. flow: 100 G.P.M.

Temperature: _____ Quality: _____

Artesian closed in pressure

Controlled by ☐ Valve ☐ Cap ☐ Plug

Department of Water Resources

3. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement☐ Abandoned (describe method of abandoning)

4. WELL TEST DATA

☐ Pump ☐ Riser ☐ Other

Discharge G.P.M. Draw Down Hours Pumped

5. PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Test ☐ Other (specify type)☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection

6. METHOD DRILLED


☐ Cable ☒ Rotary ☐ Dug ☐ Other

7. WELL CONSTRUCTION

Diameter of hole: 20 inches Total depth: 395 feetCasing schedule: ☒ Steel ☐ ConcreteThickness: 250 inches Diameter: 16 inches From _____ To _____250 inches 16 inches 2 feet 196 feet250 inches 16 inches 216 feet 230 feet250 inches 16 inches 236 feet 246 feet250 inches 16 inches 256 feet 266 feet250 inches 16 inches 276 feet 286 feet250 inches 16 inches 296 feet 306 feet250 inches 16 inches 316 feet 326 feet250 inches 16 inches 336 feet 346 feet250 inches 16 inches 356 feet 366 feet250 inches 16 inches 376 feet 386 feet250 inches 16 inches 396 feet 406 feet250 inches 16 inches 416 feet 426 feet250 inches 16 inches 436 feet 446 feet250 inches 16 inches 456 feet 466 feet250 inches 16 inches 476 feet 486 feet250 inches 16 inches 496 feet 506 feet250 inches 16 inches 516 feet 526 feet250 inches 16 inches 536 feet 546 feet250 inches 16 inches 556 feet 566 feet250 inches 16 inches 576 feet 586 feet250 inches 16 inches 596 feet 606 feet250 inches 16 inches 616 feet 626 feet250 inches 16 inches 636 feet 646 feet250 inches 16 inches 656 feet 666 feet250 inches 16 inches 676 feet 686 feet250 inches 16 inches 696 feet 706 feet250 inches 16 inches 716 feet 726 feet250 inches 16 inches 736 feet 746 feet250 inches 16 inches 756 feet 766 feet250 inches 16 inches 776 feet 786 feet250 inches 16 inches 796 feet 806 feet250 inches 16 inches 816 feet 826 feet250 inches 16 inches 836 feet 846 feet250 inches 16 inches 856 feet 866 feet250 inches 16 inches 876 feet 886 feet250 inches 16 inches 896 feet 906 feet250 inches 16 inches 916 feet 926 feet250 inches 16 inches 936 feet 946 feet250 inches 16 inches 956 feet 966 feet250 inches 16 inches 976 feet 986 feet250 inches 16 inches 996 feet 1006 feet250 inches 16 inches 1016 feet 1026 feet250 inches 16 inches 1036 feet 1046 feet250 inches 16 inches 1056 feet 1066 feet250 inches 16 inches 1076 feet 1086 feet250 inches 16 inches 1096 feet 1106 feet250 inches 16 inches 1116 feet 1126 feet250 inches 16 inches 1136 feet 1146 feet250 inches 16 inches 1156 feet 1166 feet250 inches 16 inches 1176 feet 1186 feet250 inches 16 inches 1196 feet 1206 feet250 inches 16 inches 1216 feet 1226 feet250 inches 16 inches 1236 feet 1246 feet250 inches 16 inches 1256 feet 1266 feet250 inches 16 inches 1276 feet 1286 feet250 inches 16 inches 1296 feet 1306 feet250 inches 16 inches 1316 feet 1326 feet250 inches 16 inches 1336 feet 1346 feet250 inches 16 inches 1356 feet 1366 feet250 inches 16 inches 1376 feet 1386 feet250 inches 16 inches 1396 feet 1406 feet250 inches 16 inches 1416 feet 1426 feet250 inches 16 inches 1436 feet 1446 feet250 inches 16 inches 1456 feet 1466 feet250 inches 16 inches 1476 feet 1486 feet250 inches 16 inches 1496 feet 1506 feet250 inches 16 inches 1516 feet 1526 feet250 inches 16 inches 1536 feet 1546 feet250 inches 16 inches 1556 feet 1566 feet250 inches 16 inches 1576 feet 1586 feet250 inches 16 inches 1596 feet 1606 feet250 inches 16 inches 1616 feet 1626 feet250 inches 16 inches 1636 feet 1646 feet250 inches 16 inches 1656 feet 1666 feet250 inches 16 inches 1676 feet 1686 feet250 inches 16 inches 1696 feet 1706 feet250 inches 16 inches 1716 feet 1726 feet250 inches 16 inches 1736 feet 1746 feet250 inches 16 inches 1756 feet 1766 feet250 inches 16 inches 1776 feet 1786 feet250 inches 16 inches 1796 feet 1806 feet250 inches 16 inches 1816 feet 1826 feet250 inches 16 inches 1836 feet 1846 feet250 inches 16 inches 1856 feet 1866 feet250 inches 16 inches 1876 feet 1886 feet250 inches 16 inches 1896 feet 1906 feet250 inches 16 inches 1916 feet 1926 feet250 inches 16 inches 1936 feet 1946 feet250 inches 16 inches 1956 feet 1966 feet250 inches 16 inches 1976 feet 1986 feet250 inches 16 inches 1996 feet 2006 feet250 inches 16 inches 2016 feet 2026 feet250 inches 16 inches 2036 feet 2046 feet250 inches 16 inches 2056 feet 2066 feet250 inches 16 inches 2076 feet 2086 feet250 inches 16 inches 2096 feet 2106 feet250 inches 16 inches 2116 feet 2126 feet250 inches 16 inches 2136 feet 2146 feet250 inches 16 inches 2156 feet 2166 feet250 inches 16 inches 2176 feet 2186 feet250 inches 16 inches 2196 feet 2206 feet250 inches 16 inches 2216 feet 2226 feet250 inches 16 inches 2236 feet 2246 feet250 inches 16 inches 2256 feet 2266 feet250 inches 16 inches 2276 feet 2286 feet250 inches 16 inches 2296 feet 2306 feet250 inches 16 inches 2316 feet 2326 feet250 inches 16 inches 2336 feet 2346 feet250 inches 16 inches 2356 feet 2366 feet250 inches 16 inches 2376 feet 2386 feet250 inches 16 inches 2396 feet 2406 feet250 inches 16 inches 2416 feet 2426 feet250 inches 16 inches 2436 feet 2446 feet250 inches 16 inches 2456 feet 2466 feet250 inches 16 inches 2476 feet 2486 feet250 inches 16 inches 2496 feet 2506 feet250 inches 16 inches 2516 feet 2526 feet250 inches 16 inches 2536 feet 2546 feet250 inches 16 inches 2556 feet 2566 feet250 inches 16 inches 2576 feet 2586 feet250 inches 16 inches 2596 feet 2606 feet250 inches 16 inches 2616 feet 2626 feet250 inches 16 inches 2636 feet 2646 feet250 inches 16 inches 2656 feet 2666 feet250 inches 16 inches 2676 feet 2686 feet250 inches 16 inches 2696 feet 2706 feet250 inches 16 inches 2716 feet 2726 feet250 inches 16 inches 2736 feet 2746 feet250 inches 16 inches 2756 feet 2766 feet250 inches 16 inches 2776 feet 2786 feet250 inches 16 inches 2796 feet 2806 feet250 inches 16 inches 2816 feet 2826 feet250 inches 16 inches 2836 feet 2846 feet250 inches 16 inches 2856 feet 2866 feet250 inches 16 inches 2876 feet 2886 feet250 inches 16 inches 2896 feet 2906 feet250 inches 16 inches 2916 feet 2926 feet250 inches 16 inches 2936 feet 2946 feet250 inches 16 inches 2956 feet 2966 feet250 inches 16 inches 2976 feet 2986 feet250 inches 16 inches 2996 feet 3006 feet250 inches 16 inches 3016 feet 3026 feet250 inches 16 inches 3036 feet 3046 feet250 inches 16 inches 3056 feet 3066 feet250 inches 16 inches 3076 feet 3086 feet250 inches 16 inches 3096 feet 3106 feet250 inches 16 inches 3116 feet 3126 feet250 inches 16 inches 3136 feet 3146 feet250 inches 16 inches 3156 feet 3166 feet250 inches 16 inches 3176 feet 3186 feet250 inches 16 inches 3196 feet 3206 feet250 inches 16 inches 3216 feet 3226 feet250 inches 16 inches 3236 feet 3246 feet250 inches 16 inches 3256 feet 3266 feet250 inches 16 inches 3276 feet 3286 feet250 inches 16 inches 3296 feet 3306 feet

63-11205

6/8/93 cy4



1. P/O #1, valve system. P/O #2 located just behind #1. 2 1/2" discharge for #2 to left of photo. ~~the~~ Lines exit building together at 2nd valve assembly.



2. P/u -
Retail tasting room
& wine cellar.

INDEXED
AUG 08 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

TRANSFER OF WATER RIGHT

TRANSFER NO. 5107
WATER RIGHT NO. 63-11205

This is to certify that: **STE CHAPELLE**
14068 SUNNY SLOPE RD
CALDWELL ID 83605

has requested a change to the above captioned water right(s). This change in water right(s) is authorized pursuant to the provisions of Section 42-222, Idaho Code, provided the conditions listed below are met.

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL VOLUME</u>
COMMERCIAL	01/01 to 12/31	* 0.20 CFS	1.0 AF

SOURCE
GROUNDWATER

Priority: 02/28/1990

LOCATION OF POINT(S) OF DIVERSION:

SWSE , Sec. 23, Township 03N, Range 04W
CANYON County

PLACE OF USE: COMMERCIAL

TWN RGE SEC

03N 04W 23


SWSE

CONDITIONS OF APPROVAL AND REMARKS

1. The right holder shall accomplish the change authorized by this transfer within one (1) year of the date of this approval.
2. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
3. Approval of this transfer does not preclude the opportunity for review of the validity of the water right(s) in the ongoing Snake River Basin Adjudication.
- * 4. Rights 63-08469 and 63-11205 when combined shall not exceed a total diversion rate of 0.84 cfs.
5. Commercial use is for a combination winery, retail store and tasting room.

Dated this 25 day of

November, 1997.


Chief, Water Allocation Bureau

MICROFILMED

DEC 10 1997

Page 1 of 5STATE OF IDAHO
DEPARTMENT OF WATER RESOURCESTransfer No. 5107

RECEIVED

RECEIVED

NOV 17 1997

JUL 16 1997

APPLICATION FOR TRANSFER OF WATER RIGHT

PART 1

Department of Water Resources

Department of Water Resources

Name of applicant

STE CHAPELLE

Phone

208-459-4821

Post Office address

14068 Sunny Slope RdCALWELL IDAHO 83605

A. PURPOSE OF TRANSFER

1. ☒ Change point of diversion ☐ Add diversion point(s) ☐ Change place of use
☐ Change nature of use ☐ Change period of use ☐ Other _____

2. Describe the reason for the proposed changes NEW WELL

B. DESCRIPTION OF RIGHT(S) OR PORTION THEREOF, AFTER THE REQUESTED CHANGE

1. Right Number 63-11205 Priority 28 FEB 90 Amount (cfs/ac-ft) .2 CFS Nature of Use COMMERCIAL Period of Use 1 JAN to 31 DEC
 _____ to _____
 _____ to _____
 _____ to _____
2. Total amount of water being transferred .2 cubic feet per second and/or _____ acre-feet per annum.
3. Source of water WELL (GROUND WATER) tributary to _____
4. Point(s) of Diversion:

Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Local name for diversion
		SW	SE	23	3N	4W	CALWELL	

5. Lands irrigated or place of use:

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3N	4W	23																✓	

MICROFILMED
DEC 10 1997

Total acres _____

Total acres _____

PART 1

6. General Information:

a. Description of diversion system NEW WELL FEEDING EXISTING WATER
SYSTEM.

b. Are the lands from which you propose to transfer the water right subject to any liens, deeds of trust, mortgages, or contracts? NA Yes NA No. If yes, provide a notarized statement from the holder of the lien, deed of trust, mortgage or contract agreeing to the proposed changes.

c. Describe the affect on the land now irrigated if the place of use is changed pursuant to this transfer:

NA

d. Remarks:

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Transfer of Water Rights No. _____

And said application is hereby _____, subject to the following limitations and conditions:

Witness my hand this _____ day of _____, 19 _____.

MICROFILMED

DEC 10 1997

PART 2

A. DESCRIPTION OF RIGHT AS RECORDED:

Water Right No. 63-11205

STAGE: LICENSE

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL VOLUME</u>
COMMERCIAL	01/01 to 12/31	0.20 CFS	1.0 AF

SOURCE

GROUNDWATER

Priority: 02/28/1990

LOCATION OF POINT(S) OF DIVERSION:SESW , Sec. 23, Township 03N, Range 04W
CANYON CountyPLACE OF USE: COMMERCIALTWN RGE SEC

03N 04W 23 SWSE

CONDITIONS/REMARKS:

1. This right uses the same well as Right 63-08469 and when combined with Right 63-08469 shall not exceed a total combined rate of diversion of .84 cfs.
2. Commercial use is for a combination winery, retail store and tasting room.


MICROFILMED

DEC 10 1997

A.9. Describe any other water rights used for the same purpose as described above NONEA.10. To you knowledge, has any portion of this water right undergone a period of five or more consecutive years of non-use?
NO If yes, describe _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR TRANSFER OF WATER RIGHT
PART 3

- A. Draw a map or attach a USGS map indicating the new point(s) of diversion and/or the new place of use for rights described in part 1. Clearly depict the land by section, township and range number.



MICROFILMED

DEC-10 1997

SCALE: 2 inches equal 1 mile. Draw plan in ink.

PART 3**B. CHANGES IN NATURE OF USE** NANew Nature of UseAmount
(cfs/ac-ft)Hours/days/yearPeriod of Use

to _____

to _____

2. Quantity and quality of return flows and location of discharge:

3. Describe effects on other water uses resulting from the proposed change:

I hereby assert that no one will be injured by such change and that the change does not constitute an enlargement in use of the original right. The information contained in this application is true to the best of my knowledge.

I understand that any willful misrepresentations made in this application may result in voiding its approval.

(Signature of Applicant)

Subscribed and sworn to before me this 28th day of July, 19 97.

(Notary Public)

My commission expires May 15, 1999**FOR DEPARTMENT USE ONLY**Transfer contains 5 pages and 0 attachmentsReceived by JJ Date 07-16-97 Protest filed by _____Prelim. check by RT Fee \$100.00 0039582Received by KS Date 07-16-97Published in Press Tribune Copies of protest forwarded by _____Pub. dates 9-18 + 25-1997 Hearing held by _____ Date _____Watermaster recommendation requested on _____ Recommended for ☐ approval ☐ denial

_____ rec'd. _____ by _____

Copy of transfer sent to lien holder _____

MICROFILMED

DEC 10 1997

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR TRANSFER OF WATER RIGHT
PART 3

- A. Draw a map or attach a USGS map indicating the new point(s) of diversion and/or the new place of use for rights described in part 1. Clearly depict the land by section, township and range number.

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11205

Priority: February 28, 1990

Maximum Diversion Rate:

0.20 CFS

Maximum Diversion Volume:

1.0 AF

This is to certify, that SUNNY SLOPE FRUIT CO

14068 SUNNY SLOPE RD

CALDWELL ID 83605

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 28, 1990; and has submitted Proof of Beneficial Use on August 31, 1990. An examination indicates that the works have a diversion capacity of .840 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
COMMERCIAL	01/01 to 12/31	0.20 CFS	1.0 AF

LOCATION OF POINT(S) OF DIVERSION:

SESW , Sec. 23, Township 03N, Range 04W
CANYON County

PLACE OF USE: COMMERCIAL

TWN RGE SEC

03N 04W 23

SWSE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right uses the same well as Right 63-08469 and when combined with Right 63-08469 shall not exceed a total combined rate of diversion of .84 cfs.
6. Commercial use is for a combination winery, retail store and tasting room.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 26th day of July, 1994.

RECEIVED

AUG 08 1994

Acting for R. Keith Higginson, Director

APPROVED

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-11205

RECEIVED

JUL 11 1994

WATER RESOURCES
WESTERN REGION

Date of Priority: February 28, 1990

Maximum Diversion Rate:

0.20 CFS

Maximum Diversion Volume:

~~1.0~~ AF *Red*

Comes now
14068 SUNNY SLOPE RD
CALDWELL ID 83605

SUNNY SLOPE FRUIT CO

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 63-11205, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
COMMERCIAL	01/01 to 12/31	0.20 CFS	~~1.0~~ <i>Red</i>

LOCATION OF POINT(S) OF DIVERSION:

SESW , Sec. 23, Township 03N, Range 04W
CANYON County

PLACE OF USE: COMMERCIAL

TWN RGE SEC

03N 04W 23 SWSE

RECEIVED

AUG 08 1994

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Caldwell Idaho, this 7 day of July, 1994.

[Signature]
(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-11205

RECEIVED
JUL 11 1994
WATER RESOURCES
WESTERN REGION

FOR DEPARTMENT USE ONLY

Preliminary check by BE Fee = \$20.00 Received by VR # W017731 Date 7-11-94 ✓

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 63-11205 with the following;


CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right uses the same well as Right 63-08469 and when combined with Right 63-08469 shall not exceed a total combined rate of diversion of .84 cfs.
6. Commercial use is for a combination winery, retail store and tasting room.

Witness my hand this 26TH day of July, 1994.

Acting for R. Keith Higginson, Director

AUG 08 1994



For Office Use Only
Amt. of Fee \$ 50.00
Date 8/31/90
Receipt No. C013174
Received by A. Jackson
9/10-25-90

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-11205 Telephone No. 208-459-4821

Name(s) of Permit Holder(s): Sunny Slope Fruit Company

Post Office Address: 14068 Sunny Slope Road, Caldwell, Idaho 83605

Source of Water: Groundwater

If ground water, well driller's name: Unknown Date drilled: _____

Extent of Use:
Domestic _____ (No. of households) Irrigation _____ (No. of acres)
Stockwater _____ (No. and type of stock) Other Commercial

Total rate and/or volume for which proof is submitted .20 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: This is a very old domestic well; used first for a commercial application to a winery in 1976.

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes ☒ No Installed? Yes ☐ No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☐ No

Fee Enclosed: \$ 50.00 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

R. A. Symms, President 208-459-4821

Name 14068 Sunny Slope Road, Caldwell, Idaho 83605 Telephone No. _____

Address

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

RECORDED

NOV 27 1990

29 Aug 90
Date

R. A. Symms
Signature (and title if on behalf of a company or organization)

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11205

Proposed Priority: February 28, 1990 Maximum Diversion Rate: 0.20 CFS
This is to certify, that **SUNNY SLOPE FRUIT CO.**
14068 SUNNY SLOPE RD.
CALDWELL, ID 83605

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
COMMERCIAL	01/01 to 12/31	0.20 CFS

LOCATION OF POINT(S) OF DIVERSION: SWSE Sec. 23, Township 03N, Range 04W
CANYON County

PLACE OF USE: COMMERCIAL

TWN RGE SEC

03N 04W 23 SWSE

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 1991.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Commercial use is for a winery.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

11th day of June, 1990.

for *J. Glen Saxton*
R. Keith Higginson, Director

RECEIVED
JUN 21 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant SUNNY SLOPE FRUIT COMPANY Phone 208-459-4821
Post office address 14068 SUNNY SLOPE ROAD, CALDWELL, IDAHO 83605
2. Source of water supply GROUNDWATER which is a tributary of _____
- * 3. Location of point of diversion is _____ $\frac{1}{4}$ of SW $\frac{1}{4}$ of SE $\frac{1}{4}$, Govt. Lot _____
Sec. 23 Township 3N Range 4W B.M. Canyon County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount .2 for Commercial purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
- * 5. Total quantity to be appropriated is (a) .2 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. _____
Pipeline to winery

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. Proposed well diameter is 6" inches; proposed depth of well is 195 feet.
d. Is ground water with a temperature of greater than 90°F being sought? No
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

* DATA base updated 3-12-90 RA
Per PHONE CALL

JUN 21 1990

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. _____
- e. Other; describe fully. Commercial/Domestic (Winery)

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3N	4W	23															C		C

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. None

11. a. Who owns the property at the point of diversion? Sunny Slope Fruit Company
- b. Who owns the land to be irrigated or place of use? Sunny Slope Fruit Company
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. N/A

12. Remarks: Existing System

RECORDED

JUN 21 1990



710 000
FEET

7.5 MI. TO S. 30
N. 100 MI.

T 3N
R 4W
Sec. 23

4827

4826

35'

19

4825

4824

4823

P/D
SW 1/4 of SE 1/4


FILED
JUN 21 1990

PLEASE SEE ATTACHED MAP.

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


President (Applicant)

Received by HL Date 2-28-90 Time 10:05 AM Preliminary check by PP
Fee \$ 300 Received by JHL # W009767 Date 2-28-90
Publication prepared by GG Date 3/14/90 Published in Press-Tribune
Publication approved AT Date 5-16-90
3/21 & 3/28/90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

MICROFILMED

JUN 21 1990



SYMMS FRUIT RANCH, INC.

*Growers and Shippers of Apples,
Peaches, Cherries, Plums, Pears, Nectarines,
Grapes, Onions and Potatoes.*

14068 Sunny Slope Road, Caldwell, Idaho 83605
Telephone (208) 459-4821 / L.D. 459-8064
Fax: (208) 459-6932

CORPORATION OFFICERS AND PARTNERS LISTED BELOW
ADDRESS FOR ALL: 14068 Sunny Slope Road
Caldwell, Idaho 83605
Telephone: 208-459-4821

SYMMS FRUIT RANCH, INC.

R. A. Symms	President
James P. Mertz	Secretary
Myrtle Symms	Treasurer
Irene Symms	Vice-President
Kathryn Symms Mertz	Vice-President
Steven D. Symms	Director
Shirley S. Maggard	Director

SUNNY SLOPE FRUIT COMPANY

James P. Mertz	President
Shirley Symms Maggard	Secretary/Treasurer
James P. Mertz	Director
Shirley Symms Maggard	Director
R. A. Symms	Director

STE. CHAPELLE, INC.

R. A. Symms	President
James P. Mertz	Secretary/Treasurer
Kathryn S. Mertz	Director

SYMMS CANYON LTD. PARTNERSHIP

Myrtle Symms	General Partner
Irene Symms	General Partner
R. A. Symms	Administrator
James P. Mertz	Administrator

MICROFILMED

JUN 21 1990





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

November 25, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

STE CHAPELLE
14068 SUNNY SLOPE RD
CALDWELL ID 83605

RE: Water Right 63-11205 (Transfer 5107)

Dear Water Right Holder(s):

Enclosed is a copy of your approved Transfer of Water Right for the above referenced water right (Transfer 5107). Please be sure to thoroughly read the Conditions and Remarks listed on the transfer. Also, please be advised that the accompanying transfer approval should be considered and treated as a **preliminary order** of the department issued pursuant to section 67-5243, Idaho Code. Enclosed are instructions for responding to **Preliminary Orders** if you are in disagreement with the approved transfer.


As of July 1, 1996, all water right owners are required to report any change in water right ownership and any change of mailing address to the department.

If you have acquired any other water right or have changed your mailing address **PRIOR TO** July 1, 1996, you have until July 30, 1998, to record the ownership and/or address change with the department.

If you acquired other water rights or changed your mailing address **AFTER** July 1, 1996, you must notify the department within 120 days of the change.

Failure to report these changes in a timely manner could result in a \$100 late filing fee. You can contact any office of the department for more information. If you have any questions concerning your water right listed above you can contact me at (208) 327-7947.

Sincerely,


JIM JOHNSON, Manager
Water Right Permits Section

JJ:klt
Enclosures

MICROFILMED


DEC 10 1997

CERTIFICATE OF MAILING

I hereby certify that on the 25th day of November, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing **TRANSFER APPROVAL** to the person(s) listed below:

WATER RIGHT 63-11205 (Transfer 5107)

STE CHAPELLE
14068 SUNNY SLOPE RD
CALDWELL ID 83605


Kari Lynn Townsend
Secretary

MICROFILMED

DEC 10 1997

MEMORANDUM

TO: FILE 63-11205

FROM: PAM SKAGGS/^{PS}STATE OFFICE

SUBJECT: TRANSFER 5107

DATE: November 19, 1997



=====

Transfer 5107 changes the point of diversion under Right 63-11205. A new well associated with this transfer was authorized under Drilling Permit 97-63-C-0435-000 which was approved on 09-18-97.

Recommended conditions include combined right limits per license and standard transfer conditions.

MICROFILMED
DEC 10 1997

TRANSFER REVIEW SHEET
(06-97)

Transfer # 5107

Date Reviewed 11-19-97 CS

Right(s) 63-1120.5

WRG11 Print Split Summary NA Run POU Comparison Report

B:Change P/D **C**:Add P/D **D**:Change P/U **E**:Change Nature of Use
F:Change Period of Use **G**:Other **H**:Change P/D & Add P/D
I:Change P/D & P/U **J**:Add P/D & Change P/U

Proof of Ownership NA P/D change only

Transfer ✓ All of Right Portion of Right
Resulting Split(s) NONE

Check Transfer Against Recorded Right Season/Vol.

(1) ☒ Priority (2) ☒ Use (3) ☒ Season (4) ☒ Rate (5) ☒ Volume
(6) ☒ Source (7) ☐ P/D (8) ☒ P/U (9) ~~NA~~ Proof/Owner (10) ☒ Map
(11) ~~NA~~ Water District (12) Yes Pertinent Conditions (13) ~~No~~ Expansion
Combined R+ Limit w/limits

⑦ Change P/D to SWSE, S23

DP# 63-97-C-0435-000 - Approved 9-18-97

Transfer Remarks W35,
Conditions T07, T08, T09

Database/Processing Notes Standard ✓ Non-Standard
T File

Pccommon File ~~F5107.18E~~ 08
File Deleted 11-25-97

Transfer Memo Complete ☒
Database Updated 11-25-97 *CS*

WR0749NP
No. T63-11205

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 11/19/97
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	STE CHAPELLE 14068 SUNNY SLOPE RD CALDWELL ID 83605 (208) 459-4821	02/28/1990	COMMERCIAL	01/01 12/31	0.200 CFS	1.00 AFA
TOTAL DIVERSION:					0.200 CFS	1.00 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion: T03N R04W S23 SWSE CANYON County

Place of use Legal Description for: COMMERCIAL

NE				NW				SW				SE				
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:
03N	04W	23	:													:

Pou County: CANYON

Conditions of Approval:

- T07 - The right holder shall accomplish the change authorized by this
- transfer within one (1) year of the date of this approval.
- T08 - Failure of the right holder to comply with the conditions of this
- transfer is cause for the Director to rescind approval of the
- transfer.
- T09 - Approval of this transfer does not preclude the opportunity for
- review of the validity of the water right(s) in the ongoing
- Snake River Basin Adjudication.

Remarks: Rights 63-08469 and 63-11205 when combined shall not exceed a
total diversion rate of 0.84 cfs.
Commercial use is for a combination winery, retail store and
tasting room.

Dates: App. Received: 02/28/1990 Priority Date: 02/28/1990
Proof Due Date: 07/01/1991 Proof Made Date: 08/31/1990
Exam Made Date: 06/08/1993 Exam Sent to S.O.: 06/29/1993
Licensed Date: 07/26/1994

Misc: Water District Number: Field Exam Fee: R (Received)

Comments: Date: 07/16/1997 User-ID: PSKAGGS Subject: TRANSFER NO. 5107
Transfer No. 5107 changes the point of diversion under Right No.
63-11205.

Audit: 07/16/97 PSKAGGS 11/19/97 PSKAGGS

SD-0611-2 Basin: 63 Starting Water Right: 11205

S			O					S
E	Water	Name	W	Priority	STG/		Use	Y
L	Right No.	Last, First	N	Date	STS	Source	Desc	S
-	-	-	-	-	-	-	-	-
-	63-11205	SUNNY SLOPE FRUIT CO	C	02/28/1990	L/	GROUNDWATER	COMMER	WR
-	T63-11205	STE CHAPELLE	C	02/28/1990	L/	GROUNDWATER	COMMER	WR
-	-	-	-	-	-	-	-	-

END OF DATA...ENTER MENU OPTION AND/OR PRESS ENTER TO CONTINUE
(Enter=Continue) (GOLD7=This Query) (GOLD8=Cancel) (Menu _____)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
TRANSFER ANALYSIS SHEET

RECEIVED
NOV 17 1997

Department of Water Resources

APPLICANT Ste Chapelle

TRANSFER NO. 5107

INITIAL ALLOCATION REVIEW BY nn
SRBA SUPERVISOR REVIEW BY N/A

DATE 09/05/1997
DATE _____

1. Right number(s) 63-11205

2. Type of right _____ Decree X License _____ Statutory Claim
_____ SRBA Beneficial Use Claim

3. Purpose of transfer X Change P/D _____ Add P/D _____ Change P/U
_____ Change N/U _____ Change Source _____ Split Right
_____ Other: _____

4. Check Existing Right: ☒ Source ☒ Priority ☒ Amount ☒ Purpose
☒ Period N/A SRBA Claim
☒ Description of original point(s) of diversion
☒ Description of original place of use
☒ Overlapping rights on original place of use

5. Check Proposed Right for amount of land &/or water transferred:

☒ Also see attached memo for more analysis information

- a. ☒ All of right
- b. N/A Part of right (**NOTE!** Part B should be filled in only if part of right is owned by the applicant)
- c. ☒ Description of point(s) of diversion
- d. ☒ Description of place of use
- e. ☒ Map showing P/D & P/U after transfer
- f. ☒ Correct notarized signature and \$100 fee
- g. _____ Proof of ownership of right &/or land from which water is transferred
- h. NO Expansion in use of right - Comments: _____

* First page of application is a copy.

T#5107

MEMORANDUM
TRANSFER ANALYSIS
STE CHAPELLE


Ste. Chapelle seeks to change the point of diversion of license no. 63-11205. The license is for groundwater to be used for commercial uses, specifically a winery, retail store, and tasting room.

There are no proposed changes to the rate of flow or place of use. The original well will still be used to serve water right license no. 63-08469, which is for .71 cfs to irrigate 80 acres in sections 23 and 26.

There is a combined limitation condition on license 63-11205 which should reiterated on the approved transfer.

No SRBA claim is required.

Recommend approval.


Maria Minicucci
October 9, 1997

MICROFILMED
DEC 10 1997



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

July 16, 1997

R.A. Symms
Ste Chapelle
14068 Sunny Slope Rd.
Caldwell, ID 83605

RE: Application for Transfer of Water Right No. 63-11205

Dear Right Holder:

I have received the partially completed application for transfer and the application for a drilling permit that you submitted to the Department to change the point of diversion under Right No. 63-11205. The fees have been recorded under Receipt No. C039582. The transfer has been identified as Transfer No. 5107.

Before the applications can be processed you will need to complete the remaining portion of the transfer application form. For your reference, I am enclosing copies of the pages you submitted (1 & 4) and the original pages that must be completed (2, 3 & 5.)

Please complete the questions at the top half of **page 2, questions 6.a-d** as applicable. Also, the questions at the bottom of **page 3, A.9 and A.10**. And finally, provide a **notarized signature** of an authorized representative of Ste. Chapelle and note the title under the signature line on **page 5**.

When you have completed the required entry, please return the file directly to me to compile with the original parts and the drilling application. The entire file will be sent to our Western Region office for advertising and processing.

Thank you for your prompt response in this matter. I will forward the completed applications upon receipt. I hope I have answered all your questions regarding this matter. If you require any further assistance, please contact me directly at 327-7943 and I will be happy to help you.

Sincerely,

PAMELA SKAGGS
Sr. Water Resource Agent

MICROFILMED

DEC 10 1997

AFFID. IT OF PUBLICATION

STATE OF IDAHO)
) SS.
County of Canyon)

Carolyn Spath

of Nampa, Canyon County, Idaho, being first duly sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of eighteen years, and not a party to the above entitled action.

2. That I am the Principal Clerk of the Idaho Press-Tribune, a daily newspaper published in the City of Nampa and Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa and Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper

Twice

— in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:
September 18, 25, 1997

STATE OF IDAHO)

COUNTY OF CANYON)

On this 25th day of September 1997, before me, a Notary Public, personally appeared Carolyn Spath, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he/she executed the same.

Notary Public for Idaho
Residing at Nampa

MY COMMISSION EXPIRES
JUNE 21ST, 2003

RECEIVED

SEP 26 1997

WATER RESOURCES
WESTERN REGION

NOTICE OF PROPOSED CHANGE OF WATER RIGHT, TRANSFER NO. 5107

Notice is given that STE CHAPELLE of 14068 Sunny Slope Road, Caldwell, ID 83605 has applied to the Department of Water Resources to change the Point of Diversion pursuant to I.C. § 42-222 for the following Commercial right in T3N R4W S23 Canyon County:

License 63-11205, priority 02/28/1990, .20 cfs, ground water diverted in SESW and used in SWSE.

PROPOSED CHANGE

Applicant proposed to change the Point of Diversion to SWSE.

Any protest against approval of the proposed change must be filed with the Department of Water Resources, Western Region, 2735 Airport Way, Boise, ID 83705-5082, together with a protest fee of \$25 on or before October 6, 1997. The protestant must also send a copy of the protest to the applicant.

KARL J. DREHER, Director
September 18, 25, 1997 5823

RECEIPT
For Monies Paid
to the
Idaho Department of Water Resources

Receipt No: C039582

Date: 7/16/1997
Time: 10:38:10


Received
From: STE. CHAPELLE

Type of Payment	Program Acct	Amount
DRILLING PERMIT	54116 229 21 1205	200.00
APPLICATION WATER TRANS 63-11205	56105 229 21 1155	100.00

CHECK 13803

Total \$ 300.00

Region: STATE

Signature: 

MICROFILMED
DEC 10 1997

JUL-10-97 THU 08:49 AM
235-1
7/16/96 (LDT)

Drilling Permit I.D. Tag No. 63-97-C-0435-0002
Water Right Permit No. _____
Injection Permit No. _____

State of Idaho
Department of Water Resources

RECEIVED

APPLICATION FOR DRILLING PERMIT
(FOR THE CONSTRUCTION OF A WELL)

JUL 16 1997

Department of Water Resources

1. Owner (please print): STE CHAPELLE INC
2. Mailing Address: 14068 Sunny Slope Rd
City: CALDWELL State: ID Zip Code: 83605 Telephone: 208-459-4821
3. Proposed Well Location: Twp. 3N Rge. 4W Sec. 23 - 1/4 SW 1/4 SE 1/4
Gov't Lot No. _____ County: CANYON Lat. _____ Long. _____
Street Address of Well Site: LOWELL RD City: CALDWELL
Lot, block and subdivision: _____
Give at least name of road + Distance to Road or Landmark.

4. Proposed Use of Well:

☐ DOMESTIC: The use of water for homes, organization camps, public campgrounds, livestock (1,000 head or less) and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

NON-DOMESTIC: ☐ Irrigation ☐ Municipal ☐ Industrial
☐ Stock ☐ Test ☒ Other COMMERCIAL
(Over 1,000 Head) (Describe)

☐ INJECTION

☐ MONITORING: A well bore schematic and map is required for each blanket permit.
No. of proposed wells: 1

5. Well Construction Information:

A. ☒ New well ☐ Modify ☐ Replace

B. Proposed Casing Diameter 6" Proposed Maximum Depth 400'

C. Anticipated bottom hole temperature:

☒ 85°F or less ☐ 85°F to 212°F ☐ 212°F or more
(Cold Water Well) (Low Temp. Geo. Well) (Geothermal Well)

6. Construction Start Date: AUG 1997

7. Anticipated Well Driller: RIVERSIDE Driller's Lic. No. _____
NOTE: The actual well driller must be identified prior to drilling.

8. Applicant's Signature: [Signature] Date: 14 July 97

Address (if different than owner): SAHE

City: _____ State: _____ Zip Code: _____ Telephone: _____

Title: _____

ENDORSED (Owner, Firm Representative, Other)

DEC 10 1997

C039582

**NOTICE OF PROPOSED CHANGE OF WATER
RIGHT, TRANSFER NO. 5107**

Notice is given that **STE CHAPELLE** of 14068 Sunny Slope Road, Caldwell ID 83605 has applied to the Department of Water Resources to change the Point of Diversion pursuant to I.C. § 42-222 for the following Commercial right in T3N R4W S23 Canyon County:

License 63-11205, priority 02/28/1990, .20 cfs, ground water diverted in SESW and used in SWSE.

PROPOSED CHANGE

Applicant proposes to change the Point of Diversion to SWSE.

Any protest against approval of the proposed change must be filed with the Department of Water Resources, Western Region, 2735 Airport Way, Boise, ID 83705-5082, together with a protest fee of \$25 on or before October 6, 1997. The protestant must also send a copy of the protest to the applicant.

Karl J. Dreher, Director

Published in the Press-Tribune on September 18 and 25, 1997.

MICROFILMED

DEC 18 1997



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

July 28, 1994

SUNNY SLOPE FRUIT CO
14068 SUNNY SLOPE RD
CALDWELL ID 83605


RE: WATER RIGHT NO. 63-11205

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved Application for Amendment.

Should you have any questions regarding these documents, please feel free to contact this office.

Sincerely,



JIM JOHNSON, Manager
Water Right Permits Section

JJ:dc

Enclosure

MISSOURI MEN

AUG 08 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

June 24, 1994

SUNNY SLOPE FRUIT CO
14068 SUNNY SLOPE RD
CALDWELL ID 83605

RE: WATER RIGHT NO. 63-11205


Dear Water Right Holder(s):

I previously forwarded to you an Application for Amendment so that you could amend your permit to correspond with the findings of the Department's field examiner.

As of this date, I have not received the amendment. If I do not receive it within fourteen (14) days, I will assume you no longer have any interest in the permit and cancellation proceedings will begin. Enclosed for your convenience is another amendment form in the event the first one was misplaced.

If you have any questions, please contact me. My telephone number is (208) 327-7947.

Sincerely,



JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

*Per telecon w/ Dick Symms the Annual Volume
should BE ROUNDED TO 1.0 AFA*

Jim
7-7-94

MICROFILMED

AUG 08 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

June 2, 1994

SUNNY SLOPE FRUIT CO
14068 SUNNY SLOPE RD
CALDWELL ID 83605

RE: WATER RIGHT NO. 63-11205

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed Application for Amendment contains information that will be included on the license when it is issued. The amendment reflects a change in the location of the point(s) of diversion. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 14 days.

The last page of the Application for Amendment form contains a list of CONDITIONS/REMARKS proposed for the license when it is issued. These conditions/remarks may be modified upon further administrative review.

If you do not concur or have any questions with this information, please contact me as soon as possible. My telephone number is (208) 327-7947.

Sincerely,



JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECEIVED

AUG 08 1994

WR0749NP
No. L63-11205

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 05/31/94
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	SUNNY SLOPE FRUIT CO 14068 SUNNY SLOPE RD CALDWELL ID 83605 (208) 459-4821	02/28/1990	COMMERCIAL	01-01 12-31	0.20 CFS	0.96 AFA
TOTAL DIVERSION:					0.20 CFS	0.96 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.84 CFS

Point(s) of Diversion: T03N R04W S23 SESW

CANYON County

Place of use Legal Description for: COMMERCIAL

NE				NW				SW				SE												
T	R	S		NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:	
				Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:
03N	04W	23	:					:					:					:					:	

Pol County: CANYON

Other Water Rights Listing Overlapping Place(s) of use:
63-11676 M63-11676

Remarks: This right uses the same well as Right 63-08469 and when combined with Right 63-08469 shall not exceed a total combined rate of diversion of .84 cfs.
Commercial use is for a combination winery, retail store and tasting room.


Dates: App. Received: 02/28/1990 Priority Date: 02/28/1990
Proof Due Date: 07/01/1991 Proof Made Date: 08/31/1990
Exam Made Date: 06/08/1993 Exam Sent to S.O.: 06/29/1993
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 05/31/94 BCHAPMAN

LICENSE REVIEW CHECKLIST

PERMIT NO. 63-11205 DATE 5/31/94



NAME	Yes ☐	No ☒	Or Address Change?
PRIORITY DATE	☐	☒	Advance? ☐ Advanced to: _____ Order to reinstate needed? _____ Incorrect fee for rate recommended? <u>NO</u>
SOURCE	☐	☒	Changes or just clarification of originally intended source? _____ Notice of Intent to Void necessary? _____
POINT OF DIV	☒	☐	Amendment needed? <u>Change to SESW 1/4 1/4</u> Overlaps? <u>63-8469 for irrigation @ .71 CFS and 345 af</u>
PLACE OF USE	☐	☒	Amendment needed? _____ Overlaps? _____
DIV RATE	☐	☒	Measurement done? <u>2 casings in single bore hole</u> Theoretical only? ☒ <u>both = .84 CFS (.84 CFS)</u> Capacity: <u>.84</u> Combined rates exceed capacity ☒ Allowable amount: <u>.20 per permit</u>
CAPACITY = .84 CFS			
63-8469 = .71 CFS			
AVAILABLE .13 CFS			
ANNUAL VOLUME	☐	☒	Season of use: <u>1-1 to 12-31</u> Calculations: <u>see cal sheet</u> Flow limit: <u>.20</u> cfs x <u>365</u> x <u>1.9835</u> = <u>144</u> Combined volumes exceed capacity/allowable <u>NO</u>
USES	☐	☒	Change(s) in Nature of Use? _____ Amendment necessary? _____
REMARKS	<u>W40</u>	☒	Multiple p/d(s) in 1/4 1/4? _____ Other <u>Edit</u>
CONDITIONS	☐	☒	Measuring/Locking Devices _____ Watermaster control - District _____ Irrigation Overlap _____ Water Quality _____ Other _____
COMMENTS:	<u>Amend P/D</u>		

RECOMMENDED	CFS	VOLUME	per	LICENSE
<u>Commercial</u>	<u>.20</u>	<u>.96</u>	<u>1.0</u>	<u>per Jim</u>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
				1ST AMENDMENT LETTER <u>P39+P38</u>
				FINAL AMENDMENT LETTER <u>P47</u>



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 30 1993
Department of Water Resources

A. GENERAL INFORMATION


Permit No. 63-11205
1. Owner: Sunny Slope Fruit Co. Phone No. 459 4821
Current Address: 14068 Sunny Slope Rd Caldwell ID 83605
2. Accompanied by: Kevin Mott / Dick Symms EXAM. DATE: 6/8/93
Address: _____ Phone No. 459-7222
Relationship to Permit Holder: Winemaker / President (Kevin - winery)
3. Source: groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE ☐ Copies Attached
2. Other water rights with same point of diversion: 63-8469 Same well. ☐ Copies Attached ☒ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NONE

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

AUG 08 1994

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

One 16" & one 6" ~~well~~ ^{casing installed in single bore hole, with discharge} tied together, supply water to winery & a separate irrigation license. Large ^{pump} ~~well~~ used in summer for both, small ^{pump} ~~well~~ used in winter for winery only. Pumped to 40,000 gal storage tank then to winery, w/ gravity overflow to irrigation system. Balance of stored water for fire protection. ~~well or~~ P/O on permit not used. Winery was established in ~~1979~~ 1978 shortly after construction of well. Use is for Ste Chappelle Winery & Retail Store/Tasting Room.

See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Pump 1	USElec	50	R-06231-02-095		8"
Pump 2	N/A	7.5	Submersible		2 1/2"

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

~~2 separate P/O's~~ * Single P/O, two pumps. Per Rob Whitney, single bore = single well.

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
1			SESW		23	3N	4W	Canyon	Site Visit, Orthophoto
~~2~~			~~SESW~~		~~23~~	~~3N~~	~~4W~~	~~Canyon~~	"

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3N	4W	23															X		

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: Theoretical

Lift from pump to holding tank = 120' (per topo map)
pumping level in well unknown. Open discharge (non-
pressurized) into holding tank.
well T.D = 395' (well log on file - lists only 16" casing but
shows 28" bore) Static W.L. = 45'

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached See Remarks.

1. Measured Method:

Pump #1 $\frac{50 \times 8.8 \times .7}{420} = .73$ Pump #2 $\frac{7.5 \times 8.8 \times .7}{420} = .11$

Assume P.L. of 300':

2. Alternate Method for Checking Purposes:

Assume P.L. of 200': Pump #1 $\frac{50 \times 8.8 \times .7}{320} = .96$ Pump #2 $\frac{7.5 \times 8.8 \times .7}{320} = .14$

* .84 - SYSTEM CAPACITY

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

See attached, commercial use

.96 AFA ~~112-112-112~~

$V_{BW} = .20 \times 365 \times 1.9835 = 144.7$

AUG 08 1994

H. REMARKS AND OVERLAP REVIEW ANALYSIS

50HP pump in 16" casing.
 License 63-8469 uses ~~16" well~~ ^{System}. ~~16" well~~ measured in 1980 as producing .71 cfs. Smaller pump not mentioned in 1st B/u exam, nor was current configuration of system, ie, all flows discharged to holding tank. However, without added lift to holding tank, a TDH of 433' ($50 \times 9.8 \times .71$ (prev meas)) could not be realized from a 395' well under open flow conditions (See previous exam - measurement taken w/orifice). To remain consistent w/ prior exam, TDH of 420' was assumed. Second pump added & system capacity computed to .84 cfs. Total diversions not to exceed system capacity. Permit recommended at +20 permit limit.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
COMMERCIAL	7/1	12/31	.20	.96
Totals:			.20	.96

2. Recommended Amendments

- ☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name CINDY HODGES
 Signature C. Hodges
 Certification Date _____
 Field Report Preparation Date 6/15/93

CONSULTANT SEAL

- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

August 1994

63-11205 6/8/93

working day: - M-F + 7 day/wk 'avg harvest

Kevin Mott - winemaker

hoses - 5 - 50 gpm

-Crushing-

65 days (use 500) Wash harvest bins $(200 \text{ gal/day}) \times 65 \text{ days} = 13,000 \text{ gal}$
Wash press, once daily $100 \text{ gal/wash} \times 65 \text{ days} = 6,500 \text{ gal}$
Wash equip 4 times daily (2hrs total) $150 \text{ gal} \times 4 \times 65 \text{ days} = 39,000 \text{ gal}$
 $65 \times 500 = 32,500 \text{ gal/year}$

-Storage & fermentation - all year (260 days)

tank cleaning - $200 \text{ gal each tank} \times 1 \text{ tank day} \times \text{all year} = 52,000 \text{ gal}$
barrel cleaning, twice yearly, $10 \text{ gal/barrel} \times 1,000 \text{ barrels} \times 2 = 20,000 \text{ gal}$
Daily cleaning - floors, lines, misc - $50 \text{ gal/day} \times 260 \text{ days} = 13,000 \text{ gal}$

85,000 gal/yr

- Lab - one sink - negligible.

- employees 9 production

4 cellars

3 office

1 lab

2 - winemaker

2 add FT during harvest 65 days

2 part-time retail 130 days

19 full time 4940 days
260 days

- Production (one shift 8 mos)

Sterilization $200 \text{ gal/day} \times 160 \text{ days} = 32,000 \text{ gal}$

Bottle washing 6 hrs/day, $30 \text{ gal/hr} \times 6 \times 160 \text{ days} = 28,800 \text{ gal}$

Clean-up (once daily) $100 \text{ gal} \times 160 \text{ days} = 16,000 \text{ gal}$

- Tasting room open 362 days/year


Dishwasher Avg 2 times/day $30 \text{ gal/load} \times 2 \times 362 \text{ days} = 21,720 \text{ gal}$

Public restrooms Avg 5 times/day $10 \text{ gal/use} \times 5 \times 362 \text{ days} = 18,100 \text{ gal}$

39,820 gal/yr

* updates & modifications phoned in by Kevin Mott, 6/9/93

<TOTAL USE 314,070 gals/yr = .96 AFA>



DEER

CANAL

2525

GLAY
X
Grav

HUSTON

55

LOPE

WELL

2630

63-112050

P/U

TAN

LIZARD

50 HP - 16" - Summer / Irrigation
7.5 HP 6" casing - winter

40,000 holding tank (buried)

AUG 08 1994



IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: _____ OTHER APPLICABLE NO: 63-11205
2. OWNER: Sunny Slope Fruit Co Phone: _____
Address: _____
3. WELL LOCATION: Twp 3N, Rge. 4W, Sec. 23, SE 1/4 SW 1/4
County Canyon (Provide sketch map and photo on reverse.)
4. DRILLER: COPE Lic. No. _____
When Drilled? 1977
5. WELL CONSTRUCTION TD = 395 Bore = 28" 2 casings
Casing Diameter 16 inches Water tight cap? ☒ Yes ☐ No Access Port: ☒ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing _____ ft. Method Drilled _____
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☒ Yes ☐ No Pressure Gauge: ☐ Yes ☐ No
Condition of Piping and Valving GOOD
Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION N/A
Depth to Static Water 45 ft. Water Temperature _____ °F
Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☐ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:
☐ Domestic ☒ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☒ Other: COMMERCIAL

RECEIVED
AUG 08 1994

9.

REMARKS:

C. Hodges

Signature of Dept. Representative & Title

6/8/93

Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

7/10/93

08 1994

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: _____ OTHER APPLICABLE NO: 63-11205
2. OWNER: Sunny Slope Fruit Co. Phone: _____
Address: _____
3. WELL LOCATION: Twp 3N, Rge. 4W, Sec. 23, SE 1/4 SW 1/4
County Canyon (Provide sketch map and photo on reverse.)
4. DRILLER: Cope Lic. No. _____
When Drilled? 1977
5. WELL CONSTRUCTION TD = 395' Bore = 28" 2 casings
Casing Diameter 6 inches Water tight cap? ☒ Yes ☐ No Access Port: ☒ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing _____ ft. Method Drilled _____
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☒ Yes ☐ No Pressure Gauge: ☐ Yes ☒ No
Condition of Piping and Valving GOOD
Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION
Depth to Static Water _____ ft. Water Temperature _____ °F
Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☐ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:
☐ Domestic ☐ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☒ Other: COMMERCIAL

RECEIVED
APR 18 1994

9. REMARKS: _____

C. Hodges
Signature of Dept. Representative & Title

6/8/93
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

RECEIVED

AUG 08 1994

Still


USE ADDITIONAL SHEETS IF NECESSARY. FORWARD THE WHITE COPY TO THE DEPARTMENT.

63-11205

6/8/93 cy4



1. P/O #1, valve system. P/O #2 located just behind #1. 2 1/2 discharge for #2 to left of photo. ~~the~~ Lines exit building together at 2nd valve assembly.



2. P/u -

Retail tasting room
& wine cellar.

AUG 08 1994

November 1, 1990

SUNNY SLOPE FRUIT CO.
14068 SUNNY SLOPE RD.
CALDWELL, ID 83605

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11205

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

I note that the permit issued to you by the department requires the installation of a lockable device to allow the department to determine the rate of diversion. The proof which you submitted does not show that you have installed this equipment.

The installation of the lockable device must be complete by the time the department representative conducts the examination of your system unless the department has rescinded the requirement prior to the field examination. In some cases, the equipment requirement can be rescinded because the equipment cannot be physically installed, is not appropriate or can be accommodated with other measuring methods.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MicroFILMED

NOV 27 1990

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
June 11, 1990

SUNNY SLOPE FRUIT CO.
14068 SUNNY SLOPE RD.
CALDWELL, ID 83605

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P63-11205

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Please be advised that water quality is subject to regulations of the Idaho Department of Health and Welfare. We suggest that you check with them before starting construction.

RECORDED

JUN 21 1990

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

RECEIVED

JUN 21 1990

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

Allen, George H.

63-11203

DIVENS, HAMIL
DIVENS, EDITH
16299 OASIS RD.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

63-11150

LOT 2 (NENWNE) Sec 5 T 05N R 03W
Total Diversion: (.040 CFS)

1.5 ACRES TOTAL

63-11155

PIONEER BRED INT. INC.
8178 LAKESHORE DR.
NAMPA, ID 83686
Source: GROUNDWATER
Diversion Pt:
Use: COMMERCIAL

SENE Sec 16 T 02N R 02W
Total Diversion: (.040 CFS)

63-11156

GAIHUSCIO, JOSEPH M.
GAIHUSCIO, KATHLEEN C.
12340 GALLOWAY
MIDDLETON, ID 83644
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
Use: STOCKWATER
Use: DOMESTIC

NWNE Sec 25 T 05N R 03W
Total Diversion: (.150 CFS)
(.020 CFS)
(.040 CFS)
(.200 CFS)

5.0 ACRES TOTAL

63-11158

CHANCE, BEN
18403 MIDDLETON RD.
NAMPA, ID 83687
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

SESENE Sec 31 T 04N R 02W
Total Diversion: (.120 CFS)
(.120 CFS)

4.0 ACRES TOTAL

63-11160

JOHNSON, E. RANDALL
JOHNSON, BETTY L.
720 FLETCHER DR.
NAMPA, ID 83686
Source: GROUNDWATER
Diversion Pt:
Use: COMMERCIAL

NWNE Sec 35 T 02N R 02W
Total Diversion: (.040 CFS)
(.040 CFS)

63-11174

ITAMI, DENNIS J.
ITAMI, EVELYN K.
16272 LAKE AVE.
NAMPA, ID 83651
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
Use: DOMESTIC

NWSW Sec 12 T 03N R 03W
Total Diversion: (.130 CFS)
(.020 CFS)
(.150 CFS)

6.5 ACRES TOTAL

63-11187

THARRINGTON, CHARLES A.
THARRINGTON, MARCIETA JOY
22368 LOWER PLEASANT RIDGE RD.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt:

NESW Sec 19 T 04N R 04W
LOT 3 (NWSW) Sec 19 T 04N R 04W
LOT 4 (SWSW) Sec 19 T 04N R 04W
SESW Sec 19 T 04N R 04W
NESE Sec 19 T 04N R 04W
Total Diversion: (2,400 CFS)
(.600 CFS)
(3,000 CFS)

Use: IRRIGATION
Use: INDUSTRIAL

Date Filed: 2/28/1990
In: T04N R04W S19

250.0 ACRES TOTAL

63-11188

QUENZER, GEORGE G.
QUENZER, DIANE R.
7760 FOOTHILL RD.
MIDDLETON, ID 83644
Source: LANKTREE GULCH
Diversion Pt:
Use: IRRIGATION

SENEW Sec 2 T 04N R 02W
Total Diversion: (.800 CFS)
(.800 CFS)

Date Filed: 2/28/1990
In: T04N R02W S02

49.0 ACRES TOTAL

63-11193

MILLER, R. KEITH
MILLER, VICTORIA A.
6946 USTICK RD.
NAMPA, ID 83687
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

SWSWSW Sec 36 T 04N R 02W
Total Diversion: (.030 CFS)
(.030 CFS)

1.0 ACRES TOTAL

63-11201

REYNOLDS, JOHN B.
REYNOLDS, CLARA L.
7120 USTICK RD.
NAMPA, ID 83687
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
Use: DOMESTIC

SESW Sec 35 T 04N R 02W
Total Diversion: (.030 CFS)
(.040 CFS)
(.070 CFS)

1.0 ACRES TOTAL

63-11202

KRAJINIK, ED
KRAJINIK, ONIVETA
4749 RIM RD.
NAMPA, ID 83686
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
Use: DOMESTIC

NWSENE Sec 13 T 02N R 03W
Total Diversion: (.150 CFS)
(.040 CFS)
(.100 CFS)

5.0 ACRES TOTAL

21932 USTICK RD.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
Use: STOCKWATER
Use: DOMESTIC

SWSW

Sec 33 T 04N R 04W
(.100 CFS)
(.020 CFS)
(.040 CFS)
(.160 CFS)

Total Diversion: (.160 CFS)

5.0 ACRES TOTAL

63-11205

SUNNY SLOPE FRUIT CO.
14068 SUNNY SLOPE RD.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt:
Use: COMMERCIAL

SWSE

Sec 23 T 03N R 04W
(.200 CFS)
(.200 CFS)

Total Diversion: (.200 CFS)

63-11208

MERTZ, JAMES P.
SYMMS, R.A.
14068 SUNNY SLOPE RD.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt:
Use: COMMERCIAL

NENENE

Sec 12 T 03N R 05W
(.200 CFS)
(.200 CFS)

Total Diversion: (.200 CFS)

63-11208

SCHUMACHER, FREDERICK
SCHUMACHER, JUNE
16531 PLUM RD.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

NESE

Sec 9 T 03N R 04W
(.020 CFS)
(.020 CFS)

Total Diversion: (.020 CFS)

0.5 ACRES TOTAL

63-11209

BLICKENSTAFF, LEROY
BLICKENSTAFF, DELORES
3115 S. HAPPY VALLEY RD.
NAMPA, ID 83686
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
Use: COMMERCIAL

SWNESE

Sec 1 T 02N R 02W
(.800 CFS)
(.040 CFS)
(.800 CFS)

Total Diversion: (.800 CFS)

40.0 ACRES TOTAL

63-11210

BLICKENSTAFF, LEROY
BLICKENSTAFF, DELORES
3115 S. HAPPY VALLEY RD.
NAMPA, ID 83686
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

NENESE

Sec 1 T 02N R 02W
(.820 CFS)
(.820 CFS)

Total Diversion: (.820 CFS)

NESE NWSW SWSE SESE
41. ACRES TOTAL

63-11212

REINEKE, JEAN
2645 CANADA RD.
MELBA, ID 83641
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

NESE

Sec 13 T 01S R 02W
(.540 CFS)
(.540 CFS)

Total Diversion: (.540 CFS)

27.0 ACRES TOTAL

63-11214

ROLLING HILLS WATER CORP.
19072 OWYHEE DR.
NAMPA, ID 83651
Source: GROUNDWATER
Diversion Pt:

Lot 1 (SWNE) NESENE

Sec 4 T 01N R 02W
Sec 4 T 01N R 02W
(.800 CFS)
(.540 CFS)
(1,340 CFS)

Total Diversion: (.1340 CFS)

40.0 ACRES TOTAL

63-11215

KLAIR AND KLAIR INC.
2203 ELLIS AVE.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

SESW

Sec 36 T 05N R 04W
(2,000 CFS)
(2,000 CFS)

Total Diversion: (2,000 CFS)

270.0 ACRES TOTAL

63-11216

PINTLER, BRAD
PINTLER, CHARLES
13541 SURRY LN.
NAMPA, ID 83686
Source: GROUNDWATER
Diversion Pt:
Use: COMMERCIAL
Use: DOMESTIC

NENESW

Sec 35 T 02N R 03W
(.200 CFS)
(.200 CFS)

Total Diversion: (.200 CFS)

SESE

63-11217

KINDNESS ANIMAL HOSPITAL
1420 MIDLAND BLVD.
NAMPA, ID 83651
Source: GROUNDWATER
Diversion Pt:
Use: STOCKWATER
Use: COMMERCIAL

NWNWS

Sec 16 T 03N R 02W
(.020 CFS)
(.080 CFS)
(.100 CFS)

Total Diversion: (.100 CFS)

Date Filed: 2/05/1990
In: T03N R02W S16

This permit(s) will be subject to major water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before APRIL 9, 1990.
R. KEITH HIGGINSON
Director
March 21, 28, 1990

RECEIVED
JUN 21 1990

63-11205

SUNNY SLOPE FRUIT CO.
14068 SUNNY SLOPE RD.
CALDWELL, ID 83605

Source: GROUNDWATER

Diversion Pt: SWSE Sec 23 T 03N R 04W

Use: COMMERCIAL (.200 CFS)
Total Diversion: (.200 CFS)

Date Filed: 2/28/1990

In: T03N R04W S23 SWSE

MICROFILMED

JUN 21 1990