


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



2N

3W


MICROFILMED
JUN 21 1990

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X Ed J Trajns
(Applicant)

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = NTS

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	^{part} Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Century	5	6-33305D-04	Red Jacket	121179
	NO TAG	2	NO TAG	Red Jacket	NO TAG

*Code to correspond with No. on map and aerial photo


D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
5 gallon bucket						
Sprinkler gage						

2. Measurements: 5 gal / 10 sec = 30 gpm = 0.07 CFS
Sprinkler - 1/2 Nozzles - 33 psi

JUN 13 1994
DECLARED






PHOTO ONE-

Well which contains Two pumps, one for irrigation (5 h.p.), And one for domestic (home

>



RECEIVED
JUN 13 1994

PHOTO TWO-

View westerly of home and southern portion of pasture.



PHOTO THREE-

View southwest of sprinkler irrigation of pasture.

>

RECEIVED
JUN 13 1994

PHOTO FOUR-

KRAJNICK

10" Casing

Motor Pump

- Century

5 h.p.

Part # 6-333050-04

Single phase

Catalog # P 231

Serial like W5

Pump

- Red Jacket

model # 5005PHA-3

Serial # 121179

(2) Pressure Tanks

Well-X-Trol

mod. ~~3~~

WX 252

Name

Red Jacket - 2 hp.

NO TAG.

3 sets of Rainbirds (30 to a set)

FAWN FESCUE grass

→ 33 psi - $\frac{1}{8}$ " Heads

4000 ± 3" + 2" PVC TO System

→ House Pump

5 gal / 10 sec = 30 gpm

Lawn - 30,000 FT²

PASTURE - 5 ac.

Lawn - 100' X 120' = 12,000


~~100~~

48 X 40 = 1920

30 X 20 = 600

60 X 50 = 3000

60 X 60 = 3600



= 10,200

= 0.72 ≈ 1 ac.

PASTURE - 125 X 105 = 12,600

150 X 180 = 27,000

400 X 100 = 40,000

= 2.75 ≈ 3 acres

Old not pass entire
pasture, so rough
estimate. Irregular
shape.

JUN 13 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11202

Priority: February 16, 1990

Maximum Diversion Rate:

0.19 CFS

Maximum Diversion Volume:

23.1 AF

This is to certify, that ORVETA KRAJNIK
ED KRAJNIK

4749 RIM RD
NAMPA ID 83686

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 16, 1990; and has submitted Proof of Beneficial Use on June 29, 1990. An examination indicates that the works have a diversion capacity of .240 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.15 CFS	22.5 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	0.6 AF
	Totals	0.19 CFS	23.1 AF

LOCATION OF POINT(S) OF DIVERSION:

NWSENE , Sec. 13, Township 02N, Range 03W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	03W	13	SENE	5		5

Total number of acres irrigated: 5

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.5 afa per acre for the lands above.
6. Domestic use is for 1 home.

Microfilm


JUN 13 1994


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11202

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 23RD
day of APRIL, 1994.

Acting for 
R. Keith Higginson, Director



JUN 13 1994

RECEIVED

JUN 29 1990

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

For Office Use Only

Amt. of Fee \$ 50.00Date 6/2/90Receipt No. 601758Received by J. J. J. J.MS-11790

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-11202 Telephone No. 466-6874Name(s) of Permit Holder(s): ED KRAJNIK OR META KRAJNIKPost Office Address: NAMPA, IDAHO 4749 Rim Rd 83686Source of Water: WELLIf ground water, well driller's name: BILL DOTY Date drilled: JAN, 17 1980

Extent of Use:

Domestic 1 (No. of households) Irrigation 5 (No. of acres)

Stockwater 12 BEAR (No. and type of stock) Other _____

Total rate and/or volume for which proof is submitted 19 cfs _____ acre/feetShow date water was first diverted and beneficially used under this permit: 1982

One of the following may be a condition of approval of your permit:

Measuring device: Required? ☒ Yes ☒ No Installed? ☐ Yes ☒ No

OR

Flow Measurement Port: Required? ☐ Yes ☐ No Installed? ☐ Yes ☒ NoFee Enclosed: \$ 50.00 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Name ED KRAJNIK Telephone No. 466-6874Address 9749 RIM ROAD NAMPA, IDA

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

DEC 11 1990

Date JUNE 23 1990 Signature (and title if on behalf of a company or organization) Ed Krajnik + Meta Krajnik

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 63-11202

Proposed Priority: February 16, 1990 Maximum Diversion Rate: 0.19 CFS
This is to certify, that **ED KRAJNIK**

ORVETA KRAJNIK
4749 RIM RD.
NAMPA, ID 83686

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.15 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS
	Totals	0.19 CFS

LOCATION OF POINT(S) OF DIVERSION: NWSENE Sec. 13, Township 02N, Range 03W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N 03W 13	SENE 5			5

Total number of acres irrigated: 5

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:


1. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 1991.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.
5. The maximum rate of diversion for irrigation purposes under this permit shall not exceed 0.15 cfs.
6. The maximum rate of diversion for domestic purposes under this permit shall not exceed 0.04 cfs.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

11th day of June, 1990

MICROFILMED

JUN 21 1990

for 
R. Keith Higginson, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Ed or ORVETA KRAJNICK Phone 466-6874
Post office address 4749 Rim Rd Nampa ID . 83686
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of NE $\frac{1}{4}$, Govt. Lot _____
Sec. 13 Township 2N Range 3W B.M. Canyon County; additional
points of diversion if any: _____
- * 4. Water will be used for the following purposes:
Amount 0.15 for IRRIGATION purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.04 for DOMESTIC purposes from 1/1 to 2/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
- * 5. Total quantity to be appropriated is (a) 0.19 cubic feet per second and/or (b) _____ acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. 2 pumps a 7.5hp and 2hp.
Completed system of buried sprinklers piped to house
Beneficial use began in 1980 for Domestic and 1982 irrig.
b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. Proposed well diameter is 10 inches; proposed depth of well is 280 feet.
d. Is ground water with a temperature of greater than 90°F being sought? NO
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

* Reduced per phone call 3-1-90 RS

MICROFILMED

JUN 21 1990

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. 1
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
2N	3W	13				<u>D/5</u>													5

Total number of acres to be irrigated 5

10. Describe any other water rights used for the same purposes as described above. NONE


11. a. Who owns the property at the point of diversion? Applicant
- b. Who owns the land to be irrigated or place of use? Applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: Beneficial use actually began 1982

RECORDED

JUN 21 1990

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X Ed J. Trajns
(Applicant)


Received by JA Date 3/16/90 Time 10:15 A.M. Preliminary check by JS
Fee \$ 30.00 Receipted by JA # W009095 Date 2-16-90
Publication prepared by CG Date 3-14-90 Published in Press-Tribune
Publication approved AT Date 5-16-90 3/21 & 3/28/90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

April 28, 1994

ORVETA KRAJNIK
ED KRAJNIK
4749 RIM RD
NAMPA ID 83686

RE: WATER RIGHT NO. 63-11202

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', written over a circular stamp.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure



JUN 13 1994

LICENSE REVIEW CHECKLIST

Permit # 63-11202; Krajnik Date 4/8/94 Cindy Zimmerman

	Yes	No	
NAME	_____	<u>✓</u>	Or Address Change?

PRIORITY DATE _____ Proof Due 7/1/91 Proof R'cd 7/2/90
2/16/90 _____ ✓ Advance? _____ Advanced to: _____
 _____ ✓ Order to Reinstate Needed? _____
 _____ ✓ Incorrect Fee for rate recommended? _____

SOURCE	Changes?	Clarification of Originally
<u>GW</u>	<u>✓</u>	<u>Intended source</u> Notice of Intent to Void - Source change.

P/D ✓ Amendment Needed? _____
 ✓ Overlap(s) _____

P/U ☒ Amendment Needed? _____
 ☒ Overlap(s) _____

TOTAL CFS	✓	Measurement done? 5 gal bucket at dom. forest & sprinkler
.19		① 5 gal in 10 sec. = 30 gpm = .07 cfs.
.15 irr SA @ .03/A	✓	② 30 sprinklers x 2.77 gpm = 83.1 gpm = .19 cfs (usa)
.04 dom/l	✓	Theoretical (HP) $8.8 \times 0.70 \times \frac{5}{100} = .05$ (usa)
	✓	Capacity $\frac{168}{(2.31 \times 33)} = .05$ (usa)
		Allowable Amount: .19

TOTAL VOLUME Season of Use: dom: 1/1-12/31; irr: 3/15-11/15
 ✓ Calculations: dom: (int only) . 6 AF

irr: $SA \times 4.5AP/A = 22.5AF$
irr: Flow limit: $.15 \times 246 \times 1.9835 = 73.2$
Recommended Volume 23.1 AF

USES _____ ☒ Change(s) in Nature of Use? _____
dom/irr _____ ☒ Amendment Needed? _____

REMARKS	☒	Multiple P/Ds in 1/4 1/4?	_____
	☒	Special Overlap	_____
	☒	Other	Dom/1

CONDITIONS	_____	✓	Measure/Lock Devices		
	_____	✓	W/Master Control	_____	Water Dist
	<u>R52</u>	_____	Irrigation Overlap	<u>2/16/96</u>	App Rec'd
	_____	✓	Water Quality	<u>6/3/93</u>	Exam Made

COMMENTS: _____

RECOMMENDED	CFS	DIV VOL
irr 5A	.15	22.5
dom / 1	.04	.6
TOTAL	.19	23.1

LICENSE ✓
1ST AMEND LETTER
2ND AMEND LETTER

DATE: 04/08/94
PAGE: 1

Audit: 04/08/94 ZIMMERMA

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '*' ARE ADJUDICATION CLAIMS)

WR-NUMBER	SOURCE	NE				NW				SW				SE				SUM				
		NE		NW		SE		NE		NW		SE		NE		NW			SE			
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac		Lt	Ac		
6311202	T02N R03W S13 GROUNDWATER																			5		
	:					05	:															
6302388	BOISE RIVE :						:													:		
A6302388	BOISE RIVE :						:													:		
6302911	GROUNDWATE :						:			40	40	:								80		
A6302911	GROUNDWATE :						:			40	40	:								80		
6303532B	GROUNDWATE :			39			:	38				:								77		
A6303532B	GROUNDWATE :			39			:	38				:								77		
6303557A	GROUNDWATE :						:			38		:								38		
A6303557A	GROUNDWATE :						:			38		:								38		
*6311701	GROUNDWATE :				15	20	:					:				38	15			88		
M6311701	GROUNDWATE :				15	20	:					:				38	15			88		
	C27Q-X 55 :	36	40	34	38	:		41	40	42	36	:	02	04	16	17	:	39	19	35	32	471
	C73Q-X 55 :	38	40	35	39	:		39	40	38	41	:	10	09	23	20	:	42	25	38	38	515

*application on Moratorium Hold, different owner.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUL 09 1993
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-11202

1. Owner: Ed & DRVETA KRAJNIK Phone No. 466-6874

Current Address: 4749 Rim Rd., Nampa, ID 83686

2. Accompanied by: Ed KRAJNIK EXAM DATE: 6/3/93

Address: SAMP Phone No. SAME

Relationship to Permit Holder: APPLICANT

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 63-92388, 63-11701, M63-11701

2. Other water rights with the same point of diversion: NONE

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NW	SE	NE	13	2N	3W	CANYON	AERIAL MAP


2. Place(s) of Use:

Indicate Method of Determination SAME AS P/O

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
2N	3W	13				0 5.0												5.0	

MAINTAINED
JUL 13 1994

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = NTS

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	^{part} Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Century	5	6-33305D-04	Red Jacket	121179
	NO TAG	2	NO TAG	Red Jacket	NO TAG

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
5 gallon bucket						
Sprinkler gage						

2. Measurements: 5 gal / 10 sec = 30 gpm = 0.07 CFS

Sprinkler - 1/2" Nozzles - 33 psi

JUN 13 1994

E. NARRATIVE/REMARKS/COMMENTS

OVERLAPS - P/U - SAME QD, but different area and source.

Well with 10" casing is used for domestic and irrigation purposes. A separate line for each is connected to two separate pumps. The home to a 2 h.p., the irrigation system for lawn and pasture to a 5 h.p. pump.

As shown by the calculations, the measured flows exceed the requested flows as shown on the permit. Therefore, recommend Licensing of 0.15 CFS for irrigation and 0.04 CFS as requested.

NOTE: PASTURE is irrigated by three sets of ~~sprinkler~~ underground sprinkling. Approximately 4000' of 3" and 2" PVC installed in system.

LAWN and PASTURE comprise approximately 4 acres. License needs to indicate irrigation of 4, not 5 acres.

Domestic - $Q(\text{measured}) = 0.07 \text{ CFS}$ (must be irrigation, not domestic)

$$Q(\text{Theoretical}) = \frac{(8.8)(2)(0.7)}{180 \times 2.31} = 0.03 \text{ CFS}$$

$$\text{Irrigation} - Q(\text{measured}) = 30 \times 2.77 \text{ gpm} = 83.1 \text{ gpm} \\ = 0.19 \text{ CFS}$$

$$Q(\text{Theoretical}) = \frac{(8.8)(5)(0.7)}{(193) \times 2.31} = 0.07 \text{ CFS}$$

Have conditions of permit approval been met? ☒ yes ☐ no

MAINTAINED
JUN 13 1994

F. FLOW CALCULATIONS

_____ Additional Computation Sheets Attached

Measured Method:

5 gallon bucket from spigot near garden - 30 gpm = 0.07 CFS
Sprinkler gage - 30 nozzles x 2.77 gpm = 83.1 gpm = 0.19 CFS

G. VOLUME CALCULATIONS**1. Volume Calculations for Irrigation:**

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 5 \times 4.5 = 22.5 \text{ AFA}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.15 \times 246 \times 1.9835 = 73.2 \text{ AFA}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 22.5 \text{ AFA}$$

2. Volume Calculations for Other Uses:

$$V_{\text{internal}} = 0.6 \text{ AFA}$$

H. RECOMMENDATIONS**1. Recommended Amounts**

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	3/15	11/15	0.04 0.15	22.5
DOMESTIC	1/1	12/31	0.04	0.6
Totals:			0.19	23.1

2. Recommended Amendments

___ Change P.D. as reflected above ___ Add P.D. as reflected above ☒ None
___ Change P.U. as reflected above ___ Add P.U. as reflected above ___ Other


I. AUTHENTICATION

Field Examiner's Name Rick Collingswood Date 6/30/93

Reviewer _____ Date _____

SEAL

JUN 18 1993



63-4868
LAKE LOWELL

CREST ELEVATION 2531
ELEVATION 2518 SEPT. 25, 1954

DEER FLAT

NATIONAL

WILDLIFE REFUGE

PERMIT 63-11202-INIT RC

T. R. S. Q/Q

P/D 2N 3W 13 SEWE

SCALE

PHOTO ID. X-55 Lake Lowell

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-11202

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 2N, Rge 3W, Sec. 13, SE 1/4 NE 1/4 or Lot _____.
2. Owner: Ed + ORVETA KRAJNIK
Address 4799 Rim Road, City hampa, St ID
3. Casing $\geq$ 12 inches above ground: Yes _____ No ✓
4. Access Port: Yes _____ No ✓ Static Water Level: 158'
Pressure Gauge: Yes _____ No ✓ Casing Diameter: 10"
Flowing: Yes ✓ No _____ Temperature: N/A
5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes _____ No ✓

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: _____

RECEIVED
JUN 13 1994

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]


USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT



PHOTO ONE-

Well which contains two pumps, one for irrigation (5 h.p.), and one for domestic (home).

>



RECEIVED
JUN 13 1994

PHOTO TWO-

View west of home and southern portion of pasture.




PHOTO THREE-

View southwest of sprinkler irrigation of pasture.

>



JUN 3 1994

PHOTO FOUR-

63-11202

10" Century

~~Century~~ - Century

5 h.p.
Part # 633050-04

Single phase
Country # P 231
Serial like W5

~~Red Jacket~~ - Red Jacket
Model # 5005PHA-3
Serial # 124179

(2) Pressure Tanks

Well-X-Trail

Mod. ~~XXXXXX~~
WX 252

Name

Red Jacket - 2 hp

NO TAG.

3 sets of bearings (30 to a set)

From pressure gauges

3" pipe & 1/8" heads

3" & 2" PVC to system

• Name Pump

5 gal / 10 sec = 30 gpm

Land - 30,000 FT²

Pasture - 5 ac.

Land = 100' x 120' = 12,000


~~100' x 120'~~

40' x 40' = 1,600

30' x 20' = 600

60' x 50' = 3,000

60' x 60' = 3,600



= 10,200

= 0.72 ≈ 1 ac.

Pasture = 100' x 105' = 10,500

150' x 180' = 27,000

100' x 80' = 8,000

= 2.75 ≈ 3 acres

Did not pass entire
pasture, so rough
estimate. Irregular
shape.

November 15, 1990

ED KRAJNIK
ORVETA KRAJNIK
4749 RIM RD.
NAMPA, ID 83686

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11202

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MicroFILMED

DEC 11 1990

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
June 11, 1990

ED KRAJNIK
ORVETA KRAJNIK
4749 RIM RD.
NAMPA, ID 83686

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P63-11202

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

MICROFILMED

JUN 21 1990

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

JUN 21 1990

63-11202

KRAJNIK, ED
KRAJNIK, ORVETA
4749 RIM RD.
NAMPA, ID 83686

Source: GROUNDWATER

Diversion Pt: NWSENE Sec 13 T 02N R 03W

Use: IRRIGATION (.150 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.190 CFS)

Date Filed: 2/16/1990

In: T02N R03W S13 SENE

5.0 ACRES TOTAL

MICROFILMED

JUN 21 1990