




Copies Of These Maps Can Be Obtained
At Bonneville Blue Print, Boise Idaho

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, MENLO PARK, CALIF. 94025




172' Drilled 6" Well

147' - 3" Pipe (10' SS Screen)

90' STATIC

100' DYNAMIC




$$660' \times 180' = 118,800$$

$$403' \times 180' = 72,540$$

$$\frac{191,340}{43560} = 4.39 \text{ ac}$$

$$\approx 4.4 \text{ ac}$$

3. **Delivery System Diagram:** Include all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = 200'

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		3	Sta-Rite		(Submersible)


*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Bucket/Stopwatch					5 gal.	6/13/96
Pitot Tube/Pressure Gauge						

2. **Measurements:** The fifth sprinkler west of the southern most riser measured 5 gallons in 1 minute, 52 seconds. The hydrant by corrals/shed measured 5 gallons in 39 seconds.



Published by the Geological Survey

USGS

metric methods from aerial
Field checked 1970

Grid ticks: Idaho coordinate
Transverse Mercator

Transverse Mercator grid ticks,
1927 North American datum

T5N R2W

GN MN


0° 18' 18 1/2°
5 MILS 329 MILS

3.2 MI. TO IDAHO 44

(MIDDLETON)

2671 11 NE

SCALE 1:24 000




CONTOUR INTERVAL 20 FEET
DOTTED LINES REPRESENT 5-FOOT CONTOURS
DATUM IS MEAN SEA LEVEL




W-56

6/14/96

63-11196



POINT OF DIVERSION








PLACE OF USE
(large pasture)







MAY 07 1996




Survey,
1:24,000-scale aerial
photograph of
Idaho

U.S. National Grid, zone 11

North American Datum 1983 move
and 78 meters east

TSN
RZW
see 21
SENE



Copies Of These Maps Can Be C
At Bonneville Blue Print, Boise
63-11196

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U.S. GEOLOGICAL SURVEY, MENLO PARK, CALIF.

R 2 W

6 15

21 22

17 16

20 21

N/NW

25

N/NW

2

26.5

T 4773

MAY 07 1996

NW

1

43.8

N/NW

4

41.0

63-11196

8.0



No beneficial use found



MAY 07 1996

63-11196



6" well
 P/D - 3 HP submersible
 Sta Rite pump



63-11196
 MAY 07 1996

63-11196

USE TYPEWRITER OR
BALL POINT PEN

State of Idaho
Department of Water Administration
WELL DRILLER'S REPORT



State law requires that this report be filed with the Director, Department of Water Administration within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>Jim Cooper</u> Address <u>Rt 1, Caldwell, Ida.</u> Owner's Permit No. _____		7. WATER LEVEL Static water level <u>87</u> feet below land surface Flowing? ☐ Yes ☐ No G.P.M. flow _____ Temperature _____ F. Quality _____ As shown closed in pressure _____ Controlled by ☐ Valve ☐ Cap ☐ Plug																																																															
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) _____		8. WELL TEST DATA ☒ Pump ☐ Blower ☐ Other <u>Suction</u> Discharge G.P.M. <u>30</u> Draw Down <u>5'</u> Hours Pumped <u>4</u>																																																															
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Other (specify type) _____ ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection		9. LITHOLOGIC LOG <table border="1"><thead><tr><th rowspan="2">Hole Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th rowspan="2">Water Yes No</th></tr><tr><th>From</th><th>To</th></tr></thead><tbody><tr><td>6"</td><td>0</td><td>1</td><td>TOP SOIL</td><td></td></tr><tr><td></td><td>1</td><td>69</td><td>CONCRETE PIPE & CEMENT</td><td></td></tr><tr><td></td><td></td><td></td><td>STRENGTHEN SANDY CLAY</td><td></td></tr><tr><td></td><td>69</td><td>77</td><td>CRACKED PIPE</td><td></td></tr><tr><td></td><td>77</td><td>102</td><td>SANDY CLAY</td><td></td></tr><tr><td></td><td>102</td><td>103</td><td>CLAY</td><td></td></tr><tr><td></td><td>103</td><td>130</td><td>MUDY SAND-SOME HEAVY</td><td></td></tr><tr><td></td><td>130</td><td>135</td><td>COARSE CLEAN SANDY CLAY</td><td></td></tr><tr><td></td><td>135</td><td>157</td><td>SANDY CLAY</td><td></td></tr><tr><td></td><td>157</td><td>165</td><td>COARSE GRAY SAND & WATER</td><td>X</td></tr><tr><td></td><td>165</td><td>173</td><td>COARSE GRAY SAND & WATER</td><td>X</td></tr></tbody></table>		Hole Diam.	Depth		Material	Water Yes No	From	To	6"	0	1	TOP SOIL			1	69	CONCRETE PIPE & CEMENT					STRENGTHEN SANDY CLAY			69	77	CRACKED PIPE			77	102	SANDY CLAY			102	103	CLAY			103	130	MUDY SAND-SOME HEAVY			130	135	COARSE CLEAN SANDY CLAY			135	157	SANDY CLAY			157	165	COARSE GRAY SAND & WATER	X		165	173	COARSE GRAY SAND & WATER	X
Hole Diam.	Depth		Material		Water Yes No																																																												
	From	To																																																															
6"	0	1	TOP SOIL																																																														
	1	69	CONCRETE PIPE & CEMENT																																																														
			STRENGTHEN SANDY CLAY																																																														
	69	77	CRACKED PIPE																																																														
	77	102	SANDY CLAY																																																														
	102	103	CLAY																																																														
	103	130	MUDY SAND-SOME HEAVY																																																														
	130	135	COARSE CLEAN SANDY CLAY																																																														
	135	157	SANDY CLAY																																																														
	157	165	COARSE GRAY SAND & WATER	X																																																													
	165	173	COARSE GRAY SAND & WATER	X																																																													
4. METHOD DRILLED ☒ Cable ☐ Rotary ☐ Dug ☐ Other																																																																	
5. WELL CONSTRUCTION Diameter of hole <u>6</u> inches Total depth <u>173</u> feet Casing schedule: ☒ Steel ☐ Concrete Thickness <u>.250</u> inches Diameter <u>6</u> inches From <u>2</u> feet To <u>147.7</u> feet _____ inches _____ inches _____ feet _____ feet _____ inches _____ inches _____ feet _____ feet _____ inches _____ inches _____ feet _____ feet _____ inches _____ inches _____ feet _____ feet Was a packer or seal used? ☐ Yes ☐ No Perforated? ☐ Yes ☐ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches Number _____ From _____ To _____ _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet Well screen installed? ☒ Yes ☐ No Manufacturer's name <u>Johnson</u> Type <u>Stainless Steel</u> Model No. _____ Diameter <u>5</u> Slot size <u>.05</u> Set from <u>15.3</u> feet to <u>173</u> feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No Size of gravel _____ feet Placed from _____ feet to _____ feet Surface seal depth <u>30'</u> Material used in seal ☐ Cement grout ☐ Pudding clay ☒ Well cuttings Sealing procedure used ☐ Slurry pit ☐ Temporary surface casing ☒ Overbore to seal depth																																																																	
6. LOCATION OF WELL _____ map location must agree with written location. (63) Subdivision Name _____ Lot No. _____ Block No. _____ County <u>Canyon</u> <u>SE 1/4 NE 1/4 Sec. 21 T. 5 N. R. 2 1/4</u>		10. Work started <u>April 8</u> finished <u>May 5 1976</u>																																																															
		11. DRILLERS CERTIFICATION Firm Name <u>Kelley Drilling</u> Firm No. <u>32</u> Address <u>Rt 1 Box 56 Star Line, Ida.</u> Date _____ Signed by (Firm Official) <u>Robert T. Kelley</u> and <u>Ernest Kelley</u> (Operator)																																																															

USE ADDITIONAL SHEETS IF NECESSARY


FORWARD THE WHITE COPY TO THE DEPARTMENT

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORTUSE TYPEWRITER OR
BALLPOINT PENState law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>EDWARD HEAVIN</u> Address <u>3245 SO. LOCUST GROVE RD. MERIDIAN</u> Owner's Permit No. _____	7. WATER LEVEL Static water level <u>76</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature <u>OF</u> Quality _____																																																																						
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) _____	8. WELL TEST DATA ☐ Pump ☐ Bailer ☒ Air ☐ Other <table border="1" style="width: 100%; border-collapse: collapse;"><tr><th>Discharge G.P.M.</th><th>Pumping Level</th><th>Hours Pumped</th></tr><tr><td style="text-align: center;">100</td><td></td><td style="text-align: center;">2</td></tr></table>	Discharge G.P.M.	Pumping Level	Hours Pumped	100		2																																																																
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																					
100		2																																																																					
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1" style="width: 100%; border-collapse: collapse;"><thead><tr><th rowspan="2">Hole Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th colspan="2">Water</th></tr><tr><th>From</th><th>To</th><th>Yes</th><th>No</th></tr></thead><tbody><tr><td>10"</td><td>0'</td><td>1'</td><td>top soil</td><td></td><td>X</td></tr><tr><td>10"</td><td>1'</td><td>20'</td><td>clay with some sand</td><td></td><td>X</td></tr><tr><td>8"</td><td>20'</td><td>60'</td><td>sand & clay layers</td><td></td><td>X</td></tr><tr><td>8"</td><td>60'</td><td>95'</td><td>a sand & gravel</td><td></td><td>X</td></tr><tr><td>8"</td><td>95'</td><td>105'</td><td>sand & gravel</td><td>X</td><td></td></tr><tr><td>8"</td><td>105'</td><td>140'</td><td>sand & clay layers</td><td>X</td><td></td></tr><tr><td>8"</td><td>140'</td><td>150'</td><td>sand</td><td>X</td><td></td></tr><tr><td>8"</td><td>150'</td><td>155'</td><td>clay</td><td></td><td>X</td></tr><tr><td>8"</td><td>155'</td><td>160'</td><td>sand clay</td><td>X</td><td></td></tr><tr><td>8"</td><td>160'</td><td>-</td><td>sand</td><td>X</td><td></td></tr></tbody></table>	Hole Diam.	Depth		Material	Water		From	To	Yes	No	10"	0'	1'	top soil		X	10"	1'	20'	clay with some sand		X	8"	20'	60'	sand & clay layers		X	8"	60'	95'	a sand & gravel		X	8"	95'	105'	sand & gravel	X		8"	105'	140'	sand & clay layers	X		8"	140'	150'	sand	X		8"	150'	155'	clay		X	8"	155'	160'	sand clay	X		8"	160'	-	sand	X	
Hole Diam.	Depth		Material	Water																																																																			
	From	To		Yes	No																																																																		
10"	0'	1'	top soil		X																																																																		
10"	1'	20'	clay with some sand		X																																																																		
8"	20'	60'	sand & clay layers		X																																																																		
8"	60'	95'	a sand & gravel		X																																																																		
8"	95'	105'	sand & gravel	X																																																																			
8"	105'	140'	sand & clay layers	X																																																																			
8"	140'	150'	sand	X																																																																			
8"	150'	155'	clay		X																																																																		
8"	155'	160'	sand clay	X																																																																			
8"	160'	-	sand	X																																																																			
4. METHOD DRILLED ☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____	 Department of Water Resources Western Regional Office																																																																						
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other <table border="1" style="width: 100%; border-collapse: collapse;"><thead><tr><th>Thickness</th><th>Diameter</th><th>From</th><th>To</th></tr></thead><tbody><tr><td>.250 inches</td><td>8 inches</td><td>2 feet</td><td>153 feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr></tbody></table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table border="1" style="width: 100%; border-collapse: collapse;"><thead><tr><th>Number</th><th>From</th><th>To</th></tr></thead><tbody><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr></tbody></table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>20'</u> Material used in seal: ☐ Cement grout ☒ Puddling clay ☒ Well cuttings Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port _____		Thickness	Diameter	From	To	.250 inches	8 inches	2 feet	153 feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet																																						
Thickness		Diameter	From	To																																																																			
.250 inches		8 inches	2 feet	153 feet																																																																			
_____ inches	_____ inches	_____ feet	_____ feet																																																																				
_____ inches	_____ inches	_____ feet	_____ feet																																																																				
_____ inches	_____ inches	_____ feet	_____ feet																																																																				
Number	From	To																																																																					
_____ perforations	_____ feet	_____ feet																																																																					
_____ perforations	_____ feet	_____ feet																																																																					
_____ perforations	_____ feet	_____ feet																																																																					
6. LOCATION OF WELL Sketch map location must agree with written location.  Subdivision Name _____ Lot No. _____ Block No. _____ County <u>CANYON</u> <u>SE 1/4 NE 1/4</u> Sec. <u>21</u> , T. <u>5</u> N. R. <u>2</u> E. W.	11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>BILL DOTY WELL DRILLING</u> Firm No. <u>42</u> Address <u>RT. #7 BX. 311 CALDWELL</u> Date <u>6-4-80</u> Signed by (Firm Official) <u>Bill Doty</u> and (Operator) <u>Bob Doty</u>																																																																						

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT
USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORTUSE TYPEWRITER OR
BALLPOINT PENState law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER CLC #21 Name <u>Mike & Karen Young</u> Address <u>26645 Gale Ln Middleton, ID</u> Drilling Permit No. <u>63-91-W-461</u> Water Right Permit No. _____	7. WATER LEVEL Static water level <u>142</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ OF. Quality _____ Describe artesian or temperature zones below																																																																																																																																																																																														
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Well diameter increase ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)	8. WELL TEST DATA ☐ Pump ☐ Bailor ☒ Air ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"><tr><th>Discharge G.P.M.</th><th>Pumping Level</th><th>Hours Pumped</th></tr><tr><td style="text-align: center;">100</td><td></td><td style="text-align: center;">45 min.</td></tr><tr><td> </td><td> </td><td> </td></tr></table>	Discharge G.P.M.	Pumping Level	Hours Pumped	100		45 min.																																																																																																																																																																																								
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																																																																																																																													
100		45 min.																																																																																																																																																																																													
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1" style="width: 100%; border-collapse: collapse;"><thead><tr><th rowspan="2">Bore Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th colspan="2">Water</th></tr><tr><th>From</th><th>To</th><th>Yes</th><th>No</th></tr></thead><tbody><tr><td>6</td><td>0</td><td>3</td><td>Top Soil</td><td></td><td></td></tr><tr><td>"</td><td>3</td><td>7</td><td>Hard Pan</td><td></td><td></td></tr><tr><td>"</td><td>7</td><td>110</td><td>Sandy Clay</td><td></td><td></td></tr><tr><td>"</td><td>110</td><td>130</td><td>Sand & Gravel w/Clay</td><td></td><td></td></tr><tr><td>"</td><td>130</td><td>148</td><td>Clay</td><td></td><td></td></tr><tr><td>"</td><td>148</td><td>160</td><td>Sand wet</td><td></td><td>X</td></tr><tr><td>"</td><td>160</td><td>165</td><td>Clay</td><td></td><td></td></tr><tr><td>"</td><td>165</td><td>173</td><td>Very Hard Clay</td><td></td><td></td></tr><tr><td>"</td><td>173</td><td>176</td><td>Sand Fairly Course</td><td></td><td></td></tr><tr><td>"</td><td>176</td><td>182</td><td>Clay</td><td></td><td>X</td></tr><tr><td>"</td><td>182</td><td>186</td><td>Clay w/short Sand Pocket</td><td></td><td>X</td></tr><tr><td>"</td><td>186</td><td>191</td><td>Clay Hard</td><td></td><td></td></tr><tr><td>"</td><td>191</td><td>195</td><td>Course Sand</td><td></td><td></td></tr><tr><td>"</td><td>195</td><td>203</td><td>Clay</td><td></td><td></td></tr><tr><td>"</td><td>203</td><td>206</td><td>Sand 50gpm</td><td></td><td>X</td></tr><tr><td>"</td><td>206</td><td>213</td><td>Sandy Clay</td><td></td><td></td></tr><tr><td>"</td><td>213</td><td>225</td><td>Clay</td><td></td><td></td></tr><tr><td>"</td><td>225</td><td>226</td><td>Sand Pocket</td><td></td><td></td></tr><tr><td>"</td><td>226</td><td>228</td><td>Clay</td><td></td><td></td></tr><tr><td>"</td><td>228</td><td>229</td><td>Sand Pocket</td><td></td><td></td></tr><tr><td>"</td><td>229</td><td>232</td><td>Clay</td><td></td><td></td></tr><tr><td>"</td><td>232</td><td>234</td><td>Sand</td><td></td><td></td></tr><tr><td>"</td><td>234</td><td>236</td><td>Clay</td><td></td><td></td></tr><tr><td>"</td><td>236</td><td>237</td><td>Sand</td><td></td><td></td></tr><tr><td>"</td><td>237</td><td>245</td><td>Clay</td><td></td><td></td></tr><tr><td>"</td><td>245</td><td>246</td><td>Sand</td><td></td><td>X</td></tr><tr><td>"</td><td>246</td><td>267</td><td>Clay</td><td></td><td></td></tr><tr><td>"</td><td>267</td><td>270</td><td>Course Sand Great wet</td><td></td><td>X</td></tr><tr><td>"</td><td>270</td><td>272</td><td>Clay</td><td></td><td></td></tr><tr><td>"</td><td>272</td><td>-</td><td>Sand Course & Fine</td><td></td><td>X</td></tr></tbody></table>	Bore Diam.	Depth		Material	Water		From	To	Yes	No	6	0	3	Top Soil			"	3	7	Hard Pan			"	7	110	Sandy Clay			"	110	130	Sand & Gravel w/Clay			"	130	148	Clay			"	148	160	Sand wet		X	"	160	165	Clay			"	165	173	Very Hard Clay			"	173	176	Sand Fairly Course			"	176	182	Clay		X	"	182	186	Clay w/short Sand Pocket		X	"	186	191	Clay Hard			"	191	195	Course Sand			"	195	203	Clay			"	203	206	Sand 50gpm		X	"	206	213	Sandy Clay			"	213	225	Clay			"	225	226	Sand Pocket			"	226	228	Clay			"	228	229	Sand Pocket			"	229	232	Clay			"	232	234	Sand			"	234	236	Clay			"	236	237	Sand			"	237	245	Clay			"	245	246	Sand		X	"	246	267	Clay			"	267	270	Course Sand Great wet		X	"	270	272	Clay			"	272	-	Sand Course & Fine		X
Bore Diam.	Depth		Material	Water																																																																																																																																																																																											
	From	To		Yes	No																																																																																																																																																																																										
6	0	3	Top Soil																																																																																																																																																																																												
"	3	7	Hard Pan																																																																																																																																																																																												
"	7	110	Sandy Clay																																																																																																																																																																																												
"	110	130	Sand & Gravel w/Clay																																																																																																																																																																																												
"	130	148	Clay																																																																																																																																																																																												
"	148	160	Sand wet		X																																																																																																																																																																																										
"	160	165	Clay																																																																																																																																																																																												
"	165	173	Very Hard Clay																																																																																																																																																																																												
"	173	176	Sand Fairly Course																																																																																																																																																																																												
"	176	182	Clay		X																																																																																																																																																																																										
"	182	186	Clay w/short Sand Pocket		X																																																																																																																																																																																										
"	186	191	Clay Hard																																																																																																																																																																																												
"	191	195	Course Sand																																																																																																																																																																																												
"	195	203	Clay																																																																																																																																																																																												
"	203	206	Sand 50gpm		X																																																																																																																																																																																										
"	206	213	Sandy Clay																																																																																																																																																																																												
"	213	225	Clay																																																																																																																																																																																												
"	225	226	Sand Pocket																																																																																																																																																																																												
"	226	228	Clay																																																																																																																																																																																												
"	228	229	Sand Pocket																																																																																																																																																																																												
"	229	232	Clay																																																																																																																																																																																												
"	232	234	Sand																																																																																																																																																																																												
"	234	236	Clay																																																																																																																																																																																												
"	236	237	Sand																																																																																																																																																																																												
"	237	245	Clay																																																																																																																																																																																												
"	245	246	Sand		X																																																																																																																																																																																										
"	246	267	Clay																																																																																																																																																																																												
"	267	270	Course Sand Great wet		X																																																																																																																																																																																										
"	270	272	Clay																																																																																																																																																																																												
"	272	-	Sand Course & Fine		X																																																																																																																																																																																										
4. METHOD DRILLED ☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____	10. Work started <u>12/12/91</u> finished <u>12/16/91</u>																																																																																																																																																																																														
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other <table border="1" style="width: 100%; border-collapse: collapse;"><thead><tr><th>Thickness</th><th>Diameter</th><th>From</th><th>To</th></tr></thead><tbody><tr><td>.250 inches</td><td>6" inches</td><td>2 feet</td><td>270 feet</td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr></tbody></table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun Size of perforation _____ inches by _____ inches <table border="1" style="width: 100%; border-collapse: collapse;"><thead><tr><th>Number</th><th>From</th><th>To</th></tr></thead><tbody><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr></tbody></table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>20'</u> Material used in seal: ☐ Cement grout ☒ Bentonite ☒ Puddling clay ☐ _____ Sealing procedure used: ☒ Slurry pit ☒ Temp. surface casing ☐ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port <u>Top of Well</u>	Thickness	Diameter	From	To	.250 inches	6" inches	2 feet	270 feet													Number	From	To																																																																																																																																																																								
Thickness	Diameter	From	To																																																																																																																																																																																												
.250 inches	6" inches	2 feet	270 feet																																																																																																																																																																																												
Number	From	To																																																																																																																																																																																													
6. LOCATION OF WELL Sketch map location <u>must</u> agree with written location.  Subdivision Name _____ Lot No. _____ Block No. _____ County <u>Carney</u> <u>SE 1/4 NE 1/4 Sec. 21, T. 5 S. R. 2 W. 1</u>	11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>Adamson Pump & Drilling</u> Firm No. <u>457</u> Address <u>Nampa, ID</u> Date <u>12/19/91</u> Signed by (Firm Official) <u>[Signature]</u> and (Operator) <u>[Signature]</u>																																																																																																																																																																																														

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11196

Priority: March 6, 1990

Maximum Diversion Rate:

0.08 CFS

Maximum Diversion Volume:

22.1 AF

This is to certify, that RALPH MC CLINTOCK

PO BOX 250

STAR ID 83669

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 6, 1990; and has submitted Proof of Beneficial Use on June 21, 1995. An examination indicates that the works have a diversion capacity of 0.080 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.08 CFS	22.1 AF

LOCATION OF POINT(S) OF DIVERSION:

SENE , Sec. 21, Township 05N, Range 02W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
05N	02W	21	SENE	4.9		4.9

Total number of acres irrigated: 4.9

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

AUG 09 1996

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11196


CONDITIONS OF APPROVAL AND REMARKS

5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 19th day of July, 1996.

Acting for

KARL J. DREHER, Director



63-11196

**BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO**

IN THE MATTER OF PERMIT NO.)
63-11196 IN THE NAME OF RALPH)
MCCLINTOCK)
_____)

PRELIMINARY ORDER

This matter having come before the Idaho Department of Water Resources (department), as a result of the submittal of a Request for Reconsideration, the department makes the following Findings of Fact, Conclusions of Law and Order:

FINDINGS OF FACT

1. June 28, 1990, the department issued Permit No. 63-11196 (permit) to Ralph McClintock (permit holder) authorizing the diversion of 0.44 cubic feet per second of ground water for the irrigation of twenty-two (22) acres of land in part of Section 21, T5N, R2W, B.M. A condition of permit approval required the permit holder to submit proof of construction of works and application of water to beneficial use on or before July 1, 1995.

2. On June 21, 1995, the permit holder filed proof of beneficial use of water with the department.

3. On August 28, 1995, department staff conducted a field examination and could not determine that water had been diverted and applied to a beneficial use as authorized by the permit.

4. On April 2, 1996, the department issued a Preliminary Order voiding Permit No. 63-11196 and refusing to issue a license of water right.

5. On April 17, 1996, the permit holder filed a Petition for Reconsideration (petition) of the department's April 2, 1996 order.

6. On April 30, 1996, the permit holder submitted information to show that he has diverted and beneficially applied ground water to beneficial use within the authorized development period.

CONCLUSIONS OF LAW

1. The permit holder has provided satisfactory information to show that he has diverted and beneficially used water as authorized by the permit.

MAY 07 1996


2. The department should rescind the Preliminary Order dated April 2, 1996 and should reinstate the permit.

ORDER

IT IS THEREFORE, HEREBY ORDERED that the Preliminary Order of the department dated April 2, 1996 which voided Permit No. 63-11196 in the name of Ralph McClintock and which refused the issuance of a license is **RESCINDED**, and

IT IS FURTHER HEREBY ORDERED that Permit No. 63-11196 is **REINSTATED**.

Dated this 6th day of May, 1996.


L. GLEN SAXTON, Chief
Water Allocation Bureau

MAY 07 1996

**BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO**

IN THE MATTER OF PERMIT NO. 63-11196	)	
	)	
IN THE NAME OF RALPH MC CLINTOCK	)	PRELIMINARY ORDER
	)	

This matter having come before the Department of Water Resources (Department) as a result of an examination to determine the extent of beneficial use of water, the Department makes the following Findings of Fact, Conclusions of Law, and Order:

FINDINGS OF FACT

1. On March 6, 1990, Ralph McClintock (permit holder) applied to the Department for a permit to appropriate 0.44 cubic feet per second of ground water within the SESENE Section 21, Township 5N, Range 2W, B.M., Canyon County, for irrigation purposes.

2. On June 28, 1990, the Department approved the application and issued Permit No. 63-11196 (permit). A condition of permit approval required the permit holder to submit proof of construction of works and application of water to beneficial use (proof) to the department on or before June 1, 1993.

3. On June 25, 1993, the Department received a Request for Extension of Time from the permit holder which was subsequently approved on June 29, 1993, extending the proof due date to July 1, 1995.

4. On June 21, 1995, the permit holder submitted Proof of Beneficial Use of water to the department.

5. On August 28, 1995, Department staff conducted a field examination and found that the permit holder had not diverted and applied water to a beneficial use as authorized by the permit and as claimed on the proof.

6. On March 11, 1996, the Department sent a Notice of Intent to Void Permit to the permit holder advising that the permit would be voided unless the permit holder could provide sufficient information to show why the Department should not void the permit.

7. The permit holder responded to the Department advising that he had problems obtaining a contractor to plow, disc and seed his land to establish a pasture. He also advised, however, that he had not diverted and beneficially applied water to the irrigation

RECEIVED

MAY 07 1996

use prior to July 1, 1995.

CONCLUSIONS OF LAW

1. Section 42-219, Idaho Code, provides in pertinent part as follows:

In the event that the Department shall find that the applicant has not fully complied with the law and the conditions of the permit, it may issue a license for that portion of use which is in accordance with the permit, or may refuse issuance of a license and void the permit.

2. Permit No. 63-11196 and the subsequent Extension of Time required the permit holder to complete construction of works and to apply water to the proposed beneficial use authorized by the permit on or before July 1, 1995.


3. The permit holder has not diverted and beneficially used water as authorized by the permit.

4. The Department should void the permit.

ORDER

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 63-11196 in the name of Ralph McClintock is **VOIDED** and issuance of a license is **REFUSED** pursuant to Section 42-219, Idaho Code.

Dated this 2nd day of April, 1996.


L. GLEN SAXTON, Chief
Water Allocation Bureau

MAY 07 1996

RECEIVED

JUN 21 1995

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-11196 Telephone No. 585-2459 / 375-3376 DAYS
2. Name(s) of Permit Holder(s): RALPH Mc CLINTOCK
3. Mailing Address: P.O. Box 250, Star, ID. 83669
4. Source of Water: 6" WELL If **GROUNDWATER** (well), Date Drilled: mo. 04 / yr. 95
 - a. Well Driller: DENNIS PHIPPS WELL DRILLING Drilling Permit Number: 63-95-C-0098-000
 - b. **OPTIONAL:**
Pump Horsepower: 3 HP Pressure (psi): _____ Dynamic pumping level (ft): 99 ft
5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): _____ Stockwater (No. and type of stock): 20 Cows
Irrigation (No. of acres): 7 AC Other: _____
6. Total rate of diversion and/or volume for which proof is submitted: .15 cfs OR _____ acre feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required?

Yes _____ or No X

Has the measuring device been installed?

Yes _____ or No X

Flow Measurement Port: Is a flow measurement port required?

Yes _____ or No X

Has the measurement port been installed?

Yes _____ or No X

8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: RALPH Mc CLINTOCK Telephone Number: 375-3376 DAYS

Address: 26,600 GAIL LANE, MIDDLETON, ID. CALL DAY BEFORE

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Ralph Mc Clintock OWNER Date: 6-20-95
(include your title, if on behalf of company or organization)

JUN 29 1995

RECEIVED

JUN 25 1993

Department of Water Resources

For Office Use Only
\$15 Fee Received by CA
Date 6-25-93
Receipt No. 0027970

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

REQUEST FOR EXTENSION OF TIME

**TO PROVIDE ADDITIONAL TIME IN WHICH TO SUBMIT PROOF OF
BENEFICIAL USE FOR A WATER RIGHT PERMIT**

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of water right under the provisions of Section 42-204, Idaho Code.

Permit No. 63-11196

Name(s) of Permit Holder: RALPH MC CLINTOCK

Mailing Address: P.O. Box 400, MIDDLETON, IDAHO 83644

Date Proof is Due JULY 1, 1993 Telephone No. 585-2459

Describe what work has been completed toward the development of this water right:
(This must be filled out! If no work has been completed, show "none".)

I HAVE DEVELOPED SPRINKLER IRRIGATION FOR ONLY 4 ACRES OF THE
PROPOSED 22 ACRES. THE WELL WAS DEEPEN ONCE DUE TO SAND PROBLEMS
& MAY HAVE TO BE RE-DRILLED TO GET SUFFICIENT FLOW.

Costing \$ 4373

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

I WOULD LIKE TO REQUEST ADDITIONAL TIME TO DRILL DEEPER, INSTALL A
LARGER PUMP &/OR USE A STORAGE TANK IN THE SYSTEM SO THAT
I CAN IRRIGATE ALL 22 ACRES

Permit holder(s) request an extension to JULY 1, 19 95.

FEE: \$15.00

(Signature)*

*If other than permit holder, Power of Attorney must be supplied.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED
and the time within which to submit proof of beneficial use is
extended to July 1, 1995.

JUL 01 1993

Signed this 29th day June, 19 93

J. Glen Saylor
Chief, Water Allocation Bureau

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11196

Proposed Priority: March 6, 1990 Maximum Diversion Rate: 0.44 CFS
This is to certify, that RALPH MC CLINTOCK
P.O. BOX 400
MIDDLETON, ID 83644
has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.44 CFS
<u>LOCATION OF POINT(S) OF DIVERSION:</u> SESENE Sec. 21, Township 05N, Range 02W CANYON County		

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
05N 02W 21	SENE 22			22

Total number of acres irrigated: 22

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 1993.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
5. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

28th day of June, 1990.

R. Keith Higginson
R. Keith Higginson, Director

for

MICROFILMED

JUL 24 1990

Ident. No. 63-11196

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: RALPH MC CLINTOCK
Address: P.O. BOX 400
MIDDLETON, ID 83644

208-585-2459

2. Source: GROUNDWATER

Trib. to:

3. Location of Point of Diversion: SESENE Sec. 21, Township 05N, Range 02W
CANYON County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
IRRIGATION	03/15	11/15	0.440		

5. Total quantity appropriated is:
0.440 CFS (and/or) AF

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc.
WELL, PUMP & SPRINKLER SYSTEM.

b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.

c. Proposed well diameter is 8 inches; proposed depth of well is 190
feet.

d. Is groundwater with a temperature greater than 90F being sought? NO

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 5 years.

8. Description of proposed uses:
IRRIGATION OF 22 ACRES.

9. Place of Use: IRRIGATION

TWN	RGE	SEC	ACRES	ACRES	ACRES	TOTAL
05N	02W	21	SENE 22			22
Total number of acres irrigated:						22

10. Describe any other water rights used for the same purposes.

11. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

13. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

x Ralph W. McClintock
Applicant

Received by YLS. KW Date 3/7/90 Time 1:40 pm Preliminary check by RW
Fee \$ 45.00 Receipted by KW # C015361 Date 3-6-1990
Publication prepared by GG Date 4-25-90 Published in Press-Tribune
Publication approved st Date 5-27-90

MICROFILMED

JUL 24 1990



Copies Of These Maps Can Be Obtained
At Bonneville Blue Print, Boise Idaho

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY MENLO PARK, CALIF. 94026

IDAHO
QUADRANGLE

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

BATT, REDERICK C.
BATT, ELLEN B.
BATT, NORMAN A.
BATT, ELLEN G.
P.O. BOX 646
WILDER, ID 83676
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 3/19/1990
In: T04N R05W S15
S22

SENENW Sec 22 T 04N R 05W
(2.760 CFS)
Total Diversion: (2.760 CFS)

138.0 ACRES TOTAL

63-11196

MC CLINTOCK, RALPH
P.O. BOX 400
MIDDLETON, ID 83644
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 3/6/1990
In: T05N R02W S21

SESENE Sec 21 T 05N R 02W
(.440 CFS)
Total Diversion: (.440 CFS)

22.0 ACRES TOTAL

63-11243

AGLAND INC.
2815 E. CLEVELAND BLVD.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
Use: STOCKWATER

Date Filed: 3/22/1990
In: T04N R05W S08

SESWSW Sec 8 T 04N R 05W
(3.200 CFS)
(.050 CFS)
Total Diversion: (3.200 CFS)

160.0 ACRES TOTAL

63-11245

VAN VLIET, GARY
VAN VLIET, JOAN D.
27859 SCOTT PIT RD.
PARMA, ID 83660
Source: GROUNDWATER
Diversion Pt:
Use: STOCKWATER

Date Filed: 3/22/1990
In: T05N R06W S14

NENE Sec 14 T 05N R 06W
(.650 CFS)
Total Diversion: (.650 CFS)

63-11264

STEWART, JAMES J.
STEWART, MARCELLA F.
5459 DEER FLAT RD.
NAMPA, ID 83686
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 3/29/1990
In: T02N R01W S18

NENE Sec 19 T 02N R 01W
(.520 CFS)
Total Diversion: (.520 CFS)

28.0 ACRES TOTAL

63-11288

LEFFLER, CINDY
LEFFLER, BLAINE
25505 WAGNER RD.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 3/27/1990
In: T05N R03W S30

NESENE Sec 30 T 05N R 03W
(.040 CFS)
Total Diversion: (.040 CFS)

2.0 ACRES TOTAL

63-11289

THOMPSON, JOAN
THOMPSON, KEITH
24509 ROSWELL RD.
PARMA, ID 83660
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
Use: COMMERCIAL

Date Filed: 3/22/1990
In: T05N R05W S31

SWNE Sec 31 T 05N R 05W
(.080 CFS)
(.020 CFS)
Total Diversion: (.100 CFS)

4.0 ACRES TOTAL

63-11290

J.R. SIMPLOT CO.
P.O. BOX 27
BOISE, ID 83707
Source: GROUNDWATER
Diversion Pt:
Use: INDUSTRIAL
Use: COMMERCIAL
Use: DOMESTIC

Date Filed: 3/27/1990
In: T06N R05W S08

NWSW Sec 8 T 06N R 05W
(.040 CFS)
(.040 CFS)
(.040 CFS)
Total Diversion: (.040 CFS)

63-11297

BLOCH, L. JOY
BLOCH, THOMAS E.
1421 DEARBORN
CALDWELL, ID 83605
Source: WASTEWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 3/6/1990
In: T05N R03W S20

SENWNW Tributary: BOISE RIVER
Sec 20 T 05N R 03W
(.500 CFS)
Total Diversion: (.500 CFS)

25.0 ACRES TOTAL

63-11298

ADAMSON, SYLVAN
12630 ORCHARD
NAMPA, ID 83651
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
Use: DOMESTIC

Date Filed: 3/12/1990
In: T03N R03W S13

SESW Sec 13 T 03N R 03W
(.420 CFS)
(.040 CFS)
Total Diversion: (.460 CFS)

21.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before MAY 21, 1990.

R. KEITH HIGGINSON
Director
May 2, 9, 1990

AFFIDAVIT OF PUBLICATION

TE OF IDAHO)
) ss.
ty of Canyon)

Department of Water Resources
Western Regional Office

hleen D. Steed

umpa, Canyon County, Idaho, being first duly sworn, deposes
ays:

That I am a citizen of the United States of America, and at all
hereinafter mentioned was over the age of eighteen years,
of a party to the above entitled action.

That I am the Principal Clerk of the Idaho Press-Tribune, a
(except Saturday) newspaper published in the City of
pa and Caldwell, in the County of Canyon, State of Idaho;
the said newspaper is in general circulation in the said
ly of Canyon, and in the vicinity of Nampa and Caldwell, and
een uninterruptedly published in said County during a period
enty-eight consecutive weeks prior to the first publication of
tice, a copy of which is hereto attached.

That the notice, of which the annexed is a printed copy, was
shed in said newspaper
vo Times

he regular and entire issue of said paper, and was printed in
pawpaper proper, and not in a supplement.

hat said notice was published the following dates:

y 2, 9, 1990

TE OF IDAHO)
)
TY OF CANYON)

is 9th day of May in the
of 1990, before me, a Notary Public, personally
red Kathleen D. Steed, known
ntified to me to be the person whose name subscribed to the
Instrument, and being by me first duly sworn, declared
he statements therein are true, and acknowledged to me that
e executed the same.

Notary Public for Idaho
Residing at Nampa

MY COMMISSION EXPIRES
JULY 12th, 1991

MICROFILMED

JUL 24 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

July 22, 1996

RALPH MC CLINTOCK
PO BOX 250
STAR ID 83669

RE: WATER RIGHT NO. 63-11196

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

AUG 09 1996

LICENSE REVIEW CHECKLIST

PERMIT NO. 63-11196

DATE 7/9/96

REVIEWER: S H A R L A

NAME	Change	<u>OK</u>	Address Change	<u>NO</u>
SOURCE		<u>✓</u>	Is change clarification of originally intended source?	<u> </u>
			If not, prepare Notice of Intent to Void	<u> </u>
POINT OF DIV		<u>✓</u>	Amendment required	<u>NO</u>
PLACE OF USE		<u>✓</u>	Amendment required	<u>NO</u>

Does map agree with written description? ✓ yes no

OVERLAPS P/D P/U NONE

RATE OF DIV

Permitted Rate	<u>.44</u>	cfs
Fee limit	<u>.20</u>	cfs <u>\$50⁰⁰</u>
Measured	<u>.08</u>	cfs
Theoretical	<u>.08</u>	cfs

Recommended Total Div Rate .08 cfs

ANNUAL VOLUME/
NATURE OF USES

<u>✓</u>	Use <u>Irrigation</u>	Volume Calculation <u>4.9 X 4.5 = 22.1</u>	af
			af
			af
			af
	SUBTOTAL	<u>22.1</u>	af

Flow rate .08 cfs X 245 days X 1.982 = 38.6 af
 Total volume recommended 22.1 af
 (SUBTOTAL or Flow Rate, whichever is less)

REMARKS

CONDITIONS Watermaster Control WD#

R32 GW Measurement/Measuring Device
Overlap

 Use-specific conditions
 Advancement of Priority Date Required yes ✓ no

SRBA Claim Filed N/A
 Adjustment Memo N/A

1st Amend Letter N/A
 2nd Amend Letter N/A


[illegible]

171 Drilled 6" Well

147' - 3" Pipe (10' SS Screen)

90' Static

100' Dynamic



$$660' \times 180' = 118,800$$

$$403' \times 180' = 72,540$$

$$\underline{191,340}$$

$$\frac{191,340}{43560} = 4.39 \text{ ac}$$

$$\approx 4.4 \text{ ac}$$

Things I Gotta Do TODAY

19

1

2

3

4

5

6

7

8

9

10

11

12

A hand-drawn site plan on a grid background. The plan shows a large rectangular area with dimensions 180' by 583'. Inside this area, there is a smaller rectangular area labeled '4.4 ac' with dimensions 180' by 583'. To the left of this area is a 'DRY HILLSIDE'. Further left, there is a 'CORRAL & SHED' with dimensions 132' by 129', and a 'HYDRANT' nearby. Above the corral is a 'HOUSE' and a 'DOM. WELL'. A '0.5 ac pit' is located near the corral. The plan also shows a '600'' dimension at the bottom, and various pressure readings (60 psi, 59 psi) and distances (60', 30', 20') along the bottom edge. A legend at the bottom indicates symbols for 'WATERMETER', 'RELIEF', '5' buried mainline', and '5' headline of 2.5 gpm capacity'.

X Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		3	Sta-Rite		(Submersible)

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Bucket/Stopwatch					5 gal.	6/13/96
Pitot Tube/Pressure Gauge						

2. Measurements: The fifth sprinkler west of the southern most riser measured 5 gallons in 1 minute, 52 seconds. The hydrant by corrals/shed measured 5 gallons in 39 seconds.

E. NARRATIVE/REMARKS/COMMENTS

Irrigation well is 8" x 172' deep with a 3 hp submersible pump. Per well log static water level is 90', per permit holder dynamic water level is 100'. Pressure guage at well read 52 & 54 psi. Well is located approximately 10' uphill from handlines.

At well, three 3" poly lines tee off. The middle tee serves an unused riser by the house and a hydrant used to irrigate approximately one-half acre by the corrals/shed. I measured the hydrant at 5 gallons in 39 seconds or 7.69 gpm. The northern tee serves 3 risers to the east, the southern tee serves 3 risers to the south. Risers are 60' apart.

A 3" handline connected to the riser operates ten Nelson 2.5 gpm flow control nozzles on Rainbird 30H heads at an average of 59.5 psi to irrigate a 4.4 acre pasture. Sprinkler measurements were taken with a pitot tube and pressure guage. I measured the 5th sprinkler west of the southern most riser at 5 gallons in 112 seconds or 2.68 gpm.

The house with lawn and stockwater are served by a separate domestic well.

This property is located above the canal; no overlapping rights.

Have conditions of permit approval been met? X yes ___ no

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

1. 5 gallon bucket/stopwatch: A) at hydrant; 5 gal in 39 seconds = 7.7 gpm
B) at nozzle; 5 gal in 112 seconds = 2.68 gpm/nozzle x 10 nozzles = 26.8 gpm
C) Combined measured flow = A + B = 7.7 + 26.8 = 34.5 gpm = 0.08 cfs.
2. Theoretical HP $\frac{8.8 \times 0.7 \times 3}{100 + (2.31 \times 53)} = \frac{18.48}{222.43} = 0.08$ cfs.
3. Rate per acre = 4.9 acres x 0.03 cfs/ac = ~~0.15 cfs~~ rate limited by capacity and measurement = 0.08 cfs.

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I,R} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 4.9 \text{ acres} \times 4.5 \text{ AF/acre} = 22.1 \text{ AFA.}$$

$$V_{D,R} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.08 \times 246 \times 1.9835 = 39.0 \text{ AFA.}$$

$$V = \text{Smaller of } V_{I,R} \text{ and } V_{D,R} = 22.1 \text{ AFA.}$$

2. Volume Calculations for Other Uses: No other uses permitted.

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3/15	11/15	0.08 cfs	22.1 AF
Totals:			0.08 cfs	22.1 AF


2. Recommended Amendments

____ Change P.D. as reflected above ____ Add P.D. as reflected above X None
____ Change P.U. as reflected above ____ Add P.U. as reflected above ____ Other

I. AUTHENTICATIONField Examiner's Name Cindy Zimmerman Date 6/15/96

Reviewer _____ Date _____

SEAL



Published by the Geological Survey

USGS

metric methods from aerial
Field checked 1970


Grid ticks: Idaho coordinate
Base Mercator)

Inverse Mercator grid ticks,
1927 North American datum

T5N R2W



0°18' 18 1/2°
5 MILS 329 MILS



CONTOUR INTERVAL 20 FEET
DOTTED LINES REPRESENT 5-FOOT CONTOURS
DATUM IS MEAN SEA LEVEL

W-56

6/14/96

63-11196




POINT OF DIVERSION

PRESSURE CHAMBER




BURIED EAST MAINLINE



63-11196



PLACE OF USE
(large pasture)



IDAHO DEPARTMENT OF WATER RESOURCES
PLACE OF USE 1/4 1/4 COMPARISON REPORT

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '*' ARE ADJUDICATION CLAIMS)
(QUARTER-QUARTERS WITH A '?' HAVE DIFFERENT ACREAGE AMOUNTS--CHECK THE DATA BASE RECORDS)

WR-NUMBER	SOURCE	NE								NW								SW								SE								SUM
		NE		NW		SW		SE		NE		NW		SW		SE		NE		NW		SW		SE										
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac									
6311196	T05N R02W S21	GROUNDWATER																																
	:							22	:																						22			
6308264	GROUNDWATE	:							:							09		:													9			
A6308264	GROUNDWATE	:							:							09		:													9			
6309069A	GROUNDWATE	:							:	0		34		34			20	04	:												92			
6309069B	GROUNDWATE	:							:							06	02	:													8			
A6309069B	GROUNDWATE	:							:							06	02	:													8			
6311182	GROUNDWATE	:							:									:						07							7			
6311332	GROUNDWATE	:							:									:					08								8			
6311422	GROUNDWATE	:							:									:								03					3			
6312091	GROUNDWATE	:							:						06	02		:													8			
6312252	GROUNDWATE	:							:									05	:												5			
A6330204	GROUNDWATE	:							:									:					02								2			
A6502900Z0	TUNNEL NO.	:				I		:				I	I		:	I		I	I	:	I	I	I	I										

No overlaps.

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: 63-95-C-0098-000 OTHER APPLICABLE NO: 63-11196
2. OWNER: RAUPH McCINTOCK Phone: 585-2459 (hmn)
375-2376 (wk)
Address: (MAILING) PO Box 250, STAR ID 83669; (PROPERTY) 26600 GAIL LN, MIDDLETON
ID 83644
3. WELL LOCATION: Twp. 5N, Rge. 2W, Sec. 21, SE 1/4 NE 1/4
County CANYON (Provide sketch map and photo on reverse.)
4. DRILLER: DENNIS PHIPPS Lic. No. 332
When Drilled? 4/5-4/11/95
5. WELL CONSTRUCTION:
Casing Diameter 6 inches Water tight cap? ☒ Yes ☐ No Access Port: ☒ Yes ☐ No
Casing ≥ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing 171 ft. Method Drilled AIR ROTARY
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☒ Yes ☐ No Pressure Gauge: ☒ Yes ☐ No
Condition of Piping and Valving GOOD
Auger to a depth of 172 ft. Evidence of Annular Seal ☒ Yes ☐ No
Are there obvious constuction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION:
Depth to Static Water 90 ft. Water Temperature 58 °F
Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:
☐ Domestic ☒ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____

AUG 09 1996

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS: 40 acre tract incorrect on Well Driller's Report. Correct
1/4 1/4 is SENE, S21, T5N, R2W.

Cindy Zimmerman, WR Agent
Signature of Dept. Representative & Title

6/14/96
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

RECEIVED
JUN 19 1996

Use Typewriter
or
Ball Point Pen

Supervisor or Operator _____ Date _____

MEMORANDUM

DATE: June 10, 1996

TO: Cindy Zimmerman *CS*

FROM: Shelley W. Keen *SWK*

RE: Field examination for 63-11196

I would like you to conduct a re-examination of permit 63-11196. Please review the file for the details on why a re-examination is necessary. I told Ralph McClintock, the owner, that you would contact him within the next couple of days to schedule a time for the re-examination. His work phone is 375-3376.

If you would like some assistance preparing for the examination, please let me know. We may need to borrow tools, etc., for you.

I would like this accomplished by June 24, 1996, if you and Mr. McClintock can find a mutually agreeable time before then.

[Faint signature]

Ralph McClintock

P.O. Box 250, Star, ID 83669-0250 (208) 585-2459

RECEIVED

MAY 7 - 1996

Department of Water Resources

May 3, 1996

Mr. Jim Johnson, Manager
Water Rights Permit Section
State of Idaho
Department of Water Resources
1301 North Orchard Street
Boise, ID 83720-9000

Dear Mr. Johnson:

RE: Permit #63-11196

I would like to add this information to my letter of April 30, 1996 for the month of June 1996 in question.

I used 8 sprinkler heads on my hand line at 5 GPM each or 40 GPM for the line. (2400 gallon/hour).

Based upon the increase in my power bill from May to June, 1995. I have calculated that my water usage on the pasture was 74 hours x 2400 gallon/hour = 177,600 gallons applied in June 1995. This was applied in 9 settings of 8 hours each. The water applied was 2.47 inch.

Sincerely,

Ralph McClintock
Ralph McClintock

RECEIVED
MAY 07 1996

Ralph McClintock

P.O. Box 250, Star, ID 83669-0250 (208) 585-2459

RECEIVED

MAY 7 - 1996

Department of Water Resources

May 3, 1996

Mr. Jim Johnson, Manager
Water Rights Permit Section
State of Idaho
Department of Water Resources
1301 North Orchard Street
Boise, ID 83720-9000

Dear Mr. Johnson:


RE: Permit #63-11196

I would like to add this information to my letter of April 30, 1996 for the month of June 1996 in question.

I used 8 sprinkler heads on my hand line at 5 GPM each or 40 GPM for the line. (2400 gallon/hour).

Based upon the increase in my power bill from May to June, 1995. I have calculated that my water usage on the pasture was 74 hours x 2400 gallon/hour = 177,600 gallons applied in June 1995. This was applied in 9 settings of 8 hours each. The water applied was 2.47 inch.

Sincerely,


Ralph McClintock

RECEIVED
MAY 07 1996



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

May 6, 1996

RALPH MC CLINTOCK
PO BOX 250
STAR ID 83669-0250

RE: PRELIMINARY ORDER TO REINSTATE PERMIT NO. 63-11196

Dear Mr. McClintock:


After further review of your documents, the Department feels that you have provided sufficient evidence to show that water has been applied to a beneficial use.

Enclosed you will find a Preliminary Order which rescinds the April 2, 1996, Order to Void your permit, thereby reinstating Permit No. 63-11196.

An examiner will contact you in the future to schedule a field re-examination.

If you have any questions, you may contact me directly at (208) 327-7947.

Respectfully,


Jim Johnson, Manager
Water Permits Section

JJ:rl

RECEIVED
MAY 17 1996

MEMORANDUM

Date: May 6, 1996
From: Jim Johnson
To: Glen Saxton
Subject: Permit # 63-11196

=====

I am forwarding this permit on to you for final review. Mr. McClintock has responded to my letter of April 22, 1996 by providing receipts of sprinkler system purchases prior to July 1, 1995, the proof due date of the permit. Mr. McClintock represents that he applied water by diverting it through the purchased 2" pipe laid on top of the ground. I believe Mr. McClintock has provided sufficient evidence to show that water has been applied. In my opinion, it probably not prudent to pursue this matter any further. My recommendation is to reinstate the permit and reschedule an re-examination. The re-examination of this permit by state office staff would be a good opportunity for our staff get more experience in measuring water. If you concur, I will have Shelley coordinate with Cindy Zimmerman after the permit is re-instated.

63-11196
MAY 07 1996

FORWARD WHITE COPY TO WATER RESOURCES

Ralph McClintock

P.O. Box 250, Star, ID 83669-0250 (208) 585-2459

April 30, 1996

Mr. Jim Johnson, Manager
Water Rights Permit Section
State of Idaho
Department of Water Resources
1301 North Orchard Street
Boise, ID 83720-9000

RECEIVED

MAY 2 - 1996

Department of Water Resources

R-DB

Dear Mr. Johnson:

RE: Permit #63-11196

We are responding to your letter dated April 22, 1996 requesting additional information.

The irrigation system that I had used in late May and June prior to installing underground main lines (2) was a 2" black poly pipe system laid on top of the ground because I knew I was going to install a permanent underground system. I did not want to install permanent lines until after the ground was plowed, harrowed, and somewhat leveled out.

The well head and piping shown in the enclosed photo was the same system used in late May and June except that the 2" black poly pipe was on top of the ground.

The sprinkler pipes were off the cultivated field at the time the previously supplied photos were taken and just out of view of the camera.

I have no receipt for the used hand lines since they were bought several years ago for cash and came with sprinkler heads. I only know that I purchased the hand lines from an ex-husband and wife in a divorce settlement and all they wanted was the money.

Enclosed are some of my receipts for the work and utilities. I have additional receipts scattered over the last 5 years for additional sprinkler heads, risers, piping, and parts but a little more time would be needed to dig them out. If these additional receipts are necessary, I could retrieve them.

Also, we have enclosed photographs showing the universal valve stubs sticking up out of the ground from which the hand lines are run. One main line runs to the south, the other to the east. Another photo shows the hand lines and sprinklers. The last photo shows the well head with the east main line, the south main line and a third main line for the livestock water trough.

I hope this will help clear things up and allow you to issue us our water license.

Sincerely,

Ralph McClintock

Ralph McClintock

MAILED
MAY 07 1996

VER'S

5730 WEST FRANKLIN ROAD
PHONE 342-8578
BOISE, IDAHO 83705

824 CALDWELL BLVD.
PHONE 466-7807
NAMPA, IDAHO 83651

No. NC 96877

130 EASTLAND DRIVE SO.
PHONE 733-7304
TWIN FALLS, IDAHO 83301

DATE

4/30/95

NC 96877

SAME

QTY	DEL.	DESCRIPTION	UNIT	PRICE	TOTAL
1	1	1/4" Bushing		28	
2	1	1/4" Locknut		26	
3	1	1/4" Male Adapter		54	
4	1	1/4" Coupling		41	
5	1	1/4" PVC Factory 90°		15	
6	2	1/4" PVC L.B.	3.51	7.02	
7	1	2" Poly Male		14	
8	1	Intermatic T104		46.32	
9	2	2' x 3' galv. Nipple	1.82	3.64	
10	1	2' x 1/2" Galv. Bushing	~~2.38~~	~~2.38~~	2.64
11	2	2' x 1/2" galv. nipple	3.25	6.50	
12	1	2" Galv. Tee		5.45	
13	1	1/2" Nelson Auto Drain		3.52	
14	1	6x6x4 ft Box		12.61	
15	1	2" Flare Valve		50.62	
16	1	2" Ball Valve		38.56	
17	1	2" Galv 90		4.50	
18	1	LTE D/P 40		6.87	
19	1	402 PVC Cement		1.30	
			SUB TOTAL	194.29	
			TAX	9.72	
			TOTAL	204.01	

SIGNATURE

X

ALL claims and returned goods MUST be accompanied by this bill.

CUSTOMER COPY

ROVER'S

PHONE 342-8578
BOISE, IDAHO 83705

PHONE 466-7807
Nampa, IDAHO 83851

130 EASTLAND DRIVE SO.
PHONE 733-7304
TWIN FALLS, IDAHO 83301

No. NC 96819

DATE 4/30/95

NC 96877
SAME

Steve B. ✓

1	1	4oz PVC Primer	1.63
2	1	~~1/4 x 10-1/2 Sch 50 Cond~~	
3	1	1/4 x 10-1/2 sch 50 Cond	7.70
4			
5			
6			
7			
8			
9			
10			
11			
12			
13			
14			
15			
16			
17			
18			
19			

Thank You

194.29
TAX 9.33
TOTL 203.62
\$213.80
A907 0002003 8907 2:32PM 4/30/95

SUB TOTAL 9.33
TAX 4.7
TOTAL 14.03

SIGNATURE
X

ALL claims and returned goods MUST be accompanied by this bill.

CL TO - CO Y

MAY 07 1996

DELTA PLASTICS, INC.

1754 EAST STATE ST.
EAGLE, IDAHO 83616

000870

(208) 939-2433

FAX 939-2436

DATE: 5/5/95

[illegible]

MAY 07 1996

Thank You

MAY 07 1996



PLEASE BRING ENTIRE BILL WHEN PAYING IN PERSON



FOR ACCOUNT INQUIRIES CALL OR CONTACT YOUR LOCAL OFFICE AT
455-8200 501 MAIN, CALDWELL

CUSTOMER IDENTIFICATION									
CUSTOMER NAME RALPH MC CLINTOCK					SERVICE LOCATION 26600 GAIL LN				
ACCOUNT NUMBER 1231-023072-0					TYPE OF SERVICE RESIDENTIAL				
ACCOUNT INFORMATION AS OF JUNE 14, 1995									
BALANCE FORWARD ▶									
METER NUMBER OR NUMBER OF LAMPS	R A T E	SERVICE FROM TO		D A Y S	METER READING PREVIOUS PRESENT		METER CONSTANT	BILLING DEMAND	BILLING ENERGY KILOWATT HOURS
79262917W01		511	612		09221193351		1		1140 5885
**** ACCOUNT ACTIVITY SINCE LAST BILLING **** 66.50CR TOTAL PAYMENTS THANK-YOU									
ACCOUNT BALANCE									5885

#3643
6-26-95

COMPARE YOUR AVERAGE DAILY USE WITH LAST YEAR			
DAYS	BILLING PERIOD	KWH BILLED	KWH PER DAY
32	THIS MONTH THIS YEAR	1140	35.6
32	THIS MONTH LAST YEAR	1033	32.2

LEVEL PAY AMOUNT

PLEASE PAY THIS AMOUNT
58.85

PLEASE ADD \$1, \$5 OR \$10 TO AID PROJECT SHARE'S ASSISTANCE PLAN



RECYCLABLE

0- REGULAR READING
CR- CREDIT

1- CUSTOMER READING
AV- AVERAGE

2 OR 3- ESTIMATED READING
MN- MINIMUM

SEE REVERSE SIDE FOR ADDITIONAL INFORMATION

MAY 07 1996



PLEASE BRING ENTIRE BILL WHEN PAYING IN PERSON
FOR ACCOUNT INQUIRIES CALL 455-8200 OR CONTACT YOUR LOCAL OFFICE AT 501 MAIN, CALDWELL



CUSTOMER IDENTIFICATION									
CUSTOMER NAME RALPH MC CLINTOCK					SERVICE LOCATION 26600 GAIL LN				
ACCOUNT NUMBER 1231-023072-0					TYPE OF SERVICE RESIDENTIAL				
ACCOUNT INFORMATION AS OF JULY 14, 1995									
BALANCE FORWARD ▶									
METER NUMBER OR NUMBER OF LAMPS	R A T E	SERVICE FROM TO		D A Y S	METER READING PREVIOUS PRESENT		METER CONSTANT	BILLING DEMAND	BILLING ENERGY KILOWATT HOURS
79262917W01		612	712		093351	194657	1		1306
ACCOUNT BALANCE									6694
**** ACCOUNT ACTIVITY SINCE LAST BILLING **** 58.85CR TOTAL PAYMENTS THANK-YOU									

\$2.50 CUSTOMER CHARGE, PLUS
0.0493450 PER KWH

#3649
7-26-95

COMPARE YOUR AVERAGE DAILY USE WITH LAST YEAR			
DAYS	BILLING PERIOD	KWH BILLED	KWH PER DAY
30	THIS MONTH THIS YEAR	1306	43.5
30	THIS MONTH LAST YEAR	1456	48.5

LEVEL PAY AMOUNT

PLEASE PAY THIS AMOUNT
66.94

PLEASE ADD \$1,\$5 OR \$10 TO AID THE PROJECT SHARE PROGRAM



RECYCLABLE

0- REGULAR READING
CR- CREDIT

1- CUSTOMER READING
AV- AVERAGE

2 OR 3- ESTIMATED READING
MN- MINIMUM

SEE REVERSE SIDE FOR ADDITIONAL INFORMATION

MAY 07 1996

**AHO
POWER**



FOR ACCOUNT INQUIRIES CALL OR CONTACT YOUR LOCAL OFFICE AT
455-8200 501 MAIN, CALDWELL

PLEASE BRING ENTIRE BILL WHEN PAYING IN PERSON

CUSTOMER IDENTIFICATION									
CUSTOMER NAME RALPH MC CLINTOCK					SERVICE LOCATION 26600 GAIL LN				
ACCOUNT NUMBER 1231-023072-0					TYPE OF SERVICE RESIDENTIAL				
ACCOUNT INFORMATION AS OF AUGUST 15, 1995									
BALANCE FORWARD ▶									
METER NUMBER OR NUMBER OF LAMPS	R A T E	SERVICE FROM TO		D A Y S	METER READING PREVIOUS PRESENT		METER CONSTANT	BILLING DEMAND	BILLING ENERGY KILOWATT HOURS
79262917H01	01	712	811	1	094657	96198	1	1541	7854
ACCOUNT BALANCE									7854
**** ACCOUNT ACTIVITY SINCE LAST BILLING **** 66.94CR TOTAL PAYMENTS THANK-YOU									

**\$2.50 CUSTOMER CHARGE, PLUS
0.0493450 PER KWH**

*#3659
8-25-95*

COMPARE YOUR AVERAGE DAILY USE WITH LAST YEAR			
DAYS	BILLING PERIOD	KWH BILLED	KWH PER DAY
30	THIS MONTH THIS YEAR	1541	51.3
29	THIS MONTH LAST YEAR	1736	59.8

LEVEL PAY AMOUNT

PLEASE PAY THIS AMOUNT
78.54

PLEASE ADD \$1,\$5 OR \$10 TO AID THE PROJECT SHARE PROGRAM



RECYCLABLE

*O- REGULAR READING
CR- CREDIT


1- CUSTOMER READING
AV- AVERAGE

2 OR 3- ESTIMATED READING
MN- MINIMUM

SEE REVERSE SIDE FOR ADDITIONAL INFORMATION

MAY 07 1996

WARNING



0000000000



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

April 22, 1996

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

Ralph McClintock
PO Box 250
Star, Idaho 83669

Re: Permit 63-11196

Dear Mr. McClintock

I have reviewed your letter of April 12, 1996 in which you filed a Petition for Reconsideration (Petition) of the Preliminary Order signed on April 2, 1996. Before acting upon the petition, the Department would like additional information on your use of water prior to July 1, 1995.


I have also reviewed your permit file and noted the documentation concerning the efforts made on lands identified on the permit. Your photos clearly show your efforts to prepare the land for pasturing. It is still unclear to us what you did to apply water to this ground. None of the photos show a means of getting water from the well onto the land. Some of the photos show the well head but they don't show pipes connected to the well or show other diversion means to apply water for irrigation. Can you provide evidence that would verify that water was diverted from the well and applied to irrigation of the land identified on the photos prior to July 1, 1995?

Perhaps you could provide;

1. Power records to show increase in power that is needed to supply water for irrigation.
2. Description of the method that you used to apply the water.
3. How much and when the water was applied.
4. Provide copies of purchase receipts of irrigation equipment such as pipes and sprinkler heads.
5. Any other information not already provided that would identify when, how much and how the water was applied for irrigation.

If you have any questions about this letter please let me know.

Sincerely,


Jim Johnson, Manager
Water Permits Section

RECORDED

MAY 07 1996

Ralph McClintock

P.O. Box 250, Star, ID 83669-0250 (208) 585-2459

April 12, 1996

Mr. Jim Johnson, Manager
Water Rights Permit Section
State of Idaho
Department of Water Resources
1301 North Orchard Street
Boise, ID 83720-9000

RECEIVED

APR 17 1996

Department of Water Resources

Dear Mr. Johnson:

RE: Permit #63-11196

We would like to request a *Petition for Reconsideration* of the Preliminary Order with the hearing officer in view of the following information.

We have reviewed the Preliminary Order and take exception to the *Finding of Fact #7* that we had not diverted and beneficially applied water prior to July 1, 1995.

1. We were using the water for watering livestock since the well was completed in April 1995.
2. We did apply water to the ground in June to loosen the soil (it was as hard as a rock) for the plowing and preparation for pasture planting.

authorized
use is
wrong!!

Additionally, we would like to point out the following:

- a. The water use for which we are asking for is a very small amount of water (.15 cfs).
- X b. The *Proof of Beneficial Use* form has a provision for contacting me for the field examination. I stated my daytime phone number on the form and asked to be called the day before. This was never done or it could have possibly cleared up this situation.
- c. The Department of Water Resources states in Finding of Facts #5 that the property was inspected in August 1995 but never contacted me until March 1996. If the Department of Water Resources had contacted me in a more timely manner, it would have allowed me to re-file during the lifting of the moratorium.
- d. The photographs, which we previously submitted, reveal that we did complete the pasture and beneficial use. If the Department of Water Resources feels that it is necessary, we would be willing to pay a re-inspection fee to verify the use.
- e. This project has cost us a considerable amount of money as we had saved for years in order to put it in. Denial of this license would mean we have no pasture for our beef cows and would cause *additional* hardship as we must purchase more hay to feed them through the summer.

We feel we have complied with the law as well as the intent of the law and that our water license should be granted.

Sincerely,

Ralph McClintock
Ralph McClintock

MICROFILMED

MAY 07 1996

MEMORANDUM

DATE: April 3, 1996

TO: File 63-11196

FROM: Shelley W. Keen *SWK*

RE: Phone call from Ralph McClintock

This morning Ralph McClintock called to determine if I had received the information he sent in March. I told him that it had been received, reviewed, and found to be insufficient to establish that diversion and beneficial use of water had occurred within the required time frame. I told Mr. McClintock that a preliminary order to void the permit had been issued and mailed to him. I also told Mr. McClintock that if he needs help interpreting the order or the cover letter that I would be glad to answer his questions. In addition, I assured Mr. McClintock that he can petition for reconsideration of the preliminary order.

RECEIVED
MAY 07 1996

63-11196

SENDER:

- Complete items 1 and/or 2 for additional services.
- Complete items 3, and 4a & b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for a fee):

- ☐ Addressee's Address
- ☐ Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to:

RALPH MC. CAINCOCK
PO BOX 250
STAR 83669

4a. Article Number

P461212129

4b. Service Type

- | | |
|---|---|
| ☐ Registered | ☐ Insured |
| ☒ Certified | ☐ COD |
| ☐ Express Mail | ☐ Return Receipt for Merchandise |

7. Date of Delivery

4-5-96

5. Signature (Addressee)


X *Ralph Mc Caincock*

6. Signature (Agent)**8. Addressee's Address (Only if requested and fee is paid)**

Is your RETURN ADDRESS completed on the reverse side?

Thank you for us

UNITED STATES POSTAL SERVICE



Official Business
RECEIVED
APR 08 1996

PENALTY FOR PRIVATE
MAIL
MAY 07 1996

MAY 07 1996

Department of Water Resources

Print your name, address and ZIP Code here

Water Allocation Bureau
Department of Water Resources
1301 N. Orchard St.
Boise, ID 83706

P 461 212 129

RECEIPT FOR CERTIFIED MAIL

NO INSURANCE COVERAGE PROVIDED

NOT FOR INTERNATIONAL MAIL

(See Reverse)

★ U.S.G.P.O. 1985-480-794

PS Form 3800, June 1985

Sent to <i>Ralph M. Clontock</i>	
Street and No. <i>Box 250</i>	
P.O. State and ZIP Code <i>Star</i>	
Postage	\$
Certified Fee	<i>4/3/96</i>
Special Delivery Fee	
Restricted Delivery Fee	
Return Receipt showing to whom and Date Delivered MAY 07 1996	
Return Receipt showing to whom, Date, and Address of Delivery	
TOTAL Postage and Fees <i>1.00</i>	
Postmark or Date <i>63</i>	

**STICK POSTAGE STAMPS TO ARTICLE TO COVER FIRST CLASS POSTAGE,
CERTIFIED MAIL FEE, AND CHARGES FOR ANY SELECTED OPTIONAL SERVICES. (see front)**

1. If you want this receipt postmarked, stick the gummed stub to the right of the return address leaving the receipt attached and present the article at a post office service window or hand it to your rural carrier. (no extra charge)
2. If you do not want this receipt postmarked, stick the gummed stub to the right of the return address of the article, date, detach and retain the receipt, and mail the article.
3. If you want a return receipt, write the certified mail number and your name and address on a return receipt card, Form 3811, and attach it to the front of the article by means of the gummed ends if space permits. Otherwise, affix to back of article. Endorse front of article **RETURN RECEIPT REQUESTED** adjacent to the number.
4. If you want delivery restricted to the addressee, or to an authorized agent of the addressee, endorse **RESTRICTED DELIVERY** on the front of the article.
5. Enter fees for the services requested in the appropriate spaces on the front of this receipt. If return receipt is requested, check the applicable blocks in item 1 of Form 3811.
6. Save this receipt and present it if you make inquiry



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

APRIL 2, 1996

RALPH MC CLINTOCK
PO BOX 250
STAR ID 83669

RE: Permit No. 63-11196

Dear Permit Holder:

The accompanying order is a "preliminary order" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the department unless a party petitions for reconsideration within fourteen (14) days after issuance as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the hearing officer within fourteen (14) days of the service date of this order. The hearing officer will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the agency.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Director. The Director retains the right to review the preliminary order on his own motion.

RECORDED
MAY 07 1996

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

RECEIVED
MAY 07 1996

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

Sincerely,



JIM JOHNSON, Manager
Water Right Permits Section

JJ:rl

Enclosure

RECEIVED
MAY 07 1996

MEMORANDUM

DATE: March 25, 1996

TO: File 63-11196

FROM: Shelley W. Keen *(SWK)*

RE: Recommendation to void the permit

Ralph McClintock, holder of permit 63-11196, submitted the following information in response to the *Notice of Intent to Void Permit* mailed to him.

- A letter explaining that he did not plant a crop until last fall because he had difficulty hiring someone to plow, disk, and seed his land.
- A letter from Terri Zurcher, a neighbor, explaining that Mr. McClintock had his pasture planted by the end of last fall.
- Four photographs, apparently taken last month, of land planted with grass.

I have reviewed the information submitted by Mr. McClintock, but I can find no indication that he applied water to beneficial use prior to the date his proof statement was due in July of 1995. Therefore, I recommend that the Department issue a preliminary order voiding permit 63-11196.

RECEIVED
MAY 07 1996

Ralph McClintock

P.O. Box 250, Star, ID 83669-0250 (208) 585-2459

RECEIVED

MAR 21 1996

Department of Water Resources

2-03

March 19, 1996

Mr. Shelly Walter Keen
Water Right Supervisor
State of Idaho
Department of Water Resources
1301 North Orchard Street
Statehouse Mail
Boise, ID 83720-9000

Dear Mr. Keen:

RE: Permit #63-1196

I have received your letter dated March 11, 1996 concerning a *Notice of Intent to Void Permit*.

In order to provide you with the "Proof of Beneficial Use", please find enclosed photographs showing the pasture's starting growth and a letter from my neighbor verifying that the ground has been made into pasture.

To further explain, I had an agreement with a farmer to plow, disc and seed my land for a pasture last summer. Some time had past when I called the farmer to remind him about turning my soil. He said he would be over just as soon as he finished his place. More time elapsed and I called him again. He told me he had a broken brake on his trailer which he used to transport his tractor and equipment and that parts had been ordered to repair it. More time passed and no farmer. Most of the time, he was not there and I left messages on his answering machine. I started out being nice and understanding however, after considerable time had past and not being able to reach him, I told him that if he wasn't here by a certain date, I would get someone else. He once again promised to be here and never arrived.

To get someone to do this size of property is very difficult. It is too big for rototillers and too small for the big operators to fool with. Since I was encountering difficulty finding someone to do the job, I finally rented a tractor and equipment and did the job myself including planting the pasture thus creating the beneficial use last fall.

Getting this job done has been a very frustrating experience, but now that is history and it is growing well for my cows to use later this spring.

I hope that this information will resolve this matter and allow you to issue my water permit.

Sincerely,

Ralph McClintock

Ralph McClintock

RECEIVED
MAY 07 1996

GENE AND TERRI ZURCHER / 26442 GAIL LANE / MIDDLETON, ID 83644-5032 / 208-585-3767

March 19, 1996

RECEIVED

MAR 21 1996

Mr. K. Keen
Department of Water Resources

Department of Water Resources

Dear Mr. Keen:

Our neighbors, Ralph and Sue McClintock, began preparations for growing pasture in the summer of 1995. Before the end of the Fall season, they had their pastured disked, planted and harrowed.

If you need any additional information from me or my husband, Gene Zurcher, please feel free to call.

Sincerely,


Terri Zurcher

MAY 07 1996

MAY 07 1996

MAY 07 1996

MEMORANDUM

DATE: March 18, 1996

TO: File 63-11196

FROM: Shelley W. Keen *SWK*

RE: Phone call from Ralph McClintock

Today Ralph McClintock called to discuss the Notice of Intent to Void Permit sent to him regarding permit 63-11196. Mr. McClintock told me that he will be responding in writing to the notice. He explained that during the summer of 1995, which is when the field examination was conducted, he was trying to arrange for a neighboring farmer to disk his field so that he could plant pasture. At the time of the exam, no crop was in place because the neighbor continued to procrastinate. Mr. McClintock said that in September of 1995 the disking and planting were completed and he did commence irrigating at that time. He has a substantial investment in his diversion and distribution systems, and he does not want to lose that investment by losing his right to use water.

Mr. McClintock said that no irrigation occurred during the years preceding 1995.

RECORDED

MAY 07 1996

U S STATES POSTAL SERVICE

Official Business



ALWAYS



PENALTY FOR PRIVATE
USE TO AVOID PAYMENT
OF POSTAGE, \$300

MAY 07 1996

Print your name, address and ZIP Code here

Water Allocation Bureau
Department of Water Resources
1301 N. Orchard St.
Boise, ID 83706

63-11196

SENDER:

- Complete items 1 and/or 2 for additional services.
- Complete items 3, and 4a & b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

1. ☐ Addressee's Address

☐ Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to:

RALPH MC CLINTOCK

PO BOX 250

STAR ID 83669

MAY 07 1996

4a. Article Number

P461212127

4b. Service Type

☐ Registered☐ Insured☒ Certified☐ COD☐ Express Mail☐ Return Receipt for Merchandise

7. Date of Delivery

5. Signature (Addressee)

RALPH MCCLINTOCK

6. Signature (Agent)

8. Addressee's Address (Only if requested and fee is paid)

UNITED STATES POSTAL SERVICE



ALWAYS

First-Class Mail
Postage & Fees Paid
USPS
Permit No. G-10

• Print your name, address, and ZIP Code in this box •

MACROFILMED

MAY 07 1996

IDWR
1301 N. Orchard St.
PO Box 83720
Boise, ID 83720-0098

Is your RETURN ADDRESS completed on the reverse side?

SENDER:

- Complete items 1 and/or 2 for additional services.
- Complete items 3, 4a, and 4b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

- ☐ Addressee's Address
- ☐ Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to:

Ralph McClintock
P.O. Box 250
Star ID 83660
MAY 07 1996

4a. Article Number

P461212137

4b. Service Type

- | | |
|---|---|
| ☐ Registered | ☒ Certified |
| ☐ Express Mail | ☐ Insured |
| ☐ Return Receipt for Merchandise | ☐ COD |

7. Date of Delivery

MAY 07 1996

5. Received By: (Print Name)

RALPH MCCLINTOCK

6. Signature: (Addressee or Agent)

X *Ralph McClintock*

8. Addressee's Address (Only if requested and fee is paid)

PS Form 3811, December 1994

Domestic Return Receipt

Thank you for using Return Receipt Service.

P 461 212 127

RECEIPT FOR CERTIFIED MAIL

NO INSURANCE COVERAGE PROVIDED

NOT FOR INTERNATIONAL MAIL

(See Reverse)

★ U.S.G.P.O. 1985-480-784

PS Form 3800, June 1985

Sent to	Ralph McCulloch	
Street and no.	Box 250	
P.O., State and ZIP Code	Star 83669	
Postage	\$	
Certified Fee		
Special Delivery Fee		
Restricted Delivery Fee		3/11/96
Return Receipt showing to whom and Date Delivered		
Return Receipt showing to whom: Date, and Address of Delivery		
TOTAL Postage and Fees	\$	
Postmark or Date	MAY 07 1996	

**STICK POSTAGE STAMPS TO ARTICLE TO COVER FIRST CLASS POSTAGE,
CERTIFIED MAIL FEE, AND CHARGES FOR ANY SELECTED OPTIONAL SERVICES. (see front)**

1. If you want this receipt postmarked, stick the gummed stub to the right of the return address leaving the receipt attached and present the article at a post office service window or hand it to your rural carrier. (no extra charge)
2. If you do not want this receipt postmarked, stick the gummed stub to the right of the return address of the article, date, detach and retain the receipt, and mail the article.
3. If you want a return receipt, write the certified mail number and your name and address on a return receipt card, Form 3811, and attach it to the front of the article by means of the gummed ends if space permits. Otherwise, affix to back of article. **RETURN RECEIPT REQUESTED** adjacent to the number.
4. If you want delivery restricted to the addressee, or to an authorized agent of the addressee, endorse, **RESTRICTED DELIVERY** on the front of the article.
5. Enter fees for the services requested in the appropriate spaces on the front of this receipt. If return receipt is requested, check the applicable blocks in Item 1 of Form 3811.
6. Save this receipt and present it if you make inquiry.



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

March 11, 1996

RALPH MC CLINTOCK
PO BOX 250
STAR ID 83669

RE: Permit No. 63-11196

NOTICE OF INTENT TO VOID PERMIT

Dear Permit Holder:

On March 6, 1990, you filed with the Department of Water Resources an Application to Appropriate 0.44 cfs of ground water in the SESENE Section 21, Twp. 05N, Range 02W, B.M., Canyon County for the purpose of irrigation.

On June 20, 1995, you filed Proof of Beneficial Use. However, on August 28, 1995, Department staff conducted a field examination and found that water was not being beneficially used as authorized by the permit.

The purpose of this letter is to inform you that I will take action to void your permit after 14 days from the date of this letter, unless you can provide "good" information why the permit should not be voided.

If you are no longer interested in this water right you can shorten the voiding process by signing and returning the enclosed Relinquishment form.

Please forward correspondence to my attention. If you have any questions, you may contact me directly at (208) 327-7946.

Respectfully,


Shelley Walter Keen
Water Right Supervisor

SK:rl

RECEIVED

MAY 07 1996

RECEIVED

FEB 26 1996

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 63-11196

1. Owner: Ralph Mc Clintock Phone No. 585-2459

Current Address: PO Box 250 Star Id 83669

2. Accompanied by: — EXAM DATE: 8/28/95

Address: — Phone No. —

Relationship to Permit Holder: —

3. Source: Ground water tributary to —

B. OVERLAP REVIEW

1. Other water rights with the same place of use: —

2. Other water rights with the same point of diversion: —

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion: RELINQUISH

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	

MAY 07 1996

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		3	Sta Kite		
			Submersible		

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: _____

RECEIVED
MAY 10 1996

MAY 07 1996

E. NARRATIVE/REMARKS/COMMENTS

Well was drilled, pump was installed
however no beneficial use was
found at the time of the exam.
The home is on a separate
system. No other water rights
are used.

Have conditions of permit approval been met? ☐ yes ☐ no

APPROVED

MAY 07 1996

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

*kated @ 42 GPM per Dennis Phipps***G. VOLUME CALCULATIONS**

1. Volume Calculations for Irrigation:

 $V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____ $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____ $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Relinquish

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			_____	_____

2. Recommended Amendments

____ Change P.D. as reflected above ____ Add P.D. as reflected above ____ None
____ Change P.U. as reflected above ____ Add P.U. as reflected above ____ Other

I. AUTHENTICATIONField Examiner's Name *Loi Gnanu* Date *2/21/96*

Reviewer _____ Date _____

SEAL

RECEIVED**MAY 07 1996**




urvey,
000-scale aerial
Idaho
icator grid, zone 11

frican Datum 1983 move
and 78 meters east

anning

T5N
R2W
see 24100
SENE
MAY 07 1996



Copies Of These Maps Can Be O
At Bonneville Blue Print, Boise I
63-11196

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, MENLO PARK, CALIF. 9

5

22

T4773

MAY 07 1996

43.8

63-11196

RECEIVED


AUG 23 1995

WATER RESOURCES
WESTERN REGION


Signature
2000
Design Series

Pump Performance

20 GPM



30 GPM




30 lbs
100' static
TDH = ~170'
pumping 42 GPM

Tested and rated in accordance with Water Systems Council standards.

NOTE: Pumps installed with a CON-AIRE® tank require a 100 PSI relief valve. Pumps installed with a conventional tank require a 75 PSI relief valve. Relief valve must be capable of relieving entire flow of pump at relief pressure.

MAY 07 1996






No beneficial use found




RECEIVED
MAY 07 1996

63-11196



6" well
P/D - 3 HP submersible
Sta Rite pump



RECEIVED
MAY 07 1996

63-11196



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

June 27, 1995

RALPH MC CLINTOCK
P O BOX 250
STAR ID 83669

PROOF ACKNOWLEDGEMENT LETTER

RE: PERMIT NO. 63-11196

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit.

The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning the field examination, please feel free to contact the WESTERN Regional Office in Boise, at (208) 334-2190.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

RECEIVED

JUN 29 1995

April 30, 1995

RALPH MC CLINTOCK
P.O. BOX 400
MIDDLETON ID 83644

PROOF DUE NOTICE

RE: PERMIT NO. 63-11196

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before July 1, 1995.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

MAILED
JUN 29 1995



Ident. No. 63-95-C-0098-000
Water Right No. 63-11196

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR DRILLING PERMIT

1. Name: RALPH MCCLINTOCK O 208-585-2459
Address: P.O. BOX 400
MIDDLETON ID 83644

2. Proposed Well Location: Township 05N, Range 02W, Sec. 21, SENE
CANYON County

Street Address of Well Site: 26600 GAIL LANE
MIDDLETON ID

3. Proposed Use of Well: Non-Domestic Irrigation

4. Well Construction Information:

- A. New Well
 - B. Proposed Surface Diameter 6 In. Proposed Maximum Depth 170 Ft.
 - C. Anticipated Bottom Hole Temperature: 85 F or less (Cold water well)
- (NOTE: Construction diagrams and/or other information may be requested for monitor, low temperature geothermal, municipal and artesian wells.)

5. Construction Start Date: 2/25/1995

6. Anticipated Well Driller: DENNIS PHIPPS WELL DRILLING (No. 0332)
NOTE: The actual well driller must be identified prior to drilling.

7. Applicant's Signature Ralph McClintock Date 2-24-95
Title Owner
(Owner, Firm Representative, Other)

Fee \$ 200⁰³ Received by JPC No. C032202 Date 2-24-95

(Continued)

MIDDLETON
JUN 29 1995

ACTION OF THE DEPARTMENT OF WATER RESOURCES


This permit is _____.

Date: _____

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY!

CONDITIONS OF APPROVAL:

1. This drilling permit is valid for two (2) months from the approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
2. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required prior to construction of this well. The local Health Department should be contacted for septic tank/drainfield locations. Domestic wells must not be drilled closer than 100' from any drainfield and 50' from any septic tank.
3. The well shall be constructed by a driller currently licensed in the state of Idaho who must maintain a copy of the drilling permit at the drilling site.
4. Approval of this drilling permit does not authorize trespass on the land of another party.
5. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
6. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
7. If the bottom hole temperature of 85 Degrees F (29.44 oC) or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
8. Idaho Code, S 55-2201 - 55-2210 requires the applicant and/or his contractors to contact "Digline" (Dig Line is a locator service) not less than 3 working days prior to the start of any excavation for this project. The "Dig Line " Number for your area is 1-800-342-1585.


Signature of Authorized Dept. Representative


Title

EXTENSION OF DRILLING PERMIT

Extension Approved by: _____

Approval Date: _____

Expires On: _____

MICROFILMED

JUN 29 1995

USE TYPEWRITER
BALL POINT PEN

State of Idaho
Department of Water Administration
WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Administration, within 10 days after the completion of the drilling of the well.

1. WELL OWNER Name: <u>Jim Cooper</u> Address: <u>Rt 1 Caldwell, Idaho</u> Owner's contact info: _____		WATER LEVEL Static level: <u>87</u> feet below surface Pumping level: _____ feet below surface Flow: _____ G.P.M. Quality: _____	
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning): _____		3. WELL TEST DATA Discharge G.P.M.: <u>30</u> Draw Down: <u>5'</u> Hours Pumped: <u>1</u>	
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Other (specify type): _____ ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection		4. LITHOLOGIC LOG Hole Depth: _____ Material: _____ Water: _____ From: _____ To: _____	
4. METHOD DRILLED ☒ Cable ☐ Rotary ☐ Dug ☐ Other		5. WELL CONSTRUCTION Diameter of hole: <u>6</u> inches Total depth: <u>173</u> feet Casing schedule: ☒ Steel ☐ Concrete Thickness: <u>255</u> inches Diameter: <u>6</u> inches From: <u>2</u> feet To: <u>167</u> feet Inches inches feet feet Inches inches feet feet Inches inches feet feet Inches inches feet feet Inches inches feet feet Was a packer or seal used? ☐ Yes ☐ No Perforated? ☐ Yes ☐ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches Number From To perforations feet feet feet perforations feet feet feet perforations feet feet feet Well screen installed? ☒ Yes ☐ No Manufacturer's name: <u>Johnson</u> Type: <u>Slot</u> Model No.: _____ Diameter: <u>2</u> Slot size: <u>1/2</u> Set from: <u>155</u> feet to: <u>173</u> feet Diameter: _____ Slot size: _____ Set from: _____ feet to: _____ feet Gravel packed? ☐ Yes ☒ No Size of gravel: _____ Placed from _____ feet to _____ feet Surface seal depth: <u>30</u> Material used in seal: ☐ Cement grout ☐ Pudding clay ☒ Well cuttings Sealing procedure used: ☐ Slurry pit ☐ Temporary surface casing ☒ Overbore to seal depth	
6. LOCATION OF WELL The map location must agree with written location. Subdivision Name: _____ Lot No.: _____ Block No.: _____ County: <u>Canyon</u> S.A. No. <u>31</u> T. <u>5</u> N. <u>2</u> E. <u>1W</u>		10. WORK STARTED Work started: <u>April 5</u> finished: <u>May 3 1976</u>	
11. DRILLER'S CERTIFICATION Firm Name: <u>Kelley Drilling</u> Firm No.: <u>32</u> Address: <u>Rt 1 Box 26 Star, Idaho</u> Date: _____ Signed by (Firm Official): <u>[Signature]</u> or <u>[Signature]</u>			

SEE ADDITIONAL INSTRUCTIONS ON REVERSE

FORWARD THE WHITE COPY TO THE DEPARTMENT

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

USE TYPEWRITER
BALLPOINT PEN

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name EDWARD HEAVIN Address 3245 SO. LOCUST GROVE RD. MERIDIAN Owner's Permit No. _____	7. WATER LEVEL Static water level 76 feet below land surface Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ OF. Quality _____																																																																						
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) _____	8. WELL TEST DATA ☐ Pump ☐ Bailor ☒ Air ☐ Other <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> <tr> <td style="text-align: center;">100</td> <td></td> <td style="text-align: center;">2</td> </tr> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped	100		2																																																																
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																					
100		2																																																																					
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Hole Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th colspan="2">Water</th> </tr> <tr> <th>From</th> <th>To</th> <th>Yes</th> <th>No</th> </tr> </thead> <tbody> <tr> <td>10"</td> <td>0'</td> <td>1'</td> <td>top soil</td> <td></td> <td style="text-align: center;">x</td> </tr> <tr> <td>10"</td> <td>1'</td> <td>20'</td> <td>clay with some sand</td> <td></td> <td style="text-align: center;">x</td> </tr> <tr> <td>8"</td> <td>20'</td> <td>60'</td> <td>sand & clay layers</td> <td></td> <td style="text-align: center;">x</td> </tr> <tr> <td>8"</td> <td>60'</td> <td>95'</td> <td>a sand & gravel</td> <td></td> <td style="text-align: center;">x</td> </tr> <tr> <td>8"</td> <td>95'</td> <td>105'</td> <td>sand & gravel</td> <td style="text-align: center;">x</td> <td></td> </tr> <tr> <td>8"</td> <td>105'</td> <td>140'</td> <td>sand & clay layers</td> <td style="text-align: center;">x</td> <td></td> </tr> <tr> <td>8"</td> <td>140'</td> <td>150'</td> <td>sand</td> <td style="text-align: center;">x</td> <td></td> </tr> <tr> <td>8"</td> <td>150'</td> <td>155'</td> <td>clay</td> <td></td> <td style="text-align: center;">x</td> </tr> <tr> <td>8"</td> <td>155'</td> <td>160'</td> <td>sand clay</td> <td style="text-align: center;">x</td> <td></td> </tr> <tr> <td>8"</td> <td>160'</td> <td>-</td> <td>sand</td> <td style="text-align: center;">x</td> <td></td> </tr> </tbody> </table>	Hole Diam.	Depth		Material	Water		From	To	Yes	No	10"	0'	1'	top soil		x	10"	1'	20'	clay with some sand		x	8"	20'	60'	sand & clay layers		x	8"	60'	95'	a sand & gravel		x	8"	95'	105'	sand & gravel	x		8"	105'	140'	sand & clay layers	x		8"	140'	150'	sand	x		8"	150'	155'	clay		x	8"	155'	160'	sand clay	x		8"	160'	-	sand	x	
Hole Diam.	Depth		Material	Water																																																																			
	From	To		Yes	No																																																																		
10"	0'	1'	top soil		x																																																																		
10"	1'	20'	clay with some sand		x																																																																		
8"	20'	60'	sand & clay layers		x																																																																		
8"	60'	95'	a sand & gravel		x																																																																		
8"	95'	105'	sand & gravel	x																																																																			
8"	105'	140'	sand & clay layers	x																																																																			
8"	140'	150'	sand	x																																																																			
8"	150'	155'	clay		x																																																																		
8"	155'	160'	sand clay	x																																																																			
8"	160'	-	sand	x																																																																			
4. METHOD DRILLED ☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other	10. Work started 4-23-80 finished 4-24-80																																																																						
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>.250 inches</td> <td>8 inches</td> <td>2 feet</td> <td>153 feet</td> </tr> <tr> <td>inches</td> <td>inches</td> <td>feet</td> <td>feet</td> </tr> <tr> <td>inches</td> <td>inches</td> <td>feet</td> <td>feet</td> </tr> <tr> <td>inches</td> <td>inches</td> <td>feet</td> <td>feet</td> </tr> </tbody> </table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>perforations</td> <td>feet</td> <td>feet</td> </tr> <tr> <td>perforations</td> <td>feet</td> <td>feet</td> </tr> <tr> <td>perforations</td> <td>feet</td> <td>feet</td> </tr> </tbody> </table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth 20' Material used in seal: ☐ Cement grout ☒ Pudding clay ☒ Well cuttings Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent ☐ Cemented between strata Describe access port _____		Thickness	Diameter	From	To	.250 inches	8 inches	2 feet	153 feet	inches	inches	feet	feet	inches	inches	feet	feet	inches	inches	feet	feet	Number	From	To	perforations	feet	feet	perforations	feet	feet	perforations	feet	feet																																						
Thickness	Diameter	From	To																																																																				
.250 inches	8 inches	2 feet	153 feet																																																																				
inches	inches	feet	feet																																																																				
inches	inches	feet	feet																																																																				
inches	inches	feet	feet																																																																				
Number	From	To																																																																					
perforations	feet	feet																																																																					
perforations	feet	feet																																																																					
perforations	feet	feet																																																																					
6. LOCATION OF WELL Sketch map location must agree with written location. Subdivision Name _____ Lot No. _____ Block No. _____ County CARLETON S.E. 1/4 NE 1/4 Sec 21, T. 5 N, R. 2 W.	11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name BILL DOTY WELL DRILLING No. 42 Address RT. #7 BX. 311 CALDWELL Date 6-4-80 Signed by (Firm Official) <i>Bill Doty</i> and (Operator) <i>Bill Doty</i>																																																																						

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT
USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORTUSE TYPEWRITER OR
BALLPOINT PENState law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER CLC #21 Name <u>Mike & Karen Young</u> Address <u>26645 Gale Ln Middleton, ID</u> Drilling Permit No. <u>63-91-W-461</u> Water Right Permit No. _____	7. WATER LEVEL Static water level <u>142</u> feet below land surface Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed in pressure _____ p.s.i. Controlled by ☐ Valve ☐ Cap ☐ Plug Temperature _____ OF Quality _____ Describe artesian or temperature zones below																																																																																																																																																																																														
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement Well diameter increase _____ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)	8. WELL TEST DATA ☐ Pump ☐ Blower ☒ Air ☐ Other <table border="1" style="width: 100%; border-collapse: collapse;"><tr><th>Discharge G.P.M.</th><th>Pumping Level</th><th>Hours Pumped</th></tr><tr><td style="text-align: center;">100</td><td></td><td style="text-align: center;">45 min.</td></tr></table>	Discharge G.P.M.	Pumping Level	Hours Pumped	100		45 min.																																																																																																																																																																																								
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																																																																																																																													
100		45 min.																																																																																																																																																																																													
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1" style="width: 100%; border-collapse: collapse;"><thead><tr><th rowspan="2">Bore Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th colspan="2">Water</th></tr><tr><th>From</th><th>To</th><th>Yes</th><th>No</th></tr></thead><tbody><tr><td>6</td><td>0</td><td>3</td><td>Top Soil</td><td></td><td></td></tr><tr><td>"</td><td>3</td><td>7</td><td>Hard Pan</td><td></td><td></td></tr><tr><td>"</td><td>7</td><td>110</td><td>Sandy Clay</td><td></td><td></td></tr><tr><td>"</td><td>110</td><td>130</td><td>Sand & Gravel w/Clay</td><td></td><td></td></tr><tr><td>"</td><td>130</td><td>148</td><td>Clay</td><td></td><td></td></tr><tr><td>"</td><td>148</td><td>160</td><td>Sand wet</td><td>X</td><td></td></tr><tr><td>"</td><td>160</td><td>165</td><td>Clay</td><td></td><td></td></tr><tr><td>"</td><td>165</td><td>173</td><td>Very Hard Clay</td><td></td><td></td></tr><tr><td>"</td><td>173</td><td>176</td><td>Sand Fairly Course</td><td></td><td></td></tr><tr><td>"</td><td>176</td><td>182</td><td>Clay</td><td></td><td>X</td></tr><tr><td>"</td><td>182</td><td>186</td><td>Clay w/short Sand Pockets</td><td></td><td>X</td></tr><tr><td>"</td><td>186</td><td>191</td><td>Clay Hard</td><td></td><td></td></tr><tr><td>"</td><td>191</td><td>195</td><td>Course Sand</td><td></td><td></td></tr><tr><td>"</td><td>195</td><td>203</td><td>Clay</td><td></td><td></td></tr><tr><td>"</td><td>203</td><td>206</td><td>Sand 50gpm</td><td>X</td><td></td></tr><tr><td>"</td><td>206</td><td>213</td><td>Sandy Clay</td><td></td><td></td></tr><tr><td>"</td><td>213</td><td>225</td><td>Clay</td><td></td><td></td></tr><tr><td>"</td><td>225</td><td>226</td><td>Sand Pocket</td><td></td><td></td></tr><tr><td>"</td><td>226</td><td>228</td><td>Clay</td><td></td><td></td></tr><tr><td>"</td><td>228</td><td>229</td><td>Sand Pocket</td><td></td><td></td></tr><tr><td>"</td><td>229</td><td>232</td><td>Clay</td><td></td><td></td></tr><tr><td>"</td><td>232</td><td>234</td><td>Sand</td><td></td><td></td></tr><tr><td>"</td><td>234</td><td>236</td><td>Clay</td><td></td><td></td></tr><tr><td>"</td><td>236</td><td>247</td><td>Sand</td><td></td><td></td></tr><tr><td>"</td><td>247</td><td>248</td><td>Clay</td><td></td><td></td></tr><tr><td>"</td><td>248</td><td>249</td><td>Sand</td><td></td><td>X</td></tr><tr><td>"</td><td>249</td><td>267</td><td>Clay</td><td></td><td></td></tr><tr><td>"</td><td>267</td><td>270</td><td>Course Sand Great wet</td><td>X</td><td></td></tr><tr><td>"</td><td>270</td><td>272</td><td>Clay</td><td></td><td></td></tr><tr><td>"</td><td>272</td><td>-</td><td>Sand Course & Fine</td><td>X</td><td></td></tr></tbody></table>	Bore Diam.	Depth		Material	Water		From	To	Yes	No	6	0	3	Top Soil			"	3	7	Hard Pan			"	7	110	Sandy Clay			"	110	130	Sand & Gravel w/Clay			"	130	148	Clay			"	148	160	Sand wet	X		"	160	165	Clay			"	165	173	Very Hard Clay			"	173	176	Sand Fairly Course			"	176	182	Clay		X	"	182	186	Clay w/short Sand Pockets		X	"	186	191	Clay Hard			"	191	195	Course Sand			"	195	203	Clay			"	203	206	Sand 50gpm	X		"	206	213	Sandy Clay			"	213	225	Clay			"	225	226	Sand Pocket			"	226	228	Clay			"	228	229	Sand Pocket			"	229	232	Clay			"	232	234	Sand			"	234	236	Clay			"	236	247	Sand			"	247	248	Clay			"	248	249	Sand		X	"	249	267	Clay			"	267	270	Course Sand Great wet	X		"	270	272	Clay			"	272	-	Sand Course & Fine	X	
Bore Diam.	Depth		Material	Water																																																																																																																																																																																											
	From	To		Yes	No																																																																																																																																																																																										
6	0	3	Top Soil																																																																																																																																																																																												
"	3	7	Hard Pan																																																																																																																																																																																												
"	7	110	Sandy Clay																																																																																																																																																																																												
"	110	130	Sand & Gravel w/Clay																																																																																																																																																																																												
"	130	148	Clay																																																																																																																																																																																												
"	148	160	Sand wet	X																																																																																																																																																																																											
"	160	165	Clay																																																																																																																																																																																												
"	165	173	Very Hard Clay																																																																																																																																																																																												
"	173	176	Sand Fairly Course																																																																																																																																																																																												
"	176	182	Clay		X																																																																																																																																																																																										
"	182	186	Clay w/short Sand Pockets		X																																																																																																																																																																																										
"	186	191	Clay Hard																																																																																																																																																																																												
"	191	195	Course Sand																																																																																																																																																																																												
"	195	203	Clay																																																																																																																																																																																												
"	203	206	Sand 50gpm	X																																																																																																																																																																																											
"	206	213	Sandy Clay																																																																																																																																																																																												
"	213	225	Clay																																																																																																																																																																																												
"	225	226	Sand Pocket																																																																																																																																																																																												
"	226	228	Clay																																																																																																																																																																																												
"	228	229	Sand Pocket																																																																																																																																																																																												
"	229	232	Clay																																																																																																																																																																																												
"	232	234	Sand																																																																																																																																																																																												
"	234	236	Clay																																																																																																																																																																																												
"	236	247	Sand																																																																																																																																																																																												
"	247	248	Clay																																																																																																																																																																																												
"	248	249	Sand		X																																																																																																																																																																																										
"	249	267	Clay																																																																																																																																																																																												
"	267	270	Course Sand Great wet	X																																																																																																																																																																																											
"	270	272	Clay																																																																																																																																																																																												
"	272	-	Sand Course & Fine	X																																																																																																																																																																																											
4. METHOD DRILLED ☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____	10. Work started <u>12/12/91</u> finished <u>12/16/91</u>																																																																																																																																																																																														
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other <table border="1" style="width: 100%; border-collapse: collapse;"><thead><tr><th>Thickness</th><th>Diameter</th><th>From</th><th>To</th></tr></thead><tbody><tr><td>250 inches</td><td>6" inches</td><td>2 feet</td><td>270 feet</td></tr><tr><td>inches</td><td>inches</td><td>feet</td><td>feet</td></tr><tr><td>inches</td><td>inches</td><td>feet</td><td>feet</td></tr><tr><td>inches</td><td>inches</td><td>feet</td><td>feet</td></tr></tbody></table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun Size of perforation _____ inches by _____ inches <table border="1" style="width: 100%; border-collapse: collapse;"><thead><tr><th>Number</th><th>From</th><th>To</th></tr></thead><tbody><tr><td>perforations</td><td>feet</td><td>feet</td></tr><tr><td>perforations</td><td>feet</td><td>feet</td></tr><tr><td>perforations</td><td>feet</td><td>feet</td></tr></tbody></table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth 20' Material used in seal: ☐ Cement grout ☒ Bentonite ☒ Pudding clay ☐ _____ Sealing procedure used: ☒ Slurry pit ☒ Temp. surface casing ☐ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld _____ ☐ Cemented between strata Describe access port <u>Top of Well</u>	Thickness	Diameter	From	To	250 inches	6" inches	2 feet	270 feet	inches	inches	feet	feet	inches	inches	feet	feet	inches	inches	feet	feet	Number	From	To	perforations	feet	feet	perforations	feet	feet	perforations	feet	feet																																																																																																																																																															
Thickness	Diameter	From	To																																																																																																																																																																																												
250 inches	6" inches	2 feet	270 feet																																																																																																																																																																																												
inches	inches	feet	feet																																																																																																																																																																																												
inches	inches	feet	feet																																																																																																																																																																																												
inches	inches	feet	feet																																																																																																																																																																																												
Number	From	To																																																																																																																																																																																													
perforations	feet	feet																																																																																																																																																																																													
perforations	feet	feet																																																																																																																																																																																													
perforations	feet	feet																																																																																																																																																																																													
6. LOCATION OF WELL Sketch map location must agree with written location.  County <u>Blaine</u> <u>SE 1/4 NE 1/4 Sec 31, T. 5 N, R. 2 E</u> Subdivision Name _____ Lot No. _____ Block No. _____	11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>Adamson Pump & Drilling</u> Firm No. <u>457</u> Address <u>Nampa, ID</u> Date <u>12/19/91</u> Signed by (Firm Official) <u>[Signature]</u> and (Operator) <u>[Signature]</u>																																																																																																																																																																																														

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

June 29, 1993

Ralph McClintock
PO Box 400
Middleton, ID 84644

Re: Permit No. 63-11196

Dear Permit Holder:

Enclosed is a copy of the approved request for extension of time. The time within which to submit proof of beneficial use is extended to July 1, 1995. Please note that the department has granted this extension based on due diligence. It is important that you work diligently toward the completion of this project during the construction period allowed since the department will not be able to grant additional extensions based on due diligence.

If you have any questions or if I can be of any further assistance, please feel free to contact this office.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

Enclosure

C: IDWR-Regional Office

RECEIVED

JUL 01 1993

**ANALYSIS SHEET
FOR
EXTENSION OF TIME**

Permit No. 63-11196 Reviewed by Klg Date 6/28/93

BASIC INFORMATION

6/25/93 Date stamp received
yes Extension received timely
yes Fee received and receipted
yes Name and signature same as permit
no Address Change

BASIS FOR EXTENSION REQUEST

yes Has adequate work been completed to demonstrate due diligence?
Has the permit been involved in litigation?
Is supporting documentation needed to complete the file? _____ Requested? _____
Is delay by a government agency?
Is supporting documentation needed to complete the file? _____ Requested? _____
Is the project more than 25,000 acre feet for irrigation or 10,000 acre feet for a reservoir?

ACTION TAKEN

*Recommend for approval Based on due diligence.
Extend to 7/1/95.*

PRIORITY CALCULATION

Date extension received	_____	=	_____
Proof due date	_____	=	_____
Number of days late	_____	=	_____
Priority date	_____	=	_____
New Priority Date	_____	=	_____

DATA ENTRY

New Address _____
Change Proof Due Date 6/29/93 Klg
Change Priority Date _____

April 30, 1993

RALPH MC CLINTOCK
P.O. BOX 400
MIDDLETON ID 83644

PROOF DUE NOTICE

RE: PERMIT NO. 63-11196

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before July 1, 1993. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



MAILED

JUL 01 1993

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
June 29, 1990

RALPH MC CLINTOCK
P.O. BOX 400
MIDDLETON, ID 83644

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P63-11196

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the

MICROFILMED

JUL 24 1990

permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

JUL 24 1990

63-11196

MC CLINTOCK, RALPH
P.O. BOX 400
MIDDLETON, ID 83644

Source: GROUNDWATER

Diversion Pt: SESENE Sec 21 T 05N R 02W

Use: IRRIGATION (.440 CFS)
Total Diversion: (.440 CFS)

Date Filed: 3/ 6/ 1990

In: T05N R02W S21 SENE

22.0 ACRES TOTAL

MICROFILMED

JUL 24 1990