

28

26

25

63-11198

GULF

Lanktree

VABM 2581
Lanktree

P10 SENW

T4W

SWNW
26
NW SW

6 3 NESW

mill slough

APPL. 49 ACRES


RENOTIFIED

JUL 24 1990

R2W



3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.


Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: Lasica Planimeter, series 42, 52 was used to
used to calculate 1.1 acre of the area irrigated, + 1.5 acre,
+ 2.7 acres, that had not been done by the AGCS Office.

AUG 25 1995


WORKSHEET FOR
 TRAPEZOIDAL CEMENT DITCH VOLUME
 AND
 DIVERSION RATE CALCULATIONS

- I. Cross-sectional area. $(X \underline{2.7} + Y \underline{11}) * Z \underline{1.5} / 2 = A \underline{2.11} \text{ ft}^2$
- II. Length of ditch segment. ----- = L 10 ft
- III. Total volume of ditch segment. ----- (A * L) = V 21.8 ft³
- IV. Measured time to fill (seconds).
 1. 15
 2. 16
 3. _____
 Total _____ / 2 ----- = S 15.5 sec
- V. Diverted rate of flow. ----- (V / S) = Q 1.40 cfs




MICROFILMED
 AUG 25 1995

PERMIT 63-11188 INIT RC
T. R. S. Q/Q
P/D 4N 2W 2 SE NW
SCALE USGS Topo. 7.5
PHOTO ID. X-16 Middleton



63-11188



P/O: T4N R2W S2 SENW
63-11188
USGS Topo 7.5
ASCS Aerial

Aug 25 1995



63-11188
5/3/95 S.H.

P/D:

12" diameter
steel pipe

Farmers Union
waste water

point of
open discharge
into cement
ditch



INTERVIEW
AUG 25 1995

P/u:

cement ditch
runs east + west
(siphon tubes
gravity flow ~~going~~
going south) then
ditch turning south
+ flow w/siphon
tubes goes west

63-11188
5/3/95 S.H.



Culvert from
Farmers Union
comes under
the road



Culvert from
Farmers Union

open discharge
into cement ditch

P/D

12" diameter steel pipe
33' long to open
discharge point

MILWAUKEE
AUG 2 5 1995

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11188

Priority: February 28, 1990

Maximum Diversion Rate:

0.98 CFS

Maximum Diversion Volume:

220.5 AF

This is to certify, that GEORGE G QUENZER
DIANE R QUENZER

7760 FOOTHILL RD
MIDDLETON ID 83644

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 28, 1990; and has submitted Proof of Beneficial Use on June 13, 1991. An examination indicates that the works have a diversion capacity of 1.400 cfs of water from:

LANKTREE GULCH

tributary to MILL SLOUGH

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.98 CFS	220.5 AF

LOCATION OF POINT(S) OF DIVERSION:

SENE, Sec. 2, Township 04N, Range 02W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
04N	02W	2	SWNW 25	SENE 14	NESW 3	49
			NWSW 6			

Total number of acres irrigated: 49

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 63.
6. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

RECORDED
AUG 25 1995


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11188

CONDITIONS/REMARKS:

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 24TH day of AUGUST, 1995.


Acting for KARL J. DREHER, Director



MICROFILMED

AUG 25 1995

BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE

STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 63-11188 IN)
THE NAME OF GEORGE G. OR DIANE QUENZER) ORDER
_____)

WHEREAS, on February 28, 1990, the Department of Water Resources issued Permit No. 63-11188 with a condition of approval which states:


A measuring device and lockable controlling works of a type acceptable to the Department shall be permanently installed and maintained as part of the diverting works prior to diversion of water under this permit,

and;

WHEREAS, the Department of Water Resources has determined that the compliance with this condition of approval is not required at this time;

NOW, THEREFORE, IT IS ORDERED that this condition of approval on Permit No. 63-11188 is REMOVED.

Dated this 21st day of June, 1991.


L. GLEN SAXTON
Chief, Water Allocation Bureau

MICROFILMED
AUG 06 1991

RECEIVED
JUN 12 1991

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

For Office Use Only

Amt. of Fee \$ 100.00

Date 6/13/91

Receipt No. 6020815

Received by J. A. Water

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

- Permit No. 63-11188 Telephone No. 286 9151
- Name(s) of Permit Holder(s): George G. Diener, Jr. Queen
- Post Office Address: 2760 foothill Middleton Id 83644
- Source of Water: Large tree gulch Middleton mill slough
 - If ground water, well driller's name: _____ Date drilled: _____
 - Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____
- Extent of Use:

Domestic _____ (No. of households)	Irrigation <u>5000 approx</u> (No. of acres)
Stockwater <u>5000 approx</u> (No. and type of stock)	Other _____
<u>on file</u>	

- Total rate and/or volume for which proof is submitted .98 cfs _____ acre/feet

- Refer to the approval conditions on your permit and respond accordingly:

Measuring device: lockable Required? ☒ Yes ☐ No Installed? ☐ Yes ☐ No
OR
Flow Measurement Port: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

there is no measuring or lockable device available for this water system. for it is the tail end of former thorn canal there is no set water flow.

- Fee Enclosed: \$ _____ (See License Examination Fee Schedule)

- Person to contact to accompany the Department representative during the field examination:

George Queen 286 9151
Name Telephone No.
2760 foothill Rd Middleton Id. 83644
Address

- The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

6-10-91
Date

George Queen
Signature (and title if on behalf of a company or organization)

AUG 06 1991

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 63-11188

Proposed Priority: February 28, 1990 Maximum Diversion Rate: 0.98 CFS
This is to certify, that **GEORGE G. QUENZER**

DIANE R. QUENZER
7760 FOOTHILL RD.
MIDDLETON, ID 83644

has applied for a permit to appropriate water from:

LANKTREE GULCH tributary of **MILL SLOUGH**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

IRRIGATION	03/15 to 11/15	0.98 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION: SENW Sec. 2, Township 04N, Range 02W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
04N 02W 2	SWNW 26	SENW 14	NESW 3	49
	NWSW 6			

Total number of acres irrigated: 49

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 1991.
2. Subject to all prior water rights.
3. A measuring device and lockable controlling works of a type acceptable to the Department shall be permanently installed and maintained as part of the diverting works prior to diversion of water under this permit.
4. Use of water under this permit is subject to control by the watermaster of State Water District No. 63.
5. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

14 day of

June

19 90

MICROFILMED

JUN 24 1990

[Signature]
for R. Keith Higginson, Director

Ident. No. 63-11188

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: GEORGE G. QUENZER 208-286-9151
Address: 7760 FOOTHILL RD.
MIDDLETON, ID 83644
OR
Name: DIANE R. QUENZER 208-286-9151
Address: 7760 FOOTHILL RD.
MIDDLETON, ID 83644
2. Source: LANKTREE GULCH Trib. to: MILL SLOUGH
3. Location of Point of Diversion: SENW Sec. 2, Township 04N, Range 02W
CANYON County
4. Water will be used for the following purposes:
- | Purpose | From | To | CFS | (or) | AF |
|------------|-------|-------|-------|------|----|
| IRRIGATION | 03/15 | 11/15 | 0.980 | | |
5. Total quantity appropriated is:
0.980 CFS (and/or) AF
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc.
PIPE IN CULVERT BY RD., CEMENT DICHES, GRAVITY FLOW
b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
c. Proposed well diameter is inches; proposed depth of well is
feet.
d. Is groundwater with a temperature greater than 90F being sought? NO
7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 year.
8. Description of proposed uses:
IRRIGATION
9. Place of Use: IRRIGATION

TWN RGE SEC ACRES ACRES ACRES TOTAL
04N 02W 2 SWNW 26 SENW 14 NESW 3 49
NWSW 6
Total number of acres irrigated: 49

10. Describe any other water rights used for the same purposes.
MIDDLETON IRRIGATION

11. a. Who owns the property at the point of diversion?

APPLICANT

b. Who owns the land to be irrigated or place of use?

APPLICANT

c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

13. Map of proposed point of diversion and place of use attached? ☒


BE IT KNOWN that the undersigned hereby makes application for permit to
appropriate the public waters of the State of Idaho as herein set forth.

George Quinn
Applicant

Received by Rch Date 02/28/90 Time 16:33 Preliminary check by st
Fee \$ 45.00 Receipted by Rch # W009918 Date 02/28/90
Publication prepared by GG Date 3/14/90 Published in Press-Tribune
Publication approved st Date 5-16-90
3/21 & 3/28/90

MICROFILMED

JUL 24 1990



26

25

GUS

VABM 258
Lanktree

P10 SE NW

P3 NE SW

APR 65

APR 65

Central Park

LAURENCE



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

August 25, 1995

GEORGE G QUENZER
DIANE R QUENZER
7760 FOOTHILL RD
MIDDLETON ID 83644

RE: WATER RIGHT NO. 63-11188

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RECEIVED
AUG 25 1995

LICENSE REVIEW CHECKLIST

PERMIT NO. 63-11188 DATE 8-16-95



NAME Change OK ☒ Or Address Change? ☐

PRIORITY DATE Advance? ☒ Advanced to: Order to reinstate needed? Incorrect fee for rate recommended? NO

SOURCE Changes or just clarification of originally intended source? Notice of Intent to Void necessary?

POINT OF DIV Amendment needed? ☒ Overlaps? ☒

PLACE OF USE Amendment needed? ☒ Overlaps? Drainage dist right + STAT CLAIM
(63-02406) (63-04356)

DIV RATE Permit/fee limits: .98 CFS
Meas Q = 1.40 Theo Q = Recommend: .98
49 x .02 = .98

Combined rates exceed capacity

ANNUAL VOLUME Volume Limit: Season: 0/4.5 (3-15 to 11-15)
Calculations: 49 x 4.5 = 220.5

Flow limit: cfs x x 1.9835 =
Combined volumes exceed capacity/allowable

USES Change in Nature of Use or additional uses? Amendment necessary?

ADDITIONAL INFO Supplemental Groundwater PPU Scenario
Irr/Dom Combination Shared G/W System

NEW REMARKS Multiple p/d(s) in 1/4 1/4? Other


NEW CONDITIONS R04 Watermaster control - District 63
NO Measuring/Locking Devices - ORDER REMOVED REQUIREMENT
R32 Irrigation Overlap
Other
Water Quality Heat/Cool/Fish verified

COMMENTS: Addition of stockwater would be an expansion in the amount of volume consumed.

RECOMMENDATION	CFS	VOLUME	SRBA Claim Filed	<u>NO</u>
<u>Irrigation</u>	<u>.98</u>	<u>220.5</u>	Adjustment Memo Needed	<u>YES</u>
			LICENSE	☒
			1ST AMEND LETTER	
			2ND AMEND LETTER	

AUG 25 1995

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrange Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: Lesica Planimeter series 42,52 was used to
used to calculate 1.1 acre of the area irrigated, & 1.5 acre,
& 2.7 acres, that had not been done by the AGCS Office.

AUG 23 1966

E. NARRATIVE/REMARKS/COMMENTS

- No govt. lots were found.
- Overlaps for P/U # 63-04356 Bettylou Quenzer, which is applicants property north of this WR property, + is other land +/or other uses. The overlap for P/U 63-02406 Drainage District is also other land +/or other uses.
- While doing the exam, 55.4^{total} acres were found to be irrigated. George Quenzer was mailed a W.R. application for the 6.4 acres to be on the system.
- Use is for irrigation of 49 acres, + 100 head stockwater for 100 head cattle. Same water, different use.
- The system consists of the Farmers Union waste water, a 12" diameter 33' long steel pipe laid in the culvert of the Farmers Union ditch + diverted to cement laterals flowing south then "T-off" going east + west using siphon tubes + gravity flow, to flow south. The west flowing cement lateral then "T's-off" going north + south with siphon tubes + gravity flow going west. A trapezoidal cement ditch volume + diversion water calculation estimated the system at 1.40 cfs. George Quenzer said the level of water coming from Farmers Union is not consistent, + is sometimes lower.
- Other water used is Middleton Irrigation (main source). The water on this W.R. is a supplemental water source, since it is not always available.
- Recommend adding P/U for stockwater 100 cattle, same location as irrigation.
Have conditions of permit approval been met? ☐ yes ☒ no

No measuring device + lockable controlling works of any type was installed at the point of diversion.

AUG 25 1995

RECEIVED

✓ Additional Computation Sheets Attached

Measured Method:
Trapezoidal Cement Ditch Volume + Diversion
Rate Calculations (see attachment) = 1.40 cfs

Stockwater: Exh 15A Table 1: 100 head = .03 cfs
(recommend allowing, since same water different use)

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 49 \times 4.5 = 220.5$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .98 \text{ cfs} \times 246 \text{ days} \times 1.9835 = 478.2$$

$$V = \text{Smaller of } V_{IB} \text{ and } V_{DB} = 220.5$$

stockwater:

$$V_{IR} = (100 \text{ head} \times 12 \text{ gpd} \times 246 \text{ days}) / 325,850 = .905 = .9 \text{ Afa}$$

$$V_{18} = .03 \text{ cfs} \times 365 \times 1.9835 = 217.19 = 217.2$$

$$V = .9 \text{ Afa}$$

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3/15	11/15	.98	220.5
Stockwater	3/15	11/15	.03	.9
			Totals:	.98 221.4

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☒ Add P.U. as reflected above ☐ Other

Field Examiner's Name Andy Hemenway Date 6/16/95

Reviewer _____ Date _____

SEAL

* See adjustment memo. B

MISSION

AUG 2 1957

MEMORANDUM

TO: File 63-11188 / George Quenzer
FROM: Brenda Chapman
DATE: August 16, 1995
RE: Recommendation Adjustment(s)

=====

The final licensing recommendations for the above referenced water right are based on the information below:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use	Rate of Div	Annual Vol
Irrigation	3-15 to 11-15	.98	220.5

Stockwater use is not being added. The additional volume consumed would constitute an expansion of the water right.

2. Recommended Amendments

☐ Change P.D.	☐ Add P.D.	☒ None
☐ Change P.U.	☐ Add P.U.	☐ Other

There are no changes in the place of use locations.

APPROVED
AUG 25 1995

63-11188

① Permit: Irrigation 49 acres 3/15-11/15 .98 cfs

② B/U fee: \$100.00 6/13/91 .21-1.0 cfs

stockwater: 50 head (pair cattle)

irrigation: 59 acres

> @.98 cfs

③ Max. allowable:

Irrigation:

49 acres $\times$.02 cfs = .98 cfs

~~100 head $\times$ 12 gpd~~

stockwater:


Table 1, Recommended Diversion rates
for stockwater (Exh. 15A)

100 head cattle = .03 cfs

RECEIVED
AUG 25 1995


WORKSHEET FOR
TRAPEZOIDAL CEMENT DITCH VOLUME
AND
DIVERSION RATE CALCULATIONS

- I. Cross-sectional area. $(X \underline{2.7} + Y \underline{11}) * Z \underline{1.5} / 2 = A \underline{2.11} \text{ ft}^2$
- II. Length of ditch segment. ----- = L 10 ft
- III. Total volume of ditch segment. ----- (A * L) = V 21.8 ft³
- IV. Measured time to fill (seconds).
 1. 15
 2. 16
 3. _____
 Total _____ / 2 ----- = S 15.5 sec
- V. Diverted rate of flow. ----- (V / S) = Q 1.40 cfs



RECEIVED
AUG 25 1995

6
PERMIT 63-11122 INIT RC
T. R. S. Q/Q
P/D 4N 2W 2 SE NN
SCALE USGS Top. 7.5
PHOTO ID. X-6 Middleton



Central

4012

[illegible]




63-11188
5/3/95 S.H.

P/D:

12" diameter
steel pipe

Farmers Union
waste water

point of
open discharge
into cement
ditch



INTERVIEWED
AUG 25 1995


P/u:

cement ditch
runs east + west
(siphon tubes
gravity flow ~~going~~
going south) then
ditch turning south
+ flow w/siphon
tubes goes west

63-11188
5/3/95 S.H.



Culvert from
Farmers Union
comes under
the road



Culvert from
Farmers Union

open discharge
into cement ditch

P/D

12" diameter steel pipe
33' long to open
discharge point

RECEIVED
AUG 25 1995

July 9, 1991

GEORGE G. QUENZER
DIANE R. QUENZER
7760 FOOTHILL RD.
MIDDLETON, ID 83644

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11188

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

AUG 06 1991

138462

April 30, 1991

GEORGE G. QUENZER
DIANE R. QUENZER
7760 FOOTHILL RD.
MIDDLETON, ID 83644

PROOF DUE NOTICE

RE: PERMIT NO. 63-11188

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before July 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

AUG 06 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
June 29, 1990

GEORGE G. QUENZER
DIANE R. QUENZER
7760 FOOTHILL RD.
MIDDLETON, ID 83644

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P63-11188

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Be sure to note the special condition requiring you to install a measuring device and lockable controlling works that will enable the watermaster to control the rate of diversion.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

JUL 24 1990

NOTICE OF APPL.
The following application(s) have
been filed for water right:

FOR WATER RIGHT

Filed to appropriate the public waters of

63-11203

HIVETIS, HANN.
HIVETIS, EDITH
16299 OASIS RD.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversions Pt:
Use: IRRIGATION

Date Filed: 2/20/1990
In: T05N R03W S05

63-11150

LOT 2 (NENWNE)

Total Diversions: (.040 CFS)

1.5 ACRES TOTAL

63-11155

PIONEER IRRIGATED INT. INC.
9178 LAKESIDE DR.
NAMP, ID 83686
Source: GROUNDWATER
Diversions Pt:
Use: COMMERCIAL

Date Filed: 3/1/1990
In: T02N R02W S16

SENE

Sec 16 T 02N R 02W

Date Filed: 2/28/1990
In: T03N R04W S23

Total Diversions: (.040 CFS)

SENE

63-11158

GANNUSCIO, JOSEPH M.
GANNUSCIO, KATHLEEN C.
12349 GALLOWAY
MIDDLETON, ID 83644
Source: GROUNDWATER
Diversions Pt:
Use: IRRIGATION
Use: STOCKWATER
Use: DOMESTIC

Date Filed: 2/23/1990
In: T05N R03W S25

NWNE

Sec 25 T 05N R 03W

Date Filed: 2/28/1990
In: T03N R05W S12

Total Diversions: (.200 CFS)

5.0 ACRES TOTAL

63-11158

CHANCE, DEN
11403 MIDDLETON RD.
NAMP, ID 83687
Source: GROUNDWATER
Diversions Pt:
Use: IRRIGATION

Date Filed: 2/09/1990
In: T04N R02W S31

SESENE

Sec 31 T 04N R 02W

Date Filed: 2/21/1990
In: T03N R04W S09

Total Diversions: (.120 CFS)

4.0 ACRES TOTAL

63-11160

JOHNSON, E. RANDALL
JOHNSON, BETTY L.
720 FLETCHER DR.
NAMP, ID 83686
Source: GROUNDWATER
Diversions Pt:
Use: COMMERCIAL

Date Filed: 2/26/1990
In: T02N R02W S35

NWNE

Sec 35 T 02N R 02W

Date Filed: 2/1/1990
In: T02N R02W S01

Total Diversions: (.040 CFS)

63-11174

ITAMI, DENNIS J.
ITAMI, EVELYN K.
16272 LAKE AVE.
NAMP, ID 83651
Source: GROUNDWATER
Diversions Pt:
Use: IRRIGATION
Use: DOMESTIC

Date Filed: 2/27/1990
In: T03N R03W S12

NWSW

Sec 12 T 03N R 03W

Date Filed: 2/01/1990
In: T02N R02W S01

Total Diversions: (.150 CFS)

6.5 ACRES TOTAL

63-11187

THARRINGTON, CHARLES A.
THARRINGTON, MARCHETA JOY
22368 LOWER PLEASANT RIDGE RD.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversions Pt:

Use: IRRIGATION
Use: INDUSTRIAL

Date Filed: 2/28/1990
In: T04N R04W S19

NESW

Sec 19 T 04N R 04W

Date Filed: 2/26/1990
In: T01S R02W S13

Total Diversions: (.600 CFS)

250.0 ACRES TOTAL

63-11188

QUENZER, GEORGE G.
QUENZER, DIANE R.
7760 FOOTHILL RD.
MIDDLETON, ID 83644
Source: LANKTREE GULCH
Diversions Pt:
Use: IRRIGATION

Date Filed: 2/28/1990
In: T04N R02W S02

SENE

Sec 2 T 04N R 02W

Date Filed: 3/02/1990
In: T04N R04W S01

Total Diversions: (.000 CFS)

48.0 ACRES TOTAL

63-11193

MILLER, R. KEITH
MILLER, VICTORIA A.
6946 USTICK RD.
NAMP, ID 83687
Source: GROUNDWATER
Diversions Pt:
Use: IRRIGATION

Date Filed: 3/1/1990
In: T04N R02W S36

SWSWSW

Sec 36 T 04N R 02W

Date Filed: 2/05/1990
In: T03N R02W S16

Total Diversions: (.030 CFS)

1.0 ACRES TOTAL

63-11201

REYNOLDS, JOHN D.
REYNOLDS, CLARA L.
7820 USTICK RD.
NAMP, ID 83687
Source: GROUNDWATER
Diversions Pt:
Use: IRRIGATION
Use: DOMESTIC

Date Filed: 2/16/1990
In: T04N R02W S35

SESWSW

Sec 35 T 04N R 02W

Date Filed: 2/05/1990
In: T03N R02W S16

Total Diversions: (.070 CFS)

1.0 ACRES TOTAL

63-11202

KHAJIK, ED
KHAJIK, ORIVETA
4749 RIM RD.
NAMP, ID 83686
Source: GROUNDWATER
Diversions Pt:
Use: IRRIGATION
Use: DOMESTIC

Date Filed: 2/16/1990
In: T02N R03W S13

NWSENE

Sec 13 T 02N R 03W

Date Filed: 2/05/1990
In: T03N R02W S16

Total Diversions: (.100 CFS)

5.0 ACRES TOTAL

ALLEN, GEORGE H.
21832 USTICK RD.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversions Pt:
Use: IRRIGATION
Use: STOCKWATER
Use: DOMESTIC

SWSW

Sec 33 T 04N R 04W

(.100 CFS)

(.020 CFS)

(.040 CFS)

Total Diversions: (.160 CFS)

5.0 ACRES TOTAL

63-11205

SUNNY SLOPE FRUIT CO.
14068 SUNNY SLOPE RD.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversions Pt:
Use: COMMERCIAL

SWSE

Sec 23 T 03N R 04W

(.200 CFS)

(.200 CFS)

Total Diversions: (.200 CFS)

63-11208

MERTZ, JAMES P.
SYMMS, R.A.
14068 SUNNY SLOPE RD.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversions Pt:
Use: COMMERCIAL

NENENE

Sec 12 T 03N R 05W

(.200 CFS)

(.200 CFS)

Total Diversions: (.200 CFS)

63-11208

SCHUMACHER, FREDERICK
SCHUMACHER, JUNE
16531 PLUM RD.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversions Pt:
Use: IRRIGATION

NESE

Sec 9 T 03N R 04W

(.020 CFS)

(.020 CFS)

Total Diversions: (.020 CFS)

0.5 ACRES TOTAL

63-11209

BUICKENSTAFF, LEROY
BUICKENSTAFF, DELORES
3115 S. HAPPY VALLEY RD.
NAMP, ID 83686
Source: GROUNDWATER
Diversions Pt:
Use: IRRIGATION
Use: COMMERCIAL

SWNESE

Sec 1 T 02N R 02W

(.800 CFS)

(.040 CFS)

Total Diversions: (.800 CFS)

40.0 ACRES TOTAL

63-11210

BUICKENSTAFF, LEROY
BUICKENSTAFF, DELORES
3115 S. HAPPY VALLEY RD.
NAMP, ID 83686
Source: GROUNDWATER
Diversions Pt:
Use: IRRIGATION

NENESE

Sec 1 T 02N R 02W

(.820 CFS)

(.820 CFS)

Total Diversions: (.820 CFS)

41. ACRES TOTAL

63-11212

REINEKE, JEAN
2645 CANADA RD.
MELBA, ID 83641
Source: GROUNDWATER
Diversions Pt:
Use: IRRIGATION

NESE

Sec 13 T 01S R 02W

(.540 CFS)

(.540 CFS)

Total Diversions: (.540 CFS)

27.0 ACRES TOTAL

63-11214

ROLLING HILLS WATER CORP.
10072 OWYHIE DR.
NAMP, ID 83651
Source: GROUNDWATER
Diversions Pt:

Lot 1 (SWNESE)

Sec 4 T 01N R 02W

(.800 CFS)

(.540 CFS)

Total Diversions: (1.340 CFS)

40.0 ACRES TOTAL

63-11215

KLAIR AND KLAIR INC.
2203 ELLIS AVE.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversions Pt:
Use: IRRIGATION

SESW

Sec 36 T 05N R 04W

(2.000 CFS)

(2.000 CFS)

Total Diversions: (2.000 CFS)

270.0 ACRES TOTAL

63-11216

PINTLER, BRAD
PINTLER, CHARLES
13541 SURRY LN.
NAMP, ID 83686
Source: GROUNDWATER
Diversions Pt:
Use: COMMERCIAL
Use: DOMESTIC

NENESW

Sec 35 T 02N R 03W

(.200 CFS)

(.200 CFS)

Total Diversions: (.200 CFS)

1.0 ACRES TOTAL

63-11217

KINDNESS ANIMAL HOSPITAL
1420 MIDLAND BLVD.
NAMP, ID 83651
Source: GROUNDWATER
Diversions Pt:
Use: STOCKWATER
Use: COMMERCIAL

NWNWSW

Sec 16 T 03N R 02W

(.020 CFS)

(.080 CFS)

Total Diversions: (.100 CFS)

1.0 ACRES TOTAL

63-11217

KINDNESS ANIMAL HOSPITAL
1420 MIDLAND BLVD.
NAMP, ID 83651
Source: GROUNDWATER
Diversions Pt:
Use: STOCKWATER
Use: COMMERCIAL

NWNWSW

Sec 16 T 03N R 02W

(.020 CFS)

(.080 CFS)

Total Diversions: (.100 CFS)

1.0 ACRES TOTAL

63-11217

KINDNESS ANIMAL HOSPITAL
1420 MIDLAND BLVD.
NAMP, ID 83651
Source: GROUNDWATER
Diversions Pt:
Use: STOCKWATER
Use: COMMERCIAL

NWNWSW

Sec 16 T 03N R 02W

(.020 CFS)

(.080 CFS)

Total Diversions: (.100 CFS)

1.0 ACRES TOTAL

The permit(s) will be subject to the water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2725 Airport Way, Boise, Idaho 83705 on or before APRIL 9, 1990.
R. KEITH HIGGINSON
Director
March 21, 28, 1990

MICROFILMED

JUL 24 1990

63-11188

QUENZER, GEORGE G.
QUENZER, DIANE R.
7760 FOOTHILL RD.
MIDDLETON, ID 83644

Source: LANKTREE GULCH

Tributary: MILL SLOUGH

Diversion Pt: SENW Sec 2 T 04N R 02W

Use: IRRIGATION (.980 CFS)
Total Diversion: (.980 CFS)

Date Filed: 2/28/1990

In: T04N R02W S02 SNNW SENW NESW NWSW

49.0 ACRES TOTAL

MICROFILMED

JUL 24 1990