

MLB A QUADRANGLE
IDAHO
7.5-MINUTE SERIES (ORTHO PHOTOQUAD)

39 R 2 W R 1 W 300 000 FEET 116° 30' 43° 30'



POD

MICROFILMED
JUN 21 1990

RECEIVED
MAR 25 1993

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


1. Owner: James & Cecelia Ford Permit No. 63-11181
Current Address: 6148 Happy Ln. Nampa Ida 83686 Phone No. 467-7847
2. Accompanied by: James Ford EXAM. DATE: 7-24-92
Address: same Phone No. same
Relationship to Permit Holder: same
3. Source: groundwater tributary to NA

E. OVERLAP REVIEW

1. Other water rights with same place of use: None ☐ Copies Attached
2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____


2. ☐ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater.

MICROFILMED

MAY 25 1993

4 horses

100	3/4 hp	6"	1972	110	casing	86st.
don	3/4 hp	6"		110	casing	86st

$$\begin{array}{r} 20 \\ 2.3 \\ \hline 66 \\ 4.6 \\ \hline 46 \end{array}$$


MICROFILMED
MAY 25 1993

MILWAUKEE QUADRANGLE
IDAHO
7.5-MINUTE SERIES (ORTHOPHOTOQUAD)

R 2 W R 1 W 300 000 FEET

116° 30' 43" 30'

PERMIT 63-11181

INIT *DJL*

T. R. S. Q/Q

P/D *2m 2w 2d Sunrise*

SCALE
PHOTO ID.

Plu Pld

660 000
FEET

MAY 25 1993

63-11181



Well: Located on the
Northwest corner of
Mr. Ford's lawn. This
is the irrigation well.



: Pressure Tank:
also located in
the NW corner of
his lawn. Domestic
well is in here

RECEIVED

MAY 25 1993

63-11181



view of the
domestic & the
system in use.

RECEIVED
MAY 25 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11181

Priority: March 15, 1990

Maximum Diversion Rate:

0.05 CFS

Maximum Diversion Volume:

5.3 AF

This is to certify, that JAMES D FORD
CECELIA FORD

6148 HAPPY LN
NAMPA ID 83686

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated January 18, 1990; and has submitted Proof of Beneficial Use on August 26, 1991. An examination indicates that the works have a diversion capacity of .050 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.03 CFS	4.0 AF
STOCKWATER	01/01 to 12/31	0.01 CFS	0.1 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF
	Totals	0.05 CFS	5.3 AF

LOCATION OF POINT(S) OF DIVERSION:

SENESE , Sec. 24, Township 02N, Range 02W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	02W	24	NESE	0.9		0.9

Total number of acres irrigated: 0.9

PLACE OF USE: STOCKWATER, same as IRRIGATION use

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

MAY 25 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11181

CONDITIONS/REMARKS:

5. This right when combined with all other rights shall provide no more than 4.5 afa per acre for the lands above.
6. Two points of diversion are located within SENESE, S24, T02N, R02W.
7. Domestic use is for 3 homes.
8. Stockwater use is for 3 horses.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 22ND day of APRIL, 1993.

Acting for Norman C. Young
R. Keith Higginson, Director

MAILED
MAY 25 1993

BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 63-11181 IN THE) ORDER AMENDING THE
NAME OF JAMES D. OR CECELIA FORD) ORDER OF REINSTATEMENT
_____)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before July 1, 1991; and,

WHEREAS, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder that the permit lapsed for failure of the permit holder to submit the proof of beneficial use; and,


WHEREAS, the Department notified the permit holder that the permit lapsed for failure of the permit holder to submit the proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on August 26, 1991;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 63-11181 be REINSTATED with an advance in priority date to March 15, 1990.

Dated this 1st day of November, 1991.


L. GLEN SAXTON, Chief
Water Allocation Bureau

MICROFILMED
DEC 1 1991

BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 63-11181 IN THE)
NAME OF JAMES D. OR CECELIA FORD) ORDER OF REINSTATEMENT
_____)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before July 1, 1991; and,

WHEREAS, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder that the permit lapsed for failure of the permit holder to submit the proof of beneficial use; and,


WHEREAS, the Department notified the permit holder that the permit lapsed for failure of the permit holder to submit the proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on August 28, 1991;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 63-11181 be REINSTATED and the priority advanced to March 17, 1990.

Dated this 1st day of November, 1991.



L. GLEN SAXTON, Chief
Water Allocation Bureau

RECEIVED
DEC 11 1991

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11181

Proposed Priority: January 18, 1990 Maximum Diversion Rate: 0.14 CFS
This is to certify, that JAMES D. FORD

CECELIA FORD
6148 HAPPY LN.
NAMPA, ID 83686

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.08 CFS
STOCKWATER	01/01 to 12/31	0.02 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS
Totals		0.14 CFS

LOCATION OF POINT(S) OF DIVERSION: SENESE Sec. 24, Township 02N, Range 02W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	02W	24	NESE	4		4

Total number of acres irrigated: 4

PLACE OF USE: STOCKWATER, same as IRRIGATION use

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 1991.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.
5. Stockwater use is for 4 cattle; domestic use is for 2 homes.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

11th day of June, 1990

MICROFILMED

JUN 21 1990

for R. Keith Higginson, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant James Don Cecelia Ford Phone 208-467-7847
Post office address 6148 Happy Ln Nampa Idaho 83686
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of SE $\frac{1}{4}$, Govt. Lot _____
Sec. 24 Township 2N Range 2W B.M. CANYON County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
- Amount .04 for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-foot per annum)
- Amount .02 for Stock purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-foot per annum)
- Amount .08 for Irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-foot per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-foot per annum)
5. Total quantity to be appropriated is (a) 14 cubic feet per second and/or (b) _____ acre feet per annum
6. Proposed diverting works:
- a. Description of ditches, flumes, pumps, headgates, etc. 2- 110' 6" Cased Wells
plumbed together for independent or co-use
for irrigation of 4 acres, Domestic and livestock
- b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
- c. Proposed well diameter is 6" inches; proposed depth of well is 110' feet.
- d. Is ground water with a temperature of greater than 90°F being sought? No
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

MICROFILMED

JUN 21 1990

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. 4
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. D/2 S/4
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
2N	2W	24													4				4
															D				
															S				

Total number of acres to be irrigated 4

10. Describe any other water rights used for the same purposes as described above. None

11. a. Who owns the property at the point of diversion? Applicant

b. Who owns the land to be irrigated or place of use? Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. NA

12. Remarks: NA

MICROFILMED

JUN 21 1990

ML 3A QUADRANGLE
IDAHO
7.5-MINUTE SERIES (ORTHO PHOTOQUAD)

118° 30' 00" W 118° 30' 30" W
43° 30' 00" N 43° 30' 30" N
R 2 W R 1 W 300 000 FEET



Valley School

BM 2603

BENNETT

BM 2655

ADA

WILSON FILMED
JUN 2 1950

4816

4815

4814

4813


4812

4811

660 000 FEET

27° 30' T. 1 N.

T. 2 N.



MICROFILMED
JUN 21 1990

Microfilmed
JUN 21 1990

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

x James Earl Ray
(Applicant)

Received by B.A.S Date 1/18/90 Time 10:15 Preliminary check by RW
Fee \$ 30⁰⁰ Receipted by B.A.S # W007706 Date 1/18/90
Publication prepared by GG Date 2-28-90 Published in Press-Tribune
3/7 & 3/14/90
Publication approved ST Date 4-20-90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

MICROFILMED

JUN 21 1990

NOTICE OF APPLICATION FOR

WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

appropriate the public waters of

63-11109

SEDLACEK, GARY
6621 LYNNWOOD RD.
NAMPA, ID 83686
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

NWNE

Sec 30 T 02N R 02W
(1.600 CFS)

Total Diversión: (1.600 CFS)

Date Filed: 1/24/1990

63-11165

YEAKEL, LESTER S.
YEAKEL, NOLA F.
30511 HWY. 95
PARMA, ID 83660
Source: UNNAMED DRAIN
Diversión Pt:

NESW

NWSW

SWSW

Lot 4 (NWNW)

Tributary: BOISE RIVER

Sec 29 T 05N R 04W

Sec 29 T 05N R 04W

Sec 29 T 05N R 04W

Sec 32 T 05N R 04W

(.470 CFS)

Total Diversión: (.470 CFS)

Use: IRRIGATION

Date Filed: 1/11/1990

In: T05N R04W S29

In: T05N R04W S30

In: T05N R04W S31 Lot 11

In: T05N R04W S32 Lot 4

NESE Lot 2 (NWSE) Lot 2 (SWSE) Lot 1 (SESE)
(NENE)
(NWNW)

107.0 ACRES TOTAL

63-11166

PALMER, JOHN R.
PALMER, MARY L.
34663 APPLE VALLEY RD.
PARMA, ID 83660
Source: GROUNDWATER
Diversión Pt:
Use: COMMERCIAL

Lot 2 (SESENE)

Sec 7 T 06N R 05W

(.040 CFS)

Total Diversión: (.040 CFS)

Date Filed: 2/13/1990

In: T06N R05W S07 LOT 2

63-11167

PALMER, JOHN R.
PALMER, MARY L.
34663 APPLE VALLEY RD.
PARMA, ID 83660
Source: UNNAMED DRAIN
Diversión Pt:
Use: IRRIGATION

LOT 2 (SESENE)

Tributary: SNAKE RIVER

Sec 7 T 06N R 05W

(.180 CFS)

Total Diversión: (.180 CFS)

Date Filed: 2/13/1990

In: T06N R05W S07 Lot 2

9.0 ACRES TOTAL

63-11168

CHELDELIN, KATHLEEN
CHELDELIN, GEORGE K.
16531 GOODSON RD.
CALDWELL, ID 83605
Source: CONWAY GULCH
Diversión Pt:
Use: COMMERCIAL
Use: COMMERCIAL STORAGE
Use: DIVERSION TO STORAGE

NENW

Tributary: BOISE RIVER

Sec 20 T 05N R 03W

(.040 CFS)

(.200 CFS)

Total Diversión: (.040 CFS)(.20 AF)

Date Filed: 2/16/1990

In: T05N R03W S20

ACRES TOTAL

63-11169

GRAM, DAVID S.
GRAM, DELORIS E.
11968 ORCHARD AVE.
NAMPA, ID 83651
Source: GROUNDWATER
Diversión Pt: Lot 4
Use: IRRIGATION

(SWSWSW)

Sec 18 T 03N R 02W

(.060 CFS)

Total Diversión: (.060 CFS)

Date Filed: 2/13/1990

In: T03N R02W S18 Lot 4

2.0 ACRES TOTAL

63-11170

CHELDELIN, GEORGE K.
CHELDELIN, KATHLEEN C.
16531 GOODSON RD.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversión Pt:
Use: COMMERCIAL
Use: COMMERCIAL STORAGE
Use: DOMESTIC
Use: DIVERSION TO STORAGE

NENENW

Sec 20 T 05N R 03W

(.040 CFS)

(.20 AF)

Total Diversión: (.040 CFS)(.20 AF)

Date Filed: 2/16/1990

In: T05N R03W S20

63-11171

FORESTGREEN PARK WATER ASSN.
407 E. SPRUCE
CALDWELL, ID 83605
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

SESENE

Sec 33 T 04N R 03W

(.080 CFS)

SHIPMAN, CLIFFORD
SHIPMAN, LETA
1920 S. POWERLINE
NAMPA, ID 83686
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION
Use: STOCKWATER
Use: DOMESTIC

SWSW

Sec 35 T 03N R 02W

(.140 CFS)

(.050 CFS)

(.040 CFS)

Total Diversión: (.200 CFS)

Date Filed: 1/31/1990

In: T03N R02W S35

7.0 ACRES TOTAL

63-11181

FORD, JAMES D.
FORD, CECELIA
6148 HAPPY LN.
NAMPA, ID 83686
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION
Use: STOCKWATER
Use: DOMESTIC

SENESE

Sec 24 T 02N R 02W

(.080 CFS)

(.020 CFS)

(.040 CFS)

Total Diversión: (.140 CFS)

Date Filed: 1/18/1990

In: T02N R02W S24

4.0 ACRES TOTAL

63-11182

GARWICK, HOWARD R.
GARWICK, GAIL E.
9152 NORTHVIEW RD.
MIDDLETON, ID 83644
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION
Use: STOCKWATER
Use: DOMESTIC

SWNESE

Sec 21 T 05N R 02W

(.200 CFS)

(.030 CFS)

(.040 CFS)

Total Diversión: (.270 CFS)

Date Filed: 1/24/1990

In: T05N R02W S21

10.0 ACRES TOTAL

63-11183

DEAN, NOBLE E.
DEAN, JANE L.
P.O. BOX 1191
2424 POLK ST.
CALDWELL, ID 83606
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

SENESE

Sec 14 T 04N R 03W

(.080 CFS)

Total Diversión: (.080 CFS)

Date Filed: 2/27/1990

In: T04N R03W S14

2.5 TOTAL ACRES

63-11184

PAR ESTATES HOMEOWNERS ASSN.
GERALD B. CONGER, TREAS.
15381 GRIFFIN LN.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversión Pt:

SWNE

Sec 28 T 05N R 03W

SENE

Sec 28 T 05N R 03W

(.400 CFS)

(.440 CFS)

Total Diversión: (.840 CFS)

Date Filed: 1/23/1990

In: T05 R03W S28

20.0 ACRES TOTAL

63-11186

EWERS, JANET L.
EWERS, DONALD L.
26736 HWY. 30
CALDWELL, ID 83605
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

SWNE

Sec 21 T 05N R 03W

(.020 CFS)

Total Diversión: (.020 CFS)

Date Filed: 2/01/1990

In: T05N R03W S21

0.5 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83725 on or before March 14, 1990.

Director

March 7, 14, 1990

JUN 21 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

April 26, 1993


JAMES D FORD
CECELIA FORD
6148 HAPPY LN
NAMPA ID 83686

RE: WATER RIGHT NO. 63-11181

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,



JIM JOHNSON
Water Rights Supervisor

JJ:cz

Enclosure

RECEIVED

MAY 25 1993

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 04/14/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD		DIVERSION RATE	DIVERSION VOLUME
				FROM	TO		
C	JAMES D FORD	03/15/1990	IRRIGATION	03-15	11-15	0.03 CFS	4.0 AFA
C	CECELIA FORD		STOCKWATER	01-01	12-31	0.01 CFS	0.1 AFA
	6148 HAPPY LN		DOMESTIC	01-01	12-31	0.04 CFS	1.2 AFA
	NAMPA ID 83686						
	(208) 467-7847						
TOTAL DIVERSION:						0.05 CFS	5.3 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.05 CFS

Point(s) of Diversion: T02N R02W S24 SE NE SE

Place of use Legal Description for: IRRIGATION

NE				NW				SW				SE				
T	R	S	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	: Lt Ac	SUM
02N	02W	24	:				:				:				:	0.9
TOTAL ACRES																0.9

Place of use location for STOCKWATER is the same location as described for: IRRIGATION

Place of use location for DOMESTIC is the same location as described for: IRRIGATION

Pou County: CANYON

Other Water Rights with Same Point(s) of Diversion and Source:
63-11181

Other Water Rights Listing Overlapping Place(s) of use:
63-11181

Conditions of Approval:

R27 - This right when combined with all other rights shall provide no
more than 4.5 afa per acre for the lands above.

Remarks: Two points of diversion are located within SENESE, S24, T02N,
R02W.
Domestic use is for 3 homes.
Stockwater use is for 3 horses.

Dates: App. Received: 01/18/1990 Priority Date: 03/15/1990 (Priority Date Advanced.)
Proof Due Date: 07/01/1991 Proof Made Date: 08/26/1991 (Proof Received Late.)
Exam Made Date: 07/24/1992 Exam Sent to S.O.: 03/24/1993
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

Comments: Date: 09/30/1991 User-ID: SKAGGS Subject: LAPSE DELAY
PROOF RECEIVED

LICENSE REVIEW CHECKLIST

Permit # 63-11181

Date 4-14-93 BC

NAME	<u>Yes</u>	<u>No</u>	Address Change?
PRIORITY DATE	<u>Yes</u>	<u>No</u>	Advance? <u>already done</u>
	<u>Yes</u>	<u>No</u>	Memo to Advance
	<u>Yes</u>	<u>No</u>	Order to Reinstate Needed?
TOTAL CFS	<u>Yes</u>	<u>No</u>	Incorrect Fee for rate recommended?
	<u>Yes</u>	<u>No</u>	Disagree/Measurement <u>5 gal/13 sec = .05 cfs</u>
	<u>Yes</u>	<u>No</u>	Pumping Theoretical <u>(8.8) x (.70) x (.75)</u>
	<u>Yes</u>	<u>No</u>	<u>limited by:</u> <u>(78 + [2.31 x 40 psi]) = .03 x 2 =</u>
	<u>Yes</u>	<u>No</u>	System Capacity <u>.05</u> <u>(stock) (.06)</u>
	<u>Yes</u>	<u>No</u>	Allowable Amount: <u>.03 x 1 acre = .03 + .01 + .04</u>
TOTAL VOLUME			Rate/ac <u>4.5</u> AFA Irr. Season <u>D</u>
			<u>3-15 to 11-15</u> Standard Irr. Season
			<u>Standard Permit</u> Season Recommended
	<u>Yes</u>	<u>No</u>	Disagree with Examiner's Calculations?
	<u>Yes</u>	<u>No</u>	<u>.89 acre x 4.5 = 4.00 AF</u> <u>Stock = .1 AF</u>
	<u>Yes</u>	<u>No</u>	Flow limit: <u>.03 x 240 x 1.9835 = 14.64</u> <u>4 + .1 + 1.2</u>
SOURCE	<u>Yes</u>	<u>No</u>	<u>DOMESTIC .04 / 1.2 AF</u> <u>STANDARD</u>
	<u>Yes</u>	<u>No</u>	Changes? Clarification of <u>Originally</u>
	<u>Yes</u>	<u>No</u>	<u>Intended</u> source
	<u>Yes</u>	<u>No</u>	Notice of Intent to Void.
P/D	<u>Yes</u>	<u>No</u>	Amendment Needed?
	<u>Yes</u>	<u>No</u>	Is Overlap Analysis a Consideration?
P/U	<u>Yes</u>	<u>No</u>	Amendment Needed?
	<u>Yes</u>	<u>No</u>	Is Overlap Analysis a Consideration?
USES	<u>Yes</u>	<u>No</u>	Change(s) in Nature of Use?
	<u>Yes</u>	<u>No</u>	Amendment Needed?
REMARKS	<u>Yes</u>	<u>No</u>	Multiple P/Ds in 1/4 1/4? <u>2 within NESE</u>
	<u>Yes</u>	<u>No</u>	Non-Irr. Uses <u>DOMESTICS = 3</u> <u>Stock = 3 HORSES</u>
	<u>Yes</u>	<u>No</u>	Special Overlap Condition
	<u>Yes</u>	<u>No</u>	Other
CONDITIONS	<u>Yes</u>	<u>No</u>	Measuring Devices
	<u>Yes</u>	<u>No</u>	W/Master Control
	<u>Yes</u>	<u>No</u>	Overlap <u>(LESS than 1 acre)</u>
	<u>Yes</u>	<u>No</u>	Water Quality
	<u>Yes</u>	<u>No</u>	Dates/Misc
	<u>Yes</u>	<u>No</u>	Water Dist
	<u>Yes</u>	<u>No</u>	App Rec'd
	<u>Yes</u>	<u>No</u>	Exam Made
COMMENTS:	<u>Reduce acres from 4 to .9 ; 3 HOMES ;</u>		
	<u>Reduce rate from .14 to .05</u>		
LICENSE	<u>Yes</u>	<u>No</u>	AMEND
	<u>Yes</u>	<u>No</u>	SPECIAL PARAGRAPH

RECEIVED

MAR 25 1993

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


1. Owner: James J. Ford Permit No. 63-11181
 Current Address: 6148 Happy Ln. Nampa, ID 83696 Phone No. 467-7847
 2. Accompanied by: James Ford EXAM. DATE: 7-24-92
 Address: same Phone No. same
 Relationship to Permit Holder: same
 3. Source: groundwater tributary to NA

B. OVERLAP REVIEW

1. Other water rights with same place of use: None ☐ Copies Attached
 2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached
 Showing location(s) of point(s) of diversion and place(s) of use (required).
☐ Photo of Diversion and System Attached
 (required for all but single household domestic groundwater, and stockwater).
☐ Aerial Photo Attached
 (required for irrigation of 10 acres or more).

MICROFILMED

MAY 25 1993

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

This system uses two wells; both are 6" and have 3/4 hp on them. They both are also 110' and have a water level of 66' and down levels of 78'. Both wells are piped together for stock purposes, domestic needs, irrigation.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Submersible		3/4			
" "		3/4			

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		se	re	se	24	2n	2w	Congers	Quads: Field Exam

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
2n	2w	24													.89				.89

MICROFILMED

Do not use this space

MAY 25 1993

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Theoretical: $\frac{3}{4} \times 8.8 \times .70 = 4.62$ ^{two cfs}
 $78 + (2.3 \times 40 \text{ gal}) 170 = .03 \text{ cfs} \times 2 = .06 \text{ cfs}$

5 gallon bucket = 13 seconds ^{exhibit 10} .05 cfs

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

5 gallon bucket .05 cfs

2. Alternate Method for Checking Purposes:

Theoretical = .06 cfs

3 domestic = 1.2 cfs
 Allow .04 cfs pump limit
 Irrigation .89 x .05 = .03 cfs
 Stockwater = .02 cfs/min

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

NA

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = .89 \times 4.5 = 4.01 \text{ AFA}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .03 \times 246 \times 1.9835 = 24.3 \text{ AFA}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 4.01 \text{ AFA} \Rightarrow 4.0$

2. Volume Calculations for Other Uses:

3 Domestic without lawn = .6 x ^{pump limit} 1.2 AFA = .72 AFA

Stockwater = 3 horses = 12 gal/day each = 36 gal/day x 365 = 13140 gal/yr
 $\frac{13140}{325,856} = .04 \text{ AFA}$

MAILED
 MAY 25 1983

H. REMARKS AND OVERLAP REVIEW ANALYSIS

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3-15	11-15	.03 cfs	4.0 ~~0.001~~ AFA
Stockwater	1-1	12-31	.02 cfs	.1 ~~0.001~~ AFA
Domestic	1-1	12-31	.04 cfs	1.2 AFA
Totals:			.05 cfs	5.25 AFA 5.3

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name


DAVID GRAY

Signature

Cy 1/7/93
Certification Date

Field Report Preparation Date

8-10-92



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

MAY 25 1993


2/ horse et

1st 3/4 hp 6" 1972 110 casing 86st.
 2nd 3/4 hp 6" 110 casing 86st

20
 23
 60
 4.0
 40

5 galls
 32 seconds

32 x 2.3



137 x 2.3



well
 house

well
 tree

20 x 2.3

40 x 2.3

25 x 2.3

42 x 0.7

15 x 2.3

0 Tank

200

35 x 2.3

40 x 2.3


MICROFILMED
 MAY 25 1993

MINA QUADRANGLE
IDAHO
7.5-MINUTE SERIES (ORTHO PHOTOQUAD)

39 R 2 W R 1 W 300 000 FEET

116° 30'

43° 30'



PERMIT 63-11181

INIT *DL*

T. R. S. Q/Q

P/D *2a 2w 2d same*

SCALE

PHOTO ID.

4816

4815

4814

660 000
FEET

4813

4812
T. 2 N.

27° 30'
T. 1 N.

4811

MAY 25 1993

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-11181

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 2n, Rge 2w, Sec 24, ne 1/4 se 1/4 or Lot _____.
2. Owner: James J. Cuckin Ford
Address 6148 Happy Ln., City Wampa, St. Id.
3. Casing $\geq$ 12 inches above ground: Yes ☒ No ☐
4. Access Port: Yes ☒ No ☐ Static Water Level: 50'
Pressure Gauge: Yes ☐ No ☒ Casing Diameter: 6"
Flowing: Yes ☐ No ☒ Temperature: _____
5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes ☐ No ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.


Remarks: _____

RECEIVED
MAY 25 1993

63-11181



Well: Located on the
Northwest corner of
Mr. Ford's lawn. This
is the 1111 gater well.



: Pressure Tank:
also located in
the NW corner of
his lawn. Domestic
well is in here

MAY 1993

63-11181



view of the
domestic & the
system in use.

MAY 25 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 8, 1991

James D. and Cecelia Ford
6148 Happy Lane
Nampa, ID 83686

Re: Permit No. 63-11181

Dear Mr. and Mrs Ford:

During one last review of your file, it was determined that we made an error computing your new priority date.

We received your proof due notice on August 26, 1991. That is two days earlier than originally thought. Therefore, it was necessary to do another order. This order has advanced your priority date to March 15, 1991.

We appreciate your patience and understanding with this matter. If you have any questions or if we can be of any further assistance, please feel free to contact me.

Sincerely,

Karen Gustafson
Karen L. Gustafson
Secretary/Records Manager

Enclosure

RECEIVED
DEC 11 1991

October 31, 1991

CECELIA FORD
JAMES D. FORD
6148 HAPPY LN.
NAMPA ID 83686

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11181

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order advancing the priority of the permit since the proof was received after the proof due date. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Nina Shields
Secretary/Records Manager

c: IDWR - Region

Enclosure

DEC 11 1991

RECEIVED

AUG 26 1991

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

For Office Use Only

Amt. of Fee \$ 50.00Date 8-27-91Receipt No. 0021592Received by JY

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. P63-11181 Telephone No. 467-7847

2. Name(s) of Permit Holder(s): JAMES D. FORD Cecelia Ford

3. Post Office Address: 6148 Happy Ln. Nampa, ID 83686

4. Source of Water: SNAKE RIVER BASIN WATER SYSTEM

a. If ground water, well driller's name: FIRST WELL DRILLING Date drilled: 7-2-84
SEAN - DAVIS WELL

b. Pump horsepower: 3/4 hp Pressure (psi): 40 Dynamic pumping level (ft.): 18
TWO WELLS BTH

5. Extent of Use:

Domestic 3 (No. of households) Irrigation 4 (No. of acres)

Stockwater 3 horses (No. and type of stock) Other _____

6. Total rate and/or volume for which proof is submitted .14 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes XNo Installed? Yes No

OR

Flow Measurement Port: Required? Yes XNo Installed? Yes No

8. Fee Enclosed: \$ 50.00 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

JAMES FORD
Name

467-7847
Telephone No.

6148 Happy Ln.

Nampa, ID
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Aug-22-1991
Date

[Signature]
Signature (and title if on behalf of a company or organization)

DEC 11 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 63-11181

Date 10-3-91

GENERAL CONSIDERATIONS

- ☒ Name same as permit?
☒ Address same as permit? If no, indicate below.
☒ Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

- ☒ Surface water source
☐ Ground water source
NA Drill permit req'd?
☐ Copy in file? Drill permit no. _____
☐ Amt paid for drilling permit? _____ Correct?
☐ Well log in file?

LICENSE EXAMINATION FEE

- ☒ Required?
50.00 Amount submitted?
☒ Correct amount?

MEASURING DEVICE

- NO Measuring device or access port required?
☐ Installed?
☐ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

Proof acceptable when reinstated

PRIORITY CALCULATION

LB

Date proof received	<u>8-26-91</u> <u>Aug 28, 1991</u>	<u>240</u>	<u>8/24/91</u>	<u>238</u>
Date proof due	<u>July 1, 1991</u>	<u>- 182</u>		<u>- 182</u>
No. of days late		<u>= 58</u>		<u>56</u>
Priority date	<u>Jan 18, 1990</u>	<u>+ 18</u>		<u>18</u>
NEW PRIORITY DATE	<u>Mar 17, 1990</u>	<u>= 76</u>	<u>3/15/90</u>	<u>74</u>

3-15-91
27

July 5, 1991

JAMES D. FORD
CECELIA FORD
6148 HAPPY LN.
NAMPA, ID 83686

LAPSE NOTICE

RE: PERMIT NO. 63-11181

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated April 30, 1991. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifteen dollar (\$15) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:rf

Enclosures

CERTIFICATION OF MAILING

I hereby certify that on 7-8-91
a ~~copy~~/an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

MAILED
DEC 11 1991

138457

April 30, 1991

JAMES D. FORD
CECELIA FORD
6148 HAPPY LN.
NAMPA, ID 83686

PROOF DUE NOTICE

RE: PERMIT NO. 63-11181

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before July 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MAILED
DEC 11 1991

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
June 11, 1990

JAMES D. FORD
CECELIA FORD
6148 HAPPY LN.
NAMPA, ID 83686

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P63-11181

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

MICROFILMED

JUN 21 1990

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

JUN 21 1990

Form No. 202a.
3/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: fw DATE: 2-16-90 APPLICATION: 63-11181

REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume)
☒ Period of use:
☒ Nature of proposed use: (Include description of use)
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee:
☒ Yes ☐ No* In form to receipt:
- Gov't. Lots:
N P/D
N P/U

ADDITIONAL INFORMATION

YES NO

- ☒ Overlapping place of use: (Describe source & relationship to present application on the back.)
☒ Overlapping point of diversion:
☒ Field check required: Field check by: _____
☒ Field report attached:
☒ Critical groundwater area:
☒ Groundwater management area:
☒ Send dam safety information:
☒ Send power requirement letter:
☒ Send fish farm requirement letter:
☒ Power residency affidavit:
☒ Power efficiency form:
☒ Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☒ Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)
☒ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: _____

Additional information on reverse side: _____

RECEIVED
MAY 18 1990
Department of Water Resources

PROCESSING

YES NO

In form for advertising:

Statewide advertising:

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

_____	_____
_____	_____
_____	_____
_____	_____

U.S. BLM

U.S. Forest Svc.

Water Dist. #

Other

FINAL REGIONAL PROCESSING REVIEW

~~YES~~ NO

~~_____~~

Affidavit of publication received:

Application published correctly: If not, record action taken.

✓

Publication dates and paper recorded on application:

Protests received. Final date for protest March 26, 1990

Protest dates, resolution of protest recorded on application:

Recommendations attached: *Approve, Dnr*

✓Measuring device required:

Measuring port required:

Water delivered by water master? District # 63-1

Special conditions of approval or cover letter:

See below for additional information

Recommended Date or Priority 1/18/1990

Recommended by: *Ans*

Date 5/17/90

STATE OFFICE REVIEW

P05, P23

P/60

46

See below for additional information. By

ku

Date 6-1-90

ADDITIONAL INFORMATION

63-11181

FORD, JAMES D.
FORD, CECELIA
6148 HAPPY LN.
NAMPA, ID 83686

Source: GROUNDWATER

Diversion Pt: SENESE Sec 24 T 02N R 02W

Use: IRRIGATION	(.080 CFS)
STOCKWATER	(.020 CFS)
DOMESTIC	(.040 CFS)
Total Diversion:	(.140 CFS)

Date Filed: 1/18/1990

In: T02N R02W S24 NESE

4.0 ACRES TOTAL

MICROFILMED

JUN 21 1990