


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Barbara E. P. Shuster
WOM
 (Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAR 8 1993

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Barbara : W.C. McAlister Permit No. 63-11175
Current Address: 3317 Alma Ln. Nampa Id Phone No. 466-7809
2. Accompanied by: W.C. McAlister EXAM. DATE: 7-24-92
Address: same Phone No. same
Relationship to Permit Holder: same
3. Source: groundwater tributary to NIA

B. OVERLAP REVIEW

1. Other water rights with same place of use: None
☐ Copies Attached
2. Other water rights with same point of diversion: None
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).
☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)
☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).


MICROFILMED

MAY 25 1993



25-1993

63-11175



View of well.
water is PIPED INTO
THE TWO INVERTED
PIPES THEN GRAVITY
IRRIGATED TO THE P/U'S.



View of the domestic.

MISSOURI

MAY 25 1993

63-11175



From the well to
GATED PIPE



End result of the
GATED PIPE .

MICROFILMED
MAY 25 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11175

Priority: February 14, 1990

Maximum Diversion Rate:
Maximum Diversion Volume:

0.51 CFS
111.8 AF

This is to certify, that BARBARA E MC ALISTER
W D MC ALISTER

3317 ALMA LANE
NAMPA ID 83686

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 14, 1990; and has submitted Proof of Beneficial Use on June 13, 1991. An examination indicates that the works have a diversion capacity of .540 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 11/01	0.49 CFS	111.2 AF
STOCKWATER	01/01 to 12/31	0.02 CFS	0.6 AF
	Totals	0.51 CFS	111.8 AF

LOCATION OF POINT(S) OF DIVERSION:

NWSW , Sec. 12, Township 02N, Range 02W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	02W	12	NWSW	24.7		24.7

Total number of acres irrigated: 24.7

PLACE OF USE: STOCKWATER, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

RECORDED

MAY 25 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11175

CONDITIONS/REMARKS:

5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.
6. The right holder shall fully use all surface water rights appurtenant to the lands identified above prior to using water under this right.
7. Stockwater use is for 45 horses and range cattle.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 20TH day of April, 1995.

Acting for  R. Keith Higginson, Director

RECORDED

MAY 25 1993

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11175

Proposed Priority: February 14, 1990 Maximum Diversion Rate: 0.58 CFS
This is to certify, that BARBARA E. MC ALISTER

W. D. MC ALISTER
3317 ALMA LANE
NAMPA, ID 83686

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 11/01	0.56 CFS
STOCKWATER	01/01 to 12/31	0.02 CFS
	Totals	0.58 CFS

LOCATION OF POINT(S) OF DIVERSION: NWSW Sec. 12, Township 02N, Range 02W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	02W	12	NWSW	28		28
Total number of acres irrigated:						28

PLACE OF USE: STOCKWATER, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 1991.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
5. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.
6. The maximum rate of diversion for stockwater purposes under this permit shall not exceed 0.02 cfs.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

11th day of June, 1990

MICROFILMED

JUN 11 1990

for

R. Keith Higginson
R. Keith Higginson, Director

RECEIVED
FEB 14 1990

RECEIVED

FEB 13 1990

Ident. No. 63-11175

STATE OF IDAHO
Department of Water Resources
Western Regional Office
APPLICATION FOR PERMIT

Department of Water Resources To appropriate the public waters of the State of Idaho

466-7809(W)

1. Name of applicant McALISTER W. D. & J. BARBARA E. Phone 465-7114 (Home)

Post office address 3317 Alma Lane, Nampa, Idaho 83686

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is _____ 1/4 of NW 1/4 of SW 1/4, Govt. Lot _____

Sec. 12 Township 2N Range 2W B.M. Canyon County; additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 56 for Irrigation purposes from April 1 to Nov 1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.02 for Stockwater purposes from Jan 1 to Dec 31 (both dates inclusive) *

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 59.58 and/or (b) _____
cubic feet per second acre feet per annum *

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 2 pumps in well 10 hp + 1 hp

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet; period of year when water will be diverted to storage: _____ to _____ inclusive.

c. Proposed well diameter is 10 inches; proposed depth of well is 116' feet.

d. Is ground water with a temperature of greater than 90°F being sought? No

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year).

* maximum allowable rate per number & type of stock as shown in item 8b.

SL 2/23/90

RECEIVED
JUN 21 1990

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. 30 hd Beef, 5 hd horses
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. _____
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
2N	3W	12									5	28							28

Total number of acres to be irrigated 28

10. Describe any other water rights used for the same purposes as described above. Shares in Nampa
Merridian Irr. Dist.


11. a. Who owns the property at the point of diversion? APP
- b. Who owns the land to be irrigated or place of use? _____
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

MICROFILMED

JUN 21 1990

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

x *Robert L. McIntosh*
x *WOMC*
(Applicant)

Received by SL 2/15/90 12:30 Preliminary check by SL
Date 2/14/90 Time 1:16
Fee \$ 45.00 Receipted by SL # C014708 Date 2/14/90
Publication prepared by GG Date 2-28-90 Published in Press-Tribune
Publication approved st Date 4-20-90 ^{3/7 & 3/14/90}

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

MICROFILMED

JUN 14 1990

NOTICE OF APPLICATION FOR WATER

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-11109

SEDLACEK, GARY
6621 LYNNWOOD RD.
NAMPA, ID 83686
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

NWNE Sec 30 T 02N R 02W
(1.600 CFS)
Total Diversión: (1.600 CFS)

Date Filed: 1/24/1990

In: T02N R02W S30

NWNE
80.0 ACRES TOTAL
63-11110

SWNE

LAKERIDGE WATER ASSN.
C/O DUANE ERNEST
515 LAKE RIDGE DR.
NAMPA, ID 83686
Source: GROUNDWATER
Diversión Pt:

Use: IRRIGATION
DOMESTIC

Date Filed: 1/26/1990

In: T02N R02W S09

NWSWNE Sec 9 T 02N R 02W
SWSWNE Sec 9 T 02N R 02W
(.150 CFS)
(.100 CFS)
Total Diversión: (.200 CFS)

5.0 ACRES TOTAL
63-11111

SWNE

ZIVKOVIC, ANDRE S.
ZIVKOVIC, CYNTHIA B.
16560 MAHOGANY DR.
NAMPA, ID 83687
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION
DOMESTIC

Date Filed: 1/29/1990

In: T03N R01W S08

NESW Sec 8 T 03N R 01W
(.020 CFS)
(.020 CFS)
Total Diversión: (.040 CFS)

1.0 ACRES TOTAL
63-11119

NESW

SAMUELSON, STANLEY
SAMUELSON, ISABEL
517 CYPRESS
BELLINGHAM, WA 98225
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION
DOMESTIC

Date Filed: 2/1/1990

In: T03N R01W S17

SWSW Sec 17 T 03N R 01W
(.200 CFS)
(.040 CFS)
Total Diversión: (.200 CFS)

10.0 ACRES TOTAL
63-11127

SWSW

JENKINS, JEAN
JENKINS, MERLE H.
28569 DIXIE LANE
PARMA, ID 83660
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

Date Filed: 2/8/1990

In: T04N R05W S06

NWSESW Sec 6 T 04N R 05W
(.580 CFS)
Total Diversión: (.580 CFS)

29.0 ACRES TOTAL
63-11154

SESW

SMITH, LOLA E.
SMITH, ROY K.
408 CENTRAL KINGS RD.
NAMPA, ID 83651
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

Date Filed: 2/22/1990

In: T03N R02W S24

NWSW Sec 24 T 03N R 02W
(.060 CFS)
Total Diversión: (.060 CFS)

2.0 ACRES TOTAL
63-11163

NWSW

CLEVINCER, FRANK
16049 OASIS RD.
CALDWELL, ID 83605
Source: SANDHOLLOW CREEK
Diversión Pt:
Use: IRRIGATION

Date Filed: 2/12/1990

In: T05N R03W S05 Lot 1

LOT 1 (NENE) Tributary: BOISE RIVER
Sec 5 T 05N R 03W
(.090 CFS)
Total Diversión: (.090 CFS)

3.0 ACRES TOTAL
63-11164

(NENE)

PARMA CEMETERY MAINTENANCE DISTRICT
906 GROVE ST.
PARMA, ID 83660
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

Date Filed: 2/12/1990

In: T05N R05W S08

In: T05N R05W S09

NWNWNW Sec 9 T 05N R 05W
(.120 CFS)
Total Diversión: (.120 CFS)

NENE

NWNW

5.0 ACRES TOTAL

MICROFILMED

JUN 21 1990

Date Filed: 1/30/1990

In: T04N R03W S33

4.0 ACRES TOTAL
63-11172

SENE

HERBEL, PATRICIA
HERBEL, DALE
28279 COUNTRY LN.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION
Use: STOCKWATER
Use: DOMESTIC

SWNW

Sec 11 T 05N R 03W
(.090 CFS)
(.020 CFS)
(.040 CFS)
Total Diversión: (.150 CFS)

Date Filed: 2/23/1990

In: T05N R03W S11

3.0 ACRES TOTAL
63-11173

SWNE

WAKEFIELD, CHARLENE
WAKEFIELD, GEORGE WAYNE
7790 MC ELROY RD.
MELBE, ID 83641
Source: GROUNDWATER
Diversión Pt:
Use: COMMERCIAL

SWSW

Sec 23 T 01N R 02W
(.040 CFS)
Total Diversión: (.040 CFS)

Date Filed: 2/08/1990

In: T01N R02W S23

63-11175

SWSW

MC ALISTER, W.D.
MC ALISTER, BARBARA E.
3317 ALMA LN.
NAMPA, ID 83686
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION
Use: STOCKWATER

NWSW

Sec 12 T 02N R 02W
(.560 CFS)
(.020 CFS)
Total Diversión: (.580 CFS)

Date Filed: 2/14/1990

In: T02N R02W S12

28.0 ACRES TOTAL
63-11176

NWSW

BRANDT AGENCY INC.
203 11TH AVE. S.
NAMPA, ID 83651
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

SENE

Sec 25 T 02N R 03W
(1.220 CFS)
Total Diversión: (1.220 CFS)

Date Filed: 2/14/1990

In: T02N R03W S25

61.0 ACRES TOTAL
63-11177

SWSW

SESW

SWSE

PROPERTY OWNER'S ASSN.
14929 HILLSIDE DR.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION
Use: DOMESTIC

SWSW

Sec 27 T 05N R 03W
(.280 CFS)
(.170 CFS)
Total Diversión: (.450 CFS)

Date Filed: 2/13/1990

In: T05N R03W S27

14.0 ACRES TOTAL
63-11178

SWSW

CLASSIC WATER USERS ASSN. INC.
3810 BRIAN ST.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversión Pt:
Use: DOMESTIC

NWSWSW

Sec 34 T 04N R 03W
(.130 CFS)
Total Diversión: (.130 CFS)

Date Filed: 1/09/1990

In: T04N R03W S34

63-11179

SWSW

PLASENCIA, JAMIE
PLASENCIA, NICOLAS
15096 FROST RD.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION
Use: DOMESTIC

SWSWSE

Sec 15 T 03N R 04W
(.060 CFS)
(.040 CFS)
Total Diversión: (.100 CFS)

Date Filed: 1/19/1990

In: T03N R04W S15

2.0 ACRES TOTALS

SWSE


The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before MARCH 26, 1990.

R. KEITH HIGGINSON

Director

March 7, 14, 1990

BUSINESS: (208) 888-7824
RESIDENCE: (208) 465-7114



W. D. (DEE) McALISTER
DIVISION MANAGER

HOOD CORPORATION

2160 LANARK
MERIDIAN, ID 83642

MAILING ADDRESS: P.O. BOX 5426, BOISE, ID 83705



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

April 26, 1993

BARBARA E MC ALISTER
W D MC ALISTER
3317 ALMA LANE
Nampa ID 83686

RE: WATER RIGHT NO. 63-11175

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', followed by a horizontal line.

JIM JOHNSON
Water Rights Supervisor

JJ:cz

Enclosure

MAILED

MAY 25 1993

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	BARBARA E MC ALISTER	02/14/1990	IRRIGATION	04-01 11-01	0.49 CFS	111.2 AFA
C	W D MC ALISTER		STOCKWATER	01-01 12-31	0.02 CFS	0.6 AFA
	3317 ALMA LANE					
	NAMPA ID 83686					
	(208) 466-7809					
				TOTAL DIVERSION:	0.51 CFS	111.8 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.54 CFS

Point(s) of Diversion: T02N R02W S12 NW SW

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE				
T	R	S		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	SUM
02N	02W	12	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:
																			24.7	
																			24.7	

Place of use location for STOCKWATER is the same location as described for: IRRIGATION

Pou County: CANYON

~~Non-Irrigation Uses: STOCKWATER FOR RANGE AND 5 HORSES.~~

~~Other Rights: NAMPA-MERIDIAN IRRIGATION DISTRICT~~

Other Water Rights with Same Point(s) of Diversion and Source:
63-11175

Other Water Rights Listing Overlapping Place(s) of use:
63-11175

Conditions of Approval:

- R32 - This right when combined with all other rights shall provide no
- more than .02 cfs per acre nor more than 4.5 afa per acre for the
- lands above.

Remarks: The right holder shall fully use all surface water rights
appurtenant to the lands identified above prior to using water
under this right.
Stockwater use is for 45 horses and range cattle.

Dates: App. Received: 02/14/1990 Priority Date: 02/14/1990
Proof Due Date: 07/01/1991 Proof Made Date: 06/13/1991
Exam Made Date: 07/24/1992 Exam Sent to S.O.: 03/08/1993
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

MAY 25 1993

MEMORANDUM

Date: April 9, 1993
From: Jim Johnson
To: File
Subject: Examination Fee

=====

In response to Pam's letter of April 7, 1993 the permit holder has provided sufficient information to show that the late payment fee should be waived.

The permit holder would have paid the proper amount if proper direction had been given by department staff. At the time the Beneficial Use form was submitted the permit holder wasn't sure how much water was being diverted. A note on the B/U form showed that she had contacted the pump company and received some information on discharge. The 0.07cfs was listed with a question as to whether it was the proper amount which covers only the smaller domestic diversion. The rate for irrigation was listed in the Note but was not included in item 6. on the B/U form. The B/U reviewer should have caught the inconsistent information and advised the permit holder that a higher fee was required for the irrigation diversion.

The permit holder is required to pay an additional \$50.00 to cover the rate found diverted but should not pay the late fee due to department staff over site.

FILED

MAY 25 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

April 7, 1993

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

BARBARA E McALISTER
W D McALISTER
3317 ALMA LN
NAMPA ID 83686

RE: Permit No. 63-11175

Dear Permit Holder(s):

We are in the process of licensing the above referenced water right. Because of an insufficient examination fee, the Department has no alternative but to issue the license for less than the amount actually diverted unless an additional fee is received. The amount of water to be licensed will be limited to 0.20 cfs rather than 0.51 cfs.

You can submit the additional exam fee along with a late payment penalty. The priority of the right will be advanced according to the number of days from the date of this letter to the date we receive the extra fee.

The exam fee required to cover the 0.51 cfs is \$50.00 and the late payment penalty is \$25.00, for a total of \$75.00.

The Department will hold action on licensing this right for 30 days to allow you to submit the above fee. If we do not receive the additional fee, we will proceed with licensing the water right for the limited amount of water.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

RECEIVED

MAY 25 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAR 8 1993

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Barbara ; W.C. McAlister Permit No. 63-1175
Current Address: 3317 Alma Ln. Nampa Id Phone No. 466-7809
2. Accompanied by: W.C. McAlister EXAM. DATE: 7-24-92
Address: same Phone No. same
Relationship to Permit Holder: same
3. Source: groundwater tributary to -NIA-

B. OVERLAP REVIEW

1. Other water rights with same place of use: None
☐ Copies Attached
2. Other water rights with same point of diversion: None
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

RECEIVED

MAY 25 1993

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

This system uses 2 pumps, a 10 : 1 hp. The casing is 10". The static water level is at 12' while the draw down is at 23'. The depth of the well is 116'. The well is used for Domestic irrigation ; stockwater. The 10 hp pump is a separate system from the 1 hp. The 1 hp is used for domestic ; stock at various locations while the 10 is used primarily for irrigation.

☒ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
submersible		10			
submersible		1			

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NW	SW	12	2N	2W	Canyon	Quadr. Aerials, Aerial Id

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
2N	2W	12									24.7								24.7
																			24.7

RECEIVED

MAY 25 1993

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

$$\text{Theoretical} = \frac{10 \times 8.8 \times .70}{23 + (2.3 \times 45)} = \frac{61.6}{126.5} = .49 \text{ cfs}$$

$$\text{Domestic well} = \frac{1 \times 8.8 \times .70}{23 + (2.3 \times 45)} = \frac{6.16}{126.5} = .049 \text{ cfs}$$

$$\text{Stock well} = \frac{1 \times 8.8 \times .70}{23 + (2.3 \times 45)} = \frac{6.16}{126.5} = .049 \text{ cfs}$$

= Total Output Capacity

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached B/U Fee limit .20 cts or with fees paid allow

1. Measured Method:

$$\text{Theoretical} = 10 \text{ hp} = .49 \text{ cfs}$$

$$1 \text{ hp} = .049 \text{ cfs}$$

Irr need = $24.7 \times .02 = .49 \text{ cfs (IRR)}$

Stock need = 45 TABLE 6

cattle: horses ALLOW .02 cfs (STOCK)

same requirement Per permit

2. Alternate Method for Checking Purposes:

none

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (8)

Panel Input HP: (8) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

NA

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

With Additional Fees

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 24.7 \times 4.5 = 111.15 \text{ AFA } 111.2 \text{ afa}$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .49 \times 214 \times 1.9835 = 208.12 \text{ AFA } 208$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 111.15 \text{ AFA } 111.2 \text{ afa (IRR)}$$

2. Volume Calculations for Other Uses:

Allow Standard Season/VDR > V_{IR}

Stock water - 45 animals x 12 gal/day x 365 / 25350 = 6.4 AFA (STOCK)

all same daily requirements

MAY 25 1993

H. REMARKS AND OVERLAP REVIEW ANALYSIS

* Note the pictures; theoretical is the only form of measurement. The water is pumped into the PVC pipe then is gravity irrigated to its locations.

cont - The owner irrigates through gated pipe which is moved around the pasture. The stock are watered by tanks which are filled by hand from various spigots.

Remarks - WB3/GW Supplemental, STOCK/45 Horses + cattle

Conditions - B32

I. RECOMMENDATIONS

1. Recommended Amounts With Additional B/U Fees.

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	4-15	11-15	.49 cfs	111.2 AFA
Stockwater	1-1	12-31	.02 cfs	.6 AFA
Totals:			.51 cfs	111.8 AFA

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name

DAVID GRAY


Signature

03-09-93

Certification Date

Field Report Preparation Date

8-20-92



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.


Fee paid proot B/U \$50.00 Limits License to .20 cfs

\$100.00 Fee Required for rec. .51 cfs

\$50.00 additional Fee + penalty fee \$25.00 = \$75.00 for higher rate.

RECEIVED

MAY 25 1993



PERMIT 63-11175 INIT *DR*
T. R. S. Q/Q
P/D *R-2W 12 N/NE*
SCALE
PHOTO ID.

1 2 1 V

4821
32' 30"

4820

4819

4818

4817000mN

43° 30'

SPRINT *10/1/75*
E. E. E. CIB
P/D *In 2w12*
SCALE _____
PHOTO ID. _____

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-11175

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 2n, Rge 2w, Sec. 12, NW 1/4 SW 1/4 or Lot _____.

2. Owner: Barbara McCalister

Address 3317 Alma Lane, City Longm, St Ida

3. Casing $\geq$ 12 inches above ground: Yes ☒ No _____

4. Access Port: Yes ☒ No _____ Static Water Level: _____
Pressure Gauge: Yes _____ No ☒ Casing Diameter: 10"
Flowing: Yes _____ No ☒ Temperature: NA

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes _____ No ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.


Remarks: _____

RECEIVED
MAY 25 1993

63-11175



View of well.
water is PIPED INTO
THE TWO INVERTED
PIPES THEN GRAVITY
IRRIGATED TO THE PLOTS.




View of the domestic.

RECEIVED

MAY 25 1993

63-11175



From the well to
GATED PIPE



End result of the
GATED PIPE .

RECEIVED
MAY 25 1993

June 20, 1991

BARBARA E. MC ALISTER
W. D. MC ALISTER
3317 ALMA LANE
NAMPA, ID 83686

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11175

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

JUL 15 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 63-11175

Date 6-18-91

GENERAL CONSIDERATIONS

y Name same as permit?
y Address same as permit? If no, indicate below.
y Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

 Surface water source
y Ground water source
NO Drill permit req'd?
 Copy in file? Drill permit no.
 Amt paid for drilling permit? Correct?
NO Well log in file?

LICENSE EXAMINATION FEE

y Required?
50.00 Amount submitted?
y Correct amount?

MEASURING DEVICE

NO Measuring device or access port required?
 Installed?
 Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

PRIORITY CALCULATION

Date proof received
Date proof due -
No. of days late =
Priority date +
NEW PRIORITY DATE =

LB

RECEIVED

JUN 13 1991

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources
Western Regional Office**PROOF OF BENEFICIAL USE**

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-11175 Telephone No. 465-7114 (Home)
888-2113 (Work) or
466.7809 (Work)
2. Name(s) of Permit Holder(s): Barbara E. and W.D. McAlister
3. Post Office Address: 3317 Alma Lane, Nampa Idaho 83686
4. Source of Water: Ground Water
- a. If ground water, well driller's name: Davis Well & Pump Co. Date drilled: 1984
2 pumps - 10 h.p. &
- b. Pump horsepower: 1 h.p. Pressure (psi): N/A Dynamic pumping level (ft.): N/A

5. Extent of Use:

Domestic 2 (No. of households) Irrigation 28 (No. of acres)
Stockwater 30-40 Cattle (No. and type of stock) Other _____
up to 4 horses

*** Please see NOTE below:

6. Total rate and/or volume for which proof is submitted 0.070 ?? cfs N/A acre/feet
7. Refer to the approval conditions on your permit and respond accordingly:
- Measuring device: Required? Yes ☒ No Installed? Yes ☐ No
OR
Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☐ No
8. Fee Enclosed: \$ 50.00 (See License Examination Fee Schedule)
9. Person to contact to accompany the Department representative during the field examination:
- W.D. "Dee" McAlister (please call wife Barbara on 888-2113 or 466.7809 (bus.hours)
Name Telephone No.
3317 Alma Lane, Nampa Idaho 83686
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

6-12-1991
DateBarbara E. McAlister
Signature (and title if on behalf of a company or organization)

JUL 15 1991

PLEASE NOTE:

Re No. 6 above, I am not sure how to work out c.f.s. but Davis Well & Pump Co. inform me that the 10 h.p. pump gives out between 200 and 250 gal.s per min. and the small domestic pump gives out 23 to 24 gals per minute.

138456

April 30, 1991

BARBARA E. MC ALISTER
W. D. MC ALISTER
3317 ALMA LANE
NAMPA, ID 83686

PROOF DUE NOTICE

RE: PERMIT NO. 63-11175

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before July 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

RECEIVED

JUL 15 1991

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
June 11, 1990

BARBARA E. MC ALISTER
W. D. MC ALISTER
3317 ALMA LANE
NAMPA, ID 83686

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P63-11175

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you

JUN 21 1990

commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

JUN 21 1990

Form No. 202a.
3/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

PD 58- 2N 2W 5.12 NWSW
INITIAL REVIEW BY: RL DATE: 2/23/90 APPLICATION: 63-11175

REQUIRED INFORMATION

☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume)
☒ Period of use: Gov't. Lots: N P/D
☒ Nature of proposed use: (Include description of use) N P/U
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee:
☒ Yes ☐ No* In form to receipt:

ADDITIONAL INFORMATION

YES NO

☒ ☐ Overlapping place of use: (Describe source & relationship to present application on the back.)
☐ ☒ Overlapping point of diversion:
☐ ☐ Field check required: Field check by: _____
☐ ☐ Field report attached:
☐ ☐ Critical groundwater area:
☐ ☐ Groundwater management area:
☐ ☐ Diversion within interim protected river area
☐ ☐ Send dam safety information:
☐ ☐ Send power requirement letter:
☐ ☐ Send fish farm requirement letter:
☐ ☐ Power residency affidavit:
☐ ☐ Power efficiency form:
☐ ☐ Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☐ ☐ Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)
☐ ☐ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: _____

☒ ☐ Additional information on reverse side:

PROCESSING

APPLICATION NO. 63-

YES NO

☒ ☒
☒ ☒
☒ ☒

In form for advertising:

Statewide advertising:

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

U.S. BLM

U.S. Forest Svc.

Water Dist. #

Other

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☒
☒ ☒

Affidavit of publication received:

Application published correctly: If not, record action taken.

☒ ☒
☐ ☒

Publication dates and paper recorded on application:

Protests received. Final date for protest March 26, 1990

Protest dates, resolution of protest recorded on application:

Recommendations attached: Approve, Dnr

Measuring device required:

Measuring port required:

Water delivered by water master? District # 63-P05

Special conditions of approval or cover letter:

26A (Allow 2 years)

See below for additional information

Recommended Date or Priority 2/14/1990Recommended by: DnrDate 5/17/1990

STATE OFFICE REVIEW

P05, P23P1726 46 28(stock water, 0.02 cfs)See below for additional information. By KWDate 6-1-90

ADDITIONAL INFORMATION

OverlapP17 63-02388 Boise River, Irrig Dist Water, same land.

63-11175

MC ALISTER, W. D.
MC ALISTER, BARBARA E.
3317 ALMA LN.
NAMPA, ID 83686

Source: GROUNDWATER

Diversion Pt: NWSW Sec 12 T 02N R 02W

Use: IRRIGATION (.560 CFS)
 STOCKWATER (.020 CFS)
 Total Diversion: (.580 CFS)

Date Filed: 2/14/1990

1n: T02N R02W S12 NWSW

28.0 ACRES TOTAL

MICROFILMED

JUN 21 1990