

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

George K. Childs
(Applicant)

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = No Scale

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☐ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Franklin	2		Ste-Rite	

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS


1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: None - System operator at 45 psi.

MICROFILMED

AUG 06 1998



Mapped, edited, and published by the Geological Survey

Control by JSGS and USC&GS

Topography by photogrammetric methods from aerial photographs taken 1969. Field checked 1970

Projection and 10,000-foot grid ticks: Idaho coordinate system, west zone (transverse Mercator)

1000-meter Universal Transverse Mercator grid ticks, zone 11, shown in blue. 1927 North American datum


Fine red dashed lines indicate selected fence lines



No Gov. Lots

MICROFILMED

AUG 06 1998



CONTOUR INT. DOTTED LINES REPRESENT DATUM IS ME

UTM GRID AND 1970 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Cherrigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS: Well Driller's Report was not found.

Jan Tomich Water Rights Examiner
Signature of Dept. Representative & Title

9-18-96
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



MICROFILMED

AUG 06 1998

1 of 2

P/D

Well



P/u

House

[04
9-26-96]



MICROFILMED

AUG 06 1996

63-11170

2 of 2

P/u

Water
fowl

Pond



P/u

Water
fowl
Pond



PHILMED
AUG 06 1998

63-11170

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 63-11170

Priority: January 23, 1990

Maximum Diversion Rate:

0.08 CFS

Maximum Diversion Volume:

30.4 AF

This is to certify, that GEORGE K CHELDELIN
KATHLEEN C CHELDELIN

16531 GOODSON RD
CALDWELL ID 83605

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 26, 1990; and has submitted Proof of Beneficial Use on August 26, 1993. An examination indicates that the works have a diversion capacity of 0.090 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
COMMERCIAL	01/01 to 12/31	0.04 CFS	29.0 AF
COMMERCIAL STORAGE	01/01 to 12/31		0.2 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF
DIVERSION TO STORAGE	01/01 to 12/31	0.04 CFS	
	Totals	0.08 CFS	30.4 AF

LOCATION OF POINT(S) OF DIVERSION:

NENW , Sec. 20, Township 05N, Range 03W
CANYON County

PLACE OF USE: COMMERCIAL

TWN RGE SEC

05N 03W 20

NENW

PLACE OF USE:

DOMESTIC, same as COMMERCIAL use

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

MICROFILMED

AUG 06 1998

State of Idaho
Department of Water Resources


Water Right License

WATER RIGHT NO. 63-11170

CONDITIONS OF APPROVAL AND REMARKS

5. Rights 63-11168 and 63-11170 when combined shall not exceed a total annual maximum diversion volume of 29.0 af for commercial purposes.
6. Rights 63-11168 and 63-11170 are limited to a combined storage volume of 0.2 af.
7. Commercial use is for waterfowl production.
8. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 14TH day of July, 19 98.


Acting for KARL J. DREHER, Director

MICROFILMED

AUG 06 1998

RECEIVED
AUG 26 1993
Department of Water Resources

OFFICE USE ONLY
Amt. of Fee \$ 50.00
Date 8-26-93
Receipt No. 6028437
Receipt by CA

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-11170 Telephone No. 454-1966
2. Name(s) of Permit Holder(s): George K Cheldelin, Kathleen C Cheldelin
3. Mailing Address: 16531 Goodson Rd. Caldwell, ID 83605
4. Source of Water: Well

If GROUNDWATER, Well Driller's Name: Johnston Date Drilled: 1962

OPTIONAL:

Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic 1 (No. of households) Stockwater _____ (No. and type of stock)

Irrigation _____ (No. of acres) Other Ponds Commercial Storage

6. Total rate and/or volume for which proof is submitted 0.08 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes X No Installed? _____ Yes _____ No

OR

Flow Measurement Port: Required? _____ Yes X No Installed? _____ Yes _____ No

8. Fee Enclosed: \$ 50.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Shane Cheldelin 454-1966
Name Telephone No.

16531 Goodson Rd. Caldwell ID 83605
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

8/25/93 Shane K Cheldelin
Date Signature (and title, if on behalf of a company or organization)

OCT 20 1993

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 63-11170)
IN THE NAME OF GEORGE & KATHLEEN CHELDELIN) ORDER OF
REINSTATEMENT)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before July 1, 1993; and,

WHEREAS, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,


WHEREAS, the Department notified the permit holder that the permit had lapsed for failure to submit the proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on August 26, 1993;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 63-11170 be REINSTATED with an advance in priority to April 23, 1990.

Dated this 31st day of August, 1993.


L. GLEN SAXTON
Chief, Water Allocation Bureau

RECEIVED
OCT 20 1993

RECEIVED
JUL 01 1991

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

For Office Use Only
\$15 FEE Received by 98
Date 7/2/91
Receipt # C021044

REQUEST FOR EXTENSION OF TIME
Department of Water Resources **PROVIDE ADDITIONAL TIME IN WHICH TO SUBMIT PROOF OF BENEFICIAL USE FOR A WATER RIGHT PERMIT**

This Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of a water right under the provisions of Section 42-204, Idaho Code.

Permit No. 63-11170

Name(s) of Permit Holder: Keith Cheldelin

Post Office Address: 14531 Goodson Rd., Caldwell, Id. 83605

Telephone No. 454-1966

Date Proof is Due: July 1, 1991

Describe what work has been completed toward the development of this water right: We have extended
(This must be filled out! If no work has been completed, show "none".)

The system to fill 25 ponds of various
sizes but we have seven more to go and
I need to change to a larger pump in my well
yet. The well is drilled and in operation costing \$1000.00
The well was drilled when I applied for the permit and in operation
The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

We have seven more ponds to hook up to the
system and I need to change to a larger pump
in my well yet.

Permit holder(s) request an extension to Sept. 1, 1996. Keith Cheldelin
(1 yr. minimum) (Signature)*

FEE: \$15.00

*IF OTHER THAN PERMIT HOLDER,
POWER OF ATTORNEY MUST BE SUPPLIED.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

AUG 06 1991

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to July 1, 1993.

Signed this 15th day of July, 19 91.

J. Glen Saxton
Chief, Water Allocation Bureau

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 63-11170

Proposed Priority: February 26, 1990 Maximum Diversion Rate: 0.08 CFS
This is to certify, that **GEORGE K. CHELDELIN**

KATHLEEN C. CHELDELIN
16531 GOODSON RD.
CALDWELL, ID 83605

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
COMMERCIAL	01/01 to 12/31	0.04 CFS	
COMMERCIAL STORAGE	01/01 to 12/31		0.2 AF
COMMERCIAL FROM STORAGE	01/01 to 12/31		0.2 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	
DIVERSION TO STORAGE	01/01 to 12/31	0.04 CFS	
Totals		0.08 CFS	

LOCATION OF POINT(S) OF DIVERSION: NENENW Sec. 20, Township 05N, Range 03W
CANYON County

PLACE OF USE: COMMERCIAL

TWN RGE SEC

05N 03W 20 NENW

PLACE OF USE: COMMERCIAL STORAGE, same as COMMERCIAL use
PLACE OF USE: COMMERCIAL FROM STORAGE, same as COMMERCIAL use
PLACE OF USE: DOMESTIC, same as COMMERCIAL use
PLACE OF USE: DIVERSION TO STORAGE, same as COMMERCIAL use

CONDITIONS/REMARKS:


1. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 1991.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Commercial use is for water fowl production.
5. Domestic use is for one home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

11 day of June, 1990

MICROFILMED

JUN 21 1990

for 
R. Keith Higginson, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Cheldelin, George K and Kathleen C. Phone 208 454 1966
Post office address 16531 Goodson Road, Caldwell 83605
2. Source of water supply groundwater which is a tributary of _____
3. Location of point of diversion is NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of NW $\frac{1}{4}$, Govt. Lot _____
Sec. 20 Township 5N Range 3W B.M. Canyon County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
- | | | | | |
|--|---------------------------------|--------------------------|-----------------|------------------------|
| Amount <u>0.04</u>
(cfs ~~0.04~~) | for <u>Commercial</u> | purposes from <u>1/1</u> | to <u>12/31</u> | (both dates inclusive) |
| Amount <u>0.04</u>
(cfs ~~0.04~~) | for <u>Domestic</u> | purposes from <u>1/1</u> | to <u>12/31</u> | (both dates inclusive) |
| Amount <u>0.04</u>
(cfs ~~0.04~~) | for <u>Diversion to storage</u> | purposes from <u>1/1</u> | to <u>12/31</u> | (both dates inclusive) |
| Amount <u>0.2</u>
(~~0.2~~ acre-feet per annum) | for <u>Commercial storage</u> | purposes from <u>1/1</u> | to <u>12/31</u> | (both dates inclusive) |
5. Total quantity to be appropriated is (a) 0.08 cubic feet per second and/or (b) ~~0.4~~ 0.2 acre feet per annum
6. Proposed diverting works:
- a. Description of ditches, flumes, pumps, headgates, etc. pump & pipelines, including
series of small storage ponds.
- b. Height of storage dam N/A (ponds) feet; active reservoir capacity .2 acre-feet; total
reservoir capacity .2 acre-feet; period of year when water will be diverted to storage:
1/1 to 12/31 inclusive.
- c. Proposed well diameter is 6" inches; proposed depth of well is 240' feet.
- d. Is ground water with a temperature of greater than 90°F being sought? No
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

MICROFILMED

JUN 21 1990

* per telecon with George Cheldelin, see conv. memo.

2/27/90

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. 0/1
- e. Other; describe fully. Commercial, water fowl production

RECEIVED

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
<u>5N</u>	<u>3W</u>	<u>20</u>					<u>C</u>												<u>C</u>


Total number of acres to be irrigated C

10. Describe any other water rights used for the same purposes as described above. none, Application for Permit, Waste Water (63-11168 same commercial use).
11. a. Who owns the property at the point of diversion? Applicant
- b. Who owns the land to be irrigated or place of use? Applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. NA.

12. Remarks: _____

RECEIVED

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

George K. Childs
(Applicant)

Received by BAS Date 2/26/90 Time 10:45 Preliminary check by 82
Fee \$ 30⁰⁰ Receipted by B.A.S. # W009578 Date 2/26/90
Publication prepared by GG Date 2-28-90 Published in Press-Tribune
3/7 & 3/14/90
Publication approved _____ Date _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

MICROFILMED

JUN 21 1990

NOTICE OF APPLICATION FOR WATER RIGHT
The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-11109
SEIDLACEK, GARY
6621 LYNWOOD RD.
NAMPA, ID 83686
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
Date Filed: 1/24/1990
NWNE Sec 30 T 02N R 02W
(1.600 CFS)
Total Diversion: (1.600 CFS)

63-11165
YEAHEL, LESTER S.
YEAHEL, NOLA F.
30511 HWY. 95
PARMA, ID 83660
Source: UNNAMED DRAIN
Diversion Pt:
Use: IRRIGATION
Date Filed: 1/11/1990
In: T05N R04W S29
In: T05N R04W S30
In: T05N R04W S31 Lot 11
In: T05N R04W S32 Lot 4
Tributary: BOISE RIVER
Sec 29 T 05N R 04W
Sec 29 T 05N R 04W
Sec 29 T 05N R 04W
Sec 32 T 05N R 04W
(.470 CFS)
Total Diversion: (.470 CFS)
SWSW
NESE Lot 2 (NWSE) Lot 2 (SWSE) Lot 1 (SESE)
(NENE)
(NWNW)
107.0 ACRES TOTAL
63-11166

PALMER, JOHN R.
PALMER, MARY L.
34663 APPLE VALLEY RD.
PARMA, ID 83660
Source: GROUNDWATER
Diversion Pt:
Use: COMMERCIAL
Date Filed: 2/13/1990
In: T06N R05W S07 LOT 2
Lot 2 (SESENE) Sec 7 T 06N R 05W
(.040 CFS)
Total Diversion: (.040 CFS)
(SENE)
63-11167

PALMER, JOHN R.
PALMER, MARY L.
34663 APPLE VALLEY RD.
PARMA, ID 83660
Source: UNNAMED DRAIN
Diversion Pt:
Use: IRRIGATION
Date Filed: 2/13/1990
In: T06N R05W S07 Lot 2
Tributary: SNAKE RIVER
Sec 7 T 06N R 05W
(.180 CFS)
Total Diversion: (.180 CFS)
(SENE)
9.0 ACRES TOTAL
63-11168

CHELDELIN, KATHLEEN
CHELDELIN, GEORGE K.
16531 GOODSON RD.
CALDWELL, ID 83605
Source: CONWAY GULCH
Diversion Pt:
Use: COMMERCIAL
Use: COMMERCIAL STORAGE
Use: DIVERSION TO STORAGE
Date Filed: 2/16/1990
In: T05N R03W S20
Tributary: BOISE RIVER
Sec 20 T 05N R 03W
(.040 CFS)
(.200 CFS)
(.20 AF)
Total Diversion: (.040 CFS) (.20 AF)
NENW
ACRES TOTAL
63-11169

GRAM, DAVID S.
GRAM, DELORIS E.
11968 ORCHARD AVE.
NAMPA, ID 83651
Source: GROUNDWATER
Diversion Pt: Lot 4
Use: IRRIGATION
Date Filed: 2/13/1990
In: T03N R02W S18 Lot 4
(SWSWSW) Sec 18 T 03N R 02W
(.060 CFS)
Total Diversion: (.060 CFS)
(SWSW)
2.0 ACRES TOTAL
63-11170

CHELDELIN, GEORGE K.
CHELDELIN, KATHLEEN C.
16531 GOODSON RD.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt:
Use: COMMERCIAL
Use: COMMERCIAL STORAGE
Use: DOMESTIC
Use: DIVERSION TO STORAGE
Date Filed: 2/16/1990
In: T05N R03W S20
NENENW Sec 20 T 05N R 03W
(.040 CFS)
(.040 CFS)
(.040 CFS)
Total Diversion: (.080 CFS) (.20 AF)
NENW
63-11171

FORESTGREEN PARK WATER ASSN.
407 E. SPRUCE
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
SESENE Sec 33 T 04N R 03W
(.080 CFS)

63-11180
SHIPMAN, CLIFFORD
SHIPMAN, LETA
1920 S. POWERLINE
NAMPA, ID 83686
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
Use: STOCKWATER
Use: DOMESTIC
SWSW Sec 35 T 03N R 02
(.140 CFS)
(.050 CFS)
(.040 CFS)
Total Diversion: (.200 CFS)
Date Filed: 1/31/1990
In: T03N R02W S35
7.0 ACRES TOTAL
63-11181

FORD, JAMES D.
FORD, CECILIA
6148 HAPPY LN.
NAMPA, ID 83686
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
Use: STOCKWATER
Use: DOMESTIC
Date Filed: 1/18/1990
In: T02N R02W S24
SESENE Sec 24 T 02N R 02
(.080 CFS)
(.030 CFS)
(.040 CFS)
Total Diversion: (.140 CFS)
NESE
4.0 ACRES TOTAL
63-11182

GARWICK, HOWARD R.
GARWICK, GAIL E.
9152 NORTHVIEW RD.
MIDDLETON, ID 83644
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
Use: STOCKWATER
Use: DOMESTIC
Date Filed: 1/24/1990
In: T05N R02W S21
SWNESE Sec 21 T 05N R 02
(.200 CFS)
(.030 CFS)
(.040 CFS)
Total Diversion: (.270 CFS)
NESE
10.0 ACRES TOTAL
63-11183

DEAN, NOBLE E.
DEAN, JANE L.
P.O. BOX 1191
2424 POLK ST.
CALDWELL, ID 83606
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
Date Filed: 2/27/1990
In: T04N R03W S14
SENESEW Sec 14 T 04N R 03
(.080 CFS)
Total Diversion: (.080 CFS)
NESEW
2.5 TOTAL ACRES
63-11184

PAR ESTATES HOMEOWNERS ASSN.
GERALD B. CONGER, TREAS.
15381 GRIFFIN LN.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
Use: DOMESTIC
Date Filed: 1/23/1990
In: T05 R03W S28
SWNE Sec 28 T 05N R 03
SENE Sec 28 T 05N R 03
(.400 CFS)
(.440 CFS)
Total Diversion: (.840 CFS)
SWNE SENE
20.0 ACRES TOTAL
63-11186

EWERS, JANET L.
EWERS, DONALD L.
26736 HWY. 30
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
Date Filed: 2/01/1990
In: T05N R03W S21
SWNE Sec 21 T 05N R 03
(.020 CFS)
Total Diversion: (.020 CFS)
SWNE
0.5 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before MARCH 26, 1990.
R. KEITH HIGGINSON
Director
March 7, 14, 1990

MICROFILMED

JUN 21 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

July 15, 1998

KATHLEEN CHELDELIN
GEORGE K CHELDELIN
16531 GOODSON RD
CALDWELL ID 83605

RE: Water Rights 63-11168/63-11170

Dear Mr. & Mrs. Cheldelin:

The Department of Water Resources (the Department) has issued the enclosed licenses confirming that water rights have been established in accordance with the permits referenced above. The licenses are preliminary orders issued by the Department pursuant to section 67-5243, Idaho Code. They can and will become final orders without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below.

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district

court by filing a petition in the district court of the county in which:


- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

For your records I have also enclosed a copy of your Application for Amendment of Permit, which was approved.

If you have questions, please contact me at (208) 327-7946.

Sincerely,



Shelley W. Keen
Water Rights Supervisor

SWK:klt


Enclosures

CERTIFICATE OF MAILING

I hereby certify that on the 15th day of July, 1998, I mailed a true and correct copy, postage prepaid, of the foregoing **PRELIMINARY ORDERS (Approved Licenses)** to the person(s) listed below:

Water Rights 63-11168/63-11170

**KATHLEEN CHELDELIN
GEORGE K CHELDELIN
16531 GOODSON RD
CALDWELL ID 83605**


Kari Lynn Townsend
Secretary

WR0749NP
No. L63-11170

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 07/10/98
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	GEORGE K CHELDELIN	01/23/1990	COMMERCIAL	01/01-12/31	0.040 CFS	29.00 AFA
C	KATHLEEN C CHELDELIN		COMMERCIAL STORAGE	01/01-12/31		0.20 AFA
	16531 GOODSON RD		DOMESTIC	01/01-12/31	0.040 CFS	1.20 AFA
	CALDWELL ID 83605		DIVERSION TO STORAGE	01/01-12/31	0.040 CFS	
	(208) 454-1966					
TOTAL DIVERSION:					0.080 CFS	30.40 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.090 CFS

Point(s) of Diversion: T05N R03W S20 NE1/4 CANYON County

Place of use Legal Description for: COMMERCIAL

NE				NW				SW				SE			
NENE	NWNE	SWNE	SENE	NENW	NWNW	SWNW	SENW	NESW	NWSW	SWSW	SESW	NESE	NWSE	SWSE	SESE
T	F	S		T	F	S		T	F	S		T	F	S	
05N	03W	20													

Place of use location for DOMESTIC is the same location as described for: COMMERCIAL

Pol County: CANYON

Other Water Rights with Same Point(s) of Diversion with Stage (Includes All Sources):

63-11168 L63-11168

Remarks: GEN Rights 63-11168 and 63-11170 when combined shall not exceed a total annual maximum diversion volume of 29.0 af for commercial purposes.
Rights 63-11168 and 63-11170 are limited to a combined storage volume of 0.2 af.
Commercial use is for waterfowl production.
Domestic use is for 1 home.

Dates: App. Received: 02/26/1990 Priority Date: 01/23/1990 (Priority Date Advanced.)
Proof Due Date: 07/01/1993 Proof Made Date: 08/26/1993 (Proof Received Late.)
Exam Made Date: 09/18/1996 Exam Sent to S.O.: 02/17/1998
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 07/07/98 CZIMMERM 07/07/98 CZIMMERM 07/10/98 CZIMMERM 07/10/98 CZIMMERM

B/U FIELD EXAM REVIEW

by *Cindy Lou*Permit #: 63-11170 Name: Cheldin Date: 7/7/98 ✓ Lots

NAME Chng Same ✓ Or Address Change?

SOURCE ✓ Clarify source
 Prelim. Order to Void - Source change.

P/D ✓ Amendment Needed? Addn'l 1/4? Legal RENEW P39
 Same 1/4? W32 P36
 Overlap(s) none

P/U ✓ Amendment Needed? P41
 Overlap(s) 63-11168 (same ponds)
 (Gov't use special ¶'s) *P/D & P/U Amend? P37

RATE ✓ Permit/proof fee limits 0.08 / 0.20
 Measured Quantity = cfs Theoretical Quantity = 0.0 cfs
 allow permitted rates
 (HP) $\frac{8.8 \times 0.70 \times 2}{40} + (2.31 \times \frac{45}{45}) = 0.09$ cfs
 ✓ Recommended capacity 0.09 cfs
 ✓ Recommended rate 0.08 cfs

VOLUME ✓ Season: (/) 1/1-12/31 = 365 days
 Calculations: $\frac{Comm = 29.0}{const. = 0.2} = 30.4$
dom = 1.2
 Flow limit: cfs x days/yr. x 1.9835 = AF
✓ Recommended volume 30.4 AF

USES ✓ Same Nature of Use? P46
 Amendment Needed?

REMARKS Multiple p/d's in same 1/4? Use W32
✓ W01/1 Comm W35

CONDITIONS

 Measuring Device (R43) or Lockable Controlling Works (R02)
 Watermaster Control (R04) - WD #
 Irrigation rate/annual volume overlap
 GW irrigation replaces surface water (050)
 GW irrigation supplements surface water (065)
 Water Quality
 Other

PRIORITY

App Rcd 2/26/90 Due 7/1/93 Rcd 8/26/93
 Receipt# C028437 Fee OK? Yes No
 Order to Reinstate Needed? No Done? 8/31/93 Advanced to: 4/23/90
 Priority 4/23/90 Examined 9/18/96

COMMENTS:

license as permitted; delete comm fm storage use

USE	CFS	VOLUME
Commercial	0.04	29.0
Comm stor	-	0.2
~~Comm fm stor~~	~~-~~	~~0.2~~
div to storage	0.04	-
domestic	0.04	1.2
TOTAL	0.08	30.4

SRBA Overlap none
 Adjustment Memo ✓
 LICENSE
 #1 AMEND: /P38
 #2 AMEND: (R)P42/(C)P47

MEMORANDUM

DATE: July 10, 1998
TO: File No. 63-11170
FROM: Cindy Lou Zimmerman *CS*
SUBJECT: Review of Beneficial Use Field Report

The examiner incorrectly calculated the annual volume for commercial use for this right. Also, this permit identifies commercial use from storage without identify what that use was. I called the permit holder, Kathleen Cheldelin, today. Mrs. Cheldelin states that groundwater (under 63-11170) is diverted through the ponds when Conway Ditch water is not sufficient or available. Water is diverted to and through the ponds for commercial and storage uses then discharges back into Conway Ditch. Water is not diverted from storage.

The following adjustments¹ were made on the field report to reflect department standards and licensing practises for uses developed under this permit:

G. Volume Calculations.

- a. Commercial.
 $V_{D.R.} = \text{rate} \times \text{days} \times 1.9835 = 0.04 \times 365 \times 1.9835 = \underline{\mathbf{29.0}} \text{ AF.}$
- b. Commercial Storage, see exam = 0.2 AF.
- c. Diversion to Storage = NA
- d. Domestic, 1 home = 1.2 AF.
- e. Maximum diversion volume = $a + b + c + d = 29.0 + 0.2 + 1.2 = \underline{\mathbf{30.4}} \text{ AF}$

H. Recommendations.

1. Recommended amounts:

Beneficial Use	Period of Use	Rate of diversion	Annual Volume
Commercial	1/1-12/31	0.04 cfs	<u>29.0</u> AF
Commercial Storage	1/1-12/31	-	0.2 AF
Diversion to Storage	1/1-12/31	0.04 cfs	-
Domestic	1/1-12/31	0.04 cfs	1.2 AF
	Totals:	0.08 cfs	<u>30.4</u> AF

Examiner: Dan Tomich
Examined: September 18, 1996

¹ Adjustments are **bolded and underlined**.

MICROFILMED
AUG 06 1998

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

FEB 18 1997

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-11170

1. Owner: Kathleen C. Cheldelin Phone No. (208) 454-1966

Current Address: 16531 Goodson Rd., Caldwell, ID 83605

2. Accompanied by: Michael Brennan EXAM DATE: 9-18-96

Address: Goodson Rd. Phone No. _____

Relationship to Permit Holder: Neighbor

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 63-11168

2. Other water rights with the same point of diversion: None

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NE	NE	NW	20	5N	3W	Canyon	Site Visit, Map

2. Place(s) of Use:

Indicate Method of Determination Site Visit, Map

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
5N	3W	20					D	C											


MICROFILMED

AUG 06 1998

MICROFILMED

AUG 06 1998

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.D. as applicable.



Scale: 1" = No Scale

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☐ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Franklin	2		Ste-Rite	

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: None - System operator at 45 psi.

WIC ID: 2122

AUG 06 1998

E. NARRATIVE/REMARKS/COMMENTS

1. This permit is for a 6" well and water system to serve 1 house and 5 ponds and 1 bath for waterfowl production. The well pumps water for domestic use at the house, and through a 2" pipeline to the first of 5 ponds. From the first pond, the water gravity flows to the next pond, and then to the next, etc.
2. A pump in Conway Gulch pumps surface water through a 2" pipeline to the third pond, where it also gravity feeds the last two ponds and bath - WR 63-11168.
3. The ponds & bath are used for waterfowl production.
4. George K. is now deceased. Owner would be just Kathleen.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
AUG 06 1998

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method: None - Theoretical Cal.

Allow Commercial - 0.04 cfs
Domestic - 0.04
0.08 cfs

$$Q_{max} = \frac{(8.8)(2 \text{ HP})(70 \text{ ft})}{40' + (45 \text{ PSI}) \left(\frac{34'}{14.7 \text{ PSI}} \right)}$$

$$= 0.09 \text{ cfs} > 0.08 \text{ cfs}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{2cm}}$$

$$V_{D.R.} = [\text{Diversión Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\hspace{2cm}}$$

2. Volume Calculations for Other Uses: 1) Domestic, Allow 1.2 AFA

$$2) \text{ Ponds: Vol.} = \left[(100' \times 25') (5 \text{ ponds}) + (25' \times 10') \right] / (6.6)(6.6)(10)$$

$$= 0.29 \text{ AF}$$

Allow 0.2 AFA in Permit

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversión Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Commercial</u>	<u>01/01</u>	<u>12/31</u>	<u>0.04</u>	<u>0.20 AFA</u>
<u>Commercial Storage</u>	<u>01/01</u>	<u>12/31</u>		<u>0.2 AF</u>
<u>Commercial from Storage</u>	<u>01/01</u>	<u>12/31</u>		<u>0.2 AF</u>
<u>Domestic</u>	<u>01/01</u>	<u>12/31</u>	<u>0.04</u>	<u>1.2 AFA</u>
<u>Diversión to Storage</u>	<u>01/01</u>	<u>12/31</u>	<u>0.04</u>	
Totals:			<u>0.08</u>	<u>1.4 AFA</u>

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☐ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☒ Other

1) Drop George K.
from owner
name.


I. AUTHENTICATION

Field Examiner's Name Don Tomich Date 2-13-98

Reviewer _____ Date _____


SEAL

MICROFILMED
AUG 16 1998




Mapped, edited, and published by the Geological Survey
Control by USGS and USC&GS

Topography by photogrammetric methods from aerial
photographs taken 1969. Field checked 1970
Projection and 10,000-foot grid ticks: Idaho coordinate
system, west zone (transverse Mercator)
1000-meter Universal Transverse Mercator grid ticks,
zone 11, shown in blue. 1927 North American datum
Fine red dashed lines indicate selected fence lines



No Gov. Lots
MICROFILMED
JUL 06 1998



CONTOUR INT
DOTTED LINES REPR
DATUM IS ME

UTM GRID AND 1970 MAGNETIC NORTH
DECLINATION AT CENTER OF SHEET

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: Unknown OTHER APPLICABLE NO: 63-11170
2. OWNER: Kathleen C. Choldelin Phone: (208) 454-1966
Address: 16531 Goodson Rd, Caldwell, ID 83605
3. WELL LOCATION: Twp 5N, Rge. 3W, Sec. 20, NE 1/4 NW 1/4
County _____ (Provide sketch map and photo on reverse.)
4. DRILLER: Johnston Lic. No. _____
When Drilled? 1962
5. WELL CONSTRUCTION:
Casing Diameter 6 inches Water tight cap? ☒ Yes ☐ No Access Port: ☐ Yes ☒ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing ? 265? ft. Method Drilled Unknown
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☒ Yes ☐ No Pressure Gauge: ☐ Yes ☒ No
Condition of Piping and Valving Good
Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☒ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION: Unknown
Depth to Static Water _____ ft. Water Temperature _____ °F
Flowing Artesian ☐ Yes ☐ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☐ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:
☒ Domestic ☐ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☒ Other: Commercial

MICROFILMED
AUG 06 1998

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chernigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS:

Well Driller's Report was not found.

Jan Tomich Water Rights Examiner
Signature of Dept. Representative & Title

9-18-96
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



AMC 800 101-100

316 0 6 1998

1 of 2

P/D

Well



P/u

House

[04
9-26-96]

MICR

AUG 10 1950

63-11170

2 of 2

P/u

Water
fowl

Pond



P/u

Water
fowl
Pond



REFILMED
AUG 06 1998

63-11170

September 3, 1993

GEORGE K. CHELDELIN
KATHLEEN C. CHELDELIN
16531 GOODSON RD.
CALDWELL ID 83605

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11170

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order advancing the priority of the permit since the proof was received after the proof due date. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

Enclosure

MISSOURI MFD

OCT 20 1993

July 7, 1993

GEORGE K. CHELDELIN
KATHLEEN C. CHELDELIN
16531 GOODSON RD.
CALDWELL ID 83605

LAPSE NOTICE

RE: PERMIT NO. 63-11170

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated April 30, 1993. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifteen dollar (\$15) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau

Enclosures

CERTIFICATION OF MAILING

I hereby certify that on 7/7/93
a copy/an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

RECORDED

OCT 20 1993

April 30, 1993

GEORGE K. CHELDELIN
KATHLEEN C. CHELDELIN
16531 GOODSON RD.
CALDWELL ID 83605

PROOF DUE NOTICE

RE: PERMIT NO. 63-11170

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before July 1, 1993. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



OCT 20 1993

July 16, 1991

KEITH CHELDELIN
16531 GOODSON RD
CALDWELL ID 83605

Dear Mr. Cheldelin:

RE: Permit No. 63-11170

Enclosed is a copy of the approved request for extension of time. The time within which to submit proof of beneficial use is extended to July 1, 1993.

The request for extension of time has been granted due to a showing of due diligence. It is important that you proceed with diligence toward the development of this project under this permit in the time allowed by the extension request.

If you have any questions concerning this matter, please feel free to contact this office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

MICROFILMED

AUG 06 1991

138453
April 30, 1991

GEORGE K. CHELDELIN
KATHLEEN C. CHELDELIN
16531 GOODSON RD.
CALDWELL, ID 83605

PROOF DUE NOTICE

RE: PERMIT NO. 63-11170

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before July 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

AUG 06 1991

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
June 11, 1990

GEORGE K. CHELDELIN
KATHLEEN C. CHELDELIN
16531 GOODSON RD.
CALDWELL, ID 83605

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P63-11170

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use".

MicroFILMED

JUN 21 1990

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

JUN 21 1990

CONVERSATION MEMORANDUM

DATE

2/27/90

FILE

63-11168

63-11170

NAME OF PARTY

George Chaldalin

EMPLOYEE

Steve Lester

RE:

2 Appl. for Permit, raises waterfowl for sale.

1 for Waste water - P/d = dtd on map near 1/4 1/4

1 " ground water

Line East
of ponds.

both under series of ponds, approx. 34 ponds.

sizes are estimated:

10 = small circles 5' diam x 2' deep

1 = 30' x 30' x 2'

3 = 30' circle x 2'

20 = 15' " x 2'

Volume stored:

$$(33)(\pi r^2 h) + (1)(L \cdot w \cdot h)$$

$$\rightarrow 30 \times 30 \times 2 = 1800 \text{ ft.}^2$$

$$(10)(3.1412)(2.5)^2(1) = 196.3 "$$

$$(3)(3.1412)(15)^2(1) = 2120.3 "$$

$$(20)(3.1412)(7.5)^2(1) = 3533.9 "$$

$$\text{TOTAL} \quad 7650.5 \text{ ft.}^2$$

JUN 21 1990

7650.5

435.60

$$= .18 \text{ A.F.} = .2 \text{ A.F.}$$

in each appl., .04 cfs commercial stores:

$$(.04)(1.9835) = .08 = .1 \text{ A.F. in 24 hrs.}$$

Takes more than 24 hrs. to fill ponds, need storage

CONT.
ON
back.

Wastewater appl.

Note limited season of use. He mentioned irrigation with wastewater during irrig. season is thought only needed commercial w. water use when irrig. w. water was not available.

However, the new use is all year & needs water right protection all year. Change period of ~~use~~ use to 1/1-12/31. Irrigation remains a separate use.

RECORDED & INDEXED

JUN 21 1990

63-11170

CHELDELIN, GEORGE K.
CHELDELIN, KATHLEEN C.
16531 GOODSON RD.
CALDWELL, ID 83605

Source: GROUNDWATER

Diversion Pt: NENENW Sec 20 T 05N R 03W

Use: COMMERCIAL	(.040 CFS)	
COMMERCIAL STORAGE		(.20 AF)
DOMESTIC	(.040 CFS)	
DIVERSION TO STORAGE	(.040 CFS)	
Total Diversion:	(.080 CFS)	(.20 AF)

Date Filed: 2/26/1990

In: T05N R03W S20 NENW

MICROFILMED

JUN 21 1990