


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Mapped, edited, and published by the Geological Survey

Control by USGS and USC&GS

Topography by photogrammetric methods from aerial photographs taken 1969. Field checked 1970

Projection and 10,000-foot grid ticks: Idaho coordinate system, west zone (transverse Mercator)

1000-meter Universal Transverse Mercator grid ticks, zone 11, shown in blue. 1927 North American datum

Fine red dashed lines indicate selected fence lines

This map has been prepared by the Idaho Department of Water Resources pursuant to Idaho Code §42-1410 to assist claimants in filing notices of claims and objections in the Snake River Water Right Adjudication. No warranty, either express or implied, is made and no legal liability is assumed by the Idaho Department of Water Resources for the use of this map.

UTM GRID AND 1970 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET

FOR SALE

MICROFILMED


JUN 21 1990

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

George K. Childers
(Applicant)

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = No Scale

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		5		Jacuzzi	G5 AL $\frac{1}{2}$ BWG
					734

*Code to correspond with No. on map and aerial photo


D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: None, operating pressure about 45 psi.

MICROFILMED



Mapped, edited, and published by the Geological Survey
Control by USGS and USC&GS


Topography by photogrammetric methods from aerial
photographs taken 1969. Field checked 1970

Projection and 10,000-foot grid ticks: Idaho coordinate
system, west zone (transverse Mercator)
1000-meter Universal Transverse Mercator grid ticks,
zone 11, shown in blue. 1927 North American datum
Fine red dashed lines indicate selected fence lines

GN
MN
0° 13' 18 1/2°
4 MILS 329 MILS

No Gov. Lots

MICROFILMED
AUG 0 1972



CONTOUR INT
DOTTED LINES REPRESENT
DATUM IS ME

UTM GRID AND 1970 MAGNETIC NORTH
DECLINATION AT CENTER OF SHEET

1 of 2

P/D

Pump
Unit

at

Conway
Gulch



P/D

3" intake
pipe for

Pump
Unit

at

Conway
Gulch.



MICROFILMED 63-11168

AUG 6 8 1993

2 of 2

P/u

Water
fowl
Pond



P/u

Water
fowl
Pond.



MICROFILMED

AUG 06 1998

63-11168

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 63-11168

Priority: March 13, 1990

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

29.2 AF

This is to certify, that KATHLEEN CHELDELIN
GEORGE K CHELDELIN

16531 GOODSON RD
CALDWELL ID 83605

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 26, 1990; and has submitted Proof of Beneficial Use on July 16, 1993. An examination indicates that the works have a diversion capacity of 0.270 cfs of water from:

CONWAY GULCH

tributary to **BOISE RIVER**

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
COMMERCIAL	01/01 to 12/31	0.04 CFS	29.0 AF
COMMERCIAL STORAGE	01/01 to 12/31		0.2 AF
DIVERSION TO STORAGE	01/01 to 12/31	0.04 CFS	
	Totals	0.04 CFS	29.2 AF

LOCATION OF POINT(S) OF DIVERSION:

NENW , Sec. 20, Township 05N, Range 03W
CANYON County

PLACE OF USE: COMMERCIAL

TWN RGE SEC

05N 03W 20

NENW

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

MICROFILMED

AUG 06 1998

State of Idaho
Department of Water Resources

Water Right License


WATER RIGHT NO. 63-11168

CONDITIONS OF APPROVAL AND REMARKS

5. Rights 63-11168 and 63-11170 when combined shall not exceed a total annual maximum diversion volume of 29.0 af for commercial purposes.
6. Rights 63-11168 and 63-11170 are limited to a combined storage volume of 0.2 af.
7. Commercial use is for waterfowl production.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 14TH day of July, 1998.

Acting for


KARL J. DREHER, Director

RECORDED

AUG 06 1998

RECEIVED
JUL 1 1993
Department of Water Resources

OFFICE USE ONLY
Amt. of Fee \$ 50.00
Date 7-16-93
Receipt No. C028155
Receipt by 04

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-11168 Telephone No. 454-1966
2. Name(s) of Permit Holder(s): George K Cheldelin, Kathleen C Cheldelin
3. Mailing Address: 16531 Goodson Rd. Caldwell ID 83605
4. Source of Water: Conway Gulch

If GROUNDWATER, Well Driller's Name: _____ Date Drilled: _____

OPTIONAL:

Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation _____ (No. of acres) Other Ponds - commercial water fowl

6. Total rate and/or volume for which proof is submitted 0.04 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes X No Installed? _____ Yes _____ No

OR

Flow Measurement Port: Required? _____ Yes X No Installed? _____ Yes _____ No

8. Fee Enclosed: \$ 50.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Shane Cheldelin 454-1966
Name Telephone No.

16531 Goodson Rd. Caldwell ID 83605
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

7/14/93 Kathleen C. Cheldelin
Date Signature (and title, if on behalf of a company or organization)

RECORDED
JUL 23 1993

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 63-11168)
IN THE NAME OF GEORGE & KATHLEEN CHEDELIN) ORDER OF
REINSTATEMENT)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before July 1, 1993; and,

WHEREAS, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,

WHEREAS, the Department notified the permit holder that the permit had lapsed for failure to submit the proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on July 16, 1993;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 63-11168 be REINSTATED with an advance in priority to March 13, 1990.

Dated this 22ND day of July, 1993.

for Norman C. Young
L. GLEN SAXTON
Chief, Water Allocation Bureau

RECEIVED
JUL 23 1993

RECEIVED

JUN 26 1992

For Office Use Only
\$15 Fee Received by SM
Date 6-29-92
Receipt No. CC29718

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

REQUEST FOR EXTENSION OF TIME

TO PROVIDE ADDITIONAL TIME IN WHICH TO SUBMIT PROOF OF
BENEFICIAL USE FOR A WATER RIGHT PERMIT

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of water right under the provisions of Section 42-204, Idaho Code.

Permit No. 63-11168

Name(s) of Permit Holder: George K. Cheldelin

Mailing Address: 16531 Goodson Rd, Caldwell, Id. 83605

Date Proof is Due July 1, 1992 Telephone No. 454-1966

Describe what work has been completed toward the development of this water right:
(This must be filled out! If no work has been completed, show "none".)

Electric Line Installed to pump and
pump just about installed.

Costing \$ 600⁰⁰/₁₀₀

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

I have been too busy with the bird operation
To get it finished but that will let up
in about a month and I can finish.

Permit holder(s) request an extension to July 1, 19 92.

FEE: \$15.00

George Keith Cheldelin
(Signature)*

*If other than permit holder, Power of Attorney must be supplied.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

MICROFILMED

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED JUL 29 1992
and the time within which to submit proof of beneficial use is
extended to July 1, 1993.

Signed this 1st day July, 19 92

J. Allen Saxton
Chief, Water Allocation Bureau

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 63-11168

Proposed Priority: February 26, 1990 Maximum Diversion Rate: 0.04 CFS

This is to certify, that **GEORGE K. CHELDELIN**
KATHLEEN CHELDELIN
16531 GOODSON RD.
CALDWELL, ID 83605

has applied for a permit to appropriate water from:

CONWAY GULCH tributary of **BOISE RIVER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
COMMERCIAL	01/01 to 12/31	0.04 CFS	
COMMERCIAL STORAGE	01/01 to 12/31		0.2 AF
COMMERCIAL FROM STORAGE	01/01 to 12/31		0.2 AF
DIVERSION TO STORAGE	01/01 to 12/31	0.04 CFS	
	Totals	0.04 CFS	

LOCATION OF POINT(S) OF DIVERSION: NENW Sec. 20, Township 05N, Range 03W
CANYON County

PLACE OF USE: COMMERCIAL

TWN RGE SEC

05N 03W 20 NENW

PLACE OF USE: COMMERCIAL STORAGE, same as COMMERCIAL use

PLACE OF USE: COMMERCIAL FROM STORAGE, same as COMMERCIAL use

PLACE OF USE: DIVERSION TO STORAGE, same as COMMERCIAL use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 1992.
2. Subject to all prior water rights.
3. Source is waste water delivered via Conway Gulch as per USGS map. Commercial use is for water fowl production.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

11th day of June, 1990.

MICROFILMED

JUN 21 1990

for


R. Keith Higginson, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Cheldelin, George K. and/or Kathleen Phone 208-454-1966
Post office address 16531 Gordon Road, Caldwell 83605
2. Source of water supply Conway gulch ~~Waste Water~~ which is a tributary of Brier River *
3. Location of point of diversion is ~~NE~~ 1/4 of NE 1/4 of NW 1/4, Govt. Lot _____
Sec. 20 Township 5N Range 3W B.M. Canyon County; additional
points of diversion if any: _____ *
4. Water will be used for the following purposes:
Amount 0.04 for Commercial purposes from 1/1 to 12/31 (both dates inclusive) *
(cfs or acre-foot per annum) 10/15 to 3/15
Amount 0.04 for Diversion to storage purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-foot per annum)
Amount 0.2 for Commercial storage purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-foot per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-foot per annum)
5. Total quantity to be appropriated is (a) 0.04 and/or (b) 0.2 *
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Water wheel, pump jack into
pipes and series of small ponds in water pool
pens. water then back into waste ditch
b. Height of storage dam N/A (ponds) feet; active reservoir capacity .2 acre-feet; total *
reservoir capacity .2 acre-feet; period of year when water will be diverted to storage:
1/1 to 12/31 inclusive.
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
d. Is ground water with a temperature of greater than 90°F being sought? No **MICROFILMED**
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
2 1/2 years (minimum 1 year). **JUN 21 1990**

* per USGS map and telecon with G.K. Cheldelin 2/27/90 SC.
See comm. memo for storage information.

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. Commercial, water food production

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
SN	3W	20					C												C

Total number of acres to be irrigated C

10. Describe any other water rights used for the same purposes as described above. None

63-1170 well for domestic and same commercial use.

11. a. Who owns the property at the point of diversion? Applicant

b. Who owns the land to be irrigated or place of use? Applicant


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. None

12. Remarks: Source is wastewater delivered via Conway gulch (as per USGS topo 2/27/90, 8L).

RECORDED

JUN 21 1991

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

George K. Chittenden
(Applicant)

Received by BAS Date 2/26/90 Time 16:25 Preliminary check by 82
Fee \$ 30⁰⁰ Receipted by BAS # W009578 Date 2/26/90
Publication prepared by GG Date 2-28-90 Published in Press-Tribune
3/7 & 3/14/90
Publication approved st Date 4-23-90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

MICROFILMED

JUN 21 1990

NOTICE OF APPLICATION FOR WATER RIGHT
The following application(s) have been filed to appropriate the public waters of the State of Idaho:

SEDLACEK, GARY
6621 LYNWOOD RD.
NAMPA, ID 83686
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

Date Filed: 1/24/1990

63-11109

NWNE Sec 30 T 02N R 02W
(1.600 CFS)
Total Diversion: (1.600 CFS)

YEAKEL, LESTER S.
YEAKEL, NOLA F.
30511 HWY. 95
PARMA, ID 83660
Source: UNNAMED DRAIN
Diversión Pt:

Use: IRRIGATION

Date Filed: 1/11/1990
In: T05N R04W S29
In: T05N R04W S30
In: T05N R04W S31 Lot 11
In: T05N R04W S32 Lot 4

PALMER, JOHN R.
PALMER, MARY L.
34663 APPLE VALLEY RD.
PARMA, ID 83660
Source: GROUNDWATER
Diversión Pt:
Use: COMMERCIAL

Date Filed: 2/13/1990
In: T06N R05W S07 LOT 2

PALMER, JOHN R.
PALMER, MARY L.
34663 APPLE VALLEY RD.
PARMA, ID 83660
Source: UNNAMED DRAIN
Diversión Pt:
Use: IRRIGATION

Date Filed: 2/13/1990
In: T06N R05W S07 Lot 2

CHELDELIN, KATHLEEN
CHELDELIN, GEORGE K.
16531 GOODSON RD.
CALDWELL, ID 83605
Source: CONWAY GULCH
Diversión Pt:
Use: COMMERCIAL
Use: COMMERCIAL STORAGE
Use: DIVERSION TO STORAGE

Date Filed: 2/16/1990
In: T05N R03W S20

CRAM, DAVID S.
CRAM, DELORIS E.
11968 ORCHARD AVE.
NAMPA, ID 83651
Source: GROUNDWATER
Diversión Pt: Lot 4
Use: IRRIGATION

Date Filed: 2/13/1990
In: T03N R02W S18 Lot 4

CHELDELIN, GEORGE K.
CHELDELIN, KATHLEEN C.
16531 GOODSON RD.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversión Pt:
Use: COMMERCIAL
Use: COMMERCIAL STORAGE
Use: DOMESTIC
Use: DIVERSION TO STORAGE

Date Filed: 2/16/1990
In: T05N R03W S20

FOREST GREEN PARK WATER ASSN.
407 E. SPRUCE
CALDWELL, ID 83605
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

63-11165

NESW
NWSW
SWSW
Lot 4 (NWNW)
Tributary: BOISE RIVER
Sec 29 T 05N R 04W
Sec 29 T 05N R 04W
Sec 29 T 05N R 04W
Sec 32 T 05N R 04W
(.470 CFS)
Total Diversion: (.470 CFS)

NESE Lot 2 (NWSE) Lot 2 (SWSE) Lot 1 (SESE)
(NENE)
(NWNW)
107.0 ACRES TOTAL
63-11166

Lot 2 (SESENE) Sec 7 T 06N R 05W
(.040 CFS)
Total Diversion: (.040 CFS)
(SENE)

63-11167

LOT 2 (SESENE) Tributary: SNAKE RIVER
Sec 7 T 06N R 05W
(.180 CFS)
Total Diversion: (.180 CFS)
(SENE)

9.0 ACRES TOTAL
63-11168

NENW Tributary: BOISE RIVER
Sec 20 T 05N R 03W
(.040 CFS)
(.200 CFS) * 1.7 AF
(.04 CFS) (.20 AF)
Total Diversion: (.040 CFS) (.20 AF)

ACRES TOTAL
63-11169

(SWSWSW) Sec 18 T 03N R 02W
(.060 CFS)
Total Diversion: (.060 CFS)
(SWSW)

2.0 ACRES TOTAL
63-11170

NENENW Sec 20 T 05N R 03W
(.040 CFS)
(.20 AF)
(.040 CFS)
(.040 CFS)
Total Diversion: (.080 CFS) (.20 AF)

63-11171

SESENE Sec 33 T 04N R 03W
(.080 CFS)

63-11180

SHIPMAN, CLIFFORD
SHIPMAN, LETA
1920 S. POWERLINE
NAMPA, ID 83686
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION
Use: STOCKWATER
Use: DOMESTIC

Date Filed: 1/31/1990
In: T03N R02W S35

SWSW Sec 35 T 03N R 02N
(.140 CFS)
(.050 CFS)
(.040 CFS)
Total Diversion: (.200 CFS)

7.0 ACRES TOTAL
63-11181

FORD, JAMES D.
FORD, CECELIA
6148 HAPPY LN.
NAMPA, ID 83686
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION
Use: STOCKWATER
Use: DOMESTIC

Date Filed: 1/18/1990
In: T02N R02W S24

SENESE Sec 24 T 02N R 02N
(.080 CFS)
(.020 CFS)
(.040 CFS)
Total Diversion: (.140 CFS)

4.0 ACRES TOTAL
63-11182

GARWICK, HOWARD R.
GARWICK, GAIL E.
9152 NORTHVIEW RD.
MIDDLETON, ID 83644
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION
Use: STOCKWATER
Use: DOMESTIC

Date Filed: 1/24/1990
In: T05N R02W S21

SWNESE Sec 21 T 05N R 02N
(.200 CFS)
(.030 CFS)
(.040 CFS)
Total Diversion: (.270 CFS)

10.0 ACRES TOTAL
63-11183

DEAN, NOBLE E.
DEAN, JANE L.
P.O. BOX 1191
2424 POLK ST.
CALDWELL, ID 83606
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

Date Filed: 2/27/1990
In: T04N R03W S14

SENESW Sec 14 T 04N R 03W
(.080 CFS)
Total Diversion: (.080 CFS)

2.5 TOTAL ACRES
63-11184

PAR ESTATES HOMEOWNERS ASSN.
GERALD B. CONGER, TREAS.
15381 GRIFFIN LN.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversión Pt:

Use: IRRIGATION
Use: DOMESTIC

Date Filed: 1/23/1990
In: T05 R03W S28

SWNE Sec 28 T 05N R 03W
SENE Sec 28 T 05N R 03W
(.400 CFS)
(.440 CFS)
Total Diversion: (.840 CFS)

SWNE SENE
20.0 ACRES TOTAL
63-11186

EWERS, JANET L.
EWERS, DONALD L.
26736 HWY. 30
CALDWELL, ID 83605
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

Date Filed: 2/01/1990
In: T05N R03W S21

SWNE Sec 21 T 05N R 03W
(.020 CFS)
Total Diversion: (.020 CFS)

0.5 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise Idaho 83705 on or before MARCH 26, 1990.

R. KEITH HIGGINSON
Director
March 7, 14, 1990

MICROFILMED

JUN 21 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

July 15, 1998

KATHLEEN CHELDELIN
GEORGE K CHELDELIN
16531 GOODSON RD
CALDWELL ID 83605

RE: Water Rights 63-11168/63-11170

Dear Mr. & Mrs. Cheldelin:

The Department of Water Resources (the Department) has issued the enclosed licenses confirming that water rights have been established in accordance with the permits referenced above. The licenses are preliminary orders issued by the Department pursuant to section 67-5243, Idaho Code. They can and will become final orders without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below.

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district

MICROFILM
AUG 06 1998

court by filing a petition in the district court of the county in which:


- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

For your records I have also enclosed a copy of your Application for Amendment of Permit, which was approved.

If you have questions, please contact me at (208) 327-7946.

Sincerely,



Shelley W. Keen
Water Rights Supervisor

SWK:klt

Enclosures


MICROFILMED
AUG 06 1998

CERTIFICATE OF MAILING

I hereby certify that on the 15th day of July, 1998, I mailed a true and correct copy, postage prepaid, of the foregoing **PRELIMINARY ORDERS (Approved Licenses)** to the person(s) listed below:

Water Rights 63-11168/63-11170

**KATHLEEN CHELDELIN
GEORGE K CHELDELIN
16531 GOODSON RD
CALDWELL ID 83605**


Kari Lynn Townsend
Secretary

MICROFILMED
AUG 06 1998

WR0745WP
No. 63-11168

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 07/10/98
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	KATHLEEN CHELDELIN	03/13/1990	COMMERCIAL	01/01 12/31	0.040 CFS	29.00 AFA
C	GEORGE K CHELDELIN		COMMERCIAL STORAGE	01/01 12/31		0.20 AFA
	16531 GOODSON RD		DIVERSION TO STORAGE	01/01 12/31	0.040 CFS	
	DALDWELL ID 83605					
	(208) 454-1966					
TOTAL DIVERSION:					0.040 CFS	29.20 AFA

Water Source: CONWAY GULCH

Tributary to: BOISE RIVER

Stage: LICENSE

Point(s) of Diversion Capacity: 0.270 CFS

Point(s) of Diversion: T05N R03W 020 NW CANYON County

Place of use Legal Description for: COMMERCIAL

NE				NW				SW				SE			
NENE	NWNE	SWNE	SENE	NENW	NWNW	SWNW	SENW	NESW	NWSW	SWSW	SESW	NESE	NWSE	SWSE	SESE
T	R	S	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac
05N 03W 20 : : C : : : :															

Pou County: CANYON

Other Water Rights with Same Point(s) of Diversion with Stage (Includes All Sources):
63-11168 L63-11170

Remarks: GEN Rights 63-11168 and 63-11170 when combined shall not exceed a total annual maximum diversion volume of 29.2 af for commercial purposes.
Rights 63-11168 and 63-11170 are limited to a combined storage volume of 0.2 af.
Commercial use is for waterfowl production.

Dates: App. Received: 02/26/1990 Priority Date: 03/13/1990 (Priority Date Advanced.)
Proof Due Date: 07/01/1993 Proof Made Date: 07/16/1993 (Proof Received Late.)
Exam Made Date: 09/18/1996 Exam Sent to S.O.: 02/17/1998
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 07/07/98 CZIMMERM

B/U FIELD EXAM REVIEW

by Cindy LouPermit #: 63-11168 Name: Chedelin Date: 7/6/98 ✓ Lots ✓

NAME	Chng	Same	Or Address Change?
SOURCE		✓	Clarify source _____ Prelim. Order to Void - Source change.
P/D		✓	Amendment Needed? Addn'l 1/4? _____ Legal _____ P39 Same 1/4? _____ W32 _____ P36 Overlap(s) <u>none</u>
P/U		✓	Amendment Needed? _____ P41 Overlap(s) <u>63-11170</u> (Gov't use special 1/4s) _____ *P/D & P/U Amend? P37
RATE		✓	Permit/proof fee limits <u>0.04</u> / <u>0.20</u> Measured Quantity = <u>NA</u> cfs Theoretical Quantity = <u>0.27</u> cfs <u>allow permitted</u> (HP) $\frac{8.8 \times 0.70 \times 5}{2} + (2.31 \times 45) = 0.27$ cfs Recommended capacity <u>0.27</u> cfs Recommended rate <u>0.04</u> cfs
VOLUME		✓	Season: (<u>1</u>) <u>1/1-12/31</u> = <u>365</u> days Calculations: <u>Comm = 29.0</u> } <u>29.2 AF</u> <u>Storage = 0.2</u> Flow limit: <u>0.04</u> cfs x <u>365</u> days/yr. x 1.9835 = <u>29.0</u> AF Recommended volume <u>29.2</u> AF
USES		✓	Same Nature of Use? _____ P46 Amendment Needed? _____
REMARKS		✓	Multiple p/d's in same 1/4? Use W32 _____ <u>Comm. W35</u>
CONDITIONS			Measuring Device (R43) or Lockable Controlling Works (R02) _____ Watermaster Control (R04) - WD # _____ Irrigation rate/annual volume overlap _____ GW irrigation replaces surface water (050) _____ GW irrigation supplements surface water (065) _____ Water Quality _____ Other <u>0.04</u>
PRIORITY	App Rcd	<u>7/11/88</u>	Due <u>7/11/89</u> Rcd <u>7/16/93</u> Receipt# <u>0528155</u> Fee OK? Yes/No _____ Order to Reinstate Needed? <u>Yes/No</u> Done? <u>1/22/93</u> Advanced to: <u>3/13/90</u> Priority <u>3/13/90</u> Examined _____

COMMENTS: license as permitted, delete comm from storage use

USE	CFS	VOLUME
<u>Comm</u>	<u>0.04</u>	<u>29.0</u>
<u>Comm stor</u>	<u>NA</u>	<u>0.2</u>
<u>Comm from stor</u>	<u>NA</u>	<u>0.2</u>
<u>Div to stor</u>	<u>0.04</u>	<u>NA</u>
TOTAL	<u>0.04</u>	<u>29.2</u>

SRBA Overlap none
Adjustment Memo ✓
LICENSE
#1 AMEND: _____/P38
#2 AMEND: (R)P42/(C)P47

MEMORANDUM

DATE: July 10, 1998
TO: File No. 63-11168
FROM: Cindy Lou Zimmerman S.
SUBJECT: Review of Beneficial Use Field Report

The examiner incorrectly calculated the annual volume for commercial use for this right. Also, this permit identifies commercial use from storage without identify what that use was. I called the permit holder, Kathleen Cheldelin, today. Mrs. Cheldelin states that groundwater (under 63-11170) is diverted through the ponds when Conway Ditch water is not sufficient or available. Water is diverted to and through the ponds for commercial and storage uses then discharges back into Conway Ditch. Water is not diverted from storage.

The following adjustments¹ were made on the field report to reflect department standards and licensing practises for uses developed under this permit:

G. Volume Calculations.

- a. Commercial.
 $V_{D.R.} = \text{rate} \times \text{days} \times 1.9835 = 0.04 \times 365 \times 1.9835 = \underline{29.0} \text{ AF.}$
- b. Commercial Storage, see exam = 0.2 AF.
- c. Diversion to Storage = NA
- d. Maximum diversion volume = a + b = 29.0 + 0.2 = 29.2 AF

H. Recommendations.

1. Recommended amounts:

Beneficial Use	Period of Use	Rate of diversion	Annual Volume
Commercial	1/1-12/31	0.04 cfs	<u>29.0</u> AF
Commercial Storage	1/1-12/31	-	0.2 AF
Diversion to Storage	1/1-12/31	0.04 cfs	-
Totals:		0.04 cfs	<u>29.2</u> AF

Examiner: Dan Tomich
Examined: September 18, 1998

MICRO-FILMED
AUG 06 1998

¹ Adjustments are **bolded and underlined**.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT Department of Water Resources

RECEIVED

FEB 18 1997

A. GENERAL INFORMATION

Permit No. 63-111681. Owner: Kathleen Cheldelin Phone No. (208) 454-1966Current Address: 16531 Goodson Rd., Caldwell, ID 836052. Accompanied by: Michael Brennan EXAM DATE: 9-18-96Address: Goodson Rd, Caldwell, ID Phone No. _____Relationship to Permit Holder: Neighbor3. Source: Conway Gulch tributary to Boise River

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 63-11170 (Groundwater)2. Other water rights with the same point of diversion: None

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	NW	20	5N	3W	Canyon	Site Visit, Map


2. Place(s) of Use:

Indicate Method of Determination Site Visit, Map

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
5N	3W	20					C												

MICROFILMED
AUG 06 1998

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.D. as applicable.



Scale: 1" = No Scale

Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

Aerial Photo Attached (required for irrigation of 10+ acres)

Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		5		Jacuzzi	G5 AL 1/2 BWG
					734

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: None, operating pressure about 45 psi.

AUG 0 9 1992

E. NARRATIVE/REMARKS/COMMENTS

1. This water system consists of a pump unit at Conway Gulch with a 3" intake pipe and 2" discharge pipe. The pump unit supplies water to the third of 5 ponds and one bath used for water fowl production. The water gravity flows from the third pond to the other two ponds and the bath.
2. The well system under WR 63-11170 pumps water to the house and the first pond. From the first pond this water gravity flows to all the other ponds and the bath.
3. Although the Conway Gulch pump now supplies 3 of the ponds and the bath, they can add on additional pipe to the 2" line, and pump the water to the first pond. The plan should be considered as the same for WR 63-11170 - 5 ponds plus one bath.
4. George K. is now deceased and the owner is now just Kathleen.
5. The use of the water is water fowl production. Water flows in Conway Gulch at all times of the year.

Have conditions of permit approval been met? ☒ yes ☐ no

NOTIFIED
AUG 0 6 1992

Additional Computation Sheets Attached

$$Q_{max.} = \frac{(8.8)(5.14m)(702)}{8' + (45 \text{ psi}) \left(\frac{34'}{14.7 \text{ psi}} \right)} = \underline{0.27 \text{ cfs}} > \underline{0.04 \text{ cfs}}$$

Allow 0.04 cfs

1. Volume Calculations for Irrigation:

$$V = \text{Smaller of } V_{I.B.} \text{ and } V_{D.B.} =$$

$$\text{Vol. Ponds} = [(100')(25')(5 \text{ ponds} + (25')(10'))] / (66)(66)(10)$$

$$= 0.29 \text{ AF, Allow } \underline{0.29 \text{ AF}} \text{ Storage}$$

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Commercial</u>	<u>01/01</u>	<u>12/31</u>	<u>0.04</u>	
<u>Commercial Storage</u>	<u>01/01</u>	<u>12/31</u>		<u>0.2 AF</u>
<u>Commercial from Storage</u>	<u>01/01</u>	<u>12/31</u>		<u>0.2 AF</u>
<u>Diversion to Storage</u>	<u>01/01</u>	<u>12/31</u>	<u>0.04</u>	
		Totals:	<u>0.04</u>	<u>0.20 AF</u>

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None — Drop George K.
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other from 42me.


Field Examiner's Name L. J. Tomich Date 2-12-98

Reviewer	Date
----------	------

MICROFILMED

SEAL

AUG 06 1998



Mapped, edited, and published by the Geological Survey
 Control by USGS and USC&GS
 Topography by photogrammetric methods from aerial
 photographs taken 1969. Field checked 1970
 Projection and 10,000-foot grid ticks: Idaho coordinate
 system, west zone (transverse Mercator)
 1000-meter Universal Transverse Mercator grid ticks,
 zone 11, shown in blue. 1927 North American datum
 Fine red dashed lines indicate selected fence lines

UTM GRID AND 1970 MAGNETIC NORTH
 DECLINATION AT CENTER OF SHEET

No Gov. Lots
 MIC

AUG 0

CONTOUR INT
 DOTTED LINES REPRESENT
 DATUM IS ME

1 of 2

P/D

Pump
unit
at

Conway
Gulch



P/D

3" intake
pipe for
Pump
unit
at
Conway
Gulch.




63-11168

2 of 2

P/u

Water
fowl
Pond



P/u

Water
fowl
Pond.



MICROFILMED

AUG 06 1998

63-11168

July 23, 1993

GEORGE K. CHELDELIN
KATHLEEN CHELDELIN
16531 GOODSON RD.
CALDWELL ID 83605

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11168

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order advancing the priority of the permit since the proof was received after the proof due date. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

Enclosure

MICROFILMED

JUL 23 1993

July 7, 1993

GEORGE K. CHELDELIN
KATHLEEN CHELDELIN
16531 GOODSON RD.
CALDWELL ID 83605

LAPSE NOTICE

RE: PERMIT NO. 63-11168

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated April 30, 1993. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifteen dollar (\$15) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau

Enclosures

CERTIFICATION OF MAILING

I hereby certify that on 7/7/93
a copy/an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

MICROFILMED

JUL 23 1993

April 30, 1993

GEORGE K. CHELDELIN
KATHLEEN CHELDELIN
16531 GOODSON RD.
CALDWELL ID 83605

PROOF DUE NOTICE

RE: PERMIT NO. 63-11168

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before July 1, 1993. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures

CERTIFIED MAIL

NO. 140129

JUL 23 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

July 1, 1992

George & Kathleen Cheldelin
16531 Goodson Road
Caldwell, ID 83605

Re: Permit No. 63-11168

Dear Permit Holder:

Enclosed is a copy of the approved request for extension of time. The time within which to submit proof of beneficial use is extended to July 1, 1993. Please note that the department has granted this extension based on due diligence. It is important that you work diligently toward the completion of this project during the construction period allowed. The department may not be able to grant additional requests.

If you have any questions or if I can be of any further assistance, please feel free to contact this office.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

Enclosure

C: IDWR-Regional Office

MICROFILMED
JUL 29 1992

April 30, 1992

GEORGE K. CHELDELIN
KATHLEEN CHELDELIN
16531 GOODSON RD.
CALDWELL ID 83605

PROOF DUE NOTICE

RE: PERMIT NO. 63-11168

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before July 1, 1992. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



RECEIVED

JUL 29 1992

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
June 11, 1990

GEORGE K. CHELDELIN ~
KATHLEEN CHELDELIN
16531 GOODSON RD.
CALDWELL, ID 83605

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P63-11168

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Be sure to note the special condition requiring you to install a lockable device that will provide the watermaster control on your diversion.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

MICROFILMED

JUN 21 1990

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

JUN 21 1990

CONVERSATION MEMORANDUM

DATE 2/27/90FILE 63-11168NAME OF PARTY George ChaldahinEMPLOYEE Steve Lester63-11170RE: 2 Appl. for Permit, raises waterfowl for sale.1 for Waste water - P/d = diked on map near1 " ground water1/4 - 1/4
Line East
of ponds.both involve series of ponds, approx. 34 ponds.sizes are estimated:10 = small circles 5' diam x 2' deep1 = 30' x 30' x 2'3 = 30' circle x 2'20 = 15' " x 2'Volume stored:

$$(33)(\pi r^2 h) + (1)(L \cdot w \cdot h)$$

$$\rightarrow 30 \times 30 \times 2 = 1800 \text{ ft}^2$$

$$(10)(3.1412)(2.5)^2(1) = 196.3 "$$

$$(3)(3.1412)(15)^2(1) = 2120.3 "$$

$$(20)(3.1412)(7.5)^2(1) = 3533.9 "$$

$$\text{TOTAL} \quad 7650.5 \text{ ft}^2$$

RECALCULATED

$$\frac{7650.5}{43560} = .18 \text{ A.F.} = .2 \text{ A.F. in 24 hrs.}$$

in each appl., .04 cfs commensurate stores:

$$(.04)(1.9835) = .08 = .1 \text{ A.F. in 24 hrs.}$$

Takes more than 24 hrs. to fill ponds, need storagecont.
on
back

Wastewater appl.

Note limited season of use. He mentioned irrigation with wastewater during irrig. season is thought only needed commercial w. water use when irrig. w. water was not available.

However, the new use is all year & needs water right protection all year. Change period of ~~use~~ use to 1/1-12/31. Irrigation remains a separate use.

MICROFILMED

JUN 21 1990

63-11168

CHELDELIN, KATHLEEN
CHELDELIN, GEORGE K.
16531 GOODSON RD.
CALDWELL, ID 83605

Source: CONWAY GULCH

Tributary: BOISE RIVER

Diversion Pt: NENW Sec 20 T 05N R 03W

Use: COMMERCIAL	(.040 CFS)	
COMMERCIAL STORAGE	(.200 CFS)	
DIVERSION TO STORAGE		(.20 AF)
Total Diversion:	(.040 CFS)	(.20 AF)

Date Filed: 2/26/1990

In: T05N R03W S20 NENW

MICROFILMED

JUN 21 1990