







5243





63-11165

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = NTS

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	MagneTek	7.5	BC9	N/A	N/A

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Cipolletti Weir						

2. Measurements: Weir near sump: (3.6") $Q = 0.56$ CFS

Weir below dam: (2.6") $Q = 0.35$ CFS

MAR 11 1996

16° 52' 30"
45'

13000mN
3000mN

4842
4842

4841
4841

T. 5 N
T. 4 N

442'30"

4839
4839

12

PERMIT 163-11165 INIT RC
T. R. S. Q/Q
P/D 5N 4W 29 NESW, NWSW, SWSW
32 NW NW lot 4
SCALE _____
PHOTO ID. X-4 NOTUS

MAR ' 1 1996





PHOTO ONE-

View southerly of waste water channel. Pipe, which diverts water to 4' diameter CWP sump, is located at this juncture of the two channels.



PHOTO TWO-

View westerly of sump and motor. Discharge is through 12" iron pipe.



PHOTO THREE-

View southeast of ditch and ~~expo~~ cippolletti work
prior to measurement.



PHOTO FOUR-

View north of pasture ~~to be~~ which is irrigated
by the waste water. As seen in photo, irrigation by gravity.



PHOTO FIVE-

View northeast of pond and waste water channel into pond. Water exits pond through 18" standpipe, located at end of board.



PHOTO SIX-

View westward of discharge from pond into concrete irrigation box. Drain or waste ditch is shown opposite irrigation box.



PHOTO FIVE-

View north of pond water discharge into irrigation ditch. Due to slope of ditch, pond irrigates the northeast corner of pasture only. Remainder of field irrigated by sump located at southwest corner of field.



PHOTO SIX-

View northwest of westerly pasture irrigated by waste water from sump.

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11165

Priority: January 11, 1990

Maximum Diversion Rate:

0.47 CFS

Maximum Diversion Volume:

229.3 AF

This is to certify, that LESTER S YEAKEL
NOLA F YEAKEL

30511 HWY 95
PARMA ID 83660

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated January 11, 1990; and
has submitted Proof of Beneficial Use on May 22, 1992. An examination indicates
that the works have a diversion capacity of 0.910 cfs of water from:

UNNAMED DRAIN

tributary to BOISE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
-----------------------	----------------------	--------------------------	----------------------

IRRIGATION	03/15 to 11/15	0.47 CFS	229.3 AF
------------	----------------	----------	----------

LOCATION OF POINT(S) OF DIVERSION:

SWSW , Sec. 29, Township 05N, Range 04W
Lot 4(NWNW), Sec. 32, Township 05N, Range 04W
CANYON County

<u>PLACE OF USE:</u>		<u>IRRIGATION</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
<u>TWN</u>	<u>RGE</u>	<u>SEC</u>				
05N	04W	29	SWSW	25		25
		30	NESE	12	Lot 2(NWSE) 16	
			Lot 1(SESE)	29	Lot 2(SWSE) 4	61
		31	Lot 1(NENE)	4		4
		32	Lot 4(NWNW)	6		6

Total number of acres irrigated: 96

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

MAR 11 1996

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11165

CONDITIONS OF APPROVAL AND REMARKS

5. Use of water under this water right will be regulated by the watermaster of State Water District No. 63.
6. A lockable device subject to the approval of the Department shall be maintained on the diverting works in a manner that will provide the watermaster suitable control of the diversion.
7. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 29TH
day of FEBRUARY, 1996.

Acting for

KARL J. DREHER, Director

MICROFILMED

MAR 11 1996

Department

1. Permit No. 63-11165 Telephone No. _____
2. Name(s) of Permit Holder(s): Lester S. Yeakel / Nola Yeakel
3. Mailing Address: 30511 Hwy 95 Parma, ID 83660
4. Source of Water: unrained drain

If GROUNDWATER, Well Driller's Name: _____ Date Drilled: _____

OPTIONAL:

Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 107 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted .47 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

lockable
Measuring device: Required? X Yes _____ No _____ Installed? _____ Yes _____ No _____

OR

Flow Measurement Port: Required? _____ Yes X No Installed? _____ Yes _____ No _____

8. Fee Enclosed: \$ 100.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Bert E. White 722-6859
Name Telephone No.

25192 Lemp Lane Parma, Idaho 83660
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

May 21, 1992
Date

Nola Yeakel
Signature (and title, if on behalf of a company or organization)

MICROFILMED
JUN 18 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11165


CONDITIONS OF APPROVAL AND REMARKS

5. Use of water under this water right will be regulated by the watermaster of State Water District No. 63.
6. A lockable device subject to the approval of the Department shall be maintained on the diverting works in a manner that will provide the watermaster suitable control of the diversion.
7. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 29TH day of FEBRUARY, 1996.

Acting for

KARL J. DREHER, Director



MICROFILMED

MAR 11 1996

RECEIVED
MAY 22 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

OFFICE USE ONLY
Amt. of Fee \$ 100.00
Date 5/21/92
Receipt No. W614743
Receipt by JFW

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-11165 Telephone No. _____
2. Name(s) of Permit Holder(s): Lester S. Yeaker / Nola Yeaker
3. Mailing Address: 30511 Hwy 95 Parma, ID 83660
4. Source of Water: unnamed drain

If **GROUNDWATER**, Well Driller's Name: _____ Date Drilled: _____

OPTIONAL:

Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 107 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted .47 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

lockable
Measuring device: Required? X Yes _____ No _____ Installed? _____ Yes _____ No _____

OR

Flow Measurement Port: Required? _____ Yes X No Installed? _____ Yes _____ No _____

8. Fee Enclosed: \$ 100.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Bert E. White 722-6859
Name Telephone No.
25192 Lemp Lane Parma, Idaho 83660
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

May 21, 1992 Nola Yeaker
Date Signature (and title, if on behalf of a company or organization)

FILED
JUN 1 8 1992

State of Idaho
Department of Water Resources**Permit To Appropriate Water**

NO. 63-11165

CONDITIONS/REMARKS:

7. Single diversion point on tract line of NESW and NWSW, S19,
T5N, R4W.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

11th day of June, 1990.

for R. Keith Higginson
R. Keith Higginson, Director

MICROFILMED

JUN 21 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Lester S. & Nora F. Yeakel Phone 722-5910
Post office address 30511 Highway 95 Parma, Id. 83660
2. Source of water supply unnamed drain which is a tributary of Boise River
3. Location of point of diversion is _____ ¼ of NE ¼ of SW ¼, Govt. Lot _____
Sec. 29 Township 5N Range 4W B.M. Canyon County; additional
points of diversion if any: NWSW, SWSW, S. 29 T5N R4W;
L. 4 (NWNW) S. 32 T5N R4W
4. Water will be used for the following purposes:
Amount .47 for Irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .47 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. Collection pipe, pump in drain,
headgate & ditches, all for gravity irrigation. Source is
common drain water.
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
2 years (minimum 1 year).

MICROFILMED

JUN 21 1990

8. Description of proposed uses (if irrigation only, go to item 9):
- Hydropower; show total feet of head and proposed capacity in KW. _____
 - Stockwatering; list number and kind of livestock. _____
 - Municipal; show name of municipality. _____
 - Domestic; show number of households. _____
 - Other; describe fully. _____

9. Description of place of use:
- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
 - If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
5N	4W	29											29						29
		30													13	4.2	4.2	4.1	65
		31	4.1	4															4
		32						4.4	9										9


Total number of acres to be irrigated 107

10. Describe any other water rights used for the same purposes as described above 63.04573 (same diversions - transfer filed to add pld's to claim - for ^{most of} same acres).
11. a. Who owns the property at the point of diversion? Applicant
- b. Who owns the land to be irrigated or place of use? Applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: Application filed to bring acres up to full inch per acre. See attached memo.
- Single diversion point on tract line of NESW & NWSW,
- S. 29, T5N, R4W.

RECEIVED

JUN 21 1990



See attached map

MICROFILMED
JUN 21 1990

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X Lester Speckel
(Applicant)

Received by SA Date 1/11/90 Time 10:55 Preliminary check by AW

Fee \$ 45.00 Received by RC # W007511 Date 1/11/90

Publication prepared by GC Date 2-28-90 Published in Press-Tribune 3/7 & 3/14/90

Publication approved at Date 4-20-90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

Idaho No. _____, and said application is hereby _____

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

_____, 19____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

RECEIVED
JUN 21 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

March 1, 1996

LESTER S YEAKEL
NOLA F YEAKEL
30511 HWY 95
PARMA ID 83660

RE: WATER RIGHT NO. 63-11165

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RECEIVED

MAR 11 1996

LICENSE REVIEW CHECKLIST

PERMIT NO. 103-11165 DATE 2-23-96
2-26-96



NAME Change OK ☒ Or Address Change? ☐

PRIORITY DATE Advance? ☒ Advanced to: _____
 Order to reinstate needed? _____
 Incorrect fee for rate recommended? _____

SOURCE Changes or just clarification of originally ☒
 intended source? _____
 Notice of Intent to Void necessary? _____

POINT OF DIV Amendment needed? ☒ Overlaps? Stat Claim 103-04573 (NO CLAIM FILED ON THIS NUMBER)

PLACE OF USE Amendment needed? ☒ Correct Gov Notes Overlaps? _____

DIV RATE Permit/fee limits: .47 CFS
 Meas Q = .91 Theo Q = _____ Recommend: .47
96 x .02 = 1.92
 Combined rates exceed capacity _____

ANNUAL VOLUME Volume Limit: _____ Season: D/4.5 (3-15 to 11-15)
Calculations: 96 x 4.5 = 432
 Flow limit: .47 cfs x 246 x 1.9835 = 229.3
 Combined volumes exceed capacity/allowable _____

USES Change in Nature of Use or additional uses? ☒
 Amendment necessary? _____

ADDITIONAL INFO Replaces Surface Water 050 Supplemental GW _____
Irr/Dom Combination WB5 PPU Recommendation _____
Boise River/Wood River Source Aes/Rec Uses W38


NEW REMARKS Multiple p/d(s) in 1/4 1/4? _____
Other _____
Fire Protection WB6

NEW CONDITIONS R04 WM Control- District (63) Meas/Lock Devices R02
R32 Irrigation Overlap _____
Other _____
Water Quality/Dam Safety/Heat-Cool/Fish _____

CCMMENTS: _____

RECOMMENDATION	CFS	VOLUME	SRBA Claim Filed	Adjustment Memo Needed
<u>Irrigation</u>	<u>.47</u>	<u>229.3</u>	<u>NO</u>	<u>NO</u>
_____	_____	_____	LICENSE	☒
_____	_____	_____	1ST AMEND LETTER	_____
_____	_____	_____	2ND AMEND LETTER	_____

5N
4W
SEC 29
30
31
32



(B)

Description	By whom surveyed	Date of contract	Cont. in sec.		
			Stakes	chains	li
1st	Wm. H. Thompson	August 31st 1864	06	04	9
2nd	" " "	" " "	32	67	9
3rd	" " "	" " "	50	50	0

63-11165

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

NOV 22 1994

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-11165

1. Owner: LESTER S. AND NOLA F. YAKEL Phone No. 722-5910

Current Address: 30511 Hwy 95, PARMA, ID 83660

2. Accompanied by: BERT WHITE EXAM DATE: 4/18/94

Address: _____ Phone No. SAME

Relationship to Permit Holder: FARM FOREMAN

3. Source: Unnamed DRAIN tributary to Boise River

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 63-02878, 63-04573, 63-04574, 63-02150, 63-04045

2. Other water rights with the same point of diversion: 63-04573

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
					29	5N	4W	Canyon	Aerial Map
					29	5N	4W	"	" "
					29	5N	4W	"	" "
	4				32	5N	4W	"	" "

2. Place(s) of Use:


Indicate Method of Determination Same AS P/D

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
5N	4W	29											25						25
		30													12	16	4	29	61
		31	4																4
		32						6											6

MICROFILMED

MAR 11 1996

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe l.d. as applicable.



Scale: 1" = 100'

Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

Aerial Photo Attached (required for irrigation of 10+ acres)

Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Magnetek	7.5	13C9	N/A	N/A

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Gipolletti Weir						

2. Measurements: Weir near sump: (3.6") $Q = 0.54$ cfs

Weir below dam: (2.6") $Q = 0.35$ cfs

MAR 11 1996

E. NARRATIVE/REMARKS/COMMENTS

OVERLAPS: P/O Same RR, same source, different
Points of diversion

P/U Same DR, different places of use.

Approximately 96 acres of pasture is gravity irrigated with waste water. There exists two points of diversion.

A northeast corner of property, a dam collects a portion of wastewater. The water is diverted from pond by 18" standpipe, and discharges into concrete irrigation box. Flow is controlled from irrigation box to ditch. Due to slope of ditch, only corner of pasture is irrigated by pond. Flow measurement by Cipolletti weir - 0.35 cfs.

The second point of diversion is a 4' diameter sump, located at southern point of property. Waste water is diverted from channel to sump, and then pumped to irrigation ditch. Another Cipolletti weir measurement was taken just downstream of discharge point, measuring 0.56 cfs.

Since the average weir flow of 0.46 cfs is nearly the allocation requested, 0.47 cfs, and the pump capacity of 0.60 cfs being greater than the requested allocation, recommend Licensing for 0.47 cfs for irrigation of approximately 96 acres of pasture.

$$\text{Theoretical: } Q = \frac{(8.8)(0.7)(7.5)}{9 + (2.31 \times 30)} = \frac{46.2}{78.3} \approx 0.60 \text{ cfs}$$

(Sump Pump)

Note: Dynamic Pumping Level determined by visual inspection.

System pressure assumed due to bend into open ditch.

Have conditions of permit approval been met? ☒ yes ☐ no

(No Adjudication Claim Filed)

RECORDED

MAR 11 1996

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method:

Cipolletti Weir: (3.6") Q = 0.56 cfs
(2.6") Q = 0.35 cfs

(See NARRATIVE FOR THEORETICAL SYSTEM CAPACITY CALCULATION)

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 96 \times 4.5 = 432.0 \text{ AFA}$
 $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.47 \times 246 \times 1.9835 = 229.3 \text{ AFA}$
 $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 229.3 \text{ AFA}$

2. Volume Calculations for Other Uses: N/A

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3/15	11/15	0.47	229.3
Totals:			0.47	229.3

2. Recommended Amendments

☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATIONField Examiner's Name Rick Collingwood Date 4/21/94

Reviewer _____ Date _____

SEAL

MICROFILMED

MAR 11 1996

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

16° 52' 30"
45'

511000mE

512

ROOKSTOOL CORN 23 50'

514

13000mN
3000m N

4842
4842

4841
4841

T 5 N
T 4 N

4840
4840

442'30"

4839
4839

12

PERMIT 63-11165 INIT RC
T. R. S. Q/Q
P/D 5N 4W 29 NESW, NWSW, SWSW
SCALE 32 NW NW lot 4
PHOTO ID. X-4 Notus

MAR ' 1 1996



Permit: 63-11165

photos taken. 4/18/94

pg 1 of 4



PHOTO ONE-

View southward of waste water channel. Pipe, which diverts water to 4' diameter drop sump, is located at this juncture of the two channels.

>



PHOTO TWO-

View westward of sump and water. Discharge is through 12" iron pipe.

MAR 11 1994



PHOTO THREE-

View southeast of ditch and ~~cippolletti~~ cippolletti weir prior to measurement.



PHOTO FOUR-

View north of pasture ~~to be~~ which is irrigated by the waste water. As seen in photo, irrigation by gravity.

RECEIVED
APR 20 1994



PHOTO FIVE-

View northeast of pond and waste water channel into pond. Water exits pond through 18" stand pipe, located at end of board.




PHOTO SIX-

View westerly of discharge from pond into concrete irrigate box. Drain or waste ditch is shown opposite irrigation box.





PHOTO FIVE-

View north of pond water discharge into irrigation ditch. Due to slope of ditch, pond irrigates the northeast corner of pasture only. Remainder of field irrigated by sump located at southwest corner of field.

>



APR 11 1996

PHOTO SIX-

View northwest of western pasture irrigated by waste water from sump.

S T A T E O F I D A H O

DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
June 11, 1990

LESTER S. YEAKEL
NOLA F. YEAKEL
30511 HWY. 95
PARMA, ID 83660

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P63-11165

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Be sure to note the special condition requiring you to install a lockable device that will provide the watermaster control on your diversion.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

MICROFILMED

JUN 21 1990

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

JUN 21 1990

PLACE
STAMP
HERE

RECEIVED

AUG 14 1990



Department of Water Resources

RECEIVED

JUN 12 1992

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 63-11165
Name(s) of Permit Holder(s): Yeakel, Lester
Post Office Address: 30511 Hwy 95 Parma
Tel. No. 722-5910

- ☒ I hereby certify that construction of diversion works for the above referenced permit began on Completed (date) 8-13-90 and I understand that I must continue to develop the water system with diligence to maintain a valid permit.
- ☐ I hereby certify that construction of diverting work on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

8-13-90
Date

Lester Yeakel
Signature of Permit Holder

June 8, 1992

LESTER S. YEAKEL
NOLA F. YEAKEL
30511 HWY. 95
PARMA ID 83660

RE: Water Right No. 63-11165

Dear Water Right Holder(s):

On May 19, 1992, the department sent you a letter advising that you might be required to temporarily cease diverting water from the Snake River or its tributaries if the established minimum stream flow of the Snake River in the amount of 4,750 cubic feet per second measured near Weiser is not satisfied or likely will not be satisfied.

The flow of the Snake River at Weiser is now less than 4,750 cfs. You are, therefore, directed to immediately cease diverting water under the above referenced water right and to not resume use until authorized by the department.

Past flow records show that the duration of seasonal low flow periods typically last several days to a week. Since your use of water is extremely important to you and since mail notification includes a delay associated with mail delivery time, feel free to call the toll-free telephone number 1-800-451-4129 to determine when you are again authorized to divert and use water under your water right. Please use this phone number only in connection with resumption of use.

You need to be aware that Section 42-351, Idaho Code, provides for penalties of up to \$100 per day for unauthorized diversion.

Thank you for your cooperation in this matter. Please feel free to contact L. Glen Saxton (phone: 208-327-7955) or Gary Spackman (phone: 208-327-7946) of my staff if you have questions.

Sincerely,

R. KEITH HIGGINSON
Director

RECEIVED

MAR 11 1996

June 12, 1992

LESTER S. YEAKEL
NOLA F. YEAKEL
30511 HWY. 95
PARMA ID 83660

RE: Water Right No. 63-11165

Dear Water Right Holder(s):

On June 8, 1992, the department sent you a letter which directed you to immediately cease diverting water under the above referenced water right, since the minimum stream flow of the Snake River in the amount of 4,750 cubic feet per second (cfs) measured near Weiser was not being satisfied.

The flow of the Snake River at Weiser is now above 4,750 cfs. You are, therefore, authorized to again divert water under your water right. If the minimum stream flow is not met later this year, however, the department will again notify you to temporarily cease diversion.

Thank you for your cooperation in this matter. Please feel free to contact L. Glen Saxton (phone: 208-327-7955) or Gary Spackman (phone: 208-327-7946) of my staff if you have questions.

Sincerely,

R. KEITH HIGGINSON
Director

RECEIVED
MAY 11 1996

MAY 11 1996

May 19, 1992

LESTER S. YEAKEL
NOLA F. YEAKEL
30511 HWY. 95
PARMA ID 83660

RE: Water Right No. 63-11165

Dear Water Right Holder(s):

Department water right records show that you divert water from the Snake River or its tributaries under a water right that has a priority date later than December 29, 1976. This is the priority of the established minimum stream flow of the Snake River at the Weiser Gage (Weiser) in the amount of 4,750 cubic feet per second.

Because of the continuing drought conditions in the Snake River Basin, department hydrologists project that during 1992, there could be periods when the required minimum flow will not be satisfied due to low flows of the Snake River. The department urges you to not divert at a higher rate than authorized by your water right and to not use your right in any manner different than authorized. In addition, when the minimum flow will not be satisfied or is not being satisfied, you are required to cease diverting water under your water right, because your right is of later priority than the minimum stream flow at Weiser.

If the department determines the minimum flow will not be satisfied, the department will advise you and will provide as much lead time as possible in requiring that you temporarily cease your diversion of water. The greatest likelihood for this to occur is during a period from mid-June to late June.

While the department expects good cooperation from junior water right holders, water users should be aware that Section 42-352, Idaho Code, provides for penalties of up to \$100 per day for unauthorized diversions of water.

The department has contacted both the Idaho Power Company and the U.S. Bureau of Reclamation with respect to the timing of storage releases from upstream reservoirs for flow enhancement.

MICROFILMED

MAR 11 1996

purposes. This type of coordination could minimize the impact on existing water users and reduce the need to curtail diversions.

The department has scheduled public information meetings relative to this potential regulation as follows:

Mountain Home - June 4, 1992 - 10:00 a.m. - gymnasium at
North Elementary School, 290 E. 12th N.

Caldwell - June 4, 1992 - 7:00 p.m. - Ballroom in the
Student Union Building, Albertson College of Idaho,
2112 Cleveland

If you have questions concerning this letter or wish to provide the name of a different contact person or address to receive department correspondence, please contact the department.

Sincerely,

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:klg

MICROFILMED
MAR 11 1996

May 29, 1992

LESTER S. YEAKEL
NOLA F. YEAKEL
30511 HWY. 95
PARMA ID 83660

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11165

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

I note that the permit issued to you by the department requires the installation of a lockable device to allow the department to determine the rate of diversion. The proof which you submitted does not show that you have installed this equipment.

The installation of the lockable device must be complete by the time the department representative conducts the examination of your system unless the department has rescinded the requirement prior to the field examination. In some cases, the equipment requirement can be rescinded because the equipment cannot be physically installed, is not appropriate or can be accommodated with other measuring methods.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECEIVED

JUN 12 1992

April 30, 1992

LESTER S. YEAKEL
NOLA F. YEAKEL
30511 HWY. 95
PARMA ID 83660

PROOF DUE NOTICE

RE: PERMIT NO. 63-11165

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before July 1, 1992. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



JUN 1 2 1992

INTER-DEPARTMENT MEMO — 1

FROM Steve Loster

DATE 1/11/90

TO File

SUBJECT Rate / acre

109 acres total in application.

98 acres of this are same acres found in 63.04573,
which provides 2 cfs for 120 acres or .017 cfs/Ac.

Thus $(98 \text{ acres}) \left(\frac{.003 \text{ cfs}}{\text{ac}} \right) = \underline{.29 \text{ cfs}}$ to provide full unit
per acre for common lands.

And, $(9 \text{ acres}) (.02 \text{ cfs/Ac}) = \underline{.18 \text{ cfs.}}$

↑
are the acres in
S. 32 NW 1/4

Total = .47 cfs

MICROFILMED

JUN 21 1990


SIGNATURE

NOTICE OF APPLICATION FOR WATER RIGHT
The following application(s) have been filed to appropriate the public waters of the State of Idaho:

SED LACEK, GARY
6621 LYNWOOD RD.
NAMPA, ID 83686
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

Date Filed: 1/24/1990

63-11109

NWNE

Sec 30 T 02N R 02W

(1.600 CFS)

Total Diversión: (1.600 CFS)

63-11165

YEAKIEL, LESTER S.
YEAKIEL, NOLA F.
30511 HWY. 95
PARMA, ID 83660
Source: UNNAMED DRAIN
Diversión Pt:

Use: IRRIGATION

Date Filed: 1/11/1990

In: T05N R04W S29
In: T05N R04W S30
In: T05N R04W S31 Lot 11
In: T05N R04W S32 Lot 4

Tributary: BOISE RIVER
Sec 29 T 05N R 04W
Sec 29 T 05N R 04W
Sec 29 T 05N R 04W
Sec 32 T 05N R 04W
(.470 CFS)
Total Diversión: (.470 CFS)

NESW
NWSW
SWSW
Lot 4 (NWNW)
SWSW
NESE Lot 2 (NWSE) Lot 2 (SWSE) Lot 1 (SESE)
(NENE)
(NWNW)

107.0 ACRES TOTAL
63-11166

PALMER, JOHN R.
PALMER, MARY L.
34663 APPLE VALLEY RD.
PARMA, ID 83660
Source: GROUNDWATER
Diversión Pt:
Use: COMMERCIAL

Date Filed: 2/13/1990
In: T06N R05W S07 LOT 2

Lot 2 (SESENE)
Sec 7 T 06N R 05W
(.040 CFS)
Total Diversión: (.040 CFS)
(SENE)

PALMER, JOHN R.
PALMER, MARY L.
34663 APPLE VALLEY RD.
PARMA, ID 83660
Source: UNNAMED DRAIN
Diversión Pt:
Use: IRRIGATION

Date Filed: 2/13/1990
In: T06N R05W S07 Lot 2

LOT 2 (SESENE)
Tributary: SNAKE RIVER
Sec 7 T 06N R 05W
(.180 CFS)
Total Diversión: (.180 CFS)
(SENE)

9.0 ACRES TOTAL
63-11168

CHELDELIN, KATHLEEN
CHELDELIN, GEORGE K.
16531 GOODSON RD.
CALDWELL, ID 83605
Source: CONWAY GULCH
Diversión Pt:
Use: COMMERCIAL
Use: COMMERCIAL STORAGE
Use: DIVERSION TO STORAGE

Date Filed: 2/16/1990
In: T05N R03W S20

NENW
Tributary: BOISE RIVER
Sec 20 T 05N R 03W
(.040 CFS)
(.200 CFS)
(.20 AF)
Total Diversión: (.040 CFS)(.20 AF)

ACRES TOTAL
63-11169

GRAM, DAVID S.
GRAM, DELORIS E.
11968 ORCHARD AVE.
NAMPA, ID 83651
Source: GROUNDWATER
Diversión Pt: Lot 4
Use: IRRIGATION

Date Filed: 2/13/1990
In: T03N R02W S18 Lot 4

(SWSWSW)
Sec 18 T 03N R 02W
(.060 CFS)
Total Diversión: (.060 CFS)
(SWSW)

2.0 ACRES TOTAL
63-11170

CHELDELIN, GEORGE K.
CHELDELIN, KATHLEEN C.
16531 GOODSON RD.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversión Pt:
Use: COMMERCIAL
Use: COMMERCIAL STORAGE
Use: DOMESTIC
Use: DIVERSION TO STORAGE

Date Filed: 2/16/1990
In: T05N R03W S20

NENENW
Sec 20 T 05N R 03W
(.040 CFS)
(.20 AF)
(.040 CFS)
(.040 CFS)
Total Diversión: (.080 CFS)(.20 AF)

63-11171

FORESTGREEN PARK WATER ASSN.
407 E. SPRUCE
CALDWELL, ID 83605
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

SESENE
Sec 33 T 04N R 03W
(.080 CFS)

NENW

63-11180

SHIPMAN, CLIFFORD
SHIPMAN, LETA
1920 S. POWERLINE
NAMPA, ID 83686
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION
Use: STOCKWATER
Use: DOMESTIC

Date Filed: 1/31/1990
In: T03N R02W S35

SWSW
Sec 35 T 03N R 02W
(.140 CFS)
(.050 CFS)
(.040 CFS)
Total Diversión: (.200 CFS)

7.0 ACRES TOTAL
63-11181

FORD, JAMES D.
FORD, CECILIA
6148 HAPPY LN.
NAMPA, ID 83686
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION
Use: STOCKWATER
Use: DOMESTIC

Date Filed: 1/18/1990
In: T02N R02W S24

SENESE
Sec 24 T 02N R 02W
(.080 CFS)
(.020 CFS)
(.040 CFS)
Total Diversión: (.140 CFS)

4.0 ACRES TOTAL
63-11182

GARWICK, HOWARD R.
GARWICK, GAIL E.
9152 NORTHVIEW RD.
MIDDLETON, ID 83644
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION
Use: STOCKWATER
Use: DOMESTIC

Date Filed: 1/24/1990
In: T05N R02W S21

SWNESE
Sec 21 T 05N R 02W
(.200 CFS)
(.030 CFS)
(.040 CFS)
Total Diversión: (.270 CFS)

10.0 ACRES TOTAL
63-11183

DEAN, NOBLE E.
DEAN, JANE L.
P.O. BOX 1191
2424 POLK ST.
CALDWELL, ID 83606
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

Date Filed: 2/27/1990
In: T04N R03W S14

SENESE
Sec 14 T 04N R 03W
(.080 CFS)
(.080 CFS)
Total Diversión: (.080 CFS)

2.5 TOTAL ACRES
63-11184

PAR ESTATES HOMEOWNERS ASSN.
GERALD B. CONGER, TREAS.
15381 GRIFFIN LN.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversión Pt:

Use: IRRIGATION
Use: DOMESTIC

Date Filed: 1/23/1990
In: T05 R03W S28

SWNE
SENE
Sec 28 T 05N R 03W
Sec 28 T 05N R 03W
(.400 CFS)
(.440 CFS)
Total Diversión: (.840 CFS)

20.0 ACRES TOTAL
63-11186

EWERS, JANET L.
EWERS, DONALD L.
26736 HWY. 30
CALDWELL, ID 83605
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

Date Filed: 2/01/1990
In: T05N R03W S21

SWNE
Sec 21 T 05N R 03W
(.020 CFS)
Total Diversión: (.020 CFS)

0.5 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise Idaho 83705 on or before MARCH 26, 1990.

R. KEITH HIGGINSON
Director
March 7, 14, 1990

MICROFILMED

JUN 21 1990

63-11165

YEAKELE, LESTER S.
YEAKELE, NOLA F.
30511 HWY. 95
PARMA, ID 83660

Source: UNNAMED DRAIN

Tributary: BOISE RIVER

Diversion Pt: NESW Sec 29 T 05N R 04W
 NWSW Sec 29 T 05N R 04W
 SWSW Sec 29 T 05N R 04W
 LOT 4 (NWNW) Sec 32 T 05N R 04W

Use: IRRIGATION (.470 CFS)
 Total Diversion: (.470 CFS)

Date Filed: 1/11/1990

In: T05N R04W S29 SWSW
 S30 NESE Lot 2 (NWSE) Lot 2 (SWSE) Lot 1 (SESE)
 S31 Lot 11 (NENE)
 S32 Lot 4 (NWNW)

107.0 ACRES TOTAL

MICROFILMED

JUN 21 1990