


f *F* *c* *F* *d* *D* *c*



JUN 21 1990

1-235

z z

Frank

4852

2671 IV SE
(PARMA SE)

T.6N

T.5N

15 MI. TO U.S. 95)

BLACK CANYON INTERCHANGE 4.5 MI.

47'30"

4848



Photo of Diversion and System Attached

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Creek	Simmer	1	Model 2830	Centrifugal	2"
Booster	"	1	"	"	"

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

10 - $5\frac{1}{32}"$ rozmiar

MAR 14 1996

2671 IV SE
(PARMA SE)

T. 6 N

T. 5 N

15 MI TO US 95
BLACK CANYON INTERCHANGE 4.5 MI

47'30"

4848

4847

770 000
FEET

PARMA 11 MI

TSN R3W
SEC 5
NENE GOW-41

Sand Hollow

PAYETTE CO
CANYON CO

Hollow

Sand

Siphon

2 LANE

2 LANE

SIPHON

Siphon

Siphon

Siphon

ELM

BM 2418

MAR 14 1961

63-1163

PARALLEL			
0.71	N. 89°	20.00	0.71
0.71	54' W.	20.00	0.71
0.71	S. 89°	20.00	0.71
0.71	58' W.	20.00	0.71


MAR 14 1996

20.00	20.10	15.28
N. 89°		N. 89°
49' W.	05' W.	41' W.
19.98	20.07	15.41
19.99	19.99	15.45
20.00	20.05	15.53
45' W.	04' W.	43' W.
19.96	20.03	15.60
20.00	20.00	
41' W.	05' W.	
19.98		
20.00		
05' W.		
20.00		



2" intake from
Sandhollow Cr

1 HP Gemini
Carefree Centrifugal
pump (identical
booster pump)



booster pump
pit

3 wires +
handlines

crack pump pit



5-8-94

MAR 14 1996

63-11163



nices + sprinkle
for .33 ac lawn
North of .62 ac
lawn



p/u
(.33 ac lawn)

RECEIVED
MAR 14 1996

63-11163

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11163

Priority: February 12, 1990

Maximum Diversion Rate:
Maximum Diversion Volume:

0.03 CFS
4.5 AF

This is to certify, that FRANK CLEVINGER

16049 OASIS RD

CALDWELL ID 83605

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 12, 1990; and has submitted Proof of Beneficial Use on June 18, 1991. An examination indicates that the works have a diversion capacity of 0.090 cfs of water from:

SANDHOLLOW CREEK

tributary to BOISE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.03 CFS	4.5 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 1(NENE), Sec. 5, Township 05N, Range 03W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
05N	03W	5	Lot 1(NENE)	1		1

Total number of acres irrigated: 1

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 63.
6. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.5 afa per acre for the lands above.

MICROFILMED

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE


WATER RIGHT NO. 63-11163

CONDITIONS OF APPROVAL AND REMARKS

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 13TH
day of MARCH, 1996.

Acting for


KARL J. DREHER, Director



MAR 14 1996

CLEVENGER

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

JUN 18 1991

RECEIVED

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-11163 Telephone No. 208-459-9715
2. Name(s) of Permit Holder(s): Frank or Wanda Cleverger
3. Post Office Address: 16049 Oasis Rd. Caldwell, Idaho 83605
4. Source of Water: Sand Hollow Creek
 - a. If ground water, well driller's name: _____ Date drilled: _____
 - b. Pump horsepower: 1 1/2 Pressure (psi): _____ Dynamic pumping level (ft.): 30 ft

5. Extent of Use:

Domestic _____ (No. of households) Irrigation 3.0 (No. of acres)
Stockwater _____ (No. and type of stock) Other _____

6. Total rate and/or volume for which proof is submitted 0.09 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes ☒ No Installed? Yes ☐ No
OR
Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☐ No

8. Fee Enclosed: \$ 50.00 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Frank or Wanda Cleverger 208-459-9715
Name Telephone No.
16049 Oasis Rd Caldwell, Idaho 83605
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

June 17-1991 Frank Cleverger
Date Signature (and title if on behalf of a company or organization)

JUL 15 1991

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11163

Proposed Priority: February 12, 1990 Maximum Diversion Rate: 0.09 CFS

This is to certify, that **FRANK CLEVINGER**
16049 OASIS RD.
CALDWELL, ID 83605

has applied for a permit to appropriate water from:

SANDHOLLOW CREEK tributary of **BOISE RIVER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.09 CFS

LOCATION OF POINT(S) OF DIVERSION: LOT 1(NENE), Sec. 5, Township 05N, Range 03W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
05N	03W	5	LOT 1(NENE)	3		3

Total number of acres irrigated: 3

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **July 1, 1991**.
2. Subject to all prior water rights.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

11th day of June, 1990.

for R. Keith Higginson, Director

RECORDED

JUN 21 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Frank Clevinger Phone 459-9715
Post office address 16049 Oasis Rd., Caldwell, ID 83605
2. Source of water supply Sandhollow Cr. which is a tributary of Boise R.
- * 3. Location of point of diversion is _____ 1/4 of NE 1/4 of NE 1/4, Govt. Lot 1
Sec. 5 Township 5N Range 3W B.M. Canyon County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.09 for Irrigation purposes from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.09 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Pump, pipeline, sprinklers
&/or drip system.

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

MICROFILMED

JUN 21 1990

* Per GLO 2-14-90 88

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. _____
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: *D* for *Domestic*) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
5N	3W	5	3																3
			601																

Total number of acres to be irrigated 3


10. Describe any other water rights used for the same purposes as described above. _____

11. a. Who owns the property at the point of diversion? Applicant
- b. Who owns the land to be irrigated or place of use? Applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

MICROFILMED

JUN 21 1990



MICROFILMED
JUN 21 1990

Frank Cleveland
(Applicant)


Received by L. Werner Date 2-12-90 Time 8:30 pm Preliminary check by [Signature]
Fee \$ 30- Receipted by L. Werner # W8732 Date 2-13-90
Publication prepared by GG Date 2-28-90 Published in Press-Tribune
3/7 & 3/14/90
Publication approved et Date 4-20-90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES


This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:



Township No 5 North, Range No 3 West of the Bo



MICROFILMED

JUN 21 1990

152-1
233
5

ZZ

Frank

448

4730"

15 MI. TO U.S. 95)
BLACK CANYON INTERCHANGE 4.5 MI

1.5 N.

1.6 N.

2671 IV SE
(PARMA 95)

4452



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

March 13, 1996

FRANK CLEVINGER
16049 OASIS RD
CALDWELL ID 83605

RE: WATER RIGHT NO. 63-11163

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RECORDED
MAR 14 1996

LICENSE REVIEW CHECKLIST

PERMIT NO. 63-11163 DATE 3-4-96



NAME	Change OK	☒	Assignment Needed
PRIORITY DATE		☒	Advance? ☐ Advanced to: _____ Order to reinstate needed? _____ Incorrect fee for rate recommended? <u>NO</u>
SOURCE		☒	Changes or just clarification of originally intended source? _____ Notice of Intent to Void necessary? _____
POINT OF DIV		☒	Amendment needed? _____
		☒	Overlaps? _____
PLACE OF USE		☒	Amendment needed? _____
		☒	Overlaps? _____
DIV RATE		☒	Permit/fee limits: <u>.09 cfs</u> <u>IRR/3 acres</u> Meas Q = <u>.09</u> Theo Q = _____ Recommend: <u>.03</u> <u>(Sprinter)</u> <u>1 acre x .03 = .03</u> Combined rates exceed capacity _____
ANNUAL VOLUME		☒	Volume Limit: _____ Season: <u>10/4.5 (3-15 to 11-15)</u> Calculations: <u>1 acre @ 4.5</u> Flow limit: _____ cfs x _____ x 1.9835 = _____ Combined volumes exceed capacity/allowable _____
USES		☒	Change in Nature of Use or additional uses? _____ Amendment necessary? _____
NEW CONDITIONS			<u>B52</u> Irrigation Overlap Replaces Surface Water <u>.050</u> Supplemental GW <u>065</u> <u>RO4</u> Water Quality/Dam Safety/Heat-Cool/Fish _____ WM Control- District <u>03</u> Meas/Lock Devices _____ Other _____
NEW REMARKS			Supplemental GW [in Snake River Plain] <u>WB8/WB7</u> Irr/Dom Combination <u>WB5</u> PPU Recommendation _____ Boise River/Wood River Source Aes/Rec Uses <u>W38</u> Multiple p/d(s) in ¼ ¼? _____ Fire Protection <u>WB6</u> Other _____

COMMENTS: _____

RECOMMENDATION	CFS	VOLUME	SRBA Claim Filed	
<u>Irrigation</u>	<u>.03</u>	<u>4.5</u>	Adjustment Memo Needed	<u>NO</u>
_____	_____	_____	LICENSE	☒
_____	_____	_____	1ST AMEND LETTER	_____
_____	_____	_____	2ND AMEND LETTER	_____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JUN 15 1994

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-1163

1. Owner: Frank Clevenger Phone No. 459-9715

Current Address: 16049 OMSB Rd Caldwell Id 83605

2. Accompanied by: Mrs. Clevenger EXAM DATE: 12-30-92

Address: same Phone No. 520116

Relationship to Permit Holder: wife

3. Source: SAND HOLLOW CREEK tributary to ROSE RIVER

B. OVERLAP REVIEW

1. Other water rights with the same place of use: None

2. Other water rights with the same point of diversion: None

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	1		NE	NE	5	5N	3W	Canyon	GUARD, Field Exam


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
5n	3w	5	1															1	

MAR 14 1996

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.



Scale: 1" = _____

Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

Aerial Photo Attached (required for irrigation of 10+ acres)

Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Creek	Sumner Carefree	1	Model 2830	Centrifugal	2"
Booster	"	1	"	"	"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: sprinkler pressure 2 30 PSI
10 - 5/32" nozzle

MAR 14 1966

E. NARRATIVE/REMARKS/COMMENTS

Water is pumped from Sand Hollow Cr through a 2" intake pipe with a 1 HP centrifugal pump. Water then flows through a 2" buried PVC pipe to irrigate .62 acres via 3 risers with handline sprinklers. Only 2 of the 3 lines (10 nozzles) are run at once because of low pressure. A 1 HP booster pump, identical to the 1st pump, pumps the water through a 2" buried PVC line to an additional .33 acres of lawn ~ 50' north. Both lawns cannot be irrigated at the same time. The flow rate recommended is based on nozzle discharge psi readings from the operation of the 1st two sprinkler lines closest to the creek. The sprinklers consisted of various nozzle sizes but seemed to be predominately $\frac{5}{32}$ ". No other water pts are used.

Have conditions of permit approval been met? ☒ yes

☐ no

MAR 14 1996

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method:

$$10 \text{ nozzles } (5/32") @ 30 \text{ PSI} = 4 \text{ gpm/nozzle} \times 10 \text{ nozzles} = 40 \text{ gpm} = \underline{1.09 \text{ cfs}}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1 \times 4.5 = \underline{4.5}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .03 \times 246 \times 1.9835 = \underline{14.6}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{4.5}$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Irrigation</u>	<u>3/15</u>	<u>11/15</u>	<u>.03</u>	<u>4.5</u>
Totals:			<u>.03</u>	<u>4.5</u>

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATIONField Examiner's Name Loi Graven Date 5/12/94

Reviewer _____ Date _____

SEAL

APR 14 1996

TSN R3W
SEC 5
NENE Cor 41

2671 IV SE
(PARMA SE)

T. 6 N.

T. 5 N.

15 MI. TO U.S. 96
BLACK CANYON INTERCHANGE 4.5 MI.

47' 30"

4848

4847

770 000
FEET

PARMA 11 MI

ELM

18


19

TSN R3W
Sec 5
NENE
Bar 4 1

PARALLEL


N. 0° 06' W.		C. 20.00	0.71
20.00	20.10	15.28	20.00
19.99	19.99	4	N. 89°
N. 0° 05' W.		C. 20.00	0.71
19.98	20.07	15.41	54' W.
19.99	19.99	3	20.00
N. 0° 04' W.		C. 20.00	0.71
19.96	20.05	15.45	5. 89°
20.00	20.00	2	20.00
N. 0° 04' W.		C. 20.00	0.71
19.98	20.03	15.53	58' W.
20.00	20.00	1	20.00
N. 0° 05' W.		C. 20.00	0.71
20.00	20.00	15.60	20.00

1996 4 1996



2" intake from
Sandhollow Cr

1 HP Simmes
Carefree Centrifugal
pump - (identical
booster pump)



booster pump
pit

3 rivers +
handlines

Creek pump pit


63-11163
MAR 14 1996



5 9 94



nices + sprinkle
for .33 ac lawn
North of .62 ac
lawn



p/ir
(.33 ac lawn)

MAR 14 1996

63-11163

May 19, 1992

FRANK CLEVINGER
16049 OASIS RD.
CALDWELL ID 83605

RE: Water Right No. 63-11163

Dear Water Right Holder(s):

Department water right records show that you divert water from the Snake River or its tributaries under a water right that has a priority date later than December 29, 1976. This is the priority of the established minimum stream flow of the Snake River at the Weiser Gage (Weiser) in the amount of 4,750 cubic feet per second.

Because of the continuing drought conditions in the Snake River Basin, department hydrologists project that during 1992, there could be periods when the required minimum flow will not be satisfied due to low flows of the Snake River. The department urges you to not divert at a higher rate than authorized by your water right and to not use your right in any manner different than authorized. In addition, when the minimum flow will not be satisfied or is not being satisfied, you are required to cease diverting water under your water right, because your right is of later priority than the minimum stream flow at Weiser.

If the department determines the minimum flow will not be satisfied, the department will advise you and will provide as much lead time as possible in requiring that you temporarily cease your diversion of water. The greatest likelihood for this to occur is during a period from mid-June to late June.

While the department expects good cooperation from junior water right holders, water users should be aware that Section 42-352, Idaho Code, provides for penalties of up to \$100 per day for unauthorized diversions of water.

The department has contacted both the Idaho Power Company and the U.S. Bureau of Reclamation with respect to the timing of storage releases from upstream reservoirs for flow enhancement purposes. This type of coordination could minimize the impact on

MICROFILMED

MAR 14 1996

existing water users and reduce the need to curtail diversions.

The department has scheduled public information meetings relative to this potential regulation as follows:

Mountain Home - June 4, 1992 - 10:00 a.m. - gymnasium at
North Elementary School, 290 E. 12th N.

Caldwell - June 4, 1992 - 7:00 p.m. - Ballroom in the
Student Union Building, Albertson College of Idaho,
2112 Cleveland

If you have questions concerning this letter or wish to provide the name of a different contact person or address to receive department correspondence, please contact the department.

Sincerely,

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:klg

RECEIVED
MAY 14 1992

June 20, 1991

FRANK CLEVINGER
16049 OASIS RD.
CALDWELL, ID 83605

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11163

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

JUL 15 1991

138448
April 30, 1991

FRANK CLEVINGER
16049 OASIS RD.
CALDWELL, ID 83605

PROOF DUE NOTICE

RE: PERMIT NO. 63-11163

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before July 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

JUL 15 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
June 11, 1990

FRANK CLEVINGER
16049 OASIS RD.
CALDWELL, ID 83605

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P63-11163

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

JUN 21 1990

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-11109
SEDLACEK, GARY
6621 LYNWOOD RD.
NAMPA, ID 83686
Source: GROUNDWATER
Diversions Pt:
Use: IRRIGATION

NWNE Sec 30 T 02N R 02W
(1.600 CFS)
Total Diversion: (1.600 CFS)

Date Filed: 1/24/1990

In: T02N R02W S30

LAKERIDGE WATER ASSN.
C/O DUANE ERNEST
515 LAKERIDGE DR.
NAMPA, ID 83686
Source: GROUNDWATER
Diversions Pt:

Use: IRRIGATION
DOMESTIC

Date Filed: 1/26/1990

In: T02N R02W S09

ZIVKOVIC, ANDRE S.
ZIVKOVIC, CYNTHIA B.
16560 MAHOGANY DR.
NAMPA, ID 83687
Source: GROUNDWATER
Diversions Pt:

Use: IRRIGATION
DOMESTIC

Date Filed: 1/29/1990

In: T03N R01W S08

SAMUELSON, STANLEY
SAMUELSON, ISABEL
517 CYPRESS
BELLINGHAM, WA 98225
Source: GROUNDWATER
Diversions Pt:

Use: IRRIGATION
DOMESTIC

Date Filed: 2/1/1990

In: T03N R01W S17

JENKINS, JEAN
JENKINS, MERLE H.
28569 DIXIE LANE
PARMA, ID 83660
Source: GROUNDWATER
Diversions Pt:

Use: IRRIGATION

Date Filed: 2/8/1990

In: T04N R05W S06

SMITH, LOLA E.
SMITH, ROY K.
408 CENTRAL KINGS RD.
NAMPA, ID 83651
Source: GROUNDWATER
Diversions Pt:

Use: IRRIGATION

Date Filed: 2/22/1990

In: T03N R02W S24

CLEVINGER, FRANK
16049 OASIS RD.
Caldwell, ID 83605
Source: SANDHOLLOW CREEK
Diversions Pt:

Use: IRRIGATION

Date Filed: 2/12/1990

In: T05N R03W S05 Lot 1

PARMA CEMETERY MAINTENANCE DISTRICT
906 GROVE ST.
PARMA, ID 83660
Source: GROUNDWATER
Diversions Pt:

Use: IRRIGATION

Date Filed: 2/12/1990

In: T05N R05W S08

In: T05N R05W S09

NWNE
80.0 ACRES TOTAL
63-11110

NWSWNE Sec 9 T 02N R 02W
SWSWNE Sec 9 T 02N R 02W
(.150 CFS)
(.100 CFS)
Total Diversion: (.200 CFS)

5.0 ACRES TOTAL
63-11111

NESW Sec 8 T 03N R 01W
(.020 CFS)
(.020 CFS)
Total Diversion: (.040 CFS)

1.0 ACRES TOTAL
63-11119

SWSW Sec 17 T 03N R 01W
(.200 CFS)
(.040 CFS)
Total Diversion: (.200 CFS)

10.0 ACRES TOTAL
63-11127

NWSESW Sec 6 T 04N R 05W
(.580 CFS)
Total Diversion: (.580 CFS)

29.0 ACRES TOTAL
63-11154

NWSW Sec 24 T 03N R 02W
(.060 CFS)
Total Diversion: (.060 CFS)

2.0 ACRES TOTAL
63-11163

LOT 1 (NENE) Tributary: BOISE RIVER
Sec 5 T 05N R 03W
(.090 CFS)
Total Diversion: (.090 CFS)

3.0 ACRES TOTAL
63-11164

NWNWNW Sec 9 T 05N R 05W
(.120 CFS)
Total Diversion: (.120 CFS)

5.0 ACRES TOTAL

Use: DOMESTIC

Date Filed: 1/30/1990

In: T04N R03W S33

HERBEL, PATRICIA
HERBEL, DALE
28279 COUNTRY LN.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversions Pt:

Use: IRRIGATION

Use: STOCKWATER

Use: DOMESTIC

Date Filed: 2/23/1990

In: T05N R03W S11

WAKEFIELD, CHARLENE
WAKEFIELD, GEORGE WAYNE
7790 MC ELROY RD.
MELBE, ID 83641
Source: GROUNDWATER
Diversions Pt:

Use: COMMERCIAL

Date Filed: 2/08/1990

In: T01N R02W S23

MC ALISTER, W.D.
MC ALISTER, BARBARA E.
3317 ALMA LN.
NAMPA, ID 83686
Source: GROUNDWATER
Diversions Pt:

Use: IRRIGATION

Use: STOCKWATER

Date Filed: 2/14/1990

In: T02N R02W S12

BRANDT AGENCY INC.
203 11TH AVE. S.
NAMPA, ID 83651
Source: GROUNDWATER
Diversions Pt:

Use: IRRIGATION

Date Filed: 2/14/1990

In: T02N R03W S25

PROPERTY OWNER'S ASSN.

14929 HILLSIDE DR.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversions Pt:

Use: IRRIGATION

Use: DOMESTIC

Date Filed: 2/13/1990

In: T05N R03W S27

CLASSIC WATER USERS ASSN. INC.

3810 BRIAN ST.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversions Pt:

Use: DOMESTIC

Date Filed: 1/09/1990

In: T04N R03W S34

PLASENCIA, JAMIE
PLASENCIA, NICOLAS
15096 FROST RD.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversions Pt:

Use: IRRIGATION

Use: DOMESTIC

Date Filed: 1/19/1990

In: T03N R04W S15

2.0 ACRES TOTAL

Total Diversion: (.140 CFS)
Total Diversion: (.200 CFS)

4.0 ACRES TOTAL
63-11172

SWNW Sec 11 T 05N R 1
(.090 CFS)
(.020 CFS)
(.040 CFS)
Total Diversion: (.150 CFS)

3.0 ACRES TOTAL
63-11173

SWSW Sec 23 T 01N R 1
(.040 CFS)
Total Diversion: (.040 CFS)

63-11175

NWSW Sec 12 T 02N R 1
(.560 CFS)
(.020 CFS)
Total Diversion: (.580 CFS)

28.0 ACRES TOTAL
63-11176

SENW Sec 25 T 02N R
(1.220 CFS)
Total Diversion: (1.220 CFS)

61.0 ACRES TOTAL
63-11177

SWSW Sec 27 T 05N R
(.280 CFS)
(.170 CFS)
Total Diversion: (.450 CFS)

14.0 ACRES TOTAL
63-11178

NWSWSW Sec 34 T 04N R
(.130 CFS)
Total Diversion: (.130 CFS)

63-11179

SWSWSE Sec 15 T 03N R
(.060 CFS)
(.040 CFS)
Total Diversion: (.100 CFS)

2.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before MARCH 26, 1990.

R. KEITH HIGGINSON

Director

March 7, 14, 1990

MicroFILMED
JUN 21 1990

63-11163

CLEVINGER, FRANK
16049 OASIS RD.
CALDWELL, ID 83605

Source: SANDHOLLOW CREEK

Tributary: BOISE RIVER

Diversion Pt: LOT 1 (NENE) Sec 5 T 05N R 03W

Use: IRRIGATION (.090 CFS)
Total Diversion: (.090 CFS)

Date Filed: 2/12/1990

In: T05N R03W S05 Lot 1 (NENE)

3.0 ACRES TOTAL

MICROFILMED

JUN 21 1990