



Place of Use
CALDWELL QUADRANGLE
IDAHO-CANYON CO.
7.5 MINUTE SERIES (TOPOGRAPHIC)



3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Submersible	1.5			6"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Theoretical

RECEIVED

JUN 28 1994

R3W R2W

CALWELL QUADRANGLE

IDAHO

7.5-MINUTE SERIES (ORTHO PHOTOQUAD)

TSN sec 25
R3W NWNE


R1D
P1U





well house +
sprinkler system

1.5 submersible
+ storage tank



stock use

RECEIVED
JUN 28 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11156

Priority: February 23, 1990

Maximum Diversion Rate:

0.06 CFS

Maximum Diversion Volume:

9.5 AF

This is to certify, that JOSEPH M GANNUSCIO
KATHLEEN C GANNUSCIO

12349 GALLOWAY RD
MIDDLETON ID 83644

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 23, 1990; and has submitted Proof of Beneficial Use on May 7, 1991. An examination indicates that the works have a diversion capacity of .060 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.06 CFS	8.6 AF
STOCKWATER	01/01 to 12/31	0.02 CFS	0.3 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	0.6 AF
	Totals	0.06 CFS	9.5 AF

LOCATION OF POINT(S) OF DIVERSION:

NWNE , Sec. 25, Township 05N, Range 03W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
05N	03W	25	NWNE	1.9		1.9

Total number of acres irrigated: 1.9

PLACE OF USE:

STOCKWATER, same as IRRIGATION use

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

JUN 28 1994

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE


WATER RIGHT NO. 63-11156

CONDITIONS/REMARKS:

5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.5 afa per acre for the lands above.
6. Stockwater use is for 25 range cattle.
7. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 1st
day of JUNE, 1994.

Acting for  R. Keith Higginson, Director



JUN 28 1994

RECEIVED

MAY 7 1991

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only
Amt. of Fee \$ 50
Date 5/7/91
Receipt No. 020406
Received by J. J. J.

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-11156 Telephone No. 585-2570

2. Name(s) of Permit Holder(s): Joe & Kathy Hannuano ✓

3. Post Office Address: 12349 Galloway Rd. Mullan, Ida ✓

4. Source of Water: ground ✓

a. If ground water, well driller's name: Baker ✓ Date drilled: 1976 ✓

b. Pump horsepower: 1 1/2 Pressure (psi): 60-80 ✓ Dynamic pumping level (ft.): _____

5. Extent of Use:

Domestic ✓ (No. of households) Irrigation X (No. of acres)

Stockwater X (No. and type of stock) Other _____

6. Total rate and/or volume for which proof is submitted .20 ✓ cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes XNo Installed? Yes No

OR

Flow Measurement Port: Required? Yes XNo Installed? Yes No

8. Fee Enclosed: \$ 50.00 ✓ (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Joe Hannuano 585-2570
Name Telephone No.

12349 Galloway Rd. Mullan, Ida 8344
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

JUN 03 1991

5-3-91
Date

Kathy Hannuano
Signature (and title if on behalf of a company or organization)

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11156

Proposed Priority: February 23, 1990 Maximum Diversion Rate: 0.20 CFS
This is to certify, that JOSEPH M. GANNUSCIO

KATHLEEN C. GANNUSCIO
12349 GALLOWAY
MIDDLETON, ID 83644

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.15 CFS
STOCKWATER	01/01 to 12/31	0.02 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS
	Totals	0.20 CFS

LOCATION OF POINT(S) OF DIVERSION: NWNE Sec. 25, Township 05N, Range 03W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
05N	03W	25	NWNE	5		5
Total number of acres irrigated:						5

PLACE OF USE: STOCKWATER, same as IRRIGATION use

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **July 1, 1991**.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.
5. Stockwater use is for 25 head; domestic use is for one home.


This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

4th day of June, 1990

MICROFILMED

JUN 21 1990

for


R. Keith Higginson, Director

Ident. No. 63-11156

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: JOSEPH M. GANNUSCIO 208-585-2570
Address: 12349 GALLOWAY
MIDDLETON, ID 83644
AND/OR
Name: KATHLEEN C. GANNUSCIO 208-585-2570
Address: 12349 GALLOWAY
MIDDLETON, ID 83644

2. Source: GROUNDWATER Trib. to:
3. Location of Point of Diversion: NWNE Sec. 25, Township 05N, Range 03W
CANYON County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
IRRIGATION	03/15	11/15	0.150		
STOCKWATER	01/01	12/31	0.020		
DOMESTIC	01/01	12/31	0.040		


5. Total quantity to be appropriated is:
0.200 CFS (and/or) AF

6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc.
6" WELL, 135 FEET DEEP.
b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
c. Proposed well diameter is 6 inches; proposed depth of well is 135
feet.
d. Is groundwater with a temperature greater than 90F being sought? NO
7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 years.
8. Description of proposed uses:
25 HEAD RANGE CATTLE, 1 HOUSEHOLD DOMESTIC USE.

MICROFILMED

JUN 21 1990

Place of Use CALDWELL QUADRANGLE
IDAHO-CANYON CO.
7.5 MINUTE SERIES (TOPOGRAPHIC)



MICROFILMED

JUN 21 1990

STAR 7.7 MI.
BOISE (STATE CAPITOL) 10 MI.

Ident. No. 63-11156
Page 2

9. Place of Use: IRRIGATION

TWN	RGE	SEC	ACRES	ACRES	ACRES	TOTAL
05N	03W	25	NWNE 5			5
Total number of acres irrigated:						5

Place of Use: STOCKWATER, same as IRRIGATION use
Place of Use: DOMESTIC, same as IRRIGATION use

10. Describe any other water rights used for the same purposes.
NONE

11. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

13. Map of proposed point of diversion and place of use attached? [X]

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X Kathy Gammis
Applicant

Received by Dra Date 2/23/90 Time 1:PM Preliminary check by GP
Fee \$ 30⁰⁰ Receipted by Dra # W009431 Date 2/23/90
Publication prepared by GG Date 3/14/90 Published in Press-Tribune
3/21 & 3/28/90
Publication approved st Date 5-14-90

MICROFILMED

JUN 21 1990

NOTICE OF APPLICATION FOR WATER RIGHT
The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-11150 BIVENS, IAHN. BIVENS, EDITH 10249 OAKS RD. CALDWELL, ID 83605 Source: GROUNDWATER Diversion Pt: Use: IRRIGATION Date Filed: 2/20/1990 In: T05N R03W S05	LOT 2 (NENWNE) Sec 5 T 05N R 03W (.040 CFS) Total Diversion: (.040 CFS) 1.5 ACRES TOTAL 63-11155 MONTERE HILDED INT. INC. 0178 LAKESHORE DR. NAMP, ID 83606 Source: GROUNDWATER Diversion Pt: Use: COMMERCIAL Date Filed: 3/1/1990 In: T02N R02W S16	ALLEN, GEORGE H. 21932 USTICK RD. CALDWELL, ID 83605 Source: GROUNDWATER Diversion Pt: Use: IRRIGATION Use: STOCKWATER Use: DOMESTIC Date Filed: 2/21/1990 In: T04N R04W S33	63-11203 SWSW Sec 33 T 04N R 04W (.100 CFS) (.020 CFS) (.040 CFS) Total Diversion: (.160 CFS) 5.0 ACRES TOTAL 63-11205 SUNNY SLOPE FRUIT CO. 14068 SUNNY SLOPE RD. CALDWELL, ID 83605 Source: GROUNDWATER Diversion Pt: Use: COMMERCIAL Date Filed: 2/28/1990 In: T03N R04W S23
63-11158 CHANCE, BEN 10403 MIDDLETON RD. NAMP, ID 83607 Source: GROUNDWATER Diversion Pt: Use: IRRIGATION Date Filed: 2/20/1990 In: T04N R02W S31	SENE Sec 16 T 02N R 02W (.040 CFS) Total Diversion: (.040 CFS) 4.0 ACRES TOTAL 63-11160 JOHNSON, E. RANDALL JOHNSON, BETTY L. 720 FLETCHER DR. NAMP, ID 83606 Source: GROUNDWATER Diversion Pt: Use: COMMERCIAL Date Filed: 2/26/1990 In: T02N R02W S35	MENTZ, JAMES P. SYMMS, R.A. 14068 SUNNY SLOPE RD. CALDWELL, ID 83605 Source: GROUNDWATER Diversion Pt: Use: COMMERCIAL Date Filed: 2/20/1990 In: T03N R05W S12	SWSE Sec 23 T 03N R 04W (.200 CFS) Total Diversion: (.200 CFS) 63-11206 NENENE Sec 12 T 03N R 05W (.200 CFS) Total Diversion: (.200 CFS) 63-11208 SCHEMACHIER, FREDERICK SCHEMACHIER, JUNE 16531 PLUM RD. CALDWELL, ID 83605 Source: GROUNDWATER Diversion Pt: Use: IRRIGATION Date Filed: 2/21/1990 In: T03N R04W S09
63-11174 ITAMI, DENNIS J. ITAMI, EVELYN K. 16272 LAKE AVE. NAMP, ID 83651 Source: GROUNDWATER Diversion Pt: Use: IRRIGATION Use: DOMESTIC Date Filed: 2/27/1990 In: T03N R03W S12	NWNE Sec 25 T 05N R 03W (.150 CFS) (.020 CFS) (.040 CFS) Total Diversion: (.200 CFS) 5.0 ACRES TOTAL 63-11177 THARRINGTON, CHARLES A. THARRINGTON, MARCIETA JOY 22368 LOWER PLEASANT RIDGE RD. CALDWELL, ID 83605 Source: GROUNDWATER Diversion Pt:	BLICKENSTAFF, LEROY BLICKENSTAFF, DELORES 3115 S. HAPPY VALLEY RD. NAMP, ID 83606 Source: GROUNDWATER Diversion Pt: Use: IRRIGATION Use: COMMERCIAL Date Filed: 2/1/1990 In: T02N R02W S01	NESE Sec 9 T 03N R 04W (.020 CFS) Total Diversion: (.020 CFS) 0.5 ACRES TOTAL 63-11209 SWNESE Sec 1 T 02N R 02W (.800 CFS) (.040 CFS) Total Diversion: (.840 CFS) 40.0 ACRES TOTAL 63-11210 BLICKENSTAFF, LEROY BLICKENSTAFF, DELORES 3115 S. HAPPY VALLEY RD. NAMP, ID 83606 Source: GROUNDWATER Diversion Pt: Use: IRRIGATION Date Filed: 2/01/1990 In: T02N R02W S01
63-11187 THARRINGTON, CHARLES A. THARRINGTON, MARCIETA JOY 22368 LOWER PLEASANT RIDGE RD. CALDWELL, ID 83605 Source: GROUNDWATER Diversion Pt:	NWSW Sec 12 T 03N R 03W (.130 CFS) (.020 CFS) Total Diversion: (.150 CFS) 6.5 ACRES TOTAL 63-11188 QUENZER, GEORGE G. QUENZER, DIANE R. 7760 FOOT HILL RD. MIDDLETON, ID 83644 Source: LANKTREE GULCH Diversion Pt: Use: IRRIGATION Date Filed: 2/28/1990 In: T04N R02W S02	REINEKE, JEAN 2645 CANADA RD. MELBA, ID 83641 Source: GROUNDWATER Diversion Pt: Use: IRRIGATION Date Filed: 2/26/1990 In: T01S R02W S13	NESE Sec 13 T 01S R 02W (.540 CFS) Total Diversion: (.540 CFS) 27.0 ACRES TOTAL 63-11212 ROLLING HILLS WATER CORP. 10072 OWYHIE DR. NAMP, ID 83651 Source: GROUNDWATER Diversion Pt: Date Filed: 3/08/1990 In: T01N R02W S04
63-11193 MILLER, R. KEITH MILLER, VICTORIA A. 6946 USTICK RD. NAMP, ID 83607 Source: GROUNDWATER Diversion Pt: Use: IRRIGATION Date Filed: 3/1/1990 In: T04N R02W S36	NESE Sec 19 T 04N R 04W (2.400 CFS) (.600 CFS) Total Diversion: (3.000 CFS) 250.0 ACRES TOTAL 63-11198 QUENZER, GEORGE G. QUENZER, DIANE R. 7760 FOOT HILL RD. MIDDLETON, ID 83644 Source: LANKTREE GULCH Diversion Pt: Use: IRRIGATION Date Filed: 2/28/1990 In: T04N R02W S02	KLAIR AND KLAIR INC. 2203 ELLIS AVE. CALDWELL, ID 83605 Source: GROUNDWATER Diversion Pt: Use: IRRIGATION Date Filed: 3/02/1990 In: T04N R04W S01	NESENE Sec 4 T 01N R 02W (.800 CFS) (.540 CFS) Total Diversion: (1.340 CFS) 40.0 ACRES TOTAL 63-11215 SWNE Sec 36 T 05N R 04W (2.000 CFS) Total Diversion: (2.000 CFS) 270.0 ACRES TOTAL 63-11216 PINTLER, BRAD PINTLER, CHARLES 13541 SURREY LN. NAMP, ID 83608 Source: GROUNDWATER Diversion Pt: Use: COMMERCIAL Use: DOMESTIC Date Filed: 2/08/1990 In: T02N R03W S2
63-11201 REYNOLDS, JOHN D. REYNOLDS, CLARA L. 7120 USTICK RD. NAMP, ID 83607 Source: GROUNDWATER Diversion Pt: Use: IRRIGATION Use: DOMESTIC Date Filed: 2/16/1990 In: T04N R02W S35	SESW Sec 35 T 04N R 02W (.030 CFS) (.040 CFS) Total Diversion: (.070 CFS) 1.0 ACRES TOTAL 63-11202 KRAJINIK, ED KRAJINIK, ORIVETA 4749 RIM RD. NAMP, ID 83606 Source: GROUNDWATER Diversion Pt: Use: IRRIGATION Use: DOMESTIC Date Filed: 2/16/1990 In: T02N R03W S13	KINDNESS ANIMALS 1420 MIDLAND BLVD. NAMP, ID 83651 Source: GROUNDWATER Diversion Pt: Use: STOCKWATER Use: COMMERCIAL Date Filed: 2/05/1990 In: T03N R02W S16	SESE Sec 35 T 02N R 03W (.200 CFS) Total Diversion: (.200 CFS) 63-11217 SWNE Sec 16 T 03N R 02W (.020 CFS) (.080 CFS) Total Diversion: (.100 CFS) NWSW

This permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before APRIL 9, 1990.

R. KEITH JOHNSON
Director
March 21, 20, 1990

MEMORANDUM

DATE: June 14, 1994
TO: File No. 63-11156
FROM: Donna Corless
SUBJECT: RETURNED MAIL

=====

The Water Right License mailed to Jospheh and Kathleen Gannuscio at 12349 Galloway Rd., Middleton, ID 83644 was returned by the U.S. Post Office with the following notation:

Undeliverable as Addressed - Forwarding Order Expired

A call to the Canyon County Assessor's Office revealed that their address of record is as follows:

816 Fern Street
Nampa, ID 83686

The license was forwarded to that address today.

JUN 28 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

June 3, 1994

JOSEPH M GANNUSCIO
KATHLEEN C GANNUSCIO
12349 GALLOWAY RD
MIDDLETON ID 83644

RE: WATER RIGHT NO. 63-11156

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', written over the typed name.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECEIVED
JUN 28 1994

LICENSE REVIEW
Cindy Zimmerman

Permit #: 63-11156 Name: Gannuscio Date: 5/26/94

NAME	Yes ☒	No ☐	Or Address Change? NO Assignment in file.
SOURCE	☐	☒	Changes/Clarification source _____ Prelim. Order to Void - Source change.
P/D	☐	☒	Amendment Needed? clarify? _____ -P39, P38 Overlap(s) _____
P/U	☐	☒	Amendment Needed? ^{reduce to} clarify? <u>1.9A</u> -P41, P38 Overlap(s) _____ *P/D & P/U Amend? P37, P38 (See list for feds.)
RATE	☐	☒	Measurement Done? _____
	☒	☐	Theoretical Only? <u>1.9A @ .03 cfs/A = .06 cfs.</u> <u>domestic 1 x .04 = .04; stock 25 hd (table 6)</u> Theoretical (HP) <u>8.8 x 0.70 x 1.5</u> <u>65 + (2.31 x 40) = .06</u> Capacity <u>.06</u> Allowable Amount: <u>.06</u>
VOLUME	☐	☐	Season of Use: <u>irr: 3/15-11/15-24, stock/dom: 1/1-12/31=365 d</u> Calculations: <u>dom: 1 x .6 (int. only) = .6;</u> <u>stock: (25 hd x 12 gpd x 365 d) / 325,850 = .3; irr: 1.9A x 4.5 AF/A = 8.6</u> Flow limit: <u>.06 x 246 x 1.9835 = 29.2</u> Allowable volume <u>9.5</u> AF
USES	☐	☒	Change(s) in Nature of Use? _____ -P46 Amendment Needed? _____
REMARKS	☒	☒	Multiple p/d's in <u>1/1</u> ? Other <u>Dom/1 Stock/25</u>
CONDITIONS	☒	☒	Measuring/Locking Devices <u>R04</u> Watermaster Control - Water District _____ <u>R52</u> Irrigation Overlap Water Quality Other
PRIORITY	☒	☐	Correct fee submitted? Receipt No. <u>6020406</u> Order to Reinstate Needed? Done? _____ Advance(d)? _____ Advanced to: _____ App Rcd <u>2/23/90</u> Priority <u>2/23/90</u> Exam done <u>6/8/93</u>

COMMENTS: limited by capacity

RECOMMENDED	CFS	DIV VOL	LICENSE: <u>P49</u>
<u>irr / 1.9A</u>	<u>.06</u>	<u>8.6</u>	#1 AMEND LTR: P46 or
<u>stock / 25</u>	<u>.02</u>	<u>.3</u>	P39/P41/P37 & P38
<u>dom / 1</u>	<u>.04</u>	<u>.6</u>	
<u>TOTAL</u>	<u>.06</u>	<u>9.5</u>	#2 AMEND LTR: P42/P47

Water Right Number - L63-11156

Prefix Translation:

LICENSE

Old (D) Number -

+ - - - - Last Name - - - - + + - First Name - - + + - - - - - Address - - - - - +

*** C - CURRENT OWNER ***

GANNUSCIO

JOSEPH M

1 - 12349 GALLOWAY RD

2 -

3 -

City- MIDDLETON

State- ID Zip- 83644

Phone - 208-585-2570

GANNUSCIO

KATHLEEN C

1 - 12349 GALLOWAY RD

2 -

3 -

City- MIDDLETON

State- ID Zip- 83644

Phone - 208-585-2570

+ - - Priority Date - - + + - - Region - - - + + - - Stage - - - + + - - Status - - - - +
02/23/1990 14 WESTERN L - LICENSE+ - - - - Source - - - - - + + - - - - Tributary - - - - - +
GROUNDWATER+ - - - - Point of Diversion - - - - - +
TwN Rng Sec Tract Lot RFlg County Diversion Name Diversion Rate Diversion No.
05N 03W 25 NW NE (27) CANYON+ - - - - Water Use - - - - - +
Code Description Period From Period To Diversion Rate Diversion Volume
01 - IRRIGATION 03/15 11/15 0.060 8.60
04 - STOCKWATER 01/01 12/31 0.020 0.30
43 - DOMESTIC 01/01 12/31 0.040 0.60+ - Total Div. Rate - + + - Total Div. Volume - + + - Total Div. Capacity - +
0.060 9.50 0.060+ - - - - Place of Use - - - - - +
TwN Rng Sec Tract Lot Acres Code Description County
05N 03W 25 NW NE 1.9 01 IRRIGATION (27) CANYON

Total Acres: 1.9

+ - - Diversion Means - 6" WELL, 135 FEET DEEP.

+ - - Non-Irrigation Use - 25 HEAD RANGE CATTLE

+ - - Other Rights for Same Use -

+ - - - - Remarks - - - - - +
Stockwater use is for 25 range cattle.
Domestic use is for 1 home.

Water right number - L63-11156

Prefix Translation: LICENSE

+ - - - - Old Water Right Numbers - - - - - +

+ - - - - Old Water Right Numbers - - - - - +
No Old Water Right Numbers found.

+ - - - - Conditions of Approval - - - - - +
R52 - This right when combined with all other rights shall provide no
- more than .03 cfs per acre nor more than 4.5 afa per acre for the
- lands above.

+ - - - - Decree Plaintiff - - - + + - - - - Decree Defendant - - - + + - Decree Date - +
00/00/0000

+ - - - - Comments - - - - - +
No Comments Found

+ - - Audit Fields - 05/27/94 CZIMMERM

+ - - - - Water Rights Dates and Flags Area - - - - - +

Proof Due Date - 07/01/1991	Field Exam Made - 06/08/1993	Field Exam Fee - R
Approved/Denied - 06/04/1990	Protested Date - 00/00/0000	Swan Falls - B
Proof Made Date - 05/07/1991	Hearing Date - 00/00/0000	Temporary Right - P
Exam to S.O. Date- 06/29/1993	Verified Date - 00/00/0000	DLE/Carey Act -
Order Show Cause - 00/00/0000	Receipt Number - C020406	Water District -
Licensed Date - 00/00/0000	Appl Received - 02/23/1990	Transfer/Amended -
Decree Date - 00/00/0000	Name Connector - AND/OR	POU Ownership Flag- Y
Presumption Flag -		

MEMORANDUM

DATE: May 27, 1994
TO: File No. 63-11156
FROM: Cindy Zimmerman
SUBJECT: Adjustments to Beneficial Use Exam

=====

Adjustment were made on the field exam in the following area(s) based on the information below.

1. Volume Calculations
 - a. Irrigation = 1.9 acres x 4.5 AF/acre = 8.6 AFA
 - b. Domestic (internal use only) = 0.6 AFA
 - c. Stockwater (limited by permit)
= (25 hd x 12 gpd x 365 days) ÷ 325,850 g/AF
= 0.3 AFA
 - d. Total volume = 8.6 + 0.6 + 0.3 = 9.5 AFA

RECEIVED

JUN 28 1994

A. GENERAL INFORMATION

(new owner)

Permit No. 63-11156

1. Owner: EVA PATTERSON Phone No. 585-3110

Current Address: 12349 GALLOWAY RD MIDDLETON ID 83644

2. Accompanied by: _____ EXAM DATE: 6/8/93

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: GROUND WATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use:

2. Other water rights with the same point of diversion: —

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

[illegible]


2. Place(s) of Use:

Indicate Method of Determination

[illegible]

JUN 28 1994

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Endless	1.5			6"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: Theoretical

RECEIVED

JUN 28 1994

E. NARRATIVE/REMARKS/COMMENTS

A 6" well with a 1.5 HP submersible pump and 2 storage tanks supplies water to a home, stock and 1.9 acres irrigation. The system utilizes handline sprinklers (7 sections 2 time of season) equipped with $\frac{3}{64}$ " nozzles for the pasture and portable hose and sprinklers for the lawn. The small .28 ac pasture directly west of the house could also be irrigated via hose and portable sprinklers. The area behind and to the west of the stock shed was not irrigated and was not equipped for irrigation.

No other water uses are used.

Have conditions of permit approval been met? ☒ yes ☐ no

MAINTAINED

JUN 28 1994

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method:

$$\frac{1.5 \times 8.8 \times .7}{.65 + (40 \times 2.31)} = .06 \text{ cfs}$$

per area well
log estimates

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1.9 \times 4.5 = 8.6$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .06 \times 246 \times 1.9835 = 29.3$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 8.6$$

2. Volume Calculations for Other Uses:

internal domestic use - .6 afa

50 bcf x 12 GPD x 365 days / 325,850 - .7 afa *

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)	
	From	To			
Irrigation	3/15	11/15	.06	8.6	
Domestic	1/1	12/31	.04	.6	
Stock	1/1	12/31	.02	.7	*
Totals:			.06	9.9	*

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATIONField Examiner's Name Car Craven Date 6/11/93

Reviewer _____ Date _____

NOTED
SEAL
MED


* Adjustments made during review of this right for license approval. See memo for additional information JUN 28 1994

CALWELL QUADRANGLE

IDAHO

7.5-MINUTE SERIES (ORTHO PHOTOQUAD)

TSN Sec 25
R3W NWNE
32,000 FEET 328



IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: not found OTHER APPLICABLE NO: 63-11156
2. OWNER: Eva Patterson Phone: 585-3110
Address: 12349 Galloway Rd Middleton
3. WELL LOCATION: Twp 5N, Rge. 3W, Sec. 25, NW 1/4 NE 1/4
County CANYON (Provide sketch map and photo on reverse.)
4. DRILLER: unknown Lic. No. _____
When Drilled? _____
5. WELL CONSTRUCTION:
Casing Diameter 6 inches Water tight cap? ☒ Yes ☐ No Access Port: ☒ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☐ Yes ☐ No - Describe _____
Depth of Casing _____ ft. Method Drilled _____
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☐ Yes ☐ No Pressure Gauge: ☒ Yes ☐ No
Condition of Piping and Valving OK
Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION:
Depth to Static Water 50^{feet} ft. Water Temperature cold °F
Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:
☒ Domestic ☒ Irrigation ☒ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____

RECORDED
JUN 28 1994

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS:

W. Conner

Signature of Dept. Representative & Title


6/8/93

Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:




JUN 28 1994



well house &
sprinkler system

1.5 submersible
& storage tank



stock use

28 1994

May 17, 1991

JOSEPH M. GANNUSCIO
KATHLEEN C. GANNUSCIO
12349 GALLOWAY
MIDDLETON, ID 83644

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11156

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

RECEIVED
JUN 03 1991

JUN 03 1991

138445
April 30, 1991

JOSEPH M. GANNUSCIO
KATHLEEN C. GANNUSCIO
12349 GALLOWAY
MIDDLETON, ID 83644

PROOF DUE NOTICE

RE: PERMIT NO. 63-11156

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before July 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
June 4, 1990

JOSEPH M. GANNUSCIO
KATHLEEN C. GANNUSCIO
12349 GALLOWAY
MIDDLETON, ID 83644

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P63-11156

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

Microfilmed

JUN 21 1990

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

JUN 21 1990

63-11156

GANNUSCIO, JOSEPH M.
GANNUSCIO, KATHLEEN C.
12349 GALLOWAY
MIDDLETON, ID 83644

Source: GROUNDWATER

Diversion Pt: NWNE Sec 25 T 05N R 03W

Use: IRRIGATION	(.150 CFS)
STOCKWATER	(.020 CFS)
DOMESTIC	(.040 CFS)
Total Diversion:	(.200 CFS)

Date Filed: 2/23/1990

In: T05N R03W S25 NWNE

5.0 ACRES TOTAL

MICROFILMED

JUN 21 1990