



T3N, R2W, Sec 24, NW SW  
63-1115



3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = \_\_\_\_\_

\_\_\_\_ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

\_\_\_\_ Aerial Photo Attached (required for irrigation of 10+ acres)

\_\_\_\_ Photo of Diversion and System Attached

4.

| Well or Diversion Identification No.* | Motor Make | Hp | Motor Serial No. | Pump Make | Pump Serial No. or Discharge Size |
|---------------------------------------|------------|----|------------------|-----------|-----------------------------------|
| submersible                           |            | 1. |                  |           |                                   |
|                                       |            |    |                  |           |                                   |
|                                       |            |    |                  |           |                                   |

\*Code to correspond with No. on map and aerial photo

#### D. FLOW MEASUREMENTS

1.

| Measurement Equipment | Type | Make | Model No. | Serial No. | Size | Calib. Date |
|-----------------------|------|------|-----------|------------|------|-------------|
| 30 gallon bucket      |      |      |           |            |      |             |
|                       |      |      |           |            |      |             |

2. Measurements: 5 gallon bucket adapted to a 30gal = 21 seconds to fill

**Microfilm**

APR 19 1993



↑  
D/u R

PERMIT 63-1154 INIT DOL  
T. R. S. Q/Q  
3m 2w 24 newsw

63-11154

View of well. Located on  
THE SOUTH/WEST SIDE OF THE  
PROPERTY.



View of PROPERTY  
looking East.



RECORDED  
INDEXED  
APR 19 1993

State of Idaho  
Department of Water Resources

# WATER RIGHT LICENSE

WATER RIGHT NO. 63-11154

Priority: February 22, 1990

Maximum Diversion Rate:

0.03 CFS

Maximum Diversion Volume:

3.2 AF

This is to certify, that LOLA E SMITH  
ROY K SMITH

408 CENTRAL KINGS RD  
NAMPA ID 83651

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 22, 1990; and has submitted Proof of Beneficial Use on June 4, 1991. An examination indicates that the works have a diversion capacity of .190 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

| <u>BENEFICIAL USE</u> | <u>PERIOD OF USE</u> | <u>RATE OF DIVERSION</u> | <u>ANNUAL VOLUME</u> |
|-----------------------|----------------------|--------------------------|----------------------|
| IRRIGATION            | 03/15 to 11/15       | 0.03 CFS                 | 3.2 AF               |

LOCATION OF POINT(S) OF DIVERSION:

NWSW , Sec. 24, Township 03N, Range 02W  
CANYON County

PLACE OF USE: IRRIGATION

| <u>TWN</u> | <u>RGE</u> | <u>SEC</u> | <u>ACRES</u> | <u>ACRES</u> | <u>ACRES</u> | <u>TOTAL</u> |
|------------|------------|------------|--------------|--------------|--------------|--------------|
| 03N        | 02W        | 24         | NWSW         | 0.7          |              | 0.7          |

Total number of acres irrigated: 0.7

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than 4.5 afa per acre for the lands above.

RECORDED

APR 19 1993

State of Idaho  
Department of Water Resources

**WATER RIGHT LICENSE**

WATER RIGHT NO. 63-11154

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.  
Witness the seal and signature of the Director, affixed at Boise, this 9<sup>th</sup>  
day of APRIL, 1993.

  
R. Keith Higginson, Director

APR 19 1993

State of Idaho  
Department of Water Resources

# Permit To Appropriate Water

NO. 63-11154

Proposed Priority: February 22, 1990 Maximum Diversion Rate: 0.06 CFS  
This is to certify, that **LOLA E. SMITH**

**ROY K. SMITH**  
408 CENTRAL KINGS RD.  
NAMPA, ID 83651

has applied for a permit to appropriate water from: **GROUNDWATER**  
and a permit is **APPROVED** for development of water as follows:

| <u>BENEFICIAL USE</u> | <u>PERIOD OF USE</u> | <u>RATE OF DIVERSION</u> |
|-----------------------|----------------------|--------------------------|
| IRRIGATION            | 03/15 to 11/15       | 0.06 CFS                 |

LOCATION OF POINT(S) OF DIVERSION: NWSW Sec. 24, Township 03N, Range 02W  
CANYON County

PLACE OF USE: IRRIGATION

| <u>TWN RGE SEC</u> | <u>ACRES</u> | <u>ACRES</u> | <u>ACRES</u> | <u>TOTAL</u> |
|--------------------|--------------|--------------|--------------|--------------|
| 03N 02W 24         | NWSW 2       |              |              | 2            |

Total number of acres irrigated: 2

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 1991.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.  
Witness the seal and signature of the Director, affixed at Boise, this

11 day of June, 1990.

for *R. Keith Higginson*  
R. Keith Higginson, Director

**MICROFILMED**

JUN 21 1990

Ident. No. 63-11154

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: ROY K. SMITH 208-466-5246  
Address: 408 CENTRAL KINGS RD.  
NAMPA, ID 83651  
OR  
Name: LOLA E. SMITH 208-466-5246  
Address: 408 CENTRAL KINGS RD.  
NAMPA, ID 83651

2. Source: GROUNDWATER Trib. to:  
3. Location of Point of Diversion: NWSW Sec. 24, Township 03N, Range 02W  
CANYON County

4. Water will be used for the following purposes:

| Purpose    | From  | To    | CFS   | (or) | AF |
|------------|-------|-------|-------|------|----|
| IRRIGATION | 03/15 | 11/15 | 0.060 |      |    |

5. Total quantity to be appropriated is:  
0.060 CFS (and/or) AF

6. Proposed diverting works:  
a. Description of ditches, flumes, pumps, headgates, etc.  
APPROX. 60' DEEP, 6" CS, 1 HP PUMP  
b. Height of storage dam feet; active reservoir capacity  
acre-feet; total reservoir capacity acre-feet; period of  
year when water will be diverted to storage: to inclusive.  
c. Proposed well diameter is 6 inches; proposed depth of well is 60  
feet.  
d. Is groundwater with a temperature greater than 90F being sought? NO

7. Time required for the completion of the works and application of  
the water to the proposed beneficial use is 1 years.

8. Description of proposed uses:  
IRRIGATION

9. Place of Use: IRRIGATION

| TWN                              | RGE | SEC | ACRES  | ACRES | ACRES | TOTAL |
|----------------------------------|-----|-----|--------|-------|-------|-------|
| 03N                              | 02W | 24  | NWSW 2 |       |       | 2     |
| Total number of acres irrigated: |     |     |        |       |       | 2     |

RECORDED

JUN 21 1990

10. Describe any other water rights used for the same purposes.  
NAMPA-MERIDIAN

11. a. Who owns the property at the point of diversion?  
APPLICANT

b. Who owns the land to be irrigated or place of use?  
APPLICANT

c. If the property is owned by a person other than the applicant,  
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

13. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

*Ray L. Smith*  
Applicant

Received by L. Werner Date 2-21-90 Time 9:00 Preliminary check by SL

Fee \$ 30<sup>00</sup> Receipted by L. Werner # W09221 Date 2-21-90

Publication prepared by GG Date 2-28-90 Published in Press-Tribune  
3/7 & 3/14/90


Publication approved SL Date 4-20-90

Confirmed date of receipt is Appl. as 2/22/90, SL.

MICROFILMED

JUN 21 1990

124



# NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-11109

SEDLACEK, GARY  
6621 LYNWOOD RD.  
NAMPA, ID 83686  
Source: GROUNDWATER  
Diversión Pt:  
Use: IRRIGATION

NWNE Sec 30 T 02N R 02W  
(1.600 CSF)  
Total Diversión: (1.600 CSF)

Date Filed: 1/24/1990

In: T02N R02W S30

LAKERIDGE WATER ASSN.  
C/O DUANE ERNEST  
515 LAKERIDGE DR.  
NAMPA, ID 83686  
Source: GROUNDWATER  
Diversión Pt:

Use: IRRIGATION  
DOMESTIC

Date Filed: 1/26/1990

In: T02N R02W S09

ZIVKOVIC, ANDRE S.  
ZIVKOVIC, CYNTHIA B.  
16560 MAHOGANY DR.  
NAMPA, ID 83687  
Source: GROUNDWATER  
Diversión Pt:

Use: IRRIGATION  
DOMESTIC

Date Filed: 1/29/1990

In: T03N R01W S08

SAMUELSON, STANLEY  
SAMUELSON, ISABEL  
517 CYPRESS  
BELLINGHAM, WA 98225  
Source: GROUNDWATER  
Diversión Pt:

Use: IRRIGATION  
DOMESTIC

Date Filed: 2/1/1990

In: T03N R01W S17

JENKINS, JEAN  
JENKINS, MERLE H.  
28569 DIXIE LANE  
PARMA, ID 83660  
Source: GROUNDWATER  
Diversión Pt:

Use: IRRIGATION

Date Filed: 2/8/1990

In: T04N R05W S06

SMITH, LOLA E.  
SMITH, ROY K.  
408 CENTRAL KINGS RD.  
NAMPA, ID 83651  
Source: GROUNDWATER  
Diversión Pt:

Use: IRRIGATION

Date Filed: 2/22/1990

In: T03N R02W S24

CLEVINGER, FRANK  
16049 OASIS RD.  
CALDWELL, ID 83605  
Source: SANDHOLLOW CREEK  
Diversión Pt:

Use: IRRIGATION

Date Filed: 2/12/1990

In: T05N R03W S05 Lot 1

PARMA CEMETERY MAINTENANCE DISTRICT  
906 GROVE ST.  
PARMA, ID 83660  
Source: GROUNDWATER  
Diversión Pt:

Use: IRRIGATION

Date Filed: 2/12/1990

In: T05N R05W S08

In: T05N R05W S09

NWNE  
80.0 ACRES TOTAL  
63-11110

NWSWNE Sec 9 T 02N R 02W  
SWSWNE Sec 9 T 02N R 02W  
(.150 CFS)  
(.100 CSF)  
Total Diversión: (.200 CFS)

5.0 ACRES TOTAL  
63-11111

NESW Sec 8 T 03N R 01W  
(.020 CFS)  
(.020 CFS)  
Total Diversión: (.040 CFS)

1.0 ACRES TOTAL  
63-11119

SWSW Sec 17 T 03N R 01W  
(.200 CSF)  
(.040 CFS)  
Total Diversión: (.200 CFS)

10.0 ACRES TOTAL  
63-11127

NWSESW Sec 6 T 04N R 05W  
(.580 CFS)  
Total Diversión: (.580 CFS)

29.0 ACRES TOTAL  
63-11154

NWSW Sec 24 T 03N R 02W  
(.060 CFS)  
Total Diversión: (.060 CSF)

2.0 ACRES TOTAL  
63-11163

LOT 1 (NENE) Tributary: BOISE RIVER  
Sec 5 T 05N R 03W  
(.090 CFS)  
Total Diversión: (.090 CFS)

3.0 ACRES TOTAL  
63-11164

NWNWNW Sec 9 T 05N R 05W  
(.120 CFS)  
Total Diversión: (.120 CFS)

5.0 ACRES TOTAL

Use: DOMESTIC

Date Filed: 1/30/1990

In: T04N R03W S33

HERBEL, PATRICIA  
HERBEL, DALE  
28279 COUNTRY LN.  
CALDWELL, ID 83605  
Source: GROUNDWATER  
Diversión Pt:

Use: IRRIGATION  
Use: STOCKWATER  
Use: DOMESTIC

Date Filed: 2/23/1990

In: T05N R03W S11

WAKEFIELD, CHARLENE  
WAKEFIELD, GEORGE WAYNE  
7790 MC ELROY RD.  
MELBE, ID 83641  
Source: GROUNDWATER  
Diversión Pt:

Use: COMMERCIAL

Date Filed: 2/08/1990

In: T01N R02W S23

MC ALISTER, W.D.  
MC ALISTER, BARBARA E.  
3317 ALMA LN.  
NAMPA, ID 83686  
Source: GROUNDWATER  
Diversión Pt:

Use: IRRIGATION  
Use: STOCKWATER

Date Filed: 2/14/1990

In: T02N R02W S12

BRANDT AGENCY INC.  
203 11TH AVE. S.  
NAMPA, ID 83651  
Source: GROUNDWATER  
Diversión Pt:

Use: IRRIGATION

Date Filed: 2/14/1990

In: T02N R03W S25

PROPERTY OWNER'S ASSN.  
14929 HILLSIDE DR.  
CALDWELL, ID 83605  
Source: GROUNDWATER  
Diversión Pt:

Use: IRRIGATION  
Use: DOMESTIC

Date Filed: 2/13/1990

In: T05N R03W S27

CLASSIC WATER USERS ASSN. INC.  
3810 BRIAN ST.  
CALDWELL, ID 83605  
Source: GROUNDWATER  
Diversión Pt:

Use: DOMESTIC

Date Filed: 1/09/1990

In: T04N R03W S34

PLASENCIA, JAMIE  
PLASENCIA, NICOLAS  
15096 FROST RD.  
CALDWELL, ID 83605  
Source: GROUNDWATER  
Diversión Pt:

Use: IRRIGATION  
Use: DOMESTIC

Date Filed: 1/19/1990

In: T03N R04W S15

2.0 ACRES TOTAL

Total Diversión: (.140 CFS)  
Total Diversión: (.200 CFS)

4.0 ACRES TOTAL  
63-11172

SWNW Sec 11 T 05N R 1  
(.090 CFS)  
(.020 CFS)  
(.040 CFS)  
Total Diversión: (.150 CFS)

3.0 ACRES TOTAL  
63-11173

SWSW Sec 23 T 01N R 1  
(.040 CFS)  
Total Diversión: (.040 CFS)

63-11175

NWSW Sec 12 T 02N R 1  
(.560 CFS)  
(.020 CFS)  
Total Diversión: (.580 CFS)

28.0 ACRES TOTAL  
63-11176

SESW Sec 25 T 02N R  
(1.220 CFS)  
Total Diversión: (1.220 CFS)

61.0 ACRES TOTAL  
63-11177

SWSW Sec 27 T 05N R  
(.280 CFS)  
(.170 CFS)  
Total Diversión: (.450 CFS)

14.0 ACRES TOTAL  
63-11178

NWSWSW Sec 34 T 04N R  
(.130 CFS)  
Total Diversión: (.130 CFS)

63-11179

SWSWSE Sec 15 T 03N R  
(.060 CFS)  
(.040 CFS)  
Total Diversión: (.100 CFS)

2.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before MARCH 26, 1990.

R. KEITH HIGGINSON

Director

March 7, 14, 1990

RECORDED  
JUN 21 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS  
GOVERNOR

R. KEITH HIGGINSON  
DIRECTOR

April 12, 1993

LOLA E SMITH  
ROY K SMITH  
408 CENTRAL KINGS RD  
NAMPA ID 83651

RE: WATER RIGHT NO. 63-11154

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in cursive script that reads 'Pamela Skaggs'.

PAMELA SKAGGS  
Water Resource Agent

PS:cz

Enclosure

**RECEIVED**


APR 19 1993

DATE: 03/09/93  
PAGE: 1

⑦

| TWP | RGE | SEC | NE |    |    |    | NW |    |    |    | SW |    |    |    | SE |    |    |    | Totals |
|-----|-----|-----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|--------|
|     |     |     | NE | NW | SW | SE | NE | NW | SW | SE | NE | NW | SW | SE | NE | NW | SW | SE |        |
| 3n  | 2w  | 24  |    |    |    |    |    |    |    |    | .7 |    |    |    |    |    |    |    | .7     |
|     |     |     |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |        |
|     |     |     |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |        |
|     |     |     |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |        |
|     |     |     |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |        |
|     |     |     |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |        |
|     |     |     |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |        |
|     |     |     |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |        |
|     |     |     |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |        |
|     |     |     |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    | .7     |

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = \_\_\_\_\_

\_\_\_\_ Copy of USGS Quadrange Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

\_\_\_\_ Aerial Photo Attached (required for irrigation of 10+ acres)

\_\_\_\_ Photo of Diversion and System Attached

4.

| Well or Diversion Identification No.* | Motor Make | Hp | Motor Serial No. | Pump Make | Pump Serial No. or Discharge Size |
|---------------------------------------|------------|----|------------------|-----------|-----------------------------------|
| submersible                           |            | 1. |                  |           |                                   |
|                                       |            |    |                  |           |                                   |
|                                       |            |    |                  |           |                                   |

\*Code to correspond with No. on map and aerial photo

#### D. FLOW MEASUREMENTS

1.

| Measurement Equipment | Type | Make | Model No. | Serial No. | Size | Calib. Date |
|-----------------------|------|------|-----------|------------|------|-------------|
| 30 gallon bucket      |      |      |           |            |      |             |
|                       |      |      |           |            |      |             |

2. Measurements: 5 gallon bucket adapted to a 30gal = 21 seconds to full

APR 19 1993

E. NARRATIVE/REMARKS/COMMENTS

This system uses a 6", 50' well. The well has a 1hp on it. The static is only 4' while the dynamic can be estimated at 30'. The system is used on the pasture via flood irrigation.

\* Note there are no overlaps that affect this permit. 63-09229 is the domestic WR; it is not used on the same P/u. The other WR is the neighbor.

Have conditions of permit approval been met? ☒ yes ☐ no

APR 19 1993

## F. FLOW CALCULATIONS

Measured Method:

5 gallon bucket = (30 gallon)

Additional Computation Sheets Attached

21 seconds  $\times \frac{1}{60} = 3.5 = .19 \text{ cfs}$  capacity

Theoretical =  $\frac{1 \times 8.8 \times .70}{30 + (2.3 \times 0)} = \frac{6.16}{30} = .21 \text{ cfs}$  ✓  
open discharge

Allow  $.03 \times .03 = .02 \text{ cfs}$  irrigation

Allow .03 cfs (IRR) < 1 Acre requirement

## G. VOLUME CALCULATIONS

### 1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = .7 \times 4.5 = 3.15 \text{ AFA}$  3.2 afa

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .036 \times 245 \times 1.9835 = 29.2 \text{ AFA}$  14.6 afa ✓

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 3.15 \text{ AFA}$  3.2 afa (IRR)

### 2. Volume Calculations for Other Uses:

None.

## H. RECOMMENDATIONS


Remarks -  
Conditions - R27

### 1. Recommended Amounts

| Beneficial Use | Period of Use |       | Rate of Diversion<br>Q (cfs) | Annual Volume<br>V (afa) |
|----------------|---------------|-------|------------------------------|--------------------------|
|                | From          | To    |                              |                          |
| Irrigation     | 3-15          | 11-15 | .03 = .02 cfs                | 3.2 3.15 AFA             |
|                |               |       |                              |                          |
|                |               |       |                              |                          |
|                |               |       |                              |                          |
|                |               |       |                              |                          |
| Totals:        |               |       | .03                          | 3.2                      |

### 2. Recommended Amendments

☐ Change P.D. as reflected above    ☐ Add P.D. as reflected above    ☒ None  
☐ Change P.U. as reflected above    ☐ Add P.U. as reflected above    ☐ Other



## I. AUTHENTICATION

Field Examiner's Name David Tuthill Date 8-14-92

Reviewer Samuel Skaggs Date 03-09-93

SEAL

APR 19 1993

↑  
Ahu Ah

PERMIT 63-1154 INIT DRG  
T. R. S. Q/Q  
3m 2w 2d newsw

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-11154

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 3n, Rge 2w, Sec. 24, NW 1/4 SW 1/4 or Lot     .
2. Owner: Lola E. Smith : Ray Smith  
Address 400 Central Kansas Rd., City Manassas, St. Id.
3. Casing  $\geq$  12 inches above ground: Yes ☒ No ☐
4. Access Port: Yes ☒ No ☐ Static Water Level: 4'  
Pressure Gauge: Yes ☐ No ☒ Casing Diameter: 6"  
Flowing: Yes ☒ No ☐ Temperature: NT
5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes ☐ No ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_


APR 19 1993

63-11154

View of well. Located on  
THE SOUTH/WEST SIDE OF THE  
PROPERTY.



View of Property  
Looking East.



APR 19 1993

July 9, 1991

LOLA E. SMITH  
ROY K. SMITH  
408 CENTRAL KINGS RD.  
NAMPA, ID 83651

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11154

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck  
Secretary/Records Manager

c: IDWR - Region

RECEIVED

AUG 06 1991

INTER-DEPARTMENT MEMO

TO: Rob - Western

SUBJECT: 63-11154

FROM: Rts

DATE: 7-1-91

Rob Can you find a drilling permit for  
Sola E. or Roy K Smith drilled by  
Davis Drilling, Tampas April 1988  
T03N - R2W T24 NW SW.

Thanks

7-2-91 - Per Rob, per C. Davis well was drilled in  
Mar. '87 - no permit needed

**RECEIVED**

AUG 06 1991

( ) For your information

( ) Response required

signature

ANALYSIS SHEET  
for  
PROOF OF BENEFICIAL USE

Permit No. 63-11154

Date 6-12-91

GENERAL CONSIDERATIONS

- ☒ Name same as permit?  
☒ Address same as permit? If no, indicate below.  
☒ Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

- ☐ Surface water source  
☒ Ground water source  
☒ Drill permit req'd?  
☐ Copy in file? Drill permit no. \_\_\_\_\_  
☐ Amt paid for drilling permit? \_\_\_\_\_ Correct?  
☐ Well log in file?

LICENSE EXAMINATION FEE

- ☒ Required?  
50.00 Amount submitted?  
☒ Correct amount?

MEASURING DEVICE

- NO Measuring device or access port required?  
☐ Installed?  
☐ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

*needs w.c. & D.P.*

PRIORITY CALCULATION

|                     |           |         |
|---------------------|-----------|---------|
| Date proof received | <u>NA</u> | _____   |
| Date proof due      | <u>/</u>  | - _____ |
| No. of days late    | <u>/</u>  | = _____ |
| Priority date       | <u>/</u>  | + _____ |
| NEW PRIORITY DATE   | <u>/</u>  | = _____ |

*LB*

**RECEIVED**  
JUN 05 1991

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

For Office Use Only  
Amt. of Fee \$ 50.00  
Date 6/4/91  
Receipt No. W015370  
Received by JFW

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-11154 Telephone No. 466-5246

Name(s) of Permit Holder(s): Lola E. Smith, Roy K. Smith.

Post Office Address: 408 Central Kings Rd.

Source of Water: Groundwater

If ground water, well driller's name: Davis Drilling, Nampa. Date drilled: April 1988

Extent of Use:  
Domestic \_\_\_\_\_ (No. of households) Irrigation 2 (No. of acres)  
Stockwater \_\_\_\_\_ (No. and type of stock) Other \_\_\_\_\_

Total rate and/or volume for which proof is submitted .06 cfs \_\_\_\_\_ acre/feet

Show date water was first diverted and beneficially used under this permit: Apr. - 1988

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes ☒ No Installed? Yes ☐ No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☐ No

Fee Enclosed: \$ 50.00 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Same as above.  
Name Telephone No.

Address

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Roy Smith 6/4/91  
Date Signature (and title if on behalf of a company or organization)

**ED**  
**AUG 06 1991**



138444

April 30, 1991

LOLA E. SMITH  
ROY K. SMITH  
408 CENTRAL KINGS RD.  
NAMPA, ID 83651

PROOF DUE NOTICE

RE: PERMIT NO. 63-11154

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before July 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck  
Secretary/Records Manager

Enclosures

MICROFILMED

AUG 06 1991

S T A T E   O F   I D A H O  
D E P A R T M E N T   O F   W A T E R   R E S O U R C E S

-----

Statehouse  
Boise, Idaho 83720  
(208) 327-7900  
June 11, 1990

LOLA E. SMITH  
ROY K. SMITH  
408 CENTRAL KINGS RD.  
NAMPA, ID 83651

P E R M I T   A P P R O V A L   N O T I C E

RE: PERMIT NO.      P63-11154

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

**MICROFILMED**

JUN 21 1990

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor  
Water Right Permits Section

GS: SC  
Enclosures

**MICROFILMED**

JUN 21 1990

P/D  
3N 2W S. 2 NWSW

Form No. 202a.  
3/89

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: SL DATE: 2/23/90 APPLICATION: 63-11154

REQUIRED INFORMATION

Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)  
Address:  
Source: (See USGS Quad for names of water sources)  
Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)  
County:  
Quantity: (flow and/or volume)  
Period of use:  
Nature of proposed use: (Include description of use)  
Description of diverting works:  
Time required for beneficial use of water:  
Place of use or acres irrigated:  
Map:  
Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)  
Fee:  
Yes ☐ No\* ☐ In form to receipt:

Gov't. Lots:  
N P/D  
N P/U

ADDITIONAL INFORMATION

| YES                     | NO |                                                                                                        |
|-------------------------|----|--------------------------------------------------------------------------------------------------------|
| <u>N/A</u>              |    | } Overlapping place of use: (Describe source & relationship to present application on the back.)       |
| <u>minor irrigation</u> |    |                                                                                                        |
|                         |    | Overlapping point of diversion:                                                                        |
|                         |    | Field check required: Field check by: _____                                                            |
|                         |    | Field report attached:                                                                                 |
|                         |    | Critical groundwater area:                                                                             |
|                         |    | Groundwater management area:                                                                           |
|                         |    | Diversion within interim protected river area                                                          |
|                         |    | Send dam safety information:                                                                           |
|                         |    | Send power requirement letter:                                                                         |
|                         |    | Send fish farm requirement letter:                                                                     |
|                         |    | Power residency affidavit:                                                                             |
|                         |    | Power efficiency form:                                                                                 |
|                         |    | Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)                |
|                         |    | Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.) |
|                         |    | *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT                                                     |

DATE REQUESTED: \_\_\_\_\_

Additional information on reverse side:

MAY 18 1990

Department of Water Resources

PROCESSING

APPLICATION NO. 63-11154

YES NO

☒ ☐  
☒ ☐  
☒ ☐

In form for advertising:

Statewide advertising:

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☐ ☒  
☐ ☒  
☐ ☒  
☐ ☒

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

☐ ☒  
☐ ☒  
☐ ☒  
☐ ☒

U.S. BLM

U.S. Forest Svc.

Water Dist. # \_\_\_\_\_

Other \_\_\_\_\_

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☐  
☐ ☐

Affidavit of publication received:

Application published correctly: If not, record action taken.

☒ ☒

Publication dates and paper recorded on application:

Protests received. Final date for protest March 21, 1990

Protest dates, resolution of protest recorded on application:

Recommendations attached: approve, Dnr

Measuring device required:

Measuring port required:

Water delivered by water master? District # 63-P05

Special conditions of approval or cover letter: \_\_\_\_\_

See below for additional information

Recommended Date or Priority 2/22/1990

Recommended by: Dnr

Date 5/17/1990

STATE OFFICE REVIEW

P05, P23

P16

46

See below for additional information. By KW

Date 6-1-90

ADDITIONAL INFORMATION

63-11154

SMITH, LOLA E.  
SMITH, ROY K.  
408 CENTRAL KINGS RD.  
NAMPA, ID 83651

Source: GROUNDWATER

Diversion Pt: NWSW Sec 24 T 03N R 02W

Use: IRRIGATION ( .060 CFS)  
Total Diversion: ( .060 CFS)

Date Filed: 2/22/1990

In: T03N R02W S24 NWSW

2.0 ACRES TOTAL

**MICROFILMED**

**JUN 21 1990**