



T4 R30
Sec 3

63-11148

MICROFILMED
JUN 21 1990

Canyon School

Hartley

Hartley


CAVAL

Spring

GO-COURSE

PIPE

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = NTS

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☐ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor ^{model} Serial No.	Pump Make	Pump Serial No. or Discharge Size
	A.D. Smith	5	C1225R2ABR	Jacuzzi	B 50m 1 1/2 - B2B A

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Sprinkler Pressure Gage						


2. Measurements:

pressure - 40 psi (average)

$Q = 11 (1/4") \times 3.74 \text{ gpm} = 41.14 \text{ gpm} = 0.092 \pm 0.10 \text{ cfs}$

RECEIVED

OCT 2 1984



PERMIT 63-11148 INIT RC
T. R. S. Q/Q
P/D 4N 3W 3 SESW
SCALE
PHOTO ID. X-5 Caldwell

087 2 2 1993

X-5 Caldwell



PHOTO ONE-

motor and pump mounted atop platform in waste water ditch. water is collected in 4' diameter section of concrete pipe.



PHOTO TWO-

View westward of 4" main line from pump. Valve in foreground diverts water to lone sprinker in small pasture south of trailer.

PHOTO TWO
OCT 22 1993



PHOTO THREE- Hand line in operation at southern portion of pasture. The main line changes from 4" to 3" at elbow.



PHOTO FOUR- Lone Rambler in small pasture between home and Trailer.

OCT 22 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11148

Priority: February 14, 1990

Maximum Diversion Rate:

0.12 CFS

Maximum Diversion Volume:

18.0 AF

This is to certify, that BETTY J WANGSGARD
GARY WANGSGARD

23135 STONE LN
CALDWELL ID 83605

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 14, 1990; and has submitted Proof of Beneficial Use on January 14, 1991. An examination indicates that the works have a diversion capacity of .240 cfs of water from:

UNNAMED DRAIN

tributary to BOISE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.12 CFS	18.0 AF

LOCATION OF POINT(S) OF DIVERSION:

SESW, Sec. 3, Township 04N, Range 03W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
04N	03W	3	SESW	4		4

Total number of acres irrigated: 4

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. A lockable device subject to the approval of the Department shall be maintained on the diverting works in a manner that will provide the watermaster suitable control of the diversion.
6. Use of water under this water right will be regulated by the watermaster of State Water District No. 63.
7. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.5 afa per acre for the lands above.

OCT 22 1993


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11148

CONDITIONS/REMARKS:

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 21st
day of OCTOBER, 1993.

Acting for  R. Keith Higginson, Director


OCT 22 1993

WATER RIGHT SUMMARY

ACTION	RIGHT NO.	NAME	AMOUNT CFS
Original Application	63-11148	Gary Wangsgard Betty J. Wangsgard Marjorie Campbell	0.120
Full Assignment	63-11148	Gary Wangsgard Betty J. Wangsgard	0.120

RECEIVED
FEB 01 1993

State of Idaho
Department of Water Resources

ASSIGNMENT OF PERMIT

I, Marjorie Campbell, hereby assign to GARY WANGSGARD
of 23135 Stone Lane, Caldwell, Idaho, 83605
Address

CHECK ONE

☒ All my right, title, and interest in and to Permit No. 63-11148
to appropriate the public waters of the State of Idaho.

☐ The following described portion of my right, title, and interest in and to Permit
No. _____ to appropriate the public waters of the State of Idaho.

(Describe that portion of the permit being assigned by listing the acreage within
each 40 acre subdivision, the point of diversion and the amount of water in cubic
feet per second for direct diversion, or acre feet for storage)

Made this 13th day of March, 19 91.

Marjorie Campbell
Permit Holder

Spouse of Permit Holder

State of Idaho)
County of Canyon) ss.

On this 13th day of March, 19 91, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged to me
that he (she) (they) executed the same.

Michael D Sells
Notary Public residing at Middleton, Idaho

seal

My commission expires:
5/10/91

FEB 01 1993

RECEIVED

JUL 23 1990

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

For Office Use Only

Amt. of Fee \$ 50.00Date 3/14/91Receipt No. 201926Received by J. Larson**RECEIVED**

MAR 14 1991

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. P63-11148Telephone No. (208) 454-9496Name(s) of Permit Holder(s): Gary Wangsgard and Betty J. WangsgardPost Office Address: 23135 Stone Lane Caldwell, IDAHO 83605Source of Water: Unnamed DRAIN

If ground water, well driller's name: _____

Date drilled: _____

Extent of Use:

Domestic _____ (No. of households)

Irrigation 4 (No. of acres)Stockwater 12 (No. and type of stock)

Other _____

6 cattle, 4 sheep, 1 burro, 1 horse NA 126/93 KlgTotal rate and/or volume for which proof is submitted 28.12 cfs _____ acre/feetShow date water was first diverted and beneficially used under this permit: Feb. 14, 1990

One of the following may be a condition of approval of your permit:

lockable
Measuring device:Required? ✓ Yes NoInstalled? Yes No

OR

Flow Measurement Port: Required? Yes No Installed? Yes NoFee Enclosed: \$ 50⁰⁰ (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Gary Wangsgard
Name208-454-9496
Telephone No.23135 Stone Lane Caldwell, IDAHO 83605
Address

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

RECEIVED7-20-90
DateGary Wangsgard
Signature (and title if on behalf of a company or organization)

FEB 01 1993

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 63-11148

Proposed Priority: February 14, 1990 Maximum Diversion Rate: 0.12 CFS

This is to certify, that **GARY WANGSGARD**
BETTY J. WANGSGARD
MARJORIE CAMPBELL
23135 STONE LN.
CALDWELL, ID 83605

has applied for a permit to appropriate water from:

UNNAMED DRAIN tributary of **BOISE RIVER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

IRRIGATION	03/15 to 11/15	0.12 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION: SESW Sec. 3, Township 04N, Range 03W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
04N	03W	3	SESW	4		4

Total number of acres irrigated: 4

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **July 1, 1991**.
2. Subject to all prior water rights.
3. A lockable device, subject to the approval of the Department, shall be installed on the diverting works in a manner that will provide the watermaster suitable control of the diversion prior to diversion of water under this permit.
4. Use of water under this permit is subject to control by the watermaster of State Water District No. 63.
5. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

4th day of June, 1990.

MICROFILMED

JUN 21 1990

[Signature]
for **R. Keith Higginson, Director**

Ident. No. 63-11148

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: GARY WANGSGARD 208-454-9496
Address: 23135 STONE LN.
CALDWELL, ID 83605

Name: BETTY J. WANGSGARD 208-454-9496
Address: 23135 STONE LN.
CALDWELL, ID 83605

Name: MARJORIE CAMPBELL 208-459-9118
Address: 23131 STONE LN.
CALDWELL, ID 83605

2. Source: UNNAMED DRAIN Trib. to: BOISE RIVER

3. Location of Point of Diversion: SESW Sec. 3, Township 04N, Range 03W
CANYON County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
IRRIGATION	03/15	11/15	0.120		

5. Total quantity to be appropriated is:
0.120 CFS (and/or) AF

6. Proposed diverting works:

- Description of ditches, flumes, pumps, headgates, etc.
5 HP PUMP, SPRINKLERS
- Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
- Proposed well diameter is inches; proposed depth of well is
feet.
- Is groundwater with a temperature greater than 90F being sought? NO

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 years.

8. Description of proposed uses:
IRRIGATION

MICROFILMED
JUN 2-1 1990

Ident. No. 63-11148
Page 2

9. Place of Use: IRRIGATION

TWN RGE SEC	ACRES	ACRES	ACRES	TOTAL
04N 03W 3	SESW 4			4
Total number of acres irrigated:				4

10. Describe any other water rights used for the same purposes.
NONE

11. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

13. Map of proposed point of diversion and place of use attached? ☒


BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Gary Wangsgard
Applicant

Received by L. Werner Date 2-14-90 Time 1330 Preliminary check by PW
Fee \$ 30 Receipted by L. Werner # W8855 Date 2-14-90
Publication prepared by GG Date 3-28-90 Published in Press-Tribune
4/5 & 4/12/90
Publication approved st Date 5-4-90

MICROFILMED

JUN 21 1990



74
Sec 3
R 330

CANAL

Harvey

UNRECORDED

11/21/1990

Canyon
School

Harvey

PIPE



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 21, 1993

BETTY J WANGSGARD
GARY WANGSGARD
23135 STONE LN
CALDWELL ID 83605

RE: WATER RIGHT NO. 63-11148

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson'.

fw JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECEIVED

OCT 22 1993

WR0749NP
No. L63-11148

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 10/15/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	BETTY J WANGSGARD	02/14/1990	IRRIGATION	03-15 11-15	0.12 CFS	18.0 AFA
C	GARY WANGSGARD 23135 STONE LN CALDWELL ID 83605 (208) 454-9496					
TOTAL DIVERSION:					0.12 CFS	18.0 AFA

Water Source: UNNAMED DRAIN

Tributary to: BOISE RIVER

Stage: LICENSE

Point(s) of Diversion Capacity: 0.24 CFS

Point(s) of Diversion: T04N R03W S03 SE SW

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE					
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM
04N	03W	3	:																	:	4.0
																				TOTAL ACRES	4.0

Pou County: CANYON

Other Water Rights with Same Point(s) of Diversion and Source:
63-11148

Other Water Rights Listing Overlapping Place(s) of use:
63-02406 63-11148

Conditions of Approval:

- R02 - A lockable device subject to the approval of the Department
 - shall be maintained on the diverting works in a manner that will
 - provide the watermaster suitable control of the diversion.
- R04 - Use of water under this water right will be regulated by the
 - watermaster of State Water District No. 63.
- R52 - This right when combined with all other rights shall provide no
 - more than .03 cfs per acre nor more than 4.5 afa per acre for the
 - lands above.

Dates: App. Received: 02/14/1990 Priority Date: 02/14/1990
Proof Due Date: 07/01/1991 Proof Made Date: 01/14/1991
Exam Made Date: 07/30/1993 Exam Sent to S.O.: 09/23/1993
Licensed Date:

Misc: Water District Number: 63 Field Exam Fee: R (Received)

Comments: Date: 09/30/1991 User-ID: SKAGGS Subject: LAPSE DELAY

WR0749NP
No. L63-11148

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 10/15/93
PAGE: 2

=====

Comments: Date: 09/30/1991 User-ID: SKAGGS Subject: LAPSE DELAY
Order removing required purchase of storage water/Jim.

Audit: 10/15/93 CHAPMAN

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '*' ARE ADJUDICATION CLAIMS)

[illegible]

LICENSE REVIEW CHECKLIST

Permit # 63-11148 Date 10-14-93 Brenda Chapman

NAME	Yes	No	
	☐	☒	Or Address Change?
PRIORITY DATE	☐	☒	Advance? <u> </u> Memo to Advance <u> </u>
	☐	☒	Order to Reinstate Needed?
	☐	☒	Incorrect Fee for rate recommended?
SOURCE	☐	☒	Changes? Clarification of Originally Intended source <u> </u>
	☐	☒	Notice of Intent to Void - Source change.
P/D	☐	☒	Amendment Needed? <u> </u>
	☐	☒	Overlap(s) <u> </u>
P/U	☐	☒	Amendment Needed? <u> </u>
	☒	☐	Overlap(s) <u>63-02406 DRAINAGE DIST #2</u>
TOTAL CFS	☐	☒	Disagree/Measurement <u>(AVERAGE PSI @ 40)</u>
			<u>11 X 3.74 gpm = 41.14 = .09 CFS</u>
* PSI at pump	☒	☐	Theoretical <u>(8.8 x .70 x 5 HP)</u>
needs to be			<u>15 + 2.31 x 50 = .24 CFS</u>
greater than	☒	☐	Capacity <u>.24</u>
that at the sprinklers.			Allowable Amount: <u>Permit limit @ .12 CFS</u>
TOTAL VOLUME	☐	☒	Disagree with Examiner's Calculations?
			<u>4 acres x 4.5 = 18 af</u>
	☐	☒	Flow limit: <u>.12 x 246 x 1.9835 = 58.5</u>
			Season <u>0/4.5 (3-15 to 11-15)</u>
USES	☐	☒	Change(s) in Nature of Use? <u> </u>
	☐	☒	Amendment Needed? <u> </u>
REMARKS	☐	☒	Multiple P/Ds in 1/4 1/4?
	☐	☒	Special Overlap <u>Surface water / NA</u>
	☐	☒	Other <u> </u>
CONDITIONS	<u>R02</u>	☐	Measuring <u>(locking)</u> Devices
	<u>R04</u>	☐	W/Master Control <u>63</u> Water Dist
	<u>R52</u>	☐	Irrigation Overlap <u> </u> App Rec'd
	☒	☐	Water Quality <u> </u> Exam Made

COMMENTS:

RECOMMENDED	CFS	DIV VOL	LICENSE
<u>Irrigation</u>	<u>.12</u>	<u>18.0</u>	☒
<u> </u>	<u> </u>	<u> </u>	AMEND <u> </u>
<u> </u>	<u> </u>	<u> </u>	2ND AMEND <u> </u>

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

SEP 24 1993

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-11148

1. Owner: Gary & Betty J. Wangsgard Phone No. 454-9496

Current Address: 23135 Stone Lane, Caldwell, ID 83605

2. Accompanied by: Gary Wangsgard EXAM DATE: 7/30/93

Address: SAME Phone No. SAME

Relationship to Permit Holder: Applicant

3. Source: Unnamed Drain tributary to Boise River

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 63-02406

2. Other water rights with the same point of diversion: NONE

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SE	SW	3	4N	3W	Canyon	AERIAL MAP


2. Place(s) of Use:

Indicate Method of Determination SAME AS P/D

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
4N	3W	3																4	

00T 2 2 1993

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe i.d. as applicable.



Scale: 1" = 100'

Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

Aerial Photo Attached (required for irrigation of 10+ acres)

Photo of Diversion and System Attached

4.

Well or Diversion Identification No. *	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	A.D. Smith	5	Q1225R2APR	JANZZI	B50M1/2-B2B A

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Spentlon pressure gage						

2. Measurements:

$$Q = 11 \left(\frac{9}{64} \right) \times 3.74 \text{ gpm} = 41.14 \text{ gpm} = 0.092 \text{ cfs}$$

Pressure - 40 psi (average)

E. NARRATIVE/REMARKS/COMMENTS

OVERLAP - P/U - same QQ, different area of use.

Waste water is pumped from unnamed drain to sprinkler irrigate 4 acres of pasture for cattle. The pastures are irrigated by hand lines, 3", with 11 7/8" rainbird nozzles. Approximately 500' of 4" main and 360' of 3" main line are used. The nozzles are on the 3" line. The water is also used to irrigate a small portion of lawn, < 0.5 acre.

Since the capacity measurement of the system, 0.29 cfs, is much greater than the requested allocation, recommend licensing for 0.12 cfs, 0.03 cfs/acre, as requested.

$$Q(\text{Theoretical}) = \frac{(8.8)(0.7)(5)}{(2.31 \times 40) + 15} \approx 0.29 \text{ cfs}$$

Have conditions of permit approval been met? ☒ yes ☐ no

RECEIVED

OCT 22 1993

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method:

Sprinkler base - 32 psi @ end of 3" line
48 psi @ beginning
used 40 psi

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 4 \times 4.5 = 18.0 \text{ AFA}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.12 \times 246 \times 1.9835 = 58.6 \text{ AFA}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 18.0 \text{ AFA}$$

2. Volume Calculations for Other Uses: N/A

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	3/15	11/15	0.12	18.0
Totals:			0.12	18.0

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATIONField Examiner's Name Rick Collingwood Date 8/16/93

Reviewer _____ Date _____

SEAL

RECORDED

OCT 22 1993

PERMIT 63-11148 INIT RC
T. R. S. Q/Q
P/D 4N 3W 3 SESW
SCALE
PHOTO ID. X-5 Caldwell

X-5 Caldwell



PHOTO ONE- motor and pump mounted atop platform in waste water ditch. water is collected in 4' diameter section of concrete pipe.




PHOTO TWO- View westward of 4" main line from pump. Valve in foreground diverts water to lone spring in small pasture south of trailer. OCT 12/93




PHOTO THREE- Hand line in operation at southern portion of pasture. The main line changes from 4" to 3" at elbow.



PHOTO FOUR- Lone Rambler in small pasture between home and trailer.

OCT 22 1993

January 29, 1993

BETTY J. WANGSGARD
GARY WANGSGARD
23135 STONE LN.
CALDWELL ID 83605

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11148

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

I note that the permit issued to you by the department requires the installation of a lockable device to allow the department to determine the rate of diversion. The proof which you submitted does not show that you have installed this equipment.

The installation of the lockable device must be complete by the time the department representative conducts the examination of your system unless the department has rescinded the requirement prior to the field examination. In some cases, the equipment requirement can be rescinded because the equipment cannot be physically installed, is not appropriate or can be accommodated with other measuring methods.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECEIVED
FEB 01 1993

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 63-11148

Reviewed by Klg

Date 1/26/93

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
yes Proof timely received?
If not, complete calculation below.

irrigate - 4
yes Correct Uses?

SOURCE OF WATER

✓ Surface water source
Ground water source

NA Drilling permit required?
/ Copy in the file? Drilling Permit No. _____
/ Amount paid for permit _____ Correct?
/ Well log in the file?

LICENSE EXAMINATION FEE

yes Required?
50 Amount Submitted
yes Correct?

MEASURING DEVICE

yes Required?
no Installed?
no Waiver requested?

PRIORITY CALCULATION

Date proof received NA
Date proof due _____ - _____
No. of days late _____ = _____
Priority Date _____ + _____
New Priority Date _____

DEFICIENCIES OR ACTION ITEMS

proof acceptable

DATA ENTRY

New Address _____

Proof Made 1/14/91
1/29/93

needs a lockable

March 13, 1991

To whom it may concern:

I, Gary Wanggaard have a
locking device on my pump. It is
on the fuse box for my pump.
It is possible to lock the box
in a manner such that the
power cannot go to the pump.
I trust that to be a "suitable
locking device."

Thank you.
Gary Wanggaard

RECEIVED

FEB 01 1993

December 4, 1990

Gary Wangsgard
23135 Stone Ln.
Caldwell, ID 83605

RE: PERMIT NO. 63-11148

Dear Mr. Wangsgard:

Returned is the proof of beneficial use (proof) which you submitted in connection with the above referenced permit.

The proof is not acceptable for two (2) reasons. A license examination fee in the amount of fifty dollars (\$50) must accompany the proof and the proof does not indicate whether you have installed the required lockable device on your diverting works. Note that condition of approval No. 3. on your water right permit reads as follows:

"A lockable device, subject to the approval of the department, shall be installed on the diverting works in a manner that will provide the watermaster suitable control of the diversion prior to diversion of water under this permit".

The submittal of proof of beneficial use for this permit is not due until July 1, 1991. When you resubmit the proof, the deficiencies described above must be resolved.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Encl: 1


FEB 01 1993

S T A T E O F I D A H O

DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
June 4, 1990

MARJORIE CAMPBELL
GARY WANGSGARD
BETTY J. WANGSGARD
23135 STONE LN.
CALDWELL, ID 83605

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P63-11148

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Be sure to note the special condition requiring you to install a lockable device that will provide the watermaster control on your diversion.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

JUN 21 1990

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)

) ss. *

County of Canyon)

Kathleen D. Steed

of Nampa, Canyon County, Idaho, being first duly sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of eighteen years, and not a party to the above entitled action.

2. That I am the Principal Clerk of the Idaho Press-Tribune, a daily, (except Saturday) newspaper published in the City of Nampa and Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa and Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper
Two Times

—in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:
April 4, 11, 1990

RECEIVED

JUN 11 1990

RECEIVED
APP 12 1990

Department of Water Resources
Western Regional Office

STATE OF IDAHO)

COUNTY OF CANYON)

On this 11th day of April in the year of 1990, before me, a Notary Public, personally appeared Kathleen D. Steed, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he/she executed the same.

Janne Lusk
Notary Public for Idaho
Residing at Nampa

MY COMMISSION EXPIRES
JULY 12th, 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region
2735 AIRPORT WAY

Boise, Idaho 83705
(208) 334-2190

MARCH 28, 1990

Press-Tribune
P.O. Box 9399
Nampa, ID 83652

Dear Legal Dept.:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before APRIL 23, 1990.

Yours truly,

GAIL GARRETT
Secretary

Encl.

MICROFILMED

JUN 21 1990

63-11148

CAMPBELL, MARJORIE
WANGSGARD, GARY
WANGSGARD, BETTY J.
23135 STONE LN.
CALDWELL, ID 83605

Source: UNNAMED DRAIN

Tributary: BOISE RIVER

Diversion Pt: SESW Sec 3 T 04N R 03W

Use: IRRIGATION (.120 CFS)

Total Diversion: (.120 CFS)

Date Filed: 2/14/ 1990

In: T04N R03W S03 SESW

4.0 ACRES TOTAL

MICROFILMED

JUN 21 1990