13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



MICROFILMED
JUN 21 1991

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

x Stanley Robison
(Applicant)

Form 219
6/86

RECEIVED
JUN 2 4 1991
Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 63-11147

1. Owner: Stanley and Orphena Robison — Phone No. 459-7987
   Current Address: 15591 Sunnyslope Road, Caldwell, Idaho 83605
2. Accompanied by: Cecil A. Thomas — EXAM. DATE: June 10, 1991
   Address: Box 868 Homedale, Idaho 83628 — Phone No. (208) 337-3206
   Relationship to Permit Holder: Water Rights examiner
3. Source: well(groundwater) tributary to Snake River

B. OVERLAP REVIEW

1. Other water rights with same place of use: None
   ☐ Copies Attached
2. Other water rights with same point of diversion: None
   ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached



MICROFILMED
DEC 1 1 1991

Scale: 1" = 1,000 (approximately)

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
   ☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater.
   ☑ Aerial Photo Attached (required for irrigation of 10 acres or more).


Air Photo by U.S.
A.S.C.S. of Sec. 15
T3N R4W
Canyon County, Idaho
T2783
T2781
T2843
T2629
T2842
T2784
T2779
N
Scale:
1" approx. 660'
DEC 11 1991


MARSING QUADRANGLE
IDAHO
7.5 MINUTE SERIES (TOPOGRAPHIC)
2671 II NW (CALDWELL)
47'30"
GREENLEAF 5 MI.
3.3 MI TO IDAHO 19
230 000 FEET
116°45'
43°37'30"
516
517
520
4830
4829
4827
4826
R 4 W
R 3 W
CALDWELL 5 MI.
7.5 MI TO U.S. 30
NAMPA 10 MI
DOTSON DRAIN
LAMM FLAT DEER DRAIN
LOWER EMBANKMENT
DEER FLAT NORTH CANAL
LATERAL
HOMEDALE ROAD
Huston School
Huston
LOWER DEER FLAT
HIGH EXTENSION LINE
LOW LATERAL
FUGER LATERAL
DRAIN
WEEKS LINE
WEEKS DRAIN
VOGT
VASOLD
CANAL
PIPELINE
BM 2533
KARCHER ROAD
BM 2499
DARROW ROAD
DEER FLAT CANAL
Talk Hills
Gravel Pit
well and tract for Permit No. 63-11147
LIZAR DRAIN
Flume
BM 2440
ESCOTT
Sunnyslope
Well
MORA
HIGH LINE
1
6
7
10
11
12
13
14
15
18
MICROFILMED
DEC 11 1991

DW 2

Cecil A. Thomas
Consulting Hydrologist, Civil Engineer, Land Surveyor
Idaho License No. 645

RECEIVED
JUN 28 1991
Department of Water Resources

Picture of inside of pump house-ADDENDUM

Submerged pump well house
Robison Permit 63-11147

MICROFILMED
DEC 11 1991

Garry: Please add to file. Ceil Thomas

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11147

Priority: January 8, 1990

Maximum Diversion Rate: 0.04 CFS
Maximum Diversion Volume: 9.0 AF

This is to certify, that STANLEY S ROBISON
ORPHENA E ROBISON
15591 SUNNY SLOPE
CALDWELL ID 83605
has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated January 8, 1990; and has submitted Proof of Beneficial Use on June 24, 1991. An examination indicates that the works have a diversion capacity of .080 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

BENEFICIAL USE	PERIOD OF USE	RATE OF DIVERSION	ANNUAL VOLUME
IRRIGATION	03/15 to 11/15	0.04 CFS	9.0 AF

LOCATION OF POINT(S) OF DIVERSION: SENE , Sec. 15, Township 03N, Range 04W
CANYON County

PLACE OF USE: IRRIGATION

TWN	RGE	SEC		ACRES	ACRES	ACRES	TOTAL
03N	04W	15	SENE	2			2
					Total number of acres irrigated:		2

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

MICROFILMED

DEC 11 1991

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11147

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 27th day of November, 1991.

Acting for R. Keith Higginson, Director

DEC 11 1991

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11147

Proposed Priority: January 8, 1990 Maximum Diversion Rate: 0.04 CFS

This is to certify, that **STANLEY S. ROBISON**
ORPHENA E. ROBISON
15591 SUNNY SLOPE
CALDWELL, ID 83605

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

BENEFICIAL USE	PERIOD OF USE	RATE OF DIVERSION
IRRIGATION	03/15 to 11/15	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION: SESENE Sec. 15, Township 03N, Range 04W
CANYON County

PLACE OF USE: IRRIGATION

TWN	RGE	SEC		ACRES	ACRES	ACRES	TOTAL
03N	04W	15	SENE	2			2
					Total number of acres irrigated:		2

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **July 1, 1991.**
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this

11th day of June, 1990.

for R. Keith Higginson, Director

MICROFILMED

JUN 21 1990

RECEIVED
JAN 08 1990
Department of Water Resources
Western Regional Office

Form 202
6/85

Ident. No. 63-11147

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Stanley S & or Orphena E. Robison Phone 459-7022
   Post office address 15591 Sunny Slope, Caldwell, Idaho 83605
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is SE ¼ of SE ¼ of NE ¼, Govt. Lot _____
   Sec. 15 Township 3N Range 4W B.M. Canyon County; additional
   points of diversion if any: _____
4. Water will be used for the following purposes:
   Amount .04 (cfs ~~or acre-feet per annum~~) for irrigation purposes from 3/15 to 11/15 (both dates inclusive)
   Amount _____ (cfs or acre-feet per annum) for _____ purposes from _____ to _____ (both dates inclusive)
   Amount _____ (cfs or acre-feet per annum) for _____ purposes from _____ to _____ (both dates inclusive)
   Amount _____ (cfs or acre-feet per annum) for _____ purposes from _____ to _____ (both dates inclusive)
5. Total quantity to be appropriated is (a) .04 cubic feet per second and/or (b) _____ acre feet per annum
6. Proposed diverting works:
   a. Description of ditches, flumes, pumps, headgates, etc. 2 @ 8 inch casing, 5HP Submersible pump - Existing - 1HP submersible pump used for domestic with a 7/1/1912 priority date Sprinkler irrigation
   b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet; period of year when water will be diverted to storage: _____ to _____ inclusive.
   c. Proposed well diameter is 8 inches; proposed depth of well is 376 feet.
   d. Is ground water with a temperature of greater than 90°F being sought? no
7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (*minimum 1 year*).

MICROFILMED
JUN 21 1990

8. Description of proposed uses (*if irrigation only, go to item 9*):

   a. Hydropower; show total feet of head and proposed capacity in KW. _____

   b. Stockwatering; list number and kind of livestock. _____

   c. Municipal; show name of municipality. _____

   d. Domestic; show number of households. _____

   e. Other; describe fully. _____

9. Description of place of use:

   a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

   b. If water is used for other purposes, place a symbol of the use (*example: D for Domestic*) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3N	4W	15				2													2

Total number of acres to be irrigated 2

10. Describe any other water rights used for the same purposes as described above. none

11. a. Who owns the property at the point of diversion? applicant

    b. Who owns the land to be irrigated or place of use? applicant

    c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

MICROFILMED
JUN 21 1990

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



MICROFILMED
JUN 21 1990

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

x Stanley Robison
(Applicant)

Received by YLS. Date 1-8-90 Time 12:55pm Preliminary check by RW

Fee $ 30.00 Receipted by KH # W007436 Date 1-8-90

Publication prepared by GG Date 2-14-90 Published in Press-Tribune 2/21 & 2/28/90

Publication approved ST Date 4-11-90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

   a. SUBJECT TO ALL PRIOR WATER RIGHTS.

   b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19____.

   c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

   d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

   e. Other:

MICROFILMED
JUN 21 1990

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-[illegible]

EMMETT, CHRIS A.
6100 S. SIDE BLVD.
NAMPA, ID 83686
Source: GROUNDWATER
Diversion Pt: SESE Sec 35 T 02N R02W
Use: IRRIGATION (1.600 CFS)
Total Diversion: (1.600 CFS)

Date Filed: 1/05/1990
In: T02N R02W S35 NESE SESE
80.0 ACRES TOTAL
63-11114

HASTINGS, ERNEST RAYMOND
JONES, RAMONA R.
7093 DEERBOURNE RD.
NAMPA, ID 83686
Source: GROUNDWATER
Diversion Pt: NWNWNE Sec 7 T 02N R 01W
Use: IRRIGATION (.060 CFS)
DOMESTIC (.170 CFS)
Total Diversion: (.230 CFS)

Date Filed: 12/21/1989
In: T02N R02W S07 NWNE
2.0 ACRES TOTAL
63-11116

HENDRICKSON, TERRY R.
HENDRICKSON, KATHY F.
5705 E. ONEIDA DIST
NAMPA, ID 83651
Source: GROUNDWATER
Diversion Pt: NWSE Sec 6 T 02N R 01W
SESE Sec 6 T 02N R 01W
USE: IRRIGATION (1.420 CFS)
Total Diversion: (1.420 CFS)

Date Filed: 1/31/1990
In: T02N R01W S06 SENE Lot 3 (NENW) Lot 4 (NWNW) NESE SESE
71.0 ACRES TOTAL
63-11117

HYER, W. CLAIRE
HYER, YVONNE F.
17050 MIDLAND BLVD.
NAMPA, ID 83687
Source: GROUNDWATER
Diversion Pt: SWSWSW Sec 4 T 03N R 02W
Use: IRRIGATION (.040 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.080 CFS)

Date Filed: 2/01/1990
In: T03N R02W S04 SWSW
1.5 ACRES TOTAL
63-11120

PETERSON, GARY E.
PETERSON, SUE Z.
RT. 1 BOX 254A
MIDDLETON, ID 83644
Source: GROUNDWATER
Diversion Pt: NESW Sec 26 T 05N R 02W
Use: IRRIGATION (.040 CFS)
Total Diversion: (.040 CFS)

Date Filed: 2/01/1990
In: T05N R02W S26 NESW
2.0 ACRES TOTAL
63-11125

COOK, PAUL J.
JOHNSON-COOK, SHARON J.
24567 KINGSBURY LN.
MIDDLETON, ID 83644
Source: GROUNDWATER
Diversion Pt: SESENE Sec 34 T 05N R 02W
Use: IRRIGATION (.060 CFS)
Total Diversion: (.060 CFS)

Date Filed: 2/09/1990
In: T05N R02W S34 SENE
2.0 ACRES TOTAL
63-11126

CALVARY ASSEMBLY OF GOD
917 CTR. MIDLAND BLVD.
NAMPA, ID 83651
Source: GROUNDWATER
Diversion Pt: SENENE Sec 29 T 03N R02W
NESENE Sec 29 T 03N R02W
(.030 CFS)
Use: IRRIGATION Total Diversion: (.030 CFS)

Date Filed: 1/30/1990
In: T03N R02W S29 NENE SENE
1.0 ACRES TOTAL
63-11129

ORGUTT, SHIRLEY
4907 12TH AVE. RD.
NAMPA, ID 83686
Source: GROUNDWATER
Diversion Pt: NENESE Sec 9 T 02N R 02W
Use: IRRIGATION (.200 CFS)
Total Diversion: (.200 CFS)

Date Filed: 1/30/1990
In: T02N R02W S09 NESE
10.0 ACRES TOTAL
63-11130

COLLEGE OF IDAHO
2112 CLEVELAND BLVD.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt: NESE Sec 27 T 04N R 03W
Use: IRRIGATION (.800 CFS)
Total Diversion: (.800 CFS)

Date Filed: 1/24/1990
In: T04N R03W S27 NESE NWSE
40.0 ACRES TOTAL
63-11131

E.G. JOHNSON FARMS INC.
C/O E.G. JOHNSON
24007 HWY. 2026
PARMA, ID 83660
Source: GROUNDWATER
Diversion Pt: NENE Sec 25 T 05N R 05W
Use: STOCKWATER (1.000 CFS)
Total Diversion: (1.000 CFS)

Date Filed: 1/29/1990
In: T05N R05W S25 NENE
63-11132

E.G. JOHNSON FARMS INC.
C/O E.G. JOHNSON
24007 HWY. 2026
PARMA, ID 83660
Source: GROUNDWATER
Diversion Pt: SESE Sec 24 T 06N R 06W
Use: STOCKWATER (.260 CFS)
Total Diversion: (.260 CFS)

Date Filed: 1/29/1990
In: T06N R06W S24 SESE
63-11133

RELK, A. JACK
RELK, KELLY J.
8260 HAPPY VALLEY RD.
NAMPA, ID 83686
Source: GROUNDWATER
Diversion Pt: LOT 3 (NWSW) Sec 19 T 02N R 01W
Use: IRRIGATION: (.800 CFS)
Total Diversion: (.800 CFS)

Date Filed: 2/06/1990
In: T02N R01W S19 Lot 3 (NWSW)
40.0 ACRES TOTAL
63-11134

WILD ROSE PROPERTY OWNERS ASSN, INC.
C/O JACK A. MELLENTHIN
12608 WILD ROSE LN.
NAMPA, ID 83686
Source: GROUNDWATER
Diversion Pt: NENENW Sec 36 T 03N R 03W
NWNENW Sec 36 T 03N R 03W
Use: DOMESTIC (.250 CFS)
IRRIGATION (.300 CFS)
Total Diversion: (.550 CFS)

Date Filed: 2/01/1990
In: T03N R03W S36 NENW
15.0 ACRES TOTAL
63-11135

TAYLOR ROBERT M.
TAYLOR, SUSAN
216 PAT LN.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt: NWSESE Sec 4 T 03N R 03W
Use: IRRIGATION (.030 CFS)
Total Diversion: (.030 CFS)

Date Filed: 2/06/1990
In: T03N R03W S04 SESE
1.0 ACRES TOTAL

WHITEHORSE MEMORIAL GARDEN
15633 RANCHER RD.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt: NENW Sec 16 T 03N R 03W
Use: COMMERCIAL (.040 CFS)
Total Diversion: (.040 CFS)

Date Filed: 2/06/1990
In: T03N R03W S16 NENW
63-11137

TRUEBLOOD, MARY E.
25370 HOMEDALE RD.
WILDER, ID 83676
Source: GROUNDWATER
Diversion Pt: SWSE Sec 2 T 03N R 05W
Use: IRRIGATION (.300 CFS)
Total Diversion: (.300 CFS)

Date Filed: 2/05/1990
In: T03N R05W S02 SWSE
15.0 ACRES TOTAL
63-11138

HUFF, RICHARD
14505 LAKE AVE.
NAMPA, ID 83651
Source: GROUNDWATER
Diversion Pt: NWSE Sec 23 T 03N R 03W
Use: IRRIGATION (3.000 CFS)

Date Filed: 2/06/1990
In: T03N R03W S23 SWNE SENE NESE NWSE
150.0 ACRES TOTAL
63-11139

LIVINGSTON, DALE H.
7736 DOWMONT RD.
NAMPA, ID 83686
Source: GROUNDWATER
Diversion Pt: SWSWSW Sec 35 T 02N R 02W
Use: IRRIGATION (1.500 CFS)
Total Diversion: (1.500 CFS)

Date Filed: 2/14/1990
In: T02N R02W S35 SWSW SESW
75.0 ACRES TOTAL
63-11141

HENDRICKSON, LINDA
HENDRICKSON, TIM
3720 E. LEWIS
NAMPA, ID 83686
Source: GROUNDWATER
Diversion Pt: NWNE Sec 8 T 02N R 01W
NENW Sec 8 T 02N R 01W
Use: IRRIGATION (1.000 CFS)

Date Filed: 1/26/1990
In: T02N R01W S08 NENW NWNW SENW
50.0 ACRES TOTAL
63-11142

HILLCREST MEMORIAL GARDENS
15002 INDIANA AVE.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt: NWNW Sec 14 T 03N T03W
Use: IRRIGATION (.500 CFS)
DOMESTIC (.060 CFS)
Total Diversion: (.560 CFS)

Date Filed: 2/02/1990
In: T03N R03W S14 NWNW
25.0 ACRES TOTAL
63-11143

WADSWORTH, MARSHA
WADSWORTH, DEWAYNE
310 S. KINGS RD
NAMPA, ID 83651
Source: INDIAN CREEK Tributary: BOISE RIVER
Diversion Pt: NWSW Sec 25 T 03N R 02W
Use: IRRIGATION (.050 CFS)
Total Diversion: (.050 CFS)

Date Filed: 1/29/1990
In: T03N R02W S25 NWSW
1.5 ACRES TOTAL
63-11144

BOWER, WALLACE
10796 HWY 20-26
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt: SWSESW Sec 6 T 04N R 03W
Use: IRRIGATION Total Diversion: (.050 CFS)

Date Filed: 1/26/1990
In: T04N R03W S06 SESW
3.0 ACRES TOTAL
63-11145

ROBANAUGH, RONALD L.
4913 E. ORCHARD
NAMPA, ID 83651
Source: GROUNDWATER
Diversion Pt: Sec 19 T 03N T01W
Use: IRRIGATION (.030 CFS)

Date Filed: 2/07/1990
In: T03N R01W S19 Lot 1 (NWNW)
1.0 ACRES TOTAL
63-11146

JONES, CALVIN
JONES, DOROTHY
2714 SOUTHSIDE BLVD.
NAMPA, ID 83686
Source: GROUNDWATER
Diversion Pt: NWSWNW Sec 1 T 02N R 02W
Use: IRRIGATION (.060 CFS)
STOCKWATER (.020 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.120 CFS)

Date Filed: 1/29/1990
In: T02N R02W S01 SWNW
2.0 ACRES TOTAL
63-11147

ROBISON, STANLEY S.
ROBISON, GUILENA E.
15591 SUNNY SLOPE
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt: SESENE Sec 15 T 03N R 04W
Use: IRRIGATION (.040 CFS)
Total Diversion: (.040 CFS)

Date Filed: 1/08/1990
In: T03N R04W S15 SENE
2.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise Idaho 83705 on or before MARCH 12, 1990.

R. KEITH HIGGINSON, Director

February 21, 28, 1990

MICROFILMED

JUN 21 1990

December 4, 1991

STANLEY S ROBISON
ORPHENA E ROBISON
15591 SUNNY SLOPE
CALDWELL ID 83605

RE: WATER RIGHT NO. 63-11147

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

SHARLA CURTIS
Water Resource Agent

SC:blm

Enclosure

RECEIVED
DEC 11 1991

Form 219
6/86

RECEIVED
JUN 2 4 1991
Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 63-11147

1. Owner: Stanley and Orphena Robison — Phone No. 459-7987
   Current Address: 15591 Sunnyslope Road, Caldwell, Idaho 83605
2. Accompanied by: Cecil A. Thomas — EXAM. DATE: June 10, 1991
   Address: Box 868 Homedale, Idaho 83628 — Phone No. (208) 337-3206
   Relationship to Permit Holder: Water Rights examiner
3. Source: well(groundwater) tributary to Snake River

B. OVERLAP REVIEW

1. Other water rights with same place of use: None
   ☐ Copies Attached
2. Other water rights with same point of diversion: None
   ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached



Scale: 1" = 1,000 (approximately)

DEC 1 1 1991

2. ☒ Copy of U.S.G.S. Quadrangle Attached
   Showing location(s) of point(s) of diversion and place(s) of use (required).
   ☒ Photo of Diversion and System Attached
   (required for all but single household domestic groundwater, and stockwater.
   ☒ Aerial Photo Attached
   (required for irrigation of 10 acres or more).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

System consists of a well with an 8" casing first drilled in 1921 and lowered January 6, 1972 now 376 feet deep.
2 submersible pumps in tandem, one a 1 horsepower Berkeley for domestic water and the yard, and the other a 5 horsepower Berkeley pump for the orchard.
Well was drilled by Kenholt Witt.
Pumps at 240 feet.
Static head 150 feet.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Submersible	Berkeley	1		Berkeley	tandem
Submersible	Berkeley	5		Berkeley	tandem

**Code to correspond with No. on map and aerial photo*

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	¼	¼	¼	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SE	SE	NE	15	3N	4W	Canyon	County SCS and USGS Quad

6. **Place(s) of Use:** Indicate Method of Determination

Twp.	Rge.	Sec.	NE¼				NW¼				SW¼				SE¼				Totals
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
						3													3

RECEIVED
DEC 11 1991

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Flow meter	rotor	Grainland	11139			1989

2. **Measurements:**

Inserted rotor into 1" port in 4" ID pipe with the rotor axis 2" deep as recommended for the 4" pipe. Pressure in line was 59 lbs with 10 nozzles. The readout calibrated for an 8" pipe averaged 278 gpm. Flow in the 4" pipe is the readout flow multiplied by the ratio of the area of the 4" pipe to the area of the 8" pipe or 7.07 sq. ins./ 50.26 sq. ins. = 0.1407

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:
From (2) above, flow in the 4" pipe was then measured to be 278X0.1407 = 39.1 gpm. It is estimated that the flow in the domestic well would be 20% more for a total of 46.9 gpm.

2. Alternate Method for Checking Purposes:
39.1 gpm =0.087cfs =4.35 miners inches

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)
Total Head: (1) + (2) = _____ (3) : Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)
Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)
Meter Input HP: (6) x 1.34 = _____ (7)
Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Ampsx .001732 = _____ (6)
Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

DEC 11 1991

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.}$ = (Acres Irrigated) x (Irrigation Requirement) = 2.0 acresX 4.5= 9.0 acre feet.

$V_{D.R.}$ = [Diversion Rate (cfs)] x (Days in Irrigation Season) x 1.9835 X087X 180=31.06 acre-feet.

V = Smaller of $V_{I.R.}$ and $V_{D.R.}$ = _____

2. Volume Calculations for Other Uses:

Obviously the 5 horsepower flow will not be required all of the time. Sufficient flow will permit long down-times during the season.

H. REMARKS AND OVERLAP REVIEW ANALYSIS

I. RECOMMENDATIONS

1. **Recommended Amounts**

Beneficial Use	Period of Use From	To	Rate of Diversion Q (cfs)	Annual Volume V (afa)
		Totals:		

2. **Recommended Amendments**

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name: Cecil A. Thomas

Signature: Cecil A Thomas

Certification Date: May 14, 1991

Field Report Preparation Date: June 10, 1991

PROFESSIONAL ENGINEER ★ LAND SURVEYOR REGISTERED Cecil A. Thomas 843 STATE OF IDAHO June 10 1991 CECIL A. THOMAS

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

DEC 11 1991


Air Photo by U.S.
A.S.C.S. of Sec. 15
T3N R4W
Canyon County, Idaho
T2781
T2843
T2783
T2842
T2784
T2629
T2779
N
Scale:
1" = approx. 660'


MARSING QUADRANGLE
IDAHO
7.5 MINUTE SERIES (TOPOGRAPHIC)
267 II NW (CALDWELL)
47'30"
GREENLEAF 5 MI.
3.3 MI. TO IDAHO 19
230 000 FEET
116°45'
43°37'30"
DOTSON DRAIN
LAMM FLAT DRAIN
DEER
LOWER EMBANKMENT
DEER FLAT NORTH
R 4 W
R 3 W
CALDWELL 5 MI.
HOMEDALE
Huston School
ROAD
LOWER DEER FLAT
HIGH EXTENSION LINE
LOW FUGER LATERAL
WEEKS DRAIN
VOGT LATERAL
VASOLD LATERAL
WEEKS LINE
CANAL
PIPELINE
Talk Hills
Gravel Pit
Huston
BM 2533
KARCHER ROAD
BM 2499
7.5 MI. TO U.S. 30
NAMPA 10 MI.
DRAIN CANAL
DEER FLAT
well and tract for Permit No. 63-11147
DARROW ROAD
LIZAR DRAIN
Flume
BM 2440
ESCOTT
Sunnyslope
Well
MORA
HIGH LINE
10
11
12
7
15
14
13
18
DEC 11 1991

DW 2

Cecil A. Thomas
Consulting Hydrologist, Civil Engineer, Land Surveyor
Idaho License No. 645

RECEIVED
JUN 28 1991
Department of Water Resources

Picture of inside of pump house-ADDENDUM



Submerged pump well house
Robison Permit 63-11147

DEC 11 1991

Gary: Please add to file. Cecil Thomas

July 19, 1991

STANLEY S. AND ORPHENA E. ROBISON
15591 SUNNY SLOPE
CALDWELL ID 83605

Dear Mr. and Mrs. Robison:

Re: Permit No. 63-11147

This office acknowledges receipt of the proof of beneficial use form submitted for this permit.

A field exam has been conducted and received by Cecil Thomas. The department will review his report and notify you of his recommendations for licensing.

If you have any questions, please contact this office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

c: W. Region

RECEIVED
DEC 11 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 63-11147 Date 7-1-91

GENERAL CONSIDERATIONS

- ✓ Name same as permit?
- ✓ Address same as permit? If no, indicate below.
- ✓ Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

- ✓ Surface water source
- ✓ Ground water source
  - NA Drill permit req'd?
  - Copy in file? Drill permit no. _____
  - Amt paid for drilling permit? _____ Correct?
  - Well log in file?

1991
1992

LICENSE EXAMINATION FEE

- NO Required?
- Amount submitted?
- Correct amount?

field exam included

MEASURING DEVICE

- NO Measuring device or access port required?
- Installed?
- Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

PRIORITY CALCULATION

Date proof received	NA	
Date proof due		-
No. of days late		=
Priority date		+
NEW PRIORITY DATE		=

Form 217
07/90

For Office Use Only
Amt. of Fee $_____
Date _____
Receipt No. _____
Received by _____

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-11147 Telephone No. (208)459-7987

2. Name(s) of Permit Holder(s): Stanley and Orphena Robison

3. Post Office Address: 5591 Sunnyslope Road, Caldwell, Idaho 83605

4. Source of Water: Groundwater

   a. If ground water, well driller's name: Kenholt Witt Date drilled: 1921 and 1972

   b. Pump horsepower: domestic 1 hp. Irrigation 5hp. Pressure (psi): 59 lbs Dynamic pumping level (ft.): 150

5. Extent of Use:

   Domestic 1 (No. of households) Irrigation 2+ (No. of acres)

   Stockwater _____ (No. and type of stock) Other _____

6. Total rate and/or volume for which proof is submitted 0.087 cfs intermittent acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

   Measuring device: Required? __Yes X No Installed? __Yes X No

   OR

   Flow Measurement Port: Required? __Yes X No X Installed? __Yes __No

8. Fee Enclosed: $ _____ (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

   _____
   Name Telephone No.

   _____
   Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

RECEIVED
DEC 11 1991

Date

Stanley L Robison Mgr
Signature ~~(and~~ title if on behalf of a company or organization)

RECEIVED
JUN 24 1991
Department of Water Resources

June 11, 1991

State of Idaho
Department of Water Resources
1101 North Orchard Street
Boise, Idaho 83720

This is to certify that Cecil A. Thomas has been authorized to represent us in preparing the proof of beneficial use for Permit No. 63-11147.

Stanley S. Robinson

Orphena E. Robison

DEC 11 1991

Cecil A. Thomas
Consulting Hydrologist, Civil Engineer, Land Surveyor
Idaho License No. 645
Box 868
Homedale, Idaho 83628

May 10, 1991

RECEIVED
MAY 13 1991
Department of Water Resources

State of Idaho
Department of Water Resources
1301 North Orchard
Boise, Idaho 83720

Attn. RITA I. FLICK

Re: Certification as a Water Right Examiner - No. 90-106

Enclosed is my check for $50.00 for the fee to extend my certification as Water Rights Examiner.
I hereby request my reappointment.I am sorry I delayed to make payment beyond the expiration date.

Sincerely, Cecil A Thomas
Cecil A. Thomas P.E.

P.S. If you have not done so already, please send me the description for permit No. 63-11147 for which the due date for proof of beneficial use is July 1, 1991.

Sent with certification

MICROFILMED
DEC 11 1991

138441

April 30, 1991

STANLEY S. ROBISON
ORPHENA E. ROBISON
15591 SUNNY SLOPE
CALDWELL, ID 83605

PROOF DUE NOTICE

RE: PERMIT NO. 63-11147

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before July 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

DEC 11 1991

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
June 11, 1990

STANLEY S. ROBISON
ORPHENA E. ROBISON
15591 SUNNY SLOPE
CALDWELL, ID 83605

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P63-11147

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

MICROFILMED
JUN 21 1990

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED
JUN 1 1990

Form No. 202a.
3/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: RW DATE: 1-18-90 APPLICATION: 63-11147

REQUIRED INFORMATION

- ✓ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
- ✓ Address:
- ✓ Source: (See USGS Quad for names of water sources)
- ✓ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
- ✓ County:
- ✓ Quantity: (flow and/or volume)
- ✓ Period of use:
- ✓ Nature of proposed use: (Include description of use)
- ✓ Description of diverting works:
- ✓ Time required for beneficial use of water:
- ✓ Place of use or acres irrigated:
- ✓ Map:
- ✓ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
- ✓ Fee:
- ✓ Yes ____ No* In form to receipt:

Gov't. Lots:
____ P/D
____ P/U

ADDITIONAL INFORMATION

YES	NO	
____	✓	Overlapping place of use: (Describe source & relationship to present application on the back.)
____	✓	Overlapping point of diversion:
____	✓	Field check required: Field check by: _____
____	✓	Field report attached:
____	✓	Critical groundwater area:
____	✓	Groundwater management area:
____	✓	Send dam safety information:
____	✓	Send power requirement letter:
____	✓	Send fish farm requirement letter:
____	✓	Power residency affidavit:
____	✓	Power efficiency form:
____	✓	Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
____	✓	Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)
____	✓	*REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT
		DATE REQUESTED: _____
____	✓	Additional information on reverse side:

RECEIVED
MAY 25 1990
Department of Water Resources

63-11147

PROCESSING

YES	NO	
X		In form for advertising:
	∝	Statewide advertising:
∝		Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES	NO		YES	NO	
		I.D. Health and Welfare			U.S. BLM
		I.D. Fish and Game			U.S. Forest Svc.
		I.D. Lands			Water Dist. #
		Adjudication Bureau			Other

FINAL REGIONAL PROCESSING REVIEW

YES	NO	
✓		Affidavit of publication received:
✓		Application published correctly: If not, record action taken.
✓		Publication dates and paper recorded on application:
	✓	Protests received. Final date for protest March 12, 1990
	–	Protest dates, resolution of protest recorded on application:
	✓	Recommendations attached: Approve, Dnr
	✓	Measuring device required:
	✓	Measuring port required:
	⊖	Water delivered by water master? District #
	–	Special conditions of approval or cover letter:
	–	See below for additional information

Recommended Date or Priority 1/8/1990 ✓ Dnr

Recommended by: _____ Date 5/24/1990

STATE OFFICE REVIEW

P23 P160 46

___ See below for additional information. By KW Date 6-4-90

ADDITIONAL INFORMATION

63-11147

ROBISON, STANLEY S.
ROBISON, ORPHENA E.
15591 SUNNY SLOPE
CALDWELL, ID 83605

Source: GROUNDWATER

Diversion Pt: SESENE Sec 15 T 03N R 04W

Use: IRRIGATION (.040 CFS)
Total Diversion: (.040 CFS)

Date Filed: 1/08/1990

In: T03N R04W S15 SENE

2.0 ACRES TOTAL

FILMED
JUN 21 1990