



13. Map of project: show clearly the proposed point of diversion, place of diversion, township and range number.

T2N R2W

POD
POU

1


MICROFILMED
JUN 21 1990

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

1 Dorothy J. Jones
(Applicant)

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = NTS

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	^{model} Pump Serial No. or Discharge Size
	NO TAG	1	NO TAG	Red Jacket	CWN 76 C

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Sprinkler Pressure Gage						

2. Measurements: Sprinkler Pressure Gage - 30 psi

Microfilm

OCT 22 1993






PHOTO ONE-

Well and irrigation main lines located near ~~southwest~~ southeast corner of garage.



RECORDED
OCT 22 1993

PHOTO TWO-

view easterly of (8) rainbirds in operation. The garden in background is irrigated by 3" PVC pipe with 3/8" holes.



PHOTO THREE- View southerly of 3" pipe with 3/8" drilled holes
to irrigate garden.

>

APPROVED
OCT 22 1993

PHOTO FOUR-

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11146

Priority: January 29, 1990

Maximum Diversion Rate:

0.06 CFS

Maximum Diversion Volume:

9.0 AF

This is to certify, that CALVIN JONES
DOROTHY JONES

2714 SOUTHSIDE BLVD
NAMPA ID 83686

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated January 29, 1990; and has submitted Proof of Beneficial Use on May 15, 1992. An examination indicates that the works have a diversion capacity of .070 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.06 CFS	9.0 AF

LOCATION OF POINT(S) OF DIVERSION:

SWNW , Sec. 1, Township 02N, Range 02W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	02W	1	SWNW	2		2

Total number of acres irrigated: 2

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The right holder shall use the full allotment of his surface water right, to the extent it is available, in conjunction with groundwater diverted pursuant to this right.
6. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.5 afa per acre for the lands above.

MICROFILMED

OCT 22 1993


State of Idaho
Department of Water Resources


WATER RIGHT LICENSE

WATER RIGHT NO. 63-11146


This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 21ST
day of OCTOBER, 1993.

Acting for


R. Keith Higginson, Director



OCT 22 1993



OFFICE USE ONLY
Amt. of Fee \$ 50.00
Date 5-15-92
Receipt No. 0024169
Receipt by [signature]

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-11146 Telephone No. 466-0503
2. Name(s) of Permit Holder(s): Calvin & Dorothy Jones
3. Mailing Address: 2714 Southside Blvd. Nampa, ID 83686
4. Source of Water: Groundwater

If GROUNDWATER, Well Driller's Name: Davis Well Pump Date Drilled: 4-13-85

OPTIONAL:

Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic 1 (No. of households) Stockwater 8 (No. and type of stock)
Irrigation 2 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted 0.12 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes X No Installed? _____ Yes _____ No

OR
Flow Measurement Port: Required? _____ Yes X No Installed? _____ Yes _____ No

8. Fee Enclosed: \$ 50.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

permit holder
Name _____ Telephone No. _____

Address _____

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

5-15-92 Calvin K Jones
Date _____ Signature (and title, if on behalf of a company or organization) _____

OCT 22 1993

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11146

Proposed Priority: January 29, 1990 Maximum Diversion Rate: 0.12 CFS

This is to certify, that **CALVIN JONES**
DOROTHY JONES
2714 SOUTHSIDE BLVD.
NAMPA, ID 83686

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.06 CFS
STOCKWATER	01/01 to 12/31	0.02 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS
	Totals	0.12 CFS

LOCATION OF POINT(S) OF DIVERSION: NWSWNW Sec. 1, Township 02N, Range 02W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	02W	1	SWNW	2		2

Total number of acres irrigated: 2

PLACE OF USE: STOCKWATER, same as IRRIGATION use

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **July 1, 1992**.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
5. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.
6. Stockwater use is for 4 cattle and 4 horses.
7. Domestic use is for one home.

MICROFILMED

JUN 21 1990

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11146

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

11th day of June, 1990.

R. Keith Higginson
for R. Keith Higginson, Director

MICROFILMED

JUN 21 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Calvin & Dorothy Jones Phone 466-0503
Post office address 2714 Southside Blvd Nampa Id 83686

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is NW $\frac{1}{4}$ of SW $\frac{1}{4}$ of NW $\frac{1}{4}$, Govt. Lot _____
Sec. 1 Township 2N Range 2W B.M. CANYON County; additional
points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .06 for IRRIGATION purposes from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .02 for STOCKWATER purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .04 for DOMESTIC purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) .12 cubic feet per second and/or (b) _____ acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. WELL, 60' deep, 1 HP Pump,
6" casing, pipeline, sprinklers, Ditch

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is 6" inches; proposed depth of well is 60' feet.

d. Is ground water with a temperature of greater than 90°F being sought? NO

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
2 years (minimum 1 year).

Well Completed 4-10-85 and put to Beneficial Use.

MICROFILMED

JUN 21 1990

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. 4 BEEF CATTLE, 4 HORSES
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. ONE DOMESTIC household
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
2N	2W	1							2										2
2N	2W	1							D/S										

Total number of acres to be irrigated 2

10. Describe any other water rights used for the same purposes as described above. IRRIGATION DISTRICT WATER
11. a. Who owns the property at the point of diversion? Applicant
- b. Who owns the land to be irrigated or place of use? Applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

RECORDED

JUN 21 1993



T2N R2W

Pod Pou

MICROFILMED

JUL 1990

Dorothy G. Jones
(Applicant)


Received by GP Date 1-29-90 Time 4:04 p Preliminary check by GR
Fee \$ 30.00 Receipted by NH # W008112 Date 1/30/90 - Check rec'd at mobile office with application on 1/29/90
Publication prepared by GG Date 2-14-90 Published in Press-Tribune 2/21 & 2/28/90
Publication approved st Date 4-11-90 gr

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 21, 1993

CALVIN JONES
DOROTHY JONES
2714 SOUTHSIDE BLVD
NAMPA ID 83686

RE: WATER RIGHT NO. 63-11146

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in dark ink, appearing to be 'Jim Johnson'.

for JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECEIVED

OCT 22 1993

WR0749NP
No. L63-11146

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 10/15/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	CALVIN JONES	01/29/1990	IRRIGATION	03-15 11-15	0.06 CFS	9.0 AFA
C	DOROTHY JONES					
	2714 SOUTHSIDE BLVD					
	NAMPA ID 83686			TOTAL DIVERSION:	0.06 CFS	9.0 AFA
	(208) 466-0503					

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.07 CFS

Point(s) of Diversion: T02N R02W S01 SW NW

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE					
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM
02N	02W	1	:									02								:	2.0
																				TOTAL ACRES	2.0

Pou County: CANYON

Other Rights: IRRIGATION DISTRICT WATER

Other Water Rights Listing Overlapping Place(s) of use:
63-11146

Conditions of Approval:

- 803 - The right holder shall use the full allotment of his surface
- water right, to the extent it is available, in conjunction with
- groundwater diverted pursuant to this right.
- R52 - This right when combined with all other rights shall provide no
- more than .03 cfs per acre nor more than 4.5 afa per acre for the
- lands above.

Dates:	App. Received:	01/29/1990	Priority Date:	01/29/1990
	Proof Due Date:	07/01/1992	Proof Made Date:	05/15/1992
	Exam Made Date:	07/26/1993	Exam Sent to S.O.:	09/23/1993
	Licensed Date:			

Misc: Water District Number: Field Exam Fee: R (Received)

Comments: Date: 05/15/1992 User-ID: VAULT Subject: Proof of Beneficial Use Rcvd
Proof of Beneficial Use Rcvd

Audit: 10/15/93 CHAPMAN

IDAHO DEPARTMENT OF WATER RESOURCES
PLACE OF USE 1/4 1/4 COMPARISON REPORT
(REGIONAL)

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '*' ARE ADJUDICATION CLAIMS)

WR-NUMBER	SOURCE	NE				NW				SW				SE				SE				SUM
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	
L6311146	T02N R02W S 1 GROUNDWATER									02												2
6302388	BOISE RIVE																					
A6302388	BOISE RIVE																					
6308944	GROUNDWATE													29								29
A6308944	GROUNDWATE													29								29
6309084	GROUNDWATE												09					28				37
A6309084	GROUNDWATE												09					28				37
6310197	GROUNDWATE																					2
A6310197	GROUNDWATE																					2
6311146	GROUNDWATE									02												2
6311209	GROUNDWATE																	13	12			25
6311210	GROUNDWATE																	15	03	05	18	41
6311489	GROUNDWATE : 01-30 02-30																					80

* Irrigation
District
Water

LICENSE REVIEW CHECKLIST

Permit # 63-11146 Date 10-15-93 Brenda Chapman

	Yes	No	
NAME	<u> </u>	<u> </u> ✓	Or Address Change?
PRIORITY DATE	<u> </u>	<u> </u> ✓	Advance? <u> </u> Memo to Advance <u> </u>
	<u> </u>	<u> </u> ✓	Order to Reinstate Needed?
	<u> </u>	<u> </u> ✓	Incorrect Fee for rate recommended?
SOURCE	<u> </u>	<u> </u> ✓	Changes? Clarification of Originally Intended source <u> </u>
	<u> </u>	<u> </u> ✓	Notice of Intent to Void - Source change.
P/D	<u> </u>	<u> </u> ✓	Amendment Needed? <u> </u>
	<u> </u>	<u> </u> ✓	Overlap(s) <u> </u>
P/U	<u> </u>	<u> </u> ✓	Amendment Needed? <u> </u>
	<u> </u>	<u> </u> ✓	Overlap(s) <u> </u>
TOTAL CFS	<u> </u>	<u> </u> ✓	Disagree/Measurement <u>Sprinklers @ 30 PSI</u> <u>8 (5/32) @ 30 PSI = 4.01 x 8 = .07 CFS</u>
	<u> </u>	<u> </u> ✓	Theoretical <u>(8.8 x .70 x 1 HP)</u> <u>25 + 2.31 x 40 = .05</u>
	<u> </u>	<u> </u> ✓	Capacity <u>.07</u> @ <u>3.5</u> = <u>.06</u>
	<u> </u>	<u> </u> ✓	Allowable Amount: <u>2 acres @ .03 = .06</u> <u>less permit limit</u>
TOTAL VOLUME	<u> </u>	<u> </u> ✓	Disagree with Examiner's Calculations? <u>2 acres @ 4.5 = 9 AF</u>
	<u> </u>	<u> </u> ✓	Flow limit: <u>.06</u> x <u>246</u> x <u>1.9835</u> = <u>29.3</u> Season <u>D/4.5</u>
USES	<u> </u>	<u> </u> ✓	Change(s) in Nature of Use? <u> </u>
	<u> </u>	<u> </u> ✓	Amendment Needed? <u> </u>
REMARKS	<u> </u>	<u> </u> ✓	Multiple P/Ds in 1/4 1/4? <u> </u>
	<u>803</u>	<u> </u> ✓	Special Overlap <u> </u>
	<u> </u>	<u> </u> ✓	Other <u> </u>
CONDITIONS	<u> </u>	<u> </u> ✓	Measuring/Locking Devices <u> </u>
	<u> </u>	<u> </u> ✓	W/Master Control <u> </u>
	<u>RS2</u>	<u> </u> ✓	Irrigation Overlap <u>1-29-90</u> App Rec'd
	<u> </u>	<u> </u> ✓	Water Quality <u>7-26-93</u> Exam Made

COMMENTS: NO DOMESTIC/STOCKWATER USES - DELETE

RECOMMENDED	CFS	DIV VOL	LICENSE
<u>Irrigation</u>	<u>.06</u>	<u>9 AF</u>	<u> </u> ✓
<u> </u>	<u> </u>	<u> </u>	AMEND <u> </u>
<u> </u>	<u> </u>	<u> </u>	2ND AMEND <u> </u>

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
SEP 24 1993

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-11146

1. Owner: CALVIN & DOROTHY JONES Phone No. 466-0503

Current Address: 2714 Southside Blvd., Nampa, ID 83686

2. Accompanied by: CALVIN JONES EXAM DATE: 7/26/93

Address: SAME Phone No. SAME

Relationship to Permit Holder: Applicant

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 63-02388

2. Other water rights with the same point of diversion: NONE

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	NW	1	2N	2W	Canyon	Quad. Map


2. Place(s) of Use:

Indicate Method of Determination SAME AS P/D

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
2N	2W	1							2										2.0

RECEIVED
OCT 22 1993

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = NTS

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	^{model} Pump Serial No. or Discharge Size
	NO TAG	1	NO TAG	Red Jacket	CWN 76 C

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Sprinkler Pressure Gage						

2. Measurements: Sprinkler Pressure Gage - 30 psi

MISSOURI

OCT 22 1993

E. NARRATIVE/REMARKS/COMMENTS

OVERLAPS - P/U - Same QR, different area of use.

A 6" well supplies water for irrigation of 2 acres of back area lawn and garden. The south side of lawn area is irrigated by (8) $\frac{5}{32}$ " rainbirds attached to risers. The remaining lawn area can be irrigated by attaching hand line to coupling at well. The garden is irrigated by separate ~~line~~ underground line next to underground rainbird line. Water is distributed throughout garden through $\frac{3}{8}$ " diameter holes in 3" PVC, which extends along northern edge of garden. The well is used only as a backup system. Irrigation district water is main source for irrigating these 2 acres and the remaining portion of property. Stockwater and domestic use ~~are not~~ does not exist, therefore remove the E/U for domestic and stockwater. The allocation of 0.03 cfs/acre for these 2 acres allows a total allocation of 0.06 cfs, which is within the systems capacity. Therefore, recommend Licensing for 0.06 cfs for irrigation, and remove E/U for domestic and stockwater.

$$Q(\text{THEORETICAL}) = \frac{(8.8)(0.7)(1)}{(2.31 \times 30) + 2.0} \approx 0.07 \text{ CFS}$$

Have conditions of permit approval been met? ☒ yes ☐ no

RECEIVED

OCT 22 1993

Additional Computation Sheets Attached

(8) $5/32''$ Rainbirds

$$Q = 8 \times 4.01 \text{ gpm} = 32.08 \text{ gpm} = 0.07 \text{ CFS}$$

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 2 \times 4.5 = 9.0 \text{ AFA}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.06 \times 246 \times 1.9835 = 29.28 \text{ AFA}$$

$V = \text{Smaller of } V_{IB} \text{ and } V_{DB} = 9.0 \text{ AFA}$

2. Volume Calculations for Other Uses:

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion	Annual Volume
	From	To	Q (cfs)	V (afa)
<u>IRRIGATION</u>	<u>3/15</u>	<u>11/15</u>	<u>0.06</u>	<u>9.0</u>
Totals:			<u>0.06</u>	<u>9.0</u>

2. Recommended Amendments

___ Change P.D. as reflected above ___ Add P.D. as reflected above ☒ None
 ___ Change P.U. as reflected above ___ Add P.U. as reflected above ☐ Other

1. AUTHENTICATION


Field Examiner's Name Rick Collingsworth Date 8/13/93

Reviewer _____ **Date** _____

SEAL

[illegible]

OCT 22 1993



PERMIT 63-11146 INIT RC
T. R. S. Q/Q
P/D 2N 2W 1 SWNW
SCALE
PHOTO ID. X-56 rampa

MINNAPAC
OCT 22 1993

X-56 rampa

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: _____ OTHER APPLICABLE NO: _____

2. OWNER: Calvin & Dorothy Jones Phone: 466-0503
Address: 2714 Southside Blvd., Nampa, ID 83686

3. WELL LOCATION: Twp 2N, Rge. 2W, Sec. 1, SW 1/4 NW 1/4
County Canyon (Provide sketch map and photo on reverse.)

4. DRILLER: Davis Well Drilling Lic. No. 101
When Drilled? 4-10-85

5. WELL CONSTRUCTION:

Casing Diameter 6 inches Water tight cap? ☒ Yes ☐ No Access Port: ☒ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing 25 ft. Method Drilled Rotary
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☐ Yes ☒ No Pressure Gauge: ☐ Yes ☒ No
Condition of Piping and Valving Good
Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)

6. HYDROLOGIC INFORMATION:

Depth to Static Water 15 ft. Water Temperature N/A °F
Flowing Artesian ☐ Yes ☒ No Pressure: N/A (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____

7. WELL USE:

☐ Domestic	☐ Irrigation	☐ Stock
☐ Test	☐ Municipal	☐ Industrial
☐ Abandoned	☐ Waste Disposal/Injection	☐ Not Used
☐ Other: _____		

RECEIVED
OCT 22 1993

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS:

Rick Collingwood, Water Rights Examiner
Signature of Dept. Representative & Title

7/26/93
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

UNCLASSIFIED

OCT 22 1993

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]

USE ADDITIONAL SHEETS IF NECESSARY -- FORWARD THE WHITE COPY TO THE DEPARTMENT




PHOTO ONE-

Well and irrigation main lines located near ~~southwest~~ southeast corner of garage.



RECORDED
OCT 22 1993

PHOTO TWO-

view easterly of (8) rainbirds in operation. The garden in background is irrigated by 3" PVC pipe with 3/8" holes.



PHOTO THREE- View southerly of 3" pipe with 3/8" drilled holes
to irrigate garden.

>

RECEIVED
OCT 22 1993

PHOTO FOUR-

May 22, 1992

CALVIN JONES
DOROTHY JONES
2714 SOUTHSIDE BLVD.
NAMPA ID 83686

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11146

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

OCT 22 1993

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 63-11146

Reviewed by Keg

Date 5/15/92

GENERAL CONSIDERATIONS

yes Name same as permit?
yes Address same as permit?
yes Proof timely received?
If not, complete calculation below.

TYPES OF USE

domestic-1
irrigate-2 stock-8
Correct Uses? yes

SOURCE OF WATER

✓ Surface water source
✓ Ground water source

NA Drilling permit required?
4-13-85 / Copy in the file? Drilling Permit No. _____
/ Amount paid for permit _____ Correct?
/ Well log in the file?

LICENSE EXAMINATION FEE

yes Required?
50 Amount Submitted
yes Correct?

MEASURING DEVICE

NA Required?
/ Installed?
/ Waiver requested?

PRIORITY CALCULATION

Date proof received NA
Date proof due _____ - _____
No. of days late _____ = _____
Priority Date _____ + _____
New Priority Date ✓ _____

DEFICIENCIES OR ACTION ITEMS

proof acceptable

DATA ENTRY

New Address _____

Proof Made 5/15/92
5/22/92 Keg

April 30, 1992

CALVIN JONES
DOROTHY JONES
2714 SOUTHSIDE BLVD.
NAMPA ID 83686

PROOF DUE NOTICE

RE: PERMIT NO. 63-11146

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before July 1, 1992. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



RECEIVED

OCT 22 1993

S T A T E O F I D A H O

DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
June 11, 1990

CALVIN JONES
DOROTHY JONES
2714 SOUTHSIDE BLVD.
NAMPA, ID 83686

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P63-11146

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you

MICROFILMED

JUN 21 1990

commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

JUN 21 1990

NOTICE OF APPLICATION FOR WATER RIGHT
The following application(s) have been filed for appropriation of the public waters of the State of Idaho:

EMMENT, CHRIS A.
6100 S. SIDE BLVD.
NAMPA, ID 83606
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
Date Filed: 1/15/1990
In: T02N R02W S35
SESE
Sec 35 T 02N R02W
(1,600 CFS)
Total Diversion: (1,600 CFS)
NESE
80.0 ACRES TOTAL
63-11114

HASBIBER, ENEST RAYMOND
JAMES, RAMONA R.
7951 DEERBONE RD.
NAMPA, ID 83606
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
Date Filed: 12/21/1989
In: T02N R02W S07
NWNWNE
Sec 7 T 02N R01W
(.060 CFS)
Total Diversion: (.230 CFS)
NWNWNE
2.0 ACRES TOTAL
63-11116

HICKSON, TERRY R.
HICKSON, KATHY F.
5705 E. CHIEF BLVD
NAMPA, ID 83605
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
Date Filed: 1/31/1990
In: T02N R01W S06
SENE Lot 3 (NENW) Lot 4 (NWNW) NESE
SESE
71.0 ACRES TOTAL
63-11117

HYER, W. CLARE
HYER, YVONNE F.
17050 MIDLAND BLVD.
NAMPA, ID 83607
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
Date Filed: 2/11/1990
In: T02N R02W S04
SWSWSW
Sec 4 T 03N R 02W
(.040 CFS)
Total Diversion: (.080 CFS)
SWSW
1.5 ACRES TOTAL
63-11120

PETERSON, GARY E.
PETERSON, SUE Z.
RT. 1 BOX 254A
MIDDLETON, ID 83644
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
Date Filed: 2/11/1990
In: T05N R02W S26
NESW
Sec 20 T 05N R 02W
(.040 CFS)
Total Diversion: (.040 CFS)
NESW
2.0 ACRES TOTAL
63-11125

COOK, PAUL J.
JOHNSON COOK, SHARON J.
24567 KINGSBURY LN.
MIDDLETON, ID 83644
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
Date Filed: 2/08/1990
In: T05N R02W S34
SENE
2.0 ACRES TOTAL
63-11128

CALVARY ASSEMBLY OF GOD
817 CTR. MIDLAND BLVD.
NAMPA, ID 83651
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
Date Filed: 1/30/1990
In: T03N R02W S29
SENE
Sec 29 T 03N R02W
(.030 CFS)
Total Diversion: (.030 CFS)
SENE
1.0 ACRES TOTAL
63-11129

ORCUTT, SHIRLEY
4807 12TH AVE. RD.
NAMPA, ID 83680
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
Date Filed: 1/30/1990
In: T02N R02W S08
NESE
Sec 9 T 02N R 02W
(.200 CFS)
Total Diversion: (.200 CFS)
NESE
10.0 ACRES TOTAL
63-11130

COLLEGE OF IDAHO
2112 CLEVELAND BLVD.
Caldwell, ID 83605
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
Date Filed: 1/24/1990
In: T04N R03W S27
NESE
Sec 27 T 04N R 03W
(.800 CFS)
Total Diversion: (.800 CFS)
NESE
40.0 ACRES TOTAL
63-11131

E.G. JOHNSON FARMS INC.
C/O E.G. JOHNSON
24007 HWY. 2026
PAFIMA, ID 83660
Source: GROUNDWATER
Diversion Pt:
Use: STOCKWATER
Date Filed: 1/29/1990
In: T05N R05W S25
NENE
Sec 25 T 05N R 05W
(1,000 CFS)
Total Diversion: (1,000 CFS)
NENE
63-11132

E.G. JOHNSON FARMS INC.
C/O E.G. JOHNSON
24007 HWY. 2026
PAFIMA, ID 83660
Source: GROUNDWATER
Diversion Pt:
Use: STOCKWATER
Date Filed: 1/29/1990
In: T06N R06W S24
SESE
Sec 24 T 06N R 06W
(.260 CFS)
Total Diversion: (.260 CFS)
SESE
63-11133

RELK, A. JACK
RELK, KELLY J.
8260 HAPPY VALLEY RD.
NAMPA, ID 83696
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
Date Filed: 2/06/1990
In: T02N R01W S18 Lot 3 (NWSW)
LOT 3 (NWSW)
Sec 18 T 02N R 01W
(.800 CFS)
Total Diversion: (.800 CFS)
NWSW
40.0 ACRES TOTAL
63-11134

WILD ROSE PROPERTY OWNERS ASSN. INC.
C/O JACK A. MELLENTIN
12608 WILD ROSE LN.
NAMPA, ID 83696
Source: GROUNDWATER
Diversion Pt:
Use: DOMESTIC
Date Filed: 2/01/1990
In: T03N R03W S36 NENW
NENENW
Sec 36 T 03N R 03W
(.250 CFS)
Total Diversion: (.550 CFS)
NENENW
15.0 ACRES TOTAL
63-11135

TAYLOR ROBERT M.
TAYLOR, SUSAN
218 PAT LN.
Caldwell, ID 83605
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
Date Filed: 2/07/1990
In: T03N R03W S04
NWSW
Sec 4 T 03N R 03W
(.030 CFS)
Total Diversion: (.030 CFS)
SESE
1.0 ACRES TOTAL

WHITE, LUGAIONEN
15633 KARK, HEI RD.
Caldwell, ID 83605
Source: GROUNDWATER
Diversion Pt:
Use: COMMERCIAL
Date Filed: 2/06/1990
In: T03N R03W S16
NENW
Sec 16 T 03N R 03W
(.040 CFS)
Total Diversion: (.040 CFS)
NENW
63-11137

TRUEBLOOD, MARY E.
25370 HOMEDALE RD.
WILDER, ID 83678
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
Date Filed: 2/05/1990
In: T03N R05W S02 SWSE
SWSE
Sec 2 T 03N R 05W
(.300 CFS)
Total Diversion: (.300 CFS)
SWSE
15.0 ACRES TOTAL
63-11138

HUFF, RICHARD
14505 LAKE AVE.
NAMPA, ID 83651
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
Date Filed: 2/06/1990
In: T03N R03W S23
NWSW
Sec 23 T 03N R 03W
(3,000 CFS)
Total Diversion: (3,000 CFS)
NWSW
150.0 ACRES TOTAL
63-11139

LIVINSON, DALE H.
7730 DOWNTOWN RD.
NAMPA, ID 83606
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
Date Filed: 2/14/1990
In: T02N R02W S35
SWSWSW
Sec 35 T 02N R 02W
(1,500 CFS)
Total Diversion: (1,500 CFS)
SWSW
75.0 ACRES TOTAL
63-11141

HICKSON, LINDA
HICKSON, TIM
3720 E. LEWIS
NAMPA, ID 83606
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
Date Filed: 1/26/1990
In: T02N R01W S08
NWNW
Sec 8 T 02N R 01W
(1,000 CFS)
Total Diversion: (1,000 CFS)
NWNW
50.0 ACRES TOTAL
63-11142

HILLCHEST MEMORIAL GARDENS
15802 INDIANA AVE.
Caldwell, ID 83605
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
Date Filed: 2/02/1990
In: T03N R03W S14
NWNW
Sec 14 T 03N R 03W
(.500 CFS)
Total Diversion: (.500 CFS)
NWNW
25.0 ACRES TOTAL
63-11143

WADSWORTH, MARSHA
WADSWORTH, DEWAYNE
318 S. KINGS RD
NAMPA, ID 83651
Source: WILSON CREEK
Diversion Pt:
Use: IRRIGATION
Date Filed: 1/29/1990
In: T03N R02W S25
NWSW
Sec 25 T 03N R 02W
(.050 CFS)
Total Diversion: (.050 CFS)
NWSW
1.5 ACRES TOTAL
63-11144

BOWEN, WALLACE
16798 HWY 20-20
Caldwell, ID 83605
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
Date Filed: 1/28/1990
In: T04N R03W S09
SWSESW
Sec 6 T 04N R 03W
(.050 CFS)
Total Diversion: (.050 CFS)
SWSESW
3.0 ACRES TOTAL
63-11145

NOBIAUCH, RONALD L.
4913 E. ORCHARD
NAMPA, ID 83651
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
Date Filed: 2/07/1990
In: T03N R01W S19 Lot 1 (NWNW)
NWNW
Sec 19 T 03N R 01W
(.030 CFS)
Total Diversion: (.030 CFS)
NWNW
1.0 ACRES TOTAL
63-11146

JONES, CALVIN
JONES, DOROTHY
2714 SOUTHSIDE BLVD.
NAMPA, ID 83606
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
Date Filed: 1/29/1990
In: T02N R02W S01
NWSWNW
Sec 1 T 02N R 02W
(.060 CFS)
Total Diversion: (.120 CFS)
NWSWNW
2.0 ACRES TOTAL
63-11147

ROBISON, STANLEY S.
ROBISON, OPHIELIA E.
15501 SUNNY SLOPE
Caldwell, ID 83605
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
Date Filed: 1/08/1990
In: T03N R04W S15
SESENE
Sec 15 T 03N R 04W
(.040 CFS)
Total Diversion: (.040 CFS)
SESENE
2.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protocols must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise Idaho 83705 on or before MARCH 12, 1990.
N. KEITH HIGGINSON, Director
February 21, 20, 1990

JUL 21 1990

63-11146

JONES, CALVIN
JONES, DOROTHY
2714 SOUTHSIDE BLVD.
NAMPA, ID 83686

Source: GROUNDWATER

Diversion Pt: NWSWNW Sec 1 T 02N R 02W

Use: IRRIGATION	(.060 CFS)
STOCKWATER	(.020 CFS)
DOMESTIC	(.040 CFS)
Total Diversion:	(.120 CFS)

Date Filed: 1/29/1990

In: T02N R02W S01 SWNW

2.0 ACRES TOTAL

MICROFILMED

JUN 21 1990