



SYSTEM DESCRIPTION
ATTACHMENT TO FIELD EXAM FORM





Pld
P/A
←

PERMIT 63-11128 INIT 24
T. R. S. Q/Q
P/D Snow 29 APR 19 19
SCALE _____
PHOTO ID. _____

63-11128



View NW. view of
front IRRIGATED LAWN?
IRRIGATED STRIP.



View West. View of
side IRRIGATION? Notice
well on side of building.

APR 19 1993

63-1128




View NW. view of
front IRRIGATED LAWN &
IRRIGATED STRIP.



View West View of
side IRRIGATION & Notice
well on side of building

APR 19 1993

63-11128



View of well on south side of the building.

APR 19 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11128

Priority: January 30, 1990

Maximum Diversion Rate:

0.03 CFS

Maximum Diversion Volume:

2.3 AF

This is to certify, that CALVARY ASSEMBLY OF GOD

817 CENTER MIDLAND BLVD

NAMPA ID 83651

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated January 30, 1990; and has submitted Proof of Beneficial Use on May 14, 1991. An examination indicates that the works have a diversion capacity of .100 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.03 CFS	2.3 AF

LOCATION OF POINT(S) OF DIVERSION:

NENE , Sec. 29, Township 03N, Range 02W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	02W	29	NENE	0.5		0.5

Total number of acres irrigated: 0.5

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than 4.5 afa per acre for the lands above.

RECORDED

APR 19 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11128

This license is issued pursuant to the provisions of Section 42-219, Idaho Code,
Witness the seal and signature of the Director, affixed at Boise, this 9TH
day of APRIL, 1993.


R. Keith Higginson, Director

APR 18 1993

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11128

Proposed Priority: January 30, 1990 Maximum Diversion Rate: 0.03 CFS

This is to certify, that CALVARY ASSEMBLY OF GOD
817 CENTER MIDLAND BLVD.
NAMPA, ID 83651

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

IRRIGATION	03/15 to 11/15	0.03 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION: SENENE Sec. 29, Township 03N, Range 02W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
------------	------------	------------	--------------	--------------	--------------	--------------

03N	02W	29	NENE 0.5	SENE 0.5		1
-----	-----	----	----------	----------	--	---


Total number of acres irrigated: 1

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 1991.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

11th day of June, 1990.

for 
R. Keith Higginson, Director

MICROFILMED

JUN 21 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Calvary Assembly of God Phone 467-7777
Post office address 817 Central Midland Blvd. Nampa, Id. 83651
2. Source of water supply groundwater which is a tributary of _____
3. Location of point of diversion is SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of NE $\frac{1}{4}$, Govt. Lot _____
Sec. 29 Township 3N Range 2W B.M. Canyon County; additional
points of diversion if any: NESENE S.29 T3N R2W
4. Water will be used for the following purposes:
Amount .03 for irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .03 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. well (approximately 1979), pump,
pipeline for supplemental irrigation of church grounds.
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is unknown inches; proposed depth of well is unknown feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? NO
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

MICROFILMED

JUN 21 1990

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for *Domestic*) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3N	2W	29	1/2			1/2													1

Total number of acres to be irrigated 1


- Describe any other water rights used for the same purposes as described above. Irrigation District water
- Who owns the property at the point of diversion? Applicant
 - Who owns the land to be irrigated or place of use? Applicant
 - If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

- Remarks: Single point of diversion in one of two tracts. Both 1/4-1/4's shown due to uncertainty in exact location

MICROFILMED

JUN 21 1990

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



MICROFILMED

JUN 21 1990

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for ~~permit to appropriate~~ the public waters of the State of Idaho as herein set forth.

Louie Gayreal, secretary
(Applicant)

Received by SL Date 1/30/90 Time 1:30 Preliminary check by RR
Fee \$ 30.00 Received by SL # MOD 5620 Date 1/30/90
Publication prepared by GG Date 2-14-90 Published in Press-Tribune
2/21/90 & 2/28/90
Publication approved st Date 4-11-90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

MICROFILMED

JUN 21 1990

NOTICE OF APPLICATION FOR WATER RIGHT
The following application(s) have been filed to appropriate the public waters of the State of Idaho:

EMMENT, CHRIS A.
1100 S. HIDE BLVD.
NAMPA, ID 83606
Source: GROUNDWATER
Diverion Pt:
Use: IRRIGATION
Date Filed: 1/15/1990
In: T02N R02W S35
60.0 ACRES TOTAL
63-11114
NESE
Sec 35 T 02N R02W
(1,500 CFS)
Total Diverion: (1,500 CFS)

MACWHITTEN, ERNEST RAYMOND
JONES, HAMON R.
7091 DEERHOLME RD.
NAMPA, ID 83606
Source: GROUNDWATER
Diverion Pt:
Use: IRRIGATION
Date Filed: 12/21/1989
In: T02N R02W S07
2.0 ACRES TOTAL
63-11116
NWNWNE
Sec 7 T 02N R01W
(.000 CFS)
Total Diverion: (.230 CFS)

HENRICKSON, TERRY R.
HENRICKSON, KATHY F.
5705 E. CHERRY HURST
NAMPA, ID 83651
Source: GROUNDWATER
Diverion Pt:
Use: IRRIGATION
Date Filed: 1/31/1990
In: T02N R01W S06
71.0 ACRES TOTAL
63-11117
SENE Lot 3 (NENW) Lot 4 (NWNW) NESE
NESE
Sec 6 T 02N R01W
Sec 6 T 02N R01W
(1,420 CFS)
Total Diverion: (1,420 CFS)

HYER, W. CLARE
HYER, YVONNE F.
17050 MIDLAND BLVD.
NAMPA, ID 83687
Source: GROUNDWATER
Diverion Pt:
Use: IRRIGATION
Date Filed: 2/11/1990
In: T03N R02W S04
1.5 ACRES TOTAL
63-11120
SWSW
Sec 4 T 03N R02W
(.040 CFS)
Total Diverion: (.080 CFS)

PETTERSON, GARY E.
PETTERSON, SUE Z.
RT. 1 BOX 251A
MIDDLETON, ID 83644
Source: GROUNDWATER
Diverion Pt:
Use: IRRIGATION
Date Filed: 2/11/1990
In: T05N R02W S26
2.0 ACRES TOTAL
63-11125
NESW
Sec 20 T 05N R02W
(.040 CFS)
Total Diverion: (.040 CFS)

COOK, PAUL J.
JOHNSON COOK, SHARON J.
24567 KIRKSHAW LN.
MIDDLETON, ID 83644
Source: GROUNDWATER
Diverion Pt:
Use: IRRIGATION
Date Filed: 2/20/1990
In: T05N R02W S34
2.0 ACRES TOTAL
63-11128
SENE
Sec 34 T 05N R02W
(.060 CFS)
Total Diverion: (.060 CFS)

CAVARY ASSEMBLY OF GOD
817 CTR. MIDLAND BLVD.
NAMPA, ID 83651
Source: GROUNDWATER
Diverion Pt:
Use: IRRIGATION
Date Filed: 1/30/1990
In: T03N R02W S29
1.0 ACRES TOTAL
63-11129
SENE
Sec 29 T 03N R02W
Sec 29 T 03N R02W
(.030 CFS)
Total Diverion: (.030 CFS)

ORCUTT, SHIRLEY
4007 12TH AVE. RD.
NAMPA, ID 83688
Source: GROUNDWATER
Diverion Pt:
Use: IRRIGATION
Date Filed: 1/30/1990
In: T02N R02W S09
10.0 ACRES TOTAL
63-11130
NESE
Sec 9 T 02N R02W
(.200 CFS)
Total Diverion: (.200 CFS)

COLLEGE OF IDAHO
2112 CLEVELAND BLVD.
CALDWELL, ID 83605
Source: GROUNDWATER
Diverion Pt:
Use: IRRIGATION
Date Filed: 1/24/1990
In: T04N R03W S27
40.0 ACRES TOTAL
63-11131
NESE
Sec 27 T 04N R03W
(.800 CFS)
Total Diverion: (.800 CFS)

E.G. JOHNSON FARMS INC.
C/O E.G. JOHNSON
24007 HWY. 202B
PAIDMA, ID 83660
Source: GROUNDWATER
Diverion Pt:
Use: STOCKWATER
Date Filed: 1/29/1990
In: T05N R05W S25
NENE
Sec 25 T 05N R05W
(1,000 CFS)
Total Diverion: (1,000 CFS)

E.G. JOHNSON FARMS INC.
C/O E.G. JOHNSON
24007 HWY. 202B
PAIDMA, ID 83660
Source: GROUNDWATER
Diverion Pt:
Use: STOCKWATER
Date Filed: 1/29/1990
In: T06N R06W S24
SESE
Sec 24 T 06N R06W
(.260 CFS)
Total Diverion: (.260 CFS)

RELK, A. JACK
RELK, KELLY J.
8260 HAPPY VALLEY RD.
NAMPA, ID 83680
Source: GROUNDWATER
Diverion Pt:
Use: IRRIGATION
Date Filed: 2/06/1990
In: T02N R01W S19 Lot 3 (NWSW)
40.0 ACRES TOTAL
63-11134
NENENW
Sec 19 T 02N R01W
(.800 CFS)
Total Diverion: (.800 CFS)

WILD ROSE PROPERTY OWNERS ASSN. INC.
C/O JACK A. MULLENHIN
12608 WILD ROSE LN.
NAMPA, ID 83688
Source: GROUNDWATER
Diverion Pt:
Use: DOMESTIC
Date Filed: 2/01/1990
In: T03N R03W S36 NENW
15.0 ACRES TOTAL
63-11135
NWNENW
Sec 36 T 03N R03W
Sec 36 T 03N R03W
(.250 CFS)
Total Diverion: (.500 CFS)

TAYLOR ROBERT M.
TAYLOR, SUSAN
210 PAT LN.
CALDWELL, ID 83605
Source: GROUNDWATER
Diverion Pt:
Use: IRRIGATION
Date Filed: 2/10/1990
In: T03N R03W S04
1.0 ACRES TOTAL
63-11136
NWNENW
Sec 4 T 03N R03W
(.030 CFS)
Total Diverion: (.030 CFS)

WHITEHILL GARDEN
15633 KANCIET RD.
CALDWELL, ID 83605
Source: GROUNDWATER
Diverion Pt:
Use: COMMERCIAL
Date Filed: 2/06/1990
In: T03N R03W S18
NENW
Sec 18 T 03N R03W
(.040 CFS)
Total Diverion: (.040 CFS)

TRUBBLOOD, MARY E.
25370 HOMEDALE RD.
WILDER, ID 83678
Source: GROUNDWATER
Diverion Pt:
Use: IRRIGATION
Date Filed: 2/05/1990
In: T03N R05W S02 SWSE
15.0 ACRES TOTAL
63-11138
SWSE
Sec 2 T 03N R05W
(.300 CFS)
Total Diverion: (.300 CFS)

HUFF, RICHARD
14505 LAKE AVE.
NAMPA, ID 83651
Source: GROUNDWATER
Diverion Pt:
Use: IRRIGATION
Date Filed: 2/06/1990
In: T03N R03W S23
150.0 ACRES TOTAL
63-11139
NWNW
Sec 23 T 03N R03W
(3,000 CFS)

LIVINGSTON, DALE H.
7730 DOWNTOWN RD.
NAMPA, ID 83688
Source: GROUNDWATER
Diverion Pt:
Use: IRRIGATION
Date Filed: 2/14/1990
In: T02N R02W S35
75.0 ACRES TOTAL
63-11141
SWSW
Sec 35 T 02N R02W
(1,500 CFS)
Total Diverion: (1,500 CFS)

HENRICKSON, LINDA
HENRICKSON, TIM
3720 E. LEWIS
NAMPA, ID 83688
Source: GROUNDWATER
Diverion Pt:
Use: IRRIGATION
Date Filed: 1/26/1990
In: T02N R01W S08
50.0 ACRES TOTAL
63-11142
NWNW
Sec 8 T 02N R01W
Sec 8 T 02N R01W
(1,000 CFS)

HILLCREST MEMORIAL GARDENS
15902 INDIANA AVE.
CALDWELL, ID 83605
Source: GROUNDWATER
Diverion Pt:
Use: IRRIGATION
Date Filed: 2/12/1990
In: T03N R03W S14
25.0 ACRES TOTAL
63-11143
NWNW
Sec 14 T 03N R03W
(.500 CFS)
Total Diverion: (.500 CFS)

WADSWORTH, MARSHA
WADSWORTH, DEWAYNE
318 S. KINGS RD.
NAMPA, ID 83651
Source: INDIAN CREEK
Diverion Pt:
Use: IRRIGATION
Date Filed: 1/29/1990
In: T03N R02W S25
1.5 ACRES TOTAL
63-11144
NWSW
Sec 25 T 03N R02W
(.050 CFS)
Total Diverion: (.050 CFS)

BOWER, WALLACE
16798 HWY 20 2B
CALDWELL, ID 83605
Source: GROUNDWATER
Diverion Pt:
Use: IRRIGATION
Date Filed: 1/26/1990
In: T04N R03W S06
3.0 ACRES TOTAL
63-11145
SWSE
Sec 6 T 04N R03W
(.050 CFS)
Total Diverion: (.050 CFS)

FORAUGH, RONALD L.
4913 E. OCHIAI
NAMPA, ID 83651
Source: GROUNDWATER
Diverion Pt:
Use: IRRIGATION
Date Filed: 2/07/1990
In: T03N R01W S19 Lot 1 (NWNW)
1.0 ACRES TOTAL
63-11146
SESW
Sec 19 T 03N R01W
(.030 CFS)

JONES, CALVIN
JONES, DONOTHY
2714 SOUTH SIDE BLVD.
NAMPA, ID 83688
Source: GROUNDWATER
Diverion Pt:
Use: IRRIGATION
Date Filed: 1/29/1990
In: T02N R02W S01
2.0 ACRES TOTAL
63-11147
NWSWNW
Sec 1 T 02N R02W
(.060 CFS)
Total Diverion: (.120 CFS)

ROBISON, STANLEY S.
ROBISON, OPHIELIA E.
15501 SUNNY SLOPE
CALDWELL, ID 83605
Source: GROUNDWATER
Diverion Pt:
Use: IRRIGATION
Date Filed: 1/08/1990
In: T03N R04W S15
2.0 ACRES TOTAL
63-11148
SESE
Sec 15 T 03N R04W
(.040 CFS)
Total Diverion: (.040 CFS)

This permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise Idaho 83705 on or before MARCH 12, 1990.
R. KEITH HIGGINSON, Director
February 21, 28, 1990

MICROFILMED

JUN 21 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

April 12, 1993

CALVARY ASSEMBLY OF GOD
817 CENTER MIDLAND BLVD
NAMPA ID 83651

RE: WATER RIGHT NO. 63-11128

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in cursive script that reads 'Pamela Skaggs'.

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

APR 19 1993

WR0749NP
No. L63-11128

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 03/09/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	CALVARY ASSEMBLY OF GOD 817 CENTER MIDLAND BLVD NAMPA ID 83651 (208) 467-7777	01/30/1990	IRRIGATION	03-15 11-15	0.03 CFS	2.3 AFA
TOTAL DIVERSION:					0.03 CFS	2.3 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.10 CFS

Point(s) of Diversion: T03N R02W S29 NE NE

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE					
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM
03N	02W	29	:	.5																:	0.5
																				TOTAL ACRES	0.5

Pou County: CANYON

Other Rights: ~~IRRIGATION DISTRICT WATER~~

Other Water Rights Listing Overlapping Place(s) of use:
63-11128

Conditions of Approval:

R27 - This right when combined with all other rights shall provide no
- more than 4.5 afa per acre for the lands above.

Dates: App. Received: 01/30/1990 Priority Date: 01/30/1990
Proof Due Date: 07/01/1991 Proof Made Date: 05/14/1991
Exam Made Date: 01/05/1993 Exam Sent to S.O.: 03/08/1993
Licensed Date:

Misc: Water District Number: Field Exam Fee: N (Not Required)

Audit: 03/09/93 SKAGGS

03-09-93

7

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAR 8 1993

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-11128

1. Owner: Calvary Assembly of God Phone No. 467-7777

Current Address: 817 Center Midland Blvd. Nampa Id 83651

2. Accompanied by: Joe EXAM DATE: 1-5-93

Address: same Phone No. same

Relationship to Permit Holder: employee

3. Source: groundwater tributary to NA

B. OVERLAP REVIEW

1. Other water rights with the same place of use: None

2. Other water rights with the same point of diversion: None

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
					29	3n	2w	Latah	Quads - Owner Id


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
3n	2w	29	.5																.5A
																			.5

APR 19 1993

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrange Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Magnetek	1.5	B62-97	Let's check	3/4"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: $\text{Theoretical} = \frac{1.5 \times 8.8 \times .70 - 9.24}{12' + (2.3 \times .35)} = .10 \text{ cfs}$

APR 19 1993

E. NARRATIVE/REMARKS/COMMENTS

This system is only used for irrigation. The well is 15' deep with a 2" casing. The static level for the area is 9' ; the dynamic level can be estimated to be 12'. The lawn is irrigated with pop-up sprinklers. The 1.5 hp motor is a Magnetek ; has a Red Jacket pump attached.

Have conditions of permit approval been met? ☒ yes ☐ no

RECEIVED

APR 19 1993

F. FLOW CALCULATIONS

Measured Method:

Additional Computation Sheets Attached

Theoretical = $.10 \text{ capacity} \times .5 \text{ acres} \times .64 \text{ cfs} = .032 \text{ cfs}$
 $.03 \text{ cfs (IRR)} < 1 \text{ Acre}$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = .5 \times 4.5 = 2.25 \text{ AFA} \checkmark$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .03 \times 246 \times 1.9835 = 14.6 \text{ AFA} \checkmark$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 2.25 \text{ AFA} \checkmark$$

2. Volume Calculations for Other Uses:

NA

H. RECOMMENDATIONS

Remarks -
Conditions - R27

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3-15	11-15	.03 + .02 cfs	2.32 - 2.5 AFA
Totals:			.03 + .02 cfs	2.32 - 2.5 AFA

2. Recommended Amendments

☐ Change P.D. as reflected above
☐ Change P.U. as reflected above


☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

☒ None
☐ Other

I. AUTHENTICATION

Field Examiner's Name David R. Tuthill Date 1-8-92

Reviewer Camille Skaggs Date 03-09-93




SEAL

MICROFILM

APR 19 1993

SYSTEM DESCRIPTION
ATTACHMENT TO FIELD EXAM FORM



Sq Ft Church

14360
141

11598 sq ft

Access

35700

- 16598 church

+ 1437 strip

20539.50

143650 = .5 acres

APR 19 1993



19

248

247

Star
01

P/D
P/H
←

PERMIT 63-11128 INIT 21
T. R. S. Q/Q
P/D 3/22/29 APR 19 19
SCALE _____
PHOTO ID. _____

Gravel

2576

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-11128

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.


1. Legal Description: TWP 3n, Rge 2w, Sec 29, ne 1/4 ne 1/4 or Lot _____.
2. Owner: Calvary Assembly of God.
Address 617 Center Methodist Church, City NAMPA, St Id.
3. Casing $\geq$ 12 inches above ground: Yes ☒ No ☐
4. Access Port: Yes ☒ No ☐ Static Water Level: 9'
Pressure Gauge: Yes ☐ No ☒ Casing Diameter: 2 1/4"
Flowing: Yes ☐ No ☒ Temperature: NA
5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes ☐ No ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.


Remarks: _____

RECORDED
APR 19 1993

63-1128



View NW. view of
front IRRIGATED LAWN:
IRRIGATED STRIP.



View West View of
side IRRIGATION: Notice
well on side of building.

APR 19 1993

63-11128



View of well on south side of the building.

APR 19 1993

May 17, 1991

CALVARY ASSEMBLY OF GOD
817 CENTER MIDLAND BLVD.
NAMPA, ID 83651

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11128

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

JUN 03 1991

RECEIVED

MAY 14 1991

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

For Office Use Only

Amt. of Fee \$

Date

Receipt No.

Received by

Department of Water Resources **PROOF OF BENEFICIAL USE**

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-11128 Telephone No. (208) 467-7777

2. Name(s) of Permit Holder(s): Calvary Assembly of God

3. Post Office Address: 817 C. Midland Blvd., Nampa, ID 83651

4. Source of Water: ground water

a. If ground water, well driller's name: _____ Date drilled: Spring of 1979

b. Pump horsepower: 1.5 Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use:

Domestic _____ (No. of households)

Irrigation 1 (No. of acres)

Stockwater _____ (No. and type of stock)

Other _____

6. Total rate and/or volume for which proof is submitted .03 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes ☒ No Installed? Yes ☐ No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☐ No

8. Fee Enclosed: \$ 0 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Name

Telephone No.

Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

5/13/91
Date

Loreli Haybeal, office manager
Signature (and title if on behalf of a company or organization)

MAY 03 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 63-11128

Date 5-15-91

GENERAL CONSIDERATIONS

- ☒ Name same as permit?
☒ Address same as permit? If no, indicate below.
☒ Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

- ☒ Surface water source
☒ Ground water source
NA Drill permit req'd?
1919 Copy in file? Drill permit no. _____
1919 Amt paid for drilling permit? _____ Correct?
1919 Well log in file?

LICENSE EXAMINATION FEE

- NO Required?
1919 Amount submitted?
1919 Correct amount?

MEASURING DEVICE

- NO Measuring device or access port required?
1919 Installed?
1919 Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

PRIORITY CALCULATION

Date proof received NA
Date proof due _____ - _____
No. of days late _____ = _____
Priority date _____ + _____
NEW PRIORITY DATE _____ = _____

LB

CALVARY ASSEMBLY OF GOD
817 CENTER MIDLAND BLVD.
NAMPA, ID 83651

138436
April 30, 1991

PROOF DUE NOTICE

RE: PERMIT NO. 63-11128

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before July 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

JUN 03 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
June 11, 1990

CALVARY ASSEMBLY OF GOD
817 CENTER MIDLAND BLVD.
NAMPA, ID 83651

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P63-11128

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

MICROFILMED

JUN 21 1990

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

JUN 21 1990

Form No. 202a.
3/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: GL DATE: 2-1-90 APPLICATION: 63-11128

REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume)
☒ Period of use:
☒ Nature of proposed use: (Include description of use)
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee:
☒ Yes ☐ No* In form to receipt:
- Gov't. Lots:
N/A P/D
N/A P/U

ADDITIONAL INFORMATION

- | YES | NO | |
|--------------------------|-------------------------------------|--|
| ☐ | ☒ | Overlapping place of use: (Describe source & relationship to present application on the back.) |
| ☐ | ☒ | Overlapping point of diversion: |
| ☐ | ☐ | Field check required: Field check by: _____ |
| ☐ | ☒ | Field report attached: |
| ☐ | ☒ | Critical groundwater area: |
| ☐ | ☒ | Groundwater management area: |
| ☐ | ☒ | Diversion within interim protected river area |
| ☐ | ☒ | Send dam safety information: |
| ☐ | ☒ | Send power requirement letter: |
| ☐ | ☒ | Send fish farm requirement letter: |
| ☐ | ☒ | Power residency affidavit: |
| ☐ | ☒ | Power efficiency form: |
| ☐ | ☒ | Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.) |
| ☐ | ☒ | Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.) |
| ☐ | ☒ | *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT |

DATE REQUESTED: _____

☒ Additional information on reverse side:

RECEIVED
MAY 25 1990

Department of Water Resources

PROCESSING

APPLICATION NO. 63-11128

YES NO

☒ ☒
☐ ☒
☒ ☐

In form for advertising:

Statewide advertising:

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

U.S. BLM

U.S. Forest Svc.

Water Dist. #

Other

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☒
☒ ☐

Affidavit of publication received:

Application published correctly: If not, record action taken.

☒ ☒
☐ ☒
☐ ☒
☐ ☒
☐ ☒
☒ ☐
☐ ☐

Publication dates and paper recorded on application:

Protests received. Final date for protest March 12, 1990

Protest dates, resolution of protest recorded on application:

Recommendations attached: Approved, DM

Measuring device required:

Measuring port required:

Water delivered by water master? District # 63-P05

Special conditions of approval or cover letter:

See below for additional information

Recommended Date or Priority 1/30/1990

Recommended by: DM

Date 5/24/1990

STATE OFFICE REVIEW

P05, P23

P16

46

See below for additional information. By

Kew

Date 6-4-90

ADDITIONAL INFORMATION

63-11128

CALVARY ASSEMBLY OF GOD
817 CTR. MIDLAND BLVD.
NAMPA, ID 83651

Source: GROUNDWATER

Diversion Pt: SENENE Sec 29 T 03N R 02W

Use: IRRIGATION NESENE Sec. 29 T 03N R 02W
(.030 CFS)

Total Diversion: (.030 CFS)

Date Filed: 1/30/1990

In: T03N R02W S29

NENE

SENE

1.0 ACRES TOTAL

MICROFILMED

JUN 21 1990