

533


35'

534

535

536

32' 30"




SYSTEM DESCRIPTION
ATTACHMENT TO FIELD EXAM FORM

#

63-11125

Poul Cook

Sharon Johnson-Cook



Not to scale.

RECORDED

JUN 13 1994

PERMIT 63-11125 INIT DA
T. R. S. Q/Q
P/D 5r 2w 34 5s 1a
SCALE _____
PHOTO ID. _____

plu
p/d
←

Central Park

63-11125



View to the NE
of the PROPERTY.
THE line of trees
INDICATES THE
DRIVEWAY.



View to the W
from SE CORNER.

RECEIVED
JUN 13 1994

63-11125



View of well in Pump House. Line is an underground to the mainline which irrigates the pasture.

RECEIVED
JUN 13 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11125

Priority: February 8, 1990

Maximum Diversion Rate:

0.06 CFS

Maximum Diversion Volume:

8.2 AF

This is to certify, that PAUL J COOK
SHARON J JOHNSON-COOK

24567 KINGSBURY LN
MIDDLETON ID 83644

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 8, 1990; and has submitted Proof of Beneficial Use on June 25, 1991. An examination indicates that the works have a diversion capacity of .110 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.06 CFS	8.2 AF

LOCATION OF POINT(S) OF DIVERSION: SESENE , Sec. 34, Township 05N, Range 02W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
05N	02W	34	SENE	1.8		1.8

Total number of acres irrigated: 1.8

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.5 afa per acre for the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 13 day of April, 1994.

Acting for

R. Keith Higginson Director

JUN 13 1994

RECEIVED

JUN 25 1991

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

For Office Use Only

Amt. of Fee \$ 50.00Date 6/28/91Receipt No. 6020969Received by J. J. Carter

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-11125Telephone No. 208-585-3127Name(s) of Permit Holder(s): Paul J Cook - Sharon J. Johnson - CookPost Office Address: 24567 Kingsbury Lane, MIDDLETON, Id. 83644Source of Water: GroundIf ground water, well driller's name: Bill DotyDate drilled: 1972

Extent of Use:

Domestic _____ (No. of households)

Irrigation 2 (No. of acres)

Stockwater _____ (No. and type of stock)

Other _____

Total rate and/or volume for which proof is submitted 0.060 cfs 27 GPM 3" acre/feetShow date water was first diverted and beneficially used under this permit: April 1, 1991

One of the following may be a condition of approval of your permit:

Measuring device:

Required? Yes ☒ NoInstalled? Yes ☒ No

OR

Flow Measurement Port: Required? Yes ☒ NoInstalled? Yes ☒ NoFee Enclosed: \$ 50.00 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Sharon J. Cook208-585-3127

Name

Telephone No.

24567 Kingsbury Lane, MIDDLETON, Id.

Address

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

AUG 06 1991

June 21, 1991
DatePaul J Cook
Signature (and title if on behalf of a company or organization)

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11125

Proposed Priority: February 8, 1990 Maximum Diversion Rate: 0.06 CFS
This is to certify, that PAUL J. COOK

SHARON J. JOHNSON-COOK
24567 KINGSBURY LANE
MIDDLETON, ID 83644

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.06 CFS
<u>LOCATION OF POINT(S) OF DIVERSION:</u> SESENE Sec. 34, Township 05N, Range 02W CANYON County		

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
05N	02W	34	SENE	2		2
Total number of acres irrigated:						2

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 1991.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

11th day of June, 1990.

for *R. Keith Higginson*
R. Keith Higginson, Director

MICROFILMED

JUN 21 1990

Ident. No. 63-11125

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: PAUL J. COOK 208-585-3127
Address: 24567 KINGSBURY LN.
MIDDLETON, ID 83644
OR
Name: SHARON J. JOHNSON-COOK 208-585-3127
Address: 24567 KINGSBURY LN.
MIDDLETON, ID 83644

2. Source: GROUNDWATER

Trib. to:

3. Location of Point of Diversion:

SESENE Sec. 34, Township 05N, Range 02W
CANYON County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
IRRIGATION	03/15	11/15	0.060		

5. Total quantity appropriated is:

0.060 CFS (and/or) AF

6. Proposed diverting works:

- a. Description of ditches, flumes, pumps, headgates, etc.
365' DEEP WELL, 5" INNER CASING, 6" OUTER, W/5 HP PUMP.
b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
c. Proposed well diameter is 6 inches; proposed depth of well is 365
feet.
d. Is groundwater with a temperature greater than 90F being sought? NO

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 years.

8. Description of proposed uses:
IRRIGATION OF 2 ACRES.

9. Place of Use: IRRIGATION

MICROFILMED

JUN 21 1990

TWN RGE SEC	ACRES	ACRES	ACRES	TOTAL
05N 02W 34	SENE 2			2

Total number of acres irrigated: 2

10. Describe any other water rights used for the same purposes.
CLAIM NO. A63-04241 - SAME WELL FOR DOMESTIC USE.
11. a. Who owns the property at the point of diversion?
APPLICANTS
b. Who owns the land to be irrigated or place of use?
APPLICANTS
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.
12. Remarks:
13. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Sharon J. Cook
Applicant

Received by JS Date 2/8/90 Time 8:20 Preliminary check by JS
Fee \$ 30 Receipted by JS # 1005795 Date 2/8/90
Publication prepared by GG Date 2-14-90 Published in Press-Tribune
2/21 & 2/28/90
Publication approved st Date 4-11-90

RECORDED

JUN 21 1990

533


35'1

534

535

536

32' 30"



NOTICE OF APPLICATION FOR WATER RIGHT The following application(s) have been filed to appropriate the public waters of the State of Idaho:

EMMENT, CLIFF A.
1111 D. GIDE BLVD.
NAMPA, ID 83606
Source: GROUNDWATER
Diverion Pt:
Use: IRRIGATION
Date Filed: 1/15/1990
In: T02N R02W S35
SESE
Sec 35 T 02N R 02W
(1,600 CFS)
Total Diverion: (1,600 CFS)
100.0 ACRES TOTAL
63-11114

MASIMUTH, ERNEST RAYMOND
JONES, RAMONA B.
7933 DEERCRONE RD.
NAMPA, ID 83606
Source: GROUNDWATER
Diverion Pt:
Use: IRRIGATION
DOMESTIC
Date Filed: 12/21/1989
In: T02N R02W S07
NWNE
Sec 7 T 02N R 01W
(1,060 CFS)
(170 CFS)
Total Diverion: (230 CFS)
2.0 ACRES TOTAL
63-11116

HICKSON, TERRY R.
HICKSON, KATHY F.
5705 E. OULENTHIST
NAMPA, ID 83605
Source: GROUNDWATER
Diverion Pt:
Use: IRRIGATION
Date Filed: 1/21/1990
In: T02N R01W S06
SENE Lot 3 (NENW) Lot 4 (NWNW) NESE
SESE
Sec 6 T 02N R 01W
Sec 6 T 02N R 01W
(1,420 CFS)
(1,420 CFS)
Total Diverion: (1,420 CFS)
71.0 ACRES TOTAL
63-11117

HYER, W. CLAIR
HYER, WYNNE F.
17050 MIDLAND BLVD.
NAMPA, ID 83607
Source: GROUNDWATER
Diverion Pt:
Use: IRRIGATION
DOMESTIC
Date Filed: 2/01/1990
In: T03N R02W S04
SWSW
Sec 4 T 03N R 02W
(.040 CFS)
(.040 CFS)
Total Diverion: (.080 CFS)
1.5 ACRES TOTAL
63-11120

PIERSON, GARY E.
PIERSON, SUE Z.
RT. 1 BOX 254A
MIDDLETON, ID 83644
Source: GROUNDWATER
Diverion Pt:
Use: IRRIGATION
Date Filed: 2/01/1990
In: T05N R02W S28
NESE
Sec 20 T 05N R 02W
(.040 CFS)
(.040 CFS)
Total Diverion: (.080 CFS)
2.0 ACRES TOTAL
63-11125

COOK, PAUL J.
JOHNSON COOK, SHARON J.
24567 KINGSBURY LN.
MIDDLETON, ID 83644
Source: GROUNDWATER
Diverion Pt:
Use: IRRIGATION
Date Filed: 2/08/1990
In: T05N R02W S34
SESENE
Sec 34 T 05N R 02W
(.060 CFS)
(.060 CFS)
Total Diverion: (.120 CFS)
2.0 ACRES TOTAL
63-11128

CALVARY ASSEMBLY OF GOD
817 CTR. MIDLAND BLVD.
NAMPA, ID 83651
Source: GROUNDWATER
Diverion Pt:
Use: IRRIGATION
Date Filed: 1/30/1990
In: T03N R02W S29
SENE
Sec 29 T 03N R 02W
Sec 29 T 03N R 02W
(.030 CFS)
(.030 CFS)
Total Diverion: (.060 CFS)
1.0 ACRES TOTAL
63-11129

ORCUTT, SHIRLEY
4907 12TH AVE. RD.
NAMPA, ID 83606
Source: GROUNDWATER
Diverion Pt:
Use: IRRIGATION
Date Filed: 1/30/1990
In: T02N R02W S09
NENESE
Sec 9 T 02N R 02W
(.200 CFS)
(.200 CFS)
Total Diverion: (.400 CFS)
10.0 ACRES TOTAL
63-11130

COLLEGE OF IDAHO
2112 CLEVELAND BLVD.
CALDWELL, ID 83605
Source: GROUNDWATER
Diverion Pt:
Use: IRRIGATION
Date Filed: 1/24/1990
In: T04N R03W S27
NESE
Sec 27 T 04N R 03W
(.800 CFS)
(.800 CFS)
Total Diverion: (.800 CFS)
40.0 ACRES TOTAL
63-11131

E.G. JOHNSON FARMS INC.
C/O E.G. JOHNSON
24007 HWY. 2028
PARMA, ID 83660
Source: GROUNDWATER
Diverion Pt:
Use: STOCKWATER
Date Filed: 1/29/1990
In: T05N R05W S25
NENE
Sec 25 T 05N R 05W
(1,000 CFS)
(1,000 CFS)
Total Diverion: (1,000 CFS)
2.0 ACRES TOTAL
63-11132

E.G. JOHNSON FARMS INC.
C/O E.G. JOHNSON
24007 HWY. 2028
PARMA, ID 83660
Source: GROUNDWATER
Diverion Pt:
Use: STOCKWATER
Date Filed: 1/29/1990
In: T06N R06W S24
SESE
Sec 24 T 06N R 06W
(.260 CFS)
(.260 CFS)
Total Diverion: (.260 CFS)
1.0 ACRES TOTAL
63-11133

RELK, A. JACK
RELK, KELLY J.
8290 HAPPY VALLEY RD.
NAMPA, ID 83606
Source: GROUNDWATER
Diverion Pt:
Use: IRRIGATION
Date Filed: 2/06/1990
In: T02N R01W S19 Lot 3 (NWSW)
LOT 3 (NWSW)
Sec 19 T 02N R 01W
(.800 CFS)
(.800 CFS)
Total Diverion: (.800 CFS)
40.0 ACRES TOTAL
63-11134

WILD ROSE PROPERTY OWNERS ASSN. INC.
C/O JACK A. MELLENDIN
12608 WILD ROSE LN.
NAMPA, ID 83606
Source: GROUNDWATER
Diverion Pt:
Use: DOMESTIC
IRRIGATION
Date Filed: 2/01/1990
In: T03N R03W S38 NENW
NENENW
Sec 38 T 03N R 03W
Sec 38 T 03N R 03W
(.250 CFS)
(.300 CFS)
Total Diverion: (.550 CFS)
15.0 ACRES TOTAL
63-11135

TAYLOR ROBERT M.
TAYLOR, SUSAN
218 PAT LN.
CALDWELL, ID 83605
Source: GROUNDWATER
Diverion Pt:
Use: IRRIGATION
Date Filed: 2/09/1990
In: T03N R03W S04
NWSESE
Sec 4 T 03N R 03W
(.030 CFS)
(.030 CFS)
Total Diverion: (.030 CFS)
1.0 ACRES TOTAL

WHITE IRONCLIFF GARDEN
15633 KANCHIEH RD.
CALDWELL, ID 83605
Source: GROUNDWATER
Diverion Pt:
Use: COMMERCIAL
Date Filed: 2/06/1990
In: T03N R03W S18
NENW
Sec 18 T 03N R 03W
(.040 CFS)
(.040 CFS)
Total Diverion: (.040 CFS)
63-11137

TRUEBLOOD, MARY E.
25370 HOMEDALE RD.
WILDER, ID 83678
Source: GROUNDWATER
Diverion Pt:
Use: IRRIGATION
Date Filed: 2/05/1990
In: T03N R05W S02 SWSE
SWSE
Sec 2 T 03N R 05W
(.300 CFS)
(.300 CFS)
Total Diverion: (.300 CFS)
15.0 ACRES TOTAL
63-11138

HUFF, RICHARD
14505 LAKE AVE.
NAMPA, ID 83651
Source: GROUNDWATER
Diverion Pt:
Use: IRRIGATION
Date Filed: 2/06/1990
In: T03N R03W S23
NWSE
Sec 23 T 03N R 03W
(3,000 CFS)
(3,000 CFS)
Total Diverion: (3,000 CFS)
150.0 ACRES TOTAL
63-11139

LIVINGSTON, DALE H.
7736 DOWNSIDE RD.
NAMPA, ID 83606
Source: GROUNDWATER
Diverion Pt:
Use: IRRIGATION
Date Filed: 2/14/1990
In: T02N R02W S35
SWSW
Sec 35 T 02N R 02W
(1,500 CFS)
(1,500 CFS)
Total Diverion: (1,500 CFS)
75.0 ACRES TOTAL
63-11141

HENRICKSON, LYNDIA
HENRICKSON, TIM
3720 E. LEWIS
NAMPA, ID 83606
Source: GROUNDWATER
Diverion Pt:
Use: IRRIGATION
Date Filed: 1/26/1990
In: T02N R01W S08
NENW
Sec 8 T 02N R 01W
Sec 8 T 02N R 01W
(1,000 CFS)
(1,000 CFS)
Total Diverion: (1,000 CFS)
50.0 ACRES TOTAL
63-11142

HILLCREST MEMORIAL GARDENS
15062 INDIANA AVE.
CALDWELL, ID 83605
Source: GROUNDWATER
Diverion Pt:
Use: IRRIGATION
DOMESTIC
Date Filed: 2/02/1990
In: T03N R03W S14
NWNW
Sec 14 T 03N R 03W
(.500 CFS)
(.060 CFS)
Total Diverion: (.560 CFS)
25.0 ACRES TOTAL
63-11143

WADSWORTH, MARSHA
WADSWORTH, DEWAYNE
310 S. KINGS RD.
NAMPA, ID 83651
Source: INDIAN CREEK
Diverion Pt:
Use: IRRIGATION
Date Filed: 1/29/1990
In: T03N R02W S25
NWSW
Tributary: BOISE RIVER
Sec 25 T 03N R 02W
(.050 CFS)
(.050 CFS)
Total Diverion: (.050 CFS)
1.5 ACRES TOTAL
63-11144

BOWEN, WALLACE
16798 HWY 20-20
CALDWELL, ID 83605
Source: GROUNDWATER
Diverion Pt:
Use: IRRIGATION
Date Filed: 1/26/1990
In: T04N R03W S08
SWSESW
Sec 8 T 04N R 03W
(.050 CFS)
(.050 CFS)
Total Diverion: (.050 CFS)
3.0 ACRES TOTAL
63-11145

BORRANAUH, RONALD L.
4913 E. ORCHARD
NAMPA, ID 83651
Source: GROUNDWATER
Diverion Pt:
Use: IRRIGATION
Date Filed: 2/07/1990
In: T03N R01W S19 Lot 1 (NWNW)
NWSWNW
Sec 19 T 03N R 01W
(.030 CFS)
(.030 CFS)
Total Diverion: (.030 CFS)
1.0 ACRES TOTAL
63-11146

JONES, CALVIN
JONES, DOROTHY
2714 SOUTHSIDE BLVD.
NAMPA, ID 83606
Source: GROUNDWATER
Diverion Pt:
Use: IRRIGATION
STOCKWATER
DOMESTIC
Date Filed: 1/29/1990
In: T02N R02W S01
SWNW
Sec 1 T 02N R 02W
(.060 CFS)
(.020 CFS)
(.040 CFS)
Total Diverion: (.120 CFS)
2.0 ACRES TOTAL
63-11147

ROBISON, STANLEY S.
ROBISON, DAPHNE E.
15591 SUNNY GLOPE
CALDWELL, ID 83605
Source: GROUNDWATER
Diverion Pt:
Use: IRRIGATION
Date Filed: 1/08/1990
In: T03N R04W S15
SESENE
Sec 15 T 03N R 04W
(.040 CFS)
(.040 CFS)
Total Diverion: (.040 CFS)
2.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise Idaho 83705 on or before MARCH 12, 1990.
R. KEITH JOHNSON, Director
February 21, 20, 1990

MICROFILMED

JUN 21 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

May 3, 1994

PAUL J COOK
SHARON J JOHNSON-COOK
24567 KINGSBURY LN
MIDDLETON ID 83644

RE: WATER RIGHT NO. 63-11125

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in black ink, appearing to be 'J. Johnson', written over a horizontal line.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

MISSOURI

JUN 13 1994

LICENSE REVIEW CHECKLIST

Permit # 63-11125 Date 2/1/94 Cindy Zimmerman

NAME	Yes	No	Or Address Change?
		☒	
PRIORITY DATE			Proof Due <u>7/1/91</u> Proof R'cd <u>6/25/91</u>
<u>2/8/90</u>		☒	Advance? <u> </u> Advanced to: <u> </u>
			Order to Reinstate Needed? <u> </u>
			Incorrect Fee for rate recommended? <u> </u>
SOURCE			Changes? Clarification of Originally
<u>GW</u>		☒	Intended source <u> </u>
			Notice of Intent to Void - Source change. <u> </u>
P/D			Amendment Needed? <u> </u>
		☒	Overlap(s) <u> </u>
P/U			Amendment Needed? <u>reduce to 1.8 A</u>
		☒	Overlap(s) <u> </u>
TOTAL CFS			Measurement done? <u> </u>
<u>.06</u>		☒	
			Theoretical (HP) $\frac{8.8 \times 0.70 \times 5}{260} + (2.31 \times .85) = \frac{30.8}{280.85} = .11$
			Capacity <u>.11</u>
			Allowable Amount: <u>.06</u>
TOTAL VOLUME			Season of Use: <u>3/15-11/15</u>
	☒		Calculations: <u>1.83 x 4.5 = 8.1</u>
			Flow limit: <u>.06</u> x 245 x 1.9835 = <u>29.2</u>
			Recommended Volume <u>8.24</u> AF
USES			Change(s) in Nature of Use? <u>reduce to 1.8A</u>
<u>IRR/2</u>		☒	Amendment Needed? <u> </u>
REMARKS			Multiple P/Ds in 1/4 1/4? <u> </u>
		☒	Special Overlap <u> </u>
		☒	Other <u> </u>
CONDITIONS			Measure/Lock Devices <u> </u>
		☒	W/Master Control <u> </u>
	☒	<u>R52</u>	Irrigation Overlap <u>63</u> Water Dist
			<u>2/8/90</u> App Rec'd
			<u>12/30/92</u> Exam Made

COMMENTS:

RECOMMENDED	CFS	DIV VOL	LICENSE
<u>IRR/1.8A</u>	<u>.06</u>	<u>8.2</u>	☒
<u> </u>	<u> </u>	<u> </u>	1ST AMEND LETTER <u> </u>
<u> </u>	<u> </u>	<u> </u>	2ND AMEND LETTER <u> </u>

WR0749NP
No. L63-11125

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 02/01/94
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	PAUL J COOK	02/08/1990	IRRIGATION	03-15 11-15	0.06 CFS	8.20 AFA
C	SHARON J JOHNSON-COOK					
	24567 KINGSBURY LN					
	MIDDLETON ID 83644					
	(208) 585-3127					
				TOTAL DIVERSION:	0.06 CFS	8.20 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.11 CFS

Point(s) of Diversion: T05N R02W S34 SESENE CANYON County

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE										
		NENE		NWNE		SWNE		SENE		NENW		NWNW		SWNW		SESW		NESE		NWSE		SWSE		SESE		
T	R	S	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	SUM	
05N	02W	34	:																						1.8	
																							TOTAL ACRES	1.8		

Pou County: CANYON

Other Rights: CLAIM NO. A63-04241 - SAME WELL FOR DOMESTIC USE.

Other Water Rights with Same Point(s) of Diversion and Source:
63-04241 63-11125

Other Water Rights Listing Overlapping Place(s) of use:
63-11125

Conditions of Approval:

R52 - This right when combined with all other rights shall provide no
- more than .03 cfs per acre nor more than 4.5 afa per acre for the
- lands above.

Dates:	App. Received:	02/08/1990	Priority Date:	02/08/1990
	Proof Due Date:	07/01/1991	Proof Made Date:	06/25/1991
	Exam Made Date:	12/30/1992	Exam Sent to S.O.:	04/30/1993
	Licensed Date:			

Misc: Water District Number: 63 Field Exam Fee: R (Received)

Audit: 02/01/94 ZIMMERMA

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 22 1993

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-11125

1. Owner: Cook, Paul J. or Sharon J Phone No. 585-3127

Current Address: 24567 Kingsbury Ln. Middleton, Id. 83644

2. Accompanied by: Sharon Cook EXAM DATE: 12-30-92

Address: same Phone No. same

Relationship to Permit Holder: same

3. Source: groundwater tributary to NA

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 63-04241 (see remarks)

2. Other water rights with the same point of diversion: 63-04241

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		se	se	ne	34	5n	2w	Canyon	Quads, Chuxar Id, Field Exam

2. Place(s) of Use:


Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
5n	2w	34				1.83													1.83 ac

RECORDED
JUN 18 1900

RECEIVED
JUN 19 1993

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for Irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
submersible	—	5	—	—	—

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: $Theoretical = 5hp \times 8.8 \times .70 = 30.8$
 $200_{est} + (2.3 \times 35) = 280.5$
 $30.8 = 11.6$

JUN 13 1994

E. NARRATIVE/REMARKS/COMMENTS

This system uses a 5 hp pump that is submersed in a 6" casing. The well is 365' while the standing water is at 147 (well logs in same 1/4 1/4). Therefore the dynamic can be estimated to be at 200'. The system is used for irrigation under permit # 63-11125 and for domestic purposes under # 63-04241. Permit 63-11125 covers 1.83 acres through a underground line mainline. There is other pastureland but at the time of the exam the owner only identified the 1.83 Acres as using the well.

Have conditions of permit approval been met? ☒ yes ☐ no

MAINTAINED
JUN 13 1994

F. FLOW CALCULATIONS

_____ Additional Computation Sheets Attached

Measured Method:

Theoretical = .11 cfs

Allow $2.00 \times .03 = .060$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1.03 \times 4.5 = 8.24 \text{ AFA}$$

$$V_{D,R} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .055 \times 245 \times 1.9835 = 26.7 \text{ AFA}$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{D,R} = 8.24 \text{ AFA}$$

2. Volume Calculations for Other Uses:

NA

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3-15	11-15	.06 cfs	8.24 AFA
Totals:			.06 cfs	8.24 AFA

2. Recommended Amendments

___ Change P.D. as reflected above

___ Add P.D. as reflected above

☒ None

___ Change P.U. as reflected above

___ Add P.U. as reflected above

___ Other

I. AUTHENTICATION

Field Examiner's Name

JFW 2/1/93

Date

1-4-93

Reviewer

Date



JUN 13 1994


SYSTEM DESCRIPTION
ATTACHMENT TO FIELD EXAM FORM

#

63-11125

Paul Cook

Sharon Johnson-Cook



Not to scale.

JUN 13 1994

91u
P18
←

PERMIT 63-11125 INIT 724
T. R. S. Q/Q
P/D 50 70 34 50 16
SCALE _____
PHOTO ID. _____

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-11125

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 5N, Rge 2W, Sec. 34, SE 1/4 NE 1/4 or Lot _____.

2. Owner: Paul & Sharon Cook
Address 2456 7 Kingsbury Lane, City Middleton, St. Ida

3. Casing $\geq$ 12 inches above ground: Yes _____ No ✓

4. Access Port: Yes ✓ No ✓ Static Water Level: 147 ^{1 well logs} _{means 1/4 1/4}
Pressure Gauge: Yes _____ No ✓ Casing Diameter: 6"
Flowing: Yes _____ No ✓ Temperature: _____

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes _____ No ✓

If answer to Item 5 is Yes, describe in remarks and attach photo.


Remarks: _____

RECEIVED
JUN 18 1994

63-11125





View to the NE
of the PROPERTY.
THE line of trees
INDICATES THE
DRIVEWAY.



View to the W
from SE corner.

RECEIVED
JUN 13 1994

63-11125



View of well in Pump House. Line is an underground to the
mainline which irrigates the pasture.

JUN 13 1994

July 9, 1991

PAUL J. COOK
SHARON J. JOHNSON-COOK
24567 KINGSBURY LANE
MIDDLETON, ID 83644

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11125

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

RECEIVED

AUG 06 1991

138435

April 30, 1991

PAUL J. COOK
SHARON J. JOHNSON-COOK
24567 KINGSBURY LANE
MIDDLETON, ID 83644

PROOF DUE NOTICE

RE: PERMIT NO. 63-11125

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before July 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

RECEIVED
APR 30 1991

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
June 11, 1990

PAUL J. COOK
SHARON J. JOHNSON-COOK
24567 KINGSBURY LANE
MIDDLETON, ID 83644

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P63-11125

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

MICROFILMED

JUN 21 1990

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

JUN 21 1990

63-11125

COOK, PAUL J.
JOHNSON-COOK, SHARON J.
24567 KINGSBURY LN.
MIDDLETON, ID 83644

Source: GROUNDWATER

Diversion Pt: SESENE Sec 34 T 05N R 02W

Use: IRRIGATION (.060 CFS)
Total Diversion: (.060 CFS)

Date Filed: 2/08/1990

In: T05N R02W S34 SENE

2.0 ACRES TOTAL

MICROFILMED

JUN 21 1990