


3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____.

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Franklin	25	submersible	Grundfos	
				375-5250	

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: pump curve attached

pump info supplied by Tracy Pump, who installed the pump.

SEP 09 1994

116° 37' 30"
43° 30'
4816000mN

531000mE


532

T2N
R2W
Sec 30

T2N
T1N

MIDOTV MER

SEP 09 1994



24 19

T3587

H/NW

2
27.2

T2N
R2W
H/NW Sec 30

4
37.1

T3593

71.5

T3650
4
35.0

T3589

H/

CD = cement
DD = dirt
litter

3
77

2
29.1

72

T3590

H/NW

3
36.5

H/NW

open
paving
area
10.5

2
80

4.5

T3594

47

23.8

T3649

H

SEE N-13

SEP 09 1994

20 19

29 20

16

2

5
14.0

8
8.6

6
16.0

28

T40

10.9

50

2
10.6

4

5

10.1

SEP 09 1994

GRUNDOS



375 GPM

MODEL 375S

PERFORMANCE CURVES

FLOW RANGE
230 to 500 GPM

PUMP OUTLET
4" NPT



DIMENSIONS AND WEIGHTS

MODEL NO.	HP	MIN. WELL SIZE (INCHES)	LENGTH (INCHES)	MAX. WIDTH (INCHES)	APPROX. UNIT SHIPPING WT. (LBS.)
375S75-1	7 1/2	8	44 7/8	7 1/8	153
375S150-2	15	8	53 1/8	7 1/8	181
375S200-3	20	8	60	7 1/8	197
375S250-4	25	8	66 7/8	7 1/8	226
375S300-5	30	8	73 3/4	7 1/8	245

NOTES:

Specifications are subject to change without notice.

See Deep Set models for higher head.



12" well
25 HP submersible pump
6" buried pipe to open discharge point
between NWNE + SWNE

APPROVED

SEP 09 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11109

Priority: January 24, 1990

Maximum Diversion Rate:

0.76 CFS

Maximum Diversion Volume:

292.5 AF

This is to certify, that GARY SEDLACEK

11311 MISSOURI AVE

NAMPA ID 83686

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated January 24, 1990; and has submitted Proof of Beneficial Use on July 1, 1993. An examination indicates that the works have a diversion capacity of .760 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.76 CFS	292.5 AF

LOCATION OF POINT(S) OF DIVERSION:

NWNE , Sec. 30, Township 02N, Range 02W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	02W	30	NWNE 36.5	SWNE 28.5		65

Total number of acres irrigated: 65

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.
6. The right holder shall fully use all surface water rights appurtenant to the lands identified above prior to using water under this right.

SEP 09 1994


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11109

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 31st
day of AUGUST, 1994.

Acting for R. Keith Higginson, Director



RECEIVED
JUL 01 1993
Department of Water Resources

OFFICE USE ONLY
Amt. of Fee \$ 125.00
Date 7-1-93
Receipt No. 0028033
Receipt by CA

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 23-11109 Telephone No. 208-466-6872

2. Name(s) of Permit Holder(s): Gary R Sedlack

3. Mailing Address: 11311 Mission Ave. Nampa, ID 83686

4. Source of Water: Groundwater

If GROUNDWATER, Well Driller's Name: Hunsperger Date Drilled: 9/12/90
4/17/91

OPTIONAL:

Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 80 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted 1.60 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly: 7/2/93 Klg

Measuring device: Required? _____ Yes _____ No Installed? _____ Yes ☒ No

OR

Flow Measurement Port: Required? _____ Yes _____ No Installed? _____ Yes ☒ No

8. Fee Enclosed: \$ 125.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name _____ Telephone No. _____

Address _____

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

7-14-93
Date

Gary R Sedlack
Signature (and title, if on behalf of a company or organization)

Owner
JUL 23 1993

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11109

Proposed Priority: January 24, 1990 Maximum Diversion Rate: 1.60 CFS.
This is to certify, that **GARY SEDLACEK**

6621 LYNWOOD RD.
Nampa, ID 83686

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	1.60 CFS

LOCATION OF POINT(S) OF DIVERSION: NWNE Sec. 30, Township 02N, Range 02W
CANYON County

PLACE OF USE: IRRIGATION


<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	02W	30	NWNE 40	SWNE 40		80
Total number of acres irrigated:						80

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **July 1, 1993**.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
5. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

11 th day of June, 1990

for 
R. Keith Hlgginson, Director

MICROFILMED

JUN 21 1990

Ident. No. 63-11109

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: GARY SEDLACEK 208-466-6872
Address: 6621 LYNWOOD RD.
NAMPA, ID 83686
2. Source: GROUNDWATER Trib. to:
3. Location of Point of Diversion: NWNE Sec. 30, Township 02N, Range 02W
CANYON County
4. Water will be used for the following purposes:
- | Purpose | From | To | CFS | (or) | AF |
|------------|-------|-------|-------|------|----|
| IRRIGATION | 03/15 | 11/15 | 1.600 | | |
5. Total quantity to be appropriated is:
1.600 CFS (and/or) AF
6. Proposed diverting works:
- Description of ditches, flumes, pumps, headgates, etc.
12", 150' WELL, PUMP, GRAVITY IRRIGATION
 - Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
 - Proposed well diameter is inches; proposed depth of well is
feet.
 - Is groundwater with a temperature greater than 90F being sought? NO
7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 5 years.
8. Description of proposed uses:
D
9. Place of Use: IRRIGATION
- | TWN | RGE | SEC | ACRES | ACRES | ACRES | TOTAL |
|----------------------------------|-----|-----|---------|---------|-------|-------|
| 02N | 02W | 30 | NWNE 40 | SWNE 40 | | 80 |
| Total number of acres irrigated: | | | | | | 80 |
10. Describe any other water rights used for the same purposes.
BOISE-KUNA IRRIGATION DISTRICT; A63-20384 DOMESTIC & STOCK WELL.

Ident. No. 63-11109
Page 2

11. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:
THIS IS A SUPPLEMENTAL RIGHT.


13. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

x Gary Sedlack
Applicant

Received by SL Date 1/24/90 Time 2:40 Preliminary check by RW
Fee \$ 65⁰⁰ Receipted by SL # W007900 Date 1/24/90
Publication prepared by GG Date 2-28-90 Published in Press-Tribune
3/7 & 3/14/90
Publication approved st Date 4-20-90

MICROFILMED
JUN 21 1990





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

September 1, 1994

GARY SEDLACEK
11311 MISSOURI AVE
NAMPA ID 83686

RE: WATER RIGHT NO. 63-11109

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', with a long horizontal line extending to the right.

JIM JOHNSON, Manager
Water Right Permits Section

JJ:dc

Enclosure

A faint, circular stamp or seal, possibly a departmental or archival mark, located in the lower right area of the page.

SEP 09 1994

WR0749NP
No. L63-11109

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 08/24/94
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	GARY SEDLACEK 11311 MISSOURI AVE NAMPA ID 83686 (208) 466-6872	01/24/1990	IRRIGATION	03-15 11-15	0.76 CFS	292.50 AFA
TOTAL DIVERSION:					0.76 CFS	292.50 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.76 CFS

Point(s) of Diversion: T02N R02W S30 NWNE CANYON County

Place of use Legal Description for: IRRIGATION

NE				NW				SW				SE				
T	R	S	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	SUM		
02N	02W	30	: 36 28	:	:	:	:	:	:	:	:	:	:	65.0		
TOTAL ACRES													65.0			

Pou County: CANYON

Other Rights: BOISE-KUNA IRRIGATION DISTRICT; A63-20384 DOMESTIC & STOCK W

Other Water Rights with Same Point(s) of Diversion and Source:
63-11109

Other Water Rights Listing Overlapping Place(s) of use:
63-11109

Conditions of Approval:

- R32 - This right when combined with all other rights shall provide no
- more than .02 cfs per acre nor more than 4.5 afa per acre for the
- lands above.

Remarks: The right holder shall fully use all surface water rights
appurtenant to the lands identified above prior to using water
under this right.

Dates: App. Received: 01/24/1990 Priority Date: 01/24/1990
Proof Due Date: 07/01/1993 Proof Made Date: 07/01/1993
Exam Made Date: 11/22/1993 Exam Sent to S.O.: 06/10/1994
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 08/24/94 BCHAPMAN

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '**' ARE ADJUDICATION CLAIMS)

WR-NUMBER	SOURCE	NE				NW				SW				SE				SUM
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	
L6311109	T02N R02W S30 GROUNDWATER																	
	:			36	28													64
6302388	BOISE RIVE :																	
A6302388	BOISE RIVE :																	
6308547	GROUNDWATE :			37														37
A6308547	GROUNDWATE :			37														37
6310607	GROUNDWATE :																	40
L6310607	GROUNDWATE :																	36
~~6311109~~	~~GROUNDWATE :~~			40	40													~~80~~
6311326	GROUNDWATE :																	71
A6321339	GROUNDWATE :							38				40	03-31					78

No Overlaps

LICENSE REVIEW CHECKLIST



PERMIT NO. 63-11109 DATE 8-24-94

NAME	Yes ☒	No ☐	Or Address Change? <u>check</u>
PRIORITY DATE	☐	☒	Advance? ☐ Advanced to: _____ Order to reinstate needed? _____ Incorrect fee for rate recommended? <u>NO</u>
SOURCE	☐	☒	Changes or just clarification of originally intended source? _____ Notice of Intent to Void necessary? _____
POINT OF DIV	☐	☒	Amendment needed? _____ Overlaps? _____
PLACE OF USE	☐	☒	Amendment needed? _____ Overlaps? _____
DIV RATE	☐	☒	Measurement Q = <u>.76</u> Theoretical Q = _____ <u>65 x .02 = 1.3</u>
Capacity: <u>.76</u> Combined rates exceed capacity _____ Permit/fee limits: _____ Allowable: <u>.76</u>			
ANNUAL VOLUME	☐	☒	Season of use: <u>D/4.5 (3-15 to 11-35)</u> Calculations: <u>65 x 4.5 = 292.5</u> Flow limit: _____ cfs x _____ x 1.9835 = _____ Combined volumes exceed capacity/allowable _____
USES	☐	☒	Change in Nature of Use or additional uses? _____ Amendment necessary? _____
REMARKS	☐	☒	Multiple p/d(s) in $\frac{1}{4}$ $\frac{1}{4}$? _____ <u>WB3</u> Other <u>BOISE-KUNA IRR DIST WATER</u>
CONDITIONS	☐	☒	Measuring/Locking Devices _____ <u>R32</u> Watermaster control - District _____ Irrigation Overlap _____ Water Quality _____ Other _____

COMMENTS: REDUCE ACRES AND RATE TO CAPACITY

RECOMMENDED	CFS	VOLUME	LICENSE ☒
<u>Irrigation</u>	<u>.76</u>	<u>292.5</u>	ADJUSTMENT MEMO NEEDED _____
_____	_____	_____	1ST AMENDMENT LETTER _____
_____	_____	_____	FINAL AMENDMENT LETTER _____
TOTALS			

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JUN 15 1994

Department of Water Resources

A. GENERAL INFORMATIONPermit No. 63-111091. Owner: Gary Sedlacek Phone No. 466-6872Current Address: 6621 Lynwood Rd Nampa 836862. Accompanied by: Gary EXAM DATE: 11/22/93

Address: _____ Phone No. _____

Relationship to Permit Holder: owner3. Source: Ground water tributary to _____**B. OVERLAP REVIEW**1. Other water rights with the same place of use: 63-02388

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NW	NE	30	2N	2W	Canyon	USGS Quad, ASCS Photo


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
2N	2W	30		36.5	28.5														65

SEP 09 1994

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.D. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrange Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Franklin	25	submersible	Grundfos	
				375-5250	

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: pump curve attached

pump info supplied by Tracy Pump, who installed the pump.

SEP 09 1997

E. NARRATIVE/REMARKS/COMMENTS

A 12" well with a 25HP submersible pump supplies water to 65 acres via ditch and siphon tubes. The ground water is pumped ~1300' south through a 6" buried pipe and open discharged into the ditch irrigation system. Boise/Kuna irrigation water is also used. No other water rts are used.

(Tracy Pump Co installed the pump system.)

Have conditions of permit approval been met? ☒ yes ☐ no

SEP 09 1994

F. FLOW CALCULATIONS

Measured Method:

well depth : 256'
static : 65'
pump set at : 210'

TDH : 195' - (210' assumed for system + 10' elevation gain to discharge pt. (see attached contour map))

per pump curve :

TDH = 200'
= 340 GPM
= .76 cfs

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 65 \times 4.5 = 292.5$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .76 \times 246 \times 1.9835 = 370.8$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{D.R.} = 292.5$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3/15	11/15	.76	292.5
Totals:			.76 cfs	292.5 afa

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name Lon Guzman Date 4/26/94

Reviewer _____ Date _____

SEAL

SEP 09 1994



24 19

BO

T 3587

H/NW

27.2

T2N
R2W
H/NW Sec 30

4
37.1

11.5

T3650
4
35.0

35.0

590

H/NW

open
H/NW
12
10.5

H/NW
4.5

4.8

T3649

H

SEP 08 1966
N-13

14.0

16.0

2.8

T 41

10.6

6.7

10.1

2671 11 SW
(LAKE LOWELL)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

open discharge
pt (~10' elev
gain)

SEP 09 1994





GRUNDIGS

375 GPM

MODEL
375S

PERFORMANCE CURVES

FLOW RANGE
230 to 500 GPMPUMP OUTLET
4" NPT

DIMENSIONS AND WEIGHTS

MODEL NO.	HP	MIN. WELL SIZE (INCHES)	LENGTH (INCHES)	MAX. WIDTH (INCHES)	APPROX. UNIT SHIPPING WT. (LBS.)
375S75-1	7 1/2	8	44 7/8	7 1/8	153
375S150-2	15	8	53 1/8	7 1/8	181
375S200-3	20	8	60	7 1/8	197
375S250-4	25	8	66 7/8	7 1/8	226
375S300-5	30	8	73 3/4	7 1/8	245

NOTES:

Specifications are subject to change without notice.

See Deep Set models for higher head.

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: 63-90-W-008-001 OTHER APPLICABLE NO: 63-11109

2. OWNER: Gary Sedlacek Phone: 466-6872
Address: 6621 Lynwood Rd Nampa

3. WELL LOCATION: Twp 2N, Rge. 2W, Sec. 30, NW 1/4 Ne 1/4
County Canyon (Provide sketch map and photo on reverse.)

4. DRILLER: Humpberger Lic. No. 192
When Drilled? 3/91

5. WELL CONSTRUCTION:

Casing Diameter 12 inches Water tight cap? ☒ Yes ☐ No Access Port: ☐ Yes ☒ No

Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____

Depth of Casing 241 ft. Method Drilled cable

Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____

Control Valve? ☒ Yes ☐ No Pressure Gauge: ☐ Yes ☒ No

Condition of Piping and Valving _____

Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ No

Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)

HYDROLOGIC INFORMATION:

Depth to Static Water 65 ft. Water Temperature _____ °F

Flowing Artesian ☐ Yes ☒ No Pressure: 5' lift to (psi) open discharge pt

Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____

Water Quality Measurements/Observations (Describe) _____

WELL USE:

☐ Domestic ☒ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____

SEP 09 1994

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS:

Loi Conner
Signature of Dept. Representative & Title

11/22/93
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



SEP 09 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

USE TYPEWRITER OR
BALLPOINT PEN
RECEIVED

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

APR 24 1991

1. WELL OWNER

Name Gary Sedlacek

Address 2621 Lynwood Rd. Hampa Id.

Owner's Permit No. 63-11109 63-90-W-008-001

2. NATURE OF WORK

☒ New well ☒ Deepened ☐ Replacement
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED

☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary
☒ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
<u>.250</u> inches	<u>12</u> inches	<u>1</u> feet	<u>210</u> feet
<u>.250</u> inches	<u>10</u> inches	<u>200</u> feet	<u>200</u> feet
<u>.250</u> inches	<u>10</u> inches	<u>200</u> feet	<u>200</u> feet
<u>.250</u> inches	<u>10</u> inches	<u>256</u> feet	<u>241</u> feet

Was casing drive shoe used? ☒ Yes ☐ No

Was a packer or seal used? ☒ Yes ☐ No

Perforated? ☐ Yes ☒ No

How perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☒ Yes ☐ No

Manufacturer's name IOP Johnson

Type Stainless Steel Model No. _____

Diameter 10" Slot size .020 Set from 206' feet to 236' feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth _____ Material used in seal: ☐ Cement grout

☒ Bentonite ☐ Puddling clay ☐ _____

Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing

☒ Overbore to seal depth

Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld

☐ Cemented between strata

Describe access port 1 1/2" nipple welded in casing
above ground level

6. LOCATION OF WELL

Sketch map location must agree with written location

N

W

E

S

County Canyon

NW 1/4 NE 1/4 Sec. 30 , T. 2N , R. 2W , E.W.C.

Subdivision Name _____

Lot No. _____ Block No. _____

7. WATER LEVEL

Department of Water Resources
Western Regional Office

Static water level 65 feet below land surface.

Flowing? ☐ Yes ☒ No G.P.M. flow _____

Artesian closed-in pressure _____ p.s.i.

Controlled by: ☐ Valve ☐ Cap ☐ Plug

Temperature _____ OF. Quality _____

Describe artesian or temperature zones below.

8. WELL TEST DATA

☒ Pump ☐ Bailer ☐ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped
<u>550</u>	<u>130'</u>	<u>12</u>

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
16	0	27			
	0m	14	Brown clay		x
	14	25	Lava		x
	25	27	Red cinders		x
	27	54	Brown clay		x
	54	61	Brown clay w/large gravel		x
	61	86	Sandy clay	x	
	86	116	Clay w/sand lenses	x	
	116	122	Grey clay		x
	122	156	Fine sand	x	
	156	160	Grey clay		x
	160	181	Silt	x	
	181	184	Grey clay		x
	184	205	Fine sand	x	
	205	212	Brown clay		x
	212	220	Medium sand	x	
	220	240	Medium sand	x	
	240	243	cemented sand		x
	243	246	Blue clay		x

NOTE: Original Log under Permit # 63-90-W-008-008

Deposited well from 220' to 256' set 10' of liner w/30' of screen and pulled casing back 10'.

10. DRILLERS CERTIFICATION

We certify that all minimum well construction standards were complied with at the time the rig was removed.

Driller's Name L.R. Hunsperger Firm No. 192

Address 6065 Creana Dr. Boise Date 4/17/91

Signed by (Firm Official) L.R. Hunsperger

and _____

(Operator) Same

Well started 3/1/91 finished 4/8/91

RECEIVED
MICROFILMED
SEP 25 1992
AUG 11 1992
Department of Water Resources
Western Regional Office

RECEIVED
MAY 15 1991
Department of Water Resources

Department of Water Resources
SEP 09 1991

USE ADDITIONAL SHEETS IF NECESSARY FORWARD THE WHITE COPY TO THE DEPARTMENT



12" well
25 HP submersible pump
6" buried pipe to open discharge point
between NWNE + SWNE

SEP 09 1994

July 9, 1993

GARY SEDLACEK
11311 MISSOURI AVE
NAMPA ID 83686

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11109

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

MIKROFILMED
JUL 23 1993

9/89

Drilling Permit

Water Right Permit No.

Injection Permit No.

63-90-W-008

63-11109 (Pending)

N/A

State of Idaho
Department of Water Resources

DRILLING PERMIT

RECEIVED
MAY 25 1990

Department of Water Resources

1. Applicant Gary Sedlacek
2. Mailing Address 6621 Lynwood Rd.
Nampa ID 83686 Telephone 466-6872
- ☒ Well Owner ☐ Well Operator ☐ Other, specify _____
3. Proposed well location NW 1/4 NE 1/4, or Gov't lot No. _____,
Sec. 30, Twp. 2N, Rge. 2W, County Canyon,
Street Address of Well Site _____,
Lot, block and subdivision _____
4. Proposed use of well:
- ☐ Single family or stockwater use (less than 13,000 gallons per day)
- ☒ Irrigation (more than 1/2 acre)
- ☐ Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____
- ☐ Other (describe fully) _____
5. Well construction information:
- A. ☒ New well ☐ Deepen ☐ Replace - See Condition 9.
- B. Proposed surface diameter 12" Maximum depth 150'
- C. Anticipated bottom hole temperature:
- ☒ 85°F or less (Cold water well)
- ☐ 85°F to 212°F (Low temp. geothermal well)
- ☐ 212°F or more (Geothermal well)
6. Construction Start Date A.S.A.P. JUL 23 1993
7. Anticipated Well Driller L. Hunsperger # 192
NOTE: The actual well driller must be identified prior to drilling.
8. Applicant's signature Gary R Sedlacek Date 1/24/90
Title Owner
(Owner, Firm Representative, Other)

ACTION OF DEPARTMENT OF WATER RESOURCES

This Permit is

Approved

Date

1/25/90

If approved, this permit authorizes the construction of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85°F or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

MICROFILMED

JUL 23 1993

David R. Tuttle
Signature of Authorized Department Representative

Mgr, Western Reg Off
Title

Receipt No. W007900 Received by SL Fee \$100⁰⁰ Date 1/24/90

EXTENSION OF DRILLING PERMIT

Extension approved by S. Westra, Western Region Approval Date May 24, 1990

This extension is good for 60 days beyond the above extension approval date.

* Per telephone call from well owner,
The driller has not begun the well, due to backlog of work. He will
begin ASAP.

April 30, 1993

GARY SEDLACEK
6621 LYNWOOD RD.
NAMPA ID 83686

PROOF DUE NOTICE

RE: PERMIT NO. 63-11109

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before July 1, 1993. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures

CERTIFIED MAIL

NO. 140125

JUL 28 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

USE TYPEWRITER OR
BALLPOINT PEN

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

APR 24 1991

1. WELL OWNER

Name Gary Sedlacek

Address 2621 Lynwood Rd. Nampa Id.

Owner's Permit No. 63-11109 63-90-W-008-001

2. NATURE OF WORK

☒ New well ☒ Deepened ☐ Replacement
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED

☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary
☒ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
<u>.250</u> inches	<u>12</u> inches	<u>1</u> feet	<u>110</u> feet
<u>.250</u> inches	<u>10</u> inches	<u>110</u> feet	<u>116</u> feet
<u>.250</u> inches	<u>10</u> inches	<u>200</u> feet	<u>206</u> feet
<u>.250</u> inches	<u>10</u> inches	<u>236</u> feet	<u>241</u> feet

Was casing drive shoe used? ☒ Yes ☐ No

Was a packer or seal used? ☒ Yes ☐ No

Perforated? ☐ Yes ☒ No

How perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☒ Yes ☐ No

Manufacturer's name IOP Johnson

Type Stainless Steel Model No. _____

Diameter 10" Slot size .020 Set from 206' feet to 236' feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth _____ Material used in seal: ☐ Cement grout

☒ Bentonite ☐ Puddling clay ☐ _____

Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing

☒ Overbore to seal depth

Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld

☐ Cemented between strata

Describe access port 1 1/2" nipple welded in casing
above ground level

7. WATER LEVEL

Department of Water Resources
Western Regional Office

Static water level 65 feet below land surface.

Flowing? ☐ Yes ☒ No G.P.M. flow _____

Artesian closed-in pressure _____ p.s.i.

Controlled by: ☐ Valve ☐ Cap ☐ Plug

Temperature _____ °F. Quality _____

Describe artesian or temperature zones below.

8. WELL TEST DATA

☒ Pump ☐ Bailer ☐ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped
<u>550</u>	<u>130'</u>	<u>12</u>

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
16	0	27			
	0m	14	Brown clay		x
	14	25	Lava		x
	25	27	Red cinders		x
	27	54	Brown clay		x
	54	61	Brown clay w/large gravel		x
	64	86	Sandy clay	x	
	86	116	Clay w sand lenses	x	
	116	122	Grey clay		x
	122	156	Fine sand	x	
	156	160	Grey clay		x
	160	181	Silt	x	
	181	184	Grey clay		x
	184	205	Fine sand	x	
	205	212	Brown clay		x
	212	220	Medium sand	x	
	220	240	Medium sand	x	
	240	243	cemented sand		x
	243	256	Blue clay		x

NOTE: ORIGINAL LOG UNDER PERMIT
63-90-W-0008-000
Deepened well from 220' to 256'
set 10' of liner w/30' of screen
and pulled casing back 10'.

10.

Work started 3/1/91 finished 4/8/92

6. LOCATION OF WELL

Sketch map location must agree with written location.

N

W

E

S

County Canyon

Subdivision Name _____

Lot No. _____ Block No. _____

Aug 1 1992

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were
complied with at the time the rig was removed.

Firm Name L.R. Hunsperger Firm No. 192

Address 6065 Oreana Dr. Boise Date 4/17/91

Signature _____ (Official)
and _____
Operator) Same

JUL 23 1993

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
in 30 days after the completion or abandonment of the well.

1. WELL OWNER

Department of Water Resources
Address 2621 Lynwood Rd.
Owner's Permit No. 11109 63-90-W-008

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other (specify type)

4. METHOD DRILLED

☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary
☒ Cable ☒ Aug ☐ Other

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other
Thickness Diameter From To
.250 inches 12 inches + 1 feet 246 feet
inches inches feet 220 feet
inches inches feet feet
inches inches feet feet
Was casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation inches by inches
Number From To
perforations feet feet
perforations feet feet
perforations feet feet
Well screen installed? ☐ Yes ☒ No
Manufacturer's name
Type Model No.
Diameter Slot size Set from feet to feet
Diameter Slot size Set from feet to feet
Gravel packed? ☐ Yes ☒ No ☐ Size of gravel
Placed from feet to feet
Surface seal depth 54' Material used in seal: ☐ Cement grout
☒ Bentonite ☐ Puddling clay ☐
Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing
☒ Overbore to seal depth
Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent
Weld
☐ Cemented between strata
Describe access port Not Finished

6. LOCATION OF WELL

Sketch map location must agree with written location.
Subdivision Name
Lot No. Block No.
County Canyon
1/4 1/4 Sec. 10, T. 2N, R. 2E E.W.

7. WATER LEVEL

Static water level 16 feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow
Artesian closed-in pressure p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature OF. Quality
Describe artesian or temperature zones below.

8. WELL TEST DATA

☐ Pump ☐ Bailer ☐ Air ☐ Other
Discharge G.P.M. Pumping Level Hours Pumped
Not tested

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
16"	0	14	Brn. Clay		
	14	25	Lava		
	25	27	Red Cinders		
	27	54	Brn. Clay		
	54	61	Brn. Clay w/ Large gravel		
	61	86	Sandy clay	✓	
	86	116	clay w/ sand lenses	✓	
	116	122	Grey clay		✓
	122	156	Fine sand	✓	✓
	156	160	Grey clay	✓	✓
	160	181	Fine sand (silt)	✓	✓
	181	184	Gray clay	✓	✓
	184	205	Fine sand	✓	✓
	205	212	Brn. clay	✓	✓
	212	220	Med. sand	✓	✓
Owner will screen & develop this well next year. Currently not in production.					

10.


Work started 7/9/90 finished 8/15/90

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.
Firm Name L.R. Hunsperger W.D. Firm No. 192
Address 6065 Oreana Dr. Date 9/12/90
Boise Id. 83709
Signed by (Firm Official) and
(Operator)


JUL 23 1993

GR S. Mac
6621 Lynwood Rd
Nampa, Id 83653



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

MAILED
JUL 23 1993



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

JUN 25 1990

COMMENCEMENT OF WORKS

Permit No.

P63^{LES}-11109

Name(s) of Permit Holder(s):

Gary R Seelacek

Post Office Address:

6621 Lynwood Rd

Nampa, Id. 83686

Tel. No.

466-6872

☒ I hereby certify that construction of diversion works for the above referenced permit began on 6/19/90. I understand that I must

continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting work on the above referenced project has not yet begun due to the following reason beyond my control*:

***Note: A financing difficulty is not an acceptable reason.**

Date _____

6/20/90

Signature of Permit Holder

James S. Llewellyn
Signature of Permit Holder

23 1993

S T A T E O F I D A H O

DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
June 11, 1990

GARY SEDLACEK
6621 LYNWOOD RD.
NAMPA, ID 83686

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P63-11109

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the

MICROFILMED

JUN 21 1990

permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

JUN 21 1990

STATE OF IDAHO)
) ss.
County of Canyon)

of Nampa, Canyon County, Idaho, being first duly sworn, deposes and says:

2. That I am the Principal Clerk of the Idaho Press-Tribune, a daily, (except Saturday) newspaper published in the City of Nampa and Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa and Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

—in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

Thos Allen D. Speed

STATE OF IDAHO
COUNTY OF CANYON

On this 14th day of March in the
year of 1990, before me, a Notary Public, personally
appeared Kathleen D. Steed, known
or identified to me to be the person whose name subscribed to the
within instrument, and being by me first duly sworn, declared
that the statements therein are true, and acknowledged to me that
he/she executed the same.

Notary Public for Idaho
Residing at Nampa

MICROFILMED

JUN 21 1990

RECEIVED

MAR 15 1990

Department of Water Resources
Western Regional Office

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-11109

SEDLACEK, GARY
8621 LYNWOOD RD.
NAMPA, ID 83686
Source: GROUNDWATER
Diversions:
Use: IRRIGATION

NWNE

Sec 30 T 02N R 02W


Date Filed: 1/24/1990

In: T02N R02W S30

Total Diversion: (1.200 CFS)

SWNE

Use: DOMESTIC



63-11110

LAKERIDGE WATER ASSN.
C/O DUANE ERNEST
515 LAKERIDGE DR.
NAMPA, ID 83686
Source: GROUNDWATER
Diversions Pt:

Use: IRRIGATION
DOMESTIC

Date Filed: 1/26/1990
In: T02N R02W S09

NWSWNE
SWSWNE

Sec 9 T 02N R 02W
Sec 9 T 02N R 02W

(.150 CFS)
(.100 CFS)

Total Diversion: (.200 CFS)

SWNE

5.0 ACRES TOTAL
63-11111

ZIVKOVIC, ANDRE S.
ZIVKOVIC, CYNTHIA B.
16560 MAHOGANY DR.
NAMPA, ID 83687
Source: GROUNDWATER
Diversions Pt:

Use: IRRIGATION
DOMESTIC

Date Filed: 1/29/1990
In: T03N R01W S08

NESW

Sec 8 T 03N R 01W
(.020 CFS)
(.020 CFS)

Total Diversion: (.040 CFS)

NESW

1.0 ACRES TOTAL
63-11119

SAMUELSON, STANLEY
SAMUELSON, ISABEL
517 CYPRESS
BELLINGHAM, WA 98225
Source: GROUNDWATER
Diversions Pt:

Use: IRRIGATION
DOMESTIC

Date Filed: 2/1/1990
In: T03N R01W S17

SWSW

Sec 17 T 03N R 01W
(.200 CFS)
(.040 CFS)

Total Diversion: (.200 CFS)

SWSW

10.0 ACRES TOTAL
63-11127

JENNINS, JEAN
JENNINS, MERLE H.
DIXIE LANE
NAMPA, ID 83660
Source: GROUNDWATER
Diversions Pt:

Use: IRRIGATION

Date Filed: 2/8/1990
In: T03N R05W S06

NWSESW

Sec 6 T 04N R 05W
(.580 CFS)
(.580 CFS)

Total Diversion: (.580 CFS)

SESW

29.0 ACRES TOTAL
63-11154

LOLA E.
ROY K.
CENTRAL KINGS RD.
NAMPA, ID 83651
Source: GROUNDWATER
Diversions Pt:

Use: IRRIGATION

Date Filed: 2/22/1990
In: T03N R02W S24

NWSW

Sec 24 T 03N R 02W
(.060 CFS)
(.060 CFS)

Total Diversion: (.060 CFS)

NWSW

2.0 ACRES TOTAL
63-11163

CLEVINGER, FRANK
16049 OASIS RD.
CALDWELL, ID 83605
Source: SANDHOLLOW CREEK
Diversions Pt:

Use: IRRIGATION

Date Filed: 2/12/1990
In: T03N R03W S05 Lot 1

LOT 1 (NENE)

Tributary: BOISE RIVER
Sec 5 T 05N R 03W

(.090 CFS)
Total Diversion: (.090 CFS)

(NENE)

3.0 ACRES TOTAL
63-11164

NAMPA CEMETERY MAINTENANCE DISTRICT
800 GROVE ST.
NAMPA, ID 83660
Source: GROUNDWATER
Diversions Pt:

Use: IRRIGATION

Date Filed: 2/12/1990
In: T03N R05W S08
In: T05N R05W S09

NWNWNW

Sec 9 T 05N R 05W
(.120 CFS)
(.120 CFS)

Total Diversion: (.120 CFS)

NENE
NWNW

5.0 ACRES TOTAL

Date Filed: 1/30/1990
In: T04N R03W S33

4.0 ACRES TOTAL
63-11172

SENE

HERBEL, PATRICIA
HERBEL, DALE
28279 COUNTRY LN.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversions Pt:
Use: IRRIGATION
Use: STOCKWATER
Use: DOMESTIC

SWNW

Sec 11 T 05N R 03W
(.090 CFS)
(.020 CFS)
(.040 CFS)

Total Diversion: (.150 CFS)

Date Filed: 2/23/1990
In: T05N R03W S11

3.0 ACRES TOTAL
63-11173

SWNE

WAKEFIELD, CHARLENE
WAKEFIELD, GEORGE WAYNE
7790 MC ELROY RD.
MELBE, ID 83641
Source: GROUNDWATER
Diversions Pt:
Use: COMMERCIAL

SWSW

Sec 23 T 01N R 02W
(.040 CFS)
(.040 CFS)

Total Diversion: (.040 CFS)

Date Filed: 2/08/1990
In: T01N R02W S23

63-11175

SWSW

MC ALISTER, W.D.
MC ALISTER, BARBARA E.
3317 ALMA LN.
NAMPA, ID 83686
Source: GROUNDWATER
Diversions Pt:
Use: IRRIGATION
Use: STOCKWATER

NWSW

Sec 12 T 02N R 02W
(.560 CFS)
(.020 CFS)
(.580 CFS)

Total Diversion: (.580 CFS)

Date Filed: 2/14/1990
In: T02N R02W S12

28.0 ACRES TOTAL
63-11176

NWSW

BRANDT AGENCY INC.
203 11TH AVE. S.
NAMPA, ID 83651
Source: GROUNDWATER
Diversions Pt:
Use: IRRIGATION

SENE

Sec 25 T 02N R 03W
(1.220 CFS)
(1.220 CFS)

Total Diversion: (1.220 CFS)

Date Filed: 2/14/1990
In: T02N R03W S25

61.0 ACRES TOTAL
63-11177

SESW

SWSE

PROPERTY OWNER'S ASSN.
14929 HILLSIDE DR.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversions Pt:
Use: IRRIGATION
Use: DOMESTIC

SWSW

Sec 27 T 05N R 03W
(.280 CFS)
(.170 CFS)

Total Diversion: (.450 CFS)

Date Filed: 2/13/1990
In: T05N R03W S27

14.0 ACRES TOTAL
63-11178

SWSW

CLASSIC WATER USERS ASSN. INC.
3810 BRIAN CT.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversions Pt:
Use: DOMESTIC

NWSWSW

Sec 34 T 04N R 03W
(.130 CFS)
(.130 CFS)

Total Diversion: (.130 CFS)

Date Filed: 1/09/1990
In: T04N R03W S34

63-11179

SWSW

PLASENCIA, JAMIE
PLASENCIA, NICOLAS
15096 FROST RD.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversions Pt:
Use: IRRIGATION
Use: DOMESTIC

SWSWSE

Sec 15 T 03N R 04W
(.060 CFS)
(.040 CFS)
(.100 CFS)

Total Diversion: (.100 CFS)

Date Filed: 1/19/1990
In: T04N R04W S15

2.0 ACRES TOTALS

SWSE

63-1111

VENKEL, LESTER S.
VENKEL, NOLA F.
0511 HWY 35
Nampa, ID 83660
Source: UNNAMED DRAIN
Diversions Pt.

Use: IRRIGATION

Date Filed: 1/11/1990
In: T05N R04W S29
n: T05N R04W S30
n: T05N R04W S31 Lot 11
n: T05N R04W S32 Lot 4

PALMER, JOHN R.
PALMER, MARY L.
34663 APPLE VALLEY RD.
Nampa, ID 83660
Source: GROUNDWATER
Diversions Pt.
Use: COMMERCIAL

Date Filed: 2/13/1990
In: T06N R05W S07 Lot 2

PALMER, JOHN R.
PALMER, MARY L.
34663 APPLE VALLEY RD.
Nampa, ID 83660
Source: UNNAMED DRAIN
Diversions Pt.
Use: IRRIGATION

Date Filed: 2/13/1990
In: T06N R05W S07 Lot 2

CHELDELIN, KATHLEEN
CHELDELIN, GEORGE K.
18531 GOODSON RD.
Caldwell, ID 83605
Source: CONWAY GULCH
Diversions Pt.

Use: COMMERCIAL
Use: COMMERCIAL STORAGE
Use: DIVERSION TO STORAGE

Date Filed: 2/16/1990
In: T05N R03W S20

GRAM, DAVID S.
GRAM, DELORIS E.
11968 ORCHARD AVE.
Nampa, ID 83651
Source: GROUNDWATER
Diversions Pt: Lot 4
Use: IRRIGATION

Date Filed: 2/13/1990
In: T03N R02W S18 Lot 4

CHELDELIN, GEORGE K.
CHELDELIN, KATHLEEN C.
18531 GOODSON RD.
Caldwell, ID 83605
Source: GROUNDWATER
Diversions Pt.

Use: COMMERCIAL
Use: COMMERCIAL STORAGE
Use: DOMESTIC
Use: DIVERSION TO STORAGE

Date Filed: 2/16/1990
In: T05N R03W S20

GREEN PARK WATER ASSN.
D.E. PRICE
Caldwell, ID 83605
Source: GROUNDWATER

Tributary: BOISE RIVER
Sec 29 T 05N R 04W
Sec 29 T 05N R 04W
Sec 29 T 05N R 04W
Sec 32 T 05N R 04W
(.470 CFS)
Total Diversion: (.470 CFS)

NESE Lot 2 (NWSE) Lot 2 (SWSE) Lot 1 (SESE)
(NENE)
(NWNW)

107.0 ACRES TOTAL
63-11166

Lot 2 (SESENE) Sec 7 T 06N R 05W
(.040 CFS)
Total Diversion: (.040 CFS)

(SENE)
63-11167

LOT 2 (SESENE) Tributary: SNAKE RIVER
Sec 7 T 06N R 05W
(.180 CFS)
Total Diversion: (.180 CFS)

9.0 ACRES TOTAL
63-11168

NENW Tributary: BOISE RIVER
Sec 20 T 05N R 03W
(.040 CFS)
(.200 CFS)
(.20 AF)
Total Diversion: (.040 CFS) (.20 AF)

ACRES TOTAL
63-11169

(SWSWSW) Sec 18 T 03N R 02W
(.060 CFS)
Total Diversion: (.060 CFS)
(SWSW)

MICROFILMED

JUN 21 1990

NENENW Sec 20 T 05N R 03W
(.040 CFS)
(.20 AF)
(.040 CFS)
(.040 CFS)
Total Diversion: (.080 CFS) (.20 AF)

63-11171

SHIPMAN, CLIFFORD
SHIPMAN, LETA
1920 S. POWERLINE
Nampa, ID 83686
Source: GROUNDWATER
Diversions Pt.
Use: IRRIGATION
Use: STOCKWATER
Use: DOMESTIC

Date Filed: 1/31/1990
In: T03N R02W S35

FORD, JAMES D.
FORD, CECELIA
6148 HAPPY LN.
Nampa, ID 83686
Source: GROUNDWATER
Diversions Pt.
Use: IRRIGATION
Use: STOCKWATER
Use: DOMESTIC

Date Filed: 1/18/1990
In: T02N R02W S24

GARWICK, HOWARD R.
GARWICK, GAIL E.
9152 NORTHVIEW RD.
MIDDLETON, ID 83644
Source: GROUNDWATER
Diversions Pt.
Use: IRRIGATION
Use: STOCKWATER
Use: DOMESTIC

Date Filed: 1/24/1990
In: T05N R02W S21

DEAN, NOBLE E.
DEAN, JANE L.
P.O. BOX 1191
2424 POLK ST.
Caldwell, ID 83606
Source: GROUNDWATER
Diversions Pt.
Use: IRRIGATION

Date Filed: 2/27/1990
In: T04N R03W S14

PAR ESTATES HOMEOWNERS ASSN.
GERALD B. CONGER, TREAS.
15381 GRIFFIN LN.
Caldwell, ID 83605
Source: GROUNDWATER
Diversions Pt.

Use: IRRIGATION
Use: DOMESTIC

Date Filed: 1/23/1990
In: T05 R03W S28

EWERS, JANET L.
EWERS, DONALD L.
28736 HWY. 30
Caldwell, ID 83605
Source: GROUNDWATER
Diversions Pt.
Use: IRRIGATION

Date Filed: 2/01/1990
In: T05N R03W S21

SWSW Sec 35 T 03N R 02W
(.140 CFS)
(.050 CFS)
(.040 CFS)
Total Diversion: (.200 CFS)

7.0 ACRES TOTAL
63-11181

SENESE Sec 24 T 02N R 02W
(.080 CFS)
(.020 CFS)
(.040 CFS)
Total Diversion: (.140 CFS)

4.0 ACRES TOTAL
63-11182

SWNESE Sec 21 T 05N R 02W
(.200 CFS)
(.030 CFS)
(.040 CFS)
Total Diversion: (.270 CFS)

10.0 ACRES TOTAL
63-11183

SENESEW Sec 14 T 04N R 03W
(.080 CFS)
(.080 CFS)
Total Diversion: (.080 CFS)

2.5 TOTAL ACRES
63-11184

SWNE Sec 28 T 05N R 03W
SENE Sec 28 T 05N R 03W
(.400 CFS)
(.440 CFS)
Total Diversion: (.840 CFS)

SWNE SENE
20.0 ACRES TOTAL
63-11186

SWNE Sec 21 T 05N R 03W
(.020 CFS)
Total Diversion: (.020 CFS)

4.3 ACRES TOTAL

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region
2735 AIRPORT WAY

Boise, Idaho 83705
(208) 334-2190

FEBRUARY 28, 1990

Press-Tribune
P.O. Box 9399
Nampa, ID 83652

Dear Legal Dept.:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before MARCH 26, 1990.

Yours truly,

GAIL GARRETT
Secretary

Encl.

MICROFILMED

JUN 21 1990

SEDLACEK, GARY
6621 LYNWOOD RD.
NAMPA, ID 83686

Source: GROUNDWATER

Diversion Pt: NWNE Sec 30 T 02N R 02W

```

Use: IRRIGATION          ( 1.600 CFS)
      Total Diversion: ( 1.600 CFS)

```

Date Filed: 1/24/1990

In: T02N R02W S30 NWNE SWNE

80.0 ACRES TOTAL

DECLASSIFIED

JUN 21 1964