

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11108

Priority: January 5, 1990

Maximum Diversion Rate:
Maximum Diversion Volume:

0.65 CFS
470.6 AF

This is to certify, that THE WOODS ASSN INC
C/O JOHN EVANS PRES
4920 RIVER VISTA WAY
BOISE ID 83703

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated January 5, 1990; and
has submitted Proof of Beneficial Use on June 18, 1992. An examination indicates
that the works have a diversion capacity of 0.650 cfs of water from:

GROUNDWATER
BOISE RIVER

tributary to SNAKE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
AESTHETIC	01/01 to 12/31	0.65 CFS	470.6 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 2 (SWNE), Sec. 23, Township 04N, Range 01E
ADA County

PLACE OF USE: AESTHETIC

TWN RGE SEC
04N 01E 23 Lot 2(SWNE)


CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 63.

RECEIVED

MAR 14 1996

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



the State of Idaho as herein set forth.

The Woods Association / John Evans Pres.
(Applicant)


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



the State of Idaho as herein set forth.

The Woods Association / John Lewis Pres.
(Applicant)

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
1.	Marathon	3	NONE	Sta-Rite	21B90V 4"
2.	Marathon	3	NONE	Sta-Rite	21B90V 4"
					(? - same SN)

*Code to correspond with No. on map and aerial photo

MOD WC 184 TCDR 7626 ANL

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: ~~Exp 3-13~~ (Burgess Pump) 9396603 ~~Wt = 5'-10"~~ PSI open = 10⁸⁻

Timed fill: 5 gals in 22 sec
through wa~~ll~~ fall.

(TDH 28' = 300 gpm)
significant estimated
capacity - open
discharge






63-11108
4N1E Sec 23 SWNE

MAR 14 1996



P/b.
Water in back-
ground is
lake surrounding
"WOODS ISLAND"
just off Boise
R. See plot.



Pump system.
Pumps alternate
on 12-hr cycles

RECEIVED
MAR 14 1996

63-11108



4" flexible
discharge into
common 6"
main



P/u @
waterfall

MICROFILMED
MAR 14 1996

State of Idaho
Department of Water Resources**WATER RIGHT LICENSE**

WATER RIGHT NO. 63-11108

CONDITIONS OF APPROVAL AND REMARKS

6. Use of water under this right shall be non-consumptive. At such times in the future as the Director determines necessary to protect the prior rights of other users, the Director may require determination of the rate of loss, within the system, using a procedure approved by the Director, and may require mitigation for all system losses.
7. The place of use is located within The Woods Subdivision.
8. The source of water for this right is a shallow sump excavated adjacent to the Boise River and intercepting the shallow aquifer tributary to the Boise River.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 13TH day of MARCH, 1996.

Acting for

KARL J. DREHER, Director

RECEIVED
MAR 14 1996

RECEIVED

JUN 18 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

OFFICE USE ONLY
Amt. of Fee \$ 100.00
Date 6-18-92
Receipt No. 0024613
Receipt by WEL

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-11108 Telephone No. 853-1203
2. Name(s) of Permit Holder(s): The Woods Assn. Inc.
3. Mailing Address: 4920 Rivervista Way Boise, Idaho 83703
4. Source of Water: Boise River (14' sump NORTH of the river channel)

If GROUNDWATER, Well Driller's Name: _____ Date Drilled: _____

OPTIONAL:

Pump horsepower: 3 Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation _____ (No. of acres) Other Aesthetic - non consumptive

6. Total rate and/or volume for which proof is submitted .668 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes ☒ No _____ Installed? _____ Yes _____ No

OR

Flow Measurement Port: Required? ☒ Yes _____ No _____ Installed? ☒ Yes _____ No

8. Fee Enclosed: \$ 100.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

John Evans 853-1203
Name Telephone No.

4920 Rivervista Way, Boise, Idaho 83703
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

6-17-92
Date

John G. Evans, President.
Signature (and title, if on behalf of a company or organization)

RECEIVED
JUL 29 1992

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 63-11108

Proposed Priority: January 5, 1990 Maximum Diversion Rate: 2.00 CFS
This is to certify, that **THE WOODS ASSN. INC.**

C/O JOHN EVANS, PRES.
4920 RIVER VISTA WAY
BOISE, ID 83703

has applied for a permit to appropriate water from:

GROUNDWATER
BOISE RIVER

SNAKE RIVER

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
AESTHETIC	01/01 to 12/31	2.00 CFS

LOCATION OF POINT(S) OF DIVERSION: LOT 2 (SWNE), Sec. 23, Township 04N, Range 01E
ADA County

PLACE OF USE: AESTHETIC

TWN RGE SEC

04N 01E 23 LOT 2(SWNE)

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 1992.
2. Subject to all prior water rights.
3. Use of water under this permit shall be non-consumptive.
4. Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
5. Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
6. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
7. Use of water under this permit is subject to control by the watermaster of State Water District No. 63.

MICROFILMED

JUN 21 1990

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11108

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

4 ^{20th} day of June, 1990

R. Keith Higginson
R. Keith Higginson, Director

for



MICROFILMED

JUN 21 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant The Woods Association, Inc. ^{John Evans, President} Phone 853-1200

Post office address 4920 Rivervista Way Boise, Idaho 83703
Boise River* Snake River

2. Source of water supply Ground Water which is a tributary of _____

3. Location of point of diversion is _____ 1/4 of SW 1/4 of NE 1/4, Govt. Lot 2

Sec. 23 Township 04N Range 01E B.M. ADA County; additional

points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 2.0 CFS for AESTHETIC purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 2.0 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. shallow ^{DUG} ~~excavated~~ WELL PUMPING
MADE
into a creek, which empties into Riverside Creek (Approx. 750 Ft.
in length)

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed ^{SUMP} ~~well~~ diameter is 2 FT CASING inches; proposed depth of well is 17 FT feet.

d. Is ground water with a temperature of greater than 90°F being sought? NO

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
2 years (minimum 1 year).

MICROFILMED

*Added by D. Tuthill based on review of local geology, 5/16/1990

JUN 21 1990

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. Aesthetic, MAN MADE CREEK FOR BEAUTY ALONG REAR
OF HOME DEVELOPMENT SUBDIVISION.

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
04N	01E	23			^{Lot 2} J														

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. NONE


- Who owns the property at the point of diversion? APPLICANT
- Who owns the land to be irrigated or place of use? APPLICANT
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: WATER WILL NOT BE CONSUMED, REENTERS BOISE RIVER. near
Eagle Island.

UNRECORDED

JUN 21 1990


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



the State of Idaho as herein set forth.

The Woods Association / John Lewis Pres.
(Applicant)

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



the State of Idaho as herein set forth.

The Woods Association / John Lewis Pres.
(Applicant)

Received by JW Date JAN. 5, 1990 Time 10:30 AM Preliminary check by GG
Fee \$ 65.00 Receipted by JW # W007479 Date JAN. 9, 1990
Publication prepared by GG Date 1-24-90 Published in ID Statesman
Publication approved [initials] Date 4-6-90 ^{2/1 & 2/8/90}

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

MICROFILMED

JUN 21 1990

John EVANS Pres.

Jerry FOSTER Vice Pres.


Remona HENDERSON Sec. Tres.

4920 RIVERVISTA WAY

BOISE, IDAHO 83703

MICROFILMED

JUN 21 1990



MICROFILMED

JUN 21 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

March 13, 1996

THE WOODS ASSN INC
C/O JOHN EVANS PRES
4920 RIVER VISTA WAY
BOISE ID 83703

RE: WATER RIGHT NO. 63-11108

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in cursive script that reads 'Shelley W. Keen'.

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RECORDED
MAR 14 1996

LICENSE REVIEW CHECKLIST

PERMIT NO. 63-11108 DATE 3/10/96



NAME	<u>Change OK</u> ☒	Assignment Needed	
PRIORITY DATE	☒	Advance? <u> </u> Advanced to: <u> </u>	
		Order to reinstate needed? <u> </u>	
		Incorrect fee for rate recommended? <u>NO</u>	
SOURCE	☒	Changes or just clarification of originally intended source? <u> </u>	
		Notice of Intent to Void necessary? <u> </u>	
POINT OF DIV	☒	Amendment needed? <u> </u>	
	<u>NA</u>	Overlaps? <u> </u>	
PLACE OF USE	☒	Amendment needed? <u> </u>	
	<u>NA</u>	Overlaps? <u> </u>	
DIV RATE	<u>waterfall</u>	Permit/fee limits: <u>2 CFS / 1 CFS</u>	
		Meas Q = <u>.15</u> Theo Q = <u>.65</u> Recommend: <u>.65</u>	
		<u>(open discharge)</u>	
		Combined rates exceed capacity <u> </u>	
ANNUAL VOLUME		Volume Limit: <u> </u> Season: <u>1-1 to 12-31</u>	
		Calculations: <u> </u>	
		Flow limit: <u>.65</u> cfs x <u>365</u> x 1.9835 = <u>470.58</u>	
		Combined volumes exceed capacity/allowable <u> </u>	
USES		Change in Nature of Use or additional uses? <u> </u>	
		Amendment necessary? <u> </u>	
NEW CONDITIONS	<u> </u>	Irrigation Overlap Replaces Surface Water <u>050</u>	
	<u> </u>	Supplemental GW <u>065</u>	
	<u> </u>	Water Quality/Dam Safety/Heat-Cool/Fish <u> </u>	
	<u>RO4</u>	WM Control- District <u>63</u> Meas/Lock Devices <u> </u>	
	<u> </u>	Other <u> </u>	
NEW REMARKS	<u> </u>	Supplemental GW [in Snake River Plain] <u>WB8/WB7</u>	
	<u> </u>	Irr/Dom Combination <u>WB5</u> PPU Recommendation <u> </u>	
	<u>YES</u>	Boise River/Wood River Source Aes/Rec Uses <u>W38</u>	
	<u> </u>	Multiple p/d(s) in 1/4 1/4? <u> </u>	
	<u> </u>	Fire Protection <u>WB6</u>	
	<u>YES</u>	Other <u>PLACE OF USE located with "The Woods" sub</u>	

COMMENTS:

RECOMMENDATION	CFS	VOLUME	SRBA Claim Filed	
<u>Aesthetic</u>	<u>.65</u>	<u>470.6</u>	Adjustment Memo Needed	<u>NO</u>
<u> </u>	<u> </u>	<u> </u>	LICENSE	☒
<u> </u>	<u> </u>	<u> </u>	1ST AMEND LETTER	<u> </u>
<u> </u>	<u> </u>	<u> </u>	2ND AMEND LETTER	<u> </u>

RECEIVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

Department of Water Resources

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-111081. Owner: THE WOODS ASSN INCPhone No. 853 3028Current Address: 90 JOHN EVANS 4920 RIVER VISTA WAY BOISE 837032. Accompanied by: JOHN EVANSEXAM DATE: 10/1/93Address: PRES AbovePhone No. 890 1521
(cell)Relationship to Permit Holder: PRES3. Source: Groundwater

tributary to

BOISE RIVER
SNAKE RIVER

11929, 11562

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 63-00135, 2555, 2406, 3165, 10348, 10863, 114872. Other water rights with the same point of diversion: 63-00260A, 2406, 00146, 3165, 10863,

11562, 11929

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
*	2	SW	NE		23	4N	1E	Ada	Site Visit, City Map, GOVT LOT Plat

2. Place(s) of Use:


Indicate Method of Determination Above

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
4N	1E	23			X														
					42														

MAINTAINED
MAR 14 1996

*lot change based on map interpretation. QQ description accurate on permit. Should be clarification only. No amendment req'd
disregard. No change

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
1.	Marathon	3	NONE	Sta-Rite	21B90V 4"
2.	Marathon	3	NONE	Sta-Rite	21B90V 4" (? - same SN)

*Code to correspond with No. on map and aerial photo

MOD WC 184 TCDR 7626 ANL

D. FLOW MEASUREMENTS

MICROFILMED

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Calib. Date

2. Measurements: ~~500-200~~ (Burgess Pump) 9396603 $Wt = 5' - 10'$ PSI open = 10

Timed full: 5 gals in 22 sec
through water fall.

(TDH 28' = 300 gpm)
significant estimated capacity - open discharge

E. NARRATIVE/REMARKS/COMMENTS

2, 3HP motors w/ centrifugal pumps withdrawing from a shallow well on the Boise River.

Only pump #1 running at time of visit. (Pumps alternate)

Pumps discharge by 4" lines into 6" main servicing a waterfall & man-made Creek tributary to "Riverside Creek". "Well" is really a 3' open sump, depth unknown^(16'), cased in corrugated standpipe.

At waterfall, 6" mainline is valued to a manifold which distributes to 5 feeder lines, each 1/2".

Flow was timed from one of the feeders and result multiplied by 5 to obtain total flow through waterfall.

Measured flow (.15 cfs) was substantially lower than expected. This may be attributed to each discharge being separately valued and set at varying flows (?). Could not verify.

At the waterfall valve, a total unrestricted flow from the 6" main may be discharged directly to the waterfall pool; this is done periodically to flush the pool & the downstream waterway. This was not measured, but a theoretical calculation using reasonable TDH figures yields applicant's estimate of 300 gpm - this is the amount recommended for licensing. (From waterfall, flows enter man-made channels and pools for 1/4 mile before discharging to Riverside Creek.)

P/D aka Lot 51, P/W (waterfall) aka Lot 62. Aesthetic use also for

Have conditions of permit approval been met? ☒ yes ☐ no Lots 58-61.

Overlaps do not affect permit.

~~Get it~~

MAR 14 1996

Additional Computation Sheets Attached

Through water fall 5 gals in 22 sec. $\frac{300}{22} = 13.64 \text{ gpm} \times 5 \text{ outlets} = 68.2 \text{ gpm}$
(per outlet) $\approx .15 \text{ cfs}$

open discharge theoretical: $\frac{3 \times 8.8 \times 7}{10 + (8 \times 2.31)} = .65 \text{ cfs}$

1. Volume Calculations for Irrigation:

$$V_{I,R} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{N/A}$$

$$V_{DB} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$$

$$V_{\text{DIN}} = .65 \text{ cfs} \times 365 \text{ days/yr} \times 1.9835 \text{ AF/day} = 470.6 \text{ AFA}$$

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Aesthetic	1/1	12/31	.65	470.6
Totals:			.65	470.6

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other


Field Examiner's Name Cynthia Hodges Date 10/26/94

Reviewer _____ Date _____

SEAL

SECRET

MAR 14 1996



ans Brothers Sa



RY FO
BROKE



63-11108 SWNE
4N1E Sec 23


Landing Strip

Trailer Park

Western Idaho
Airgrounds

35

MAP 1 4700m



P/O (channel has
changed slightly - lakes now
on this side)

4N1E
63-11108

RECORDED
MAR 14 1996




P/D.
Water in back-
ground is
Lake Surrounding
"WOODS ISLAND"
just off Boise
R. See plot.



Pump system.
Pumps alternate
on 12-hr cycles

MAR 14 1996

63-11108



4" flexible
discharge into
common 6"
main



P/u @
Waterfall

MAR 14 1966

July 6, 1992

THE WOODS ASSN. INC.
C/O JOHN EVANS, PRES.
4920 RIVER VISTA WAY
BOISE ID 83703

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11108

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

JUL 29 1992

April 30, 1992

THE WOODS ASSN. INC.
C/O JOHN EVANS, PRES.
4920 RIVER VISTA WAY
BOISE ID 83703

PROOF DUE NOTICE

RE: PERMIT NO. 63-11108

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before July 1, 1992. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures

RECEIVED

JUL 29 1992



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. P63-11108

Name(s) of Permit Holder(s): The Woods Assn. Inc.

Post Office Address: 4920 Rivervista
Boise Id. 83703

No. 853-1200

☒ I hereby certify that construction of diversion works for the above referenced permit began on Completed (date) 6-15-90. I understand that I must continue to develop the water system with due diligence to maintain a valid permit.


☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

6-15-90
Date

John L. [Signature]
Signature of Permit Holder

The Woods Assoc. Inc.
4920 River Vista Way
Boise, Id.



MICROFILMED

JUL 29 1992



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

RECEIVED

JUN 18 1990
Department of Water Resources

S T A T E O F I D A H O

DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
June 4, 1990

THE WOODS ASSN. INC.
C/O JOHN EVANS, PRES.
4920 RIVER VISTA WAY
BOISE, ID 83703

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P63-11108

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the flow measurement port.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of

RECORDED

JUN 21 1990

Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

JUN 21 1990

THE IDAHO STATESMAN
FEB 12 1990

The Idaho Statesman

P.O. BOX 40, BOISE, IDAHO 83707

Department of Water Resources
Western Regional Office

LEGAL ADVERTISING INVOICE

Amount Due

73 20

Account Name Idaho Department of Water Resources - Western			Account Number 47628	
Address 2735 Airport Way		City/State Boise, Idaho		Zip 83705
Ordered By Gail Garrett	P.O. Number	Rate nt	Run Dates February 1, 8, 1990	
Identification Notice of Application for Water Right			Estimated Inches	Real Inches
1 Number of Affidavits Requested				Legal Number 4717

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-11095

Rice, Ronald L.
6295 W. Ustick Rd.
Meridian, ID 83642
Source: Groundwater
Diversion Pt: SWNW Sec 4 T 03N R 01W

Use: Irrigation (2,000 CFS)
Total Diversion: (2,000 CFS)
Date Filed: 1/10/1990
In: T03N R01W S04 Lot 3 (NENW)
Lot 4 (NWNW) SWNW
100.0 ACRES TOTAL
63-11102

Shiloh Homeowners Assn.
10481 W. Edna
Boise, ID 83704
Source: Groundwater
Diversion Pt: SWNW Sec 35 T 04N R 01E

Use: Irrigation (.060 CFS)
Total Diversion (.060 CFS)
Date Filed: 12/14/1989
In: T04N R01E S35 SWNW
2.0 ACRES TOTAL
63-11105

Floating Feather Rental Co.
10601 Horseshoe Bend Rd.
Boise, ID 83703
Source: Groundwater
Diversion Pt: SESENE Sec 10 T 04N R 01E

Use: Irrigation (.160 CFS)
Use: Commercial (.250 CFS)
Total Diversion (.410 CFS)
Date Filed: 8/21/1989
In: T04N R01E S10 SENE
8.0 ACRES TOTAL
63-11108

The Woods Association Inc.
c/o John Evans
4920 River Vista Way
Boise, ID 83703
Source: Groundwater
Diversion Pt: Lot 2 (SWNE)
Sec 23 T 04N R 01E

Use: Aesthetic (2,000 CFS)
Total Diversion: (2,000 CFS)
Date Filed: 1/09/1990
In: T04N R01E S22 Lot 2 (SWNE)

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before February 20, 1990.

R. KEITH HIGGINSON,
Director

Debbie Richards

, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in The Idaho Statesman in conformity with Section 60-108, Idaho Code as amended, for 2

☒ consecutive weekly ☐ consecutive daily ☐ single ☐ odd skip

insertion(s) beginning with the issue of February 1, 19 90

and ending with the issue of February 8, 19 90

Debbie Richards

STATE OF IDAHO)

ss.

COUNTY OF ADA)

On this 8th day of February in the year of 1990, before me, a Notary Public, personally appeared Debbie Richards

, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that she executed the same.

Should be
1/05/1990

Not fatal due to
the fact that only four
days difference will not impact order rts.

[Signature]
Notary Public for Idaho
Residing at Boise, Idaho
My commission expires: June 21, 1990

MICROFILMED

Date 4/6/1990

63-11108

THE WOODS ASSOCIATION INC.
C/O JOHN EVANS
4920 RIVER VISTA WAY
BOISE, ID 83703

Source: GROUNDWATER

Diversion Pt: LOT 2 (SWNE) Sec 23 T 04N R 01E

Use: AESTHETIC (2.000 CFS)
Total Diversion: (2.000 CFS)

Date Filed: 1/09/1990

In: T04N R01E S23 Lot 2 (SWNE)

MICROFILMED

JUN 21 1990