


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

x Donald R Cobb
(Applicant)

SYSTEM DESCRIPTION
 * ATTACHMENT TO FIELD EXAM FORM

63-11106

sq 9675
 0 29185

+ 2625 km
 + 1050 shd


33185

= 0.0005

W

S

N



Not to Scale

UNRECORDED

AUG 27 1993

plu old
↑

PERMIT 63-11106 INIT DA
T. R. S. Q/Q
P/D 6n 3w 33 semeco
SCALE _____
PHOTO ID. _____

AUG 27 1993

63-11106



View of well. located in the NE
Portion of the property.



View to the SW

RECEIVED

AUG 27 1993

63-11106



View of the Domestic



View of lawn
from the NE corner
of the lawn.

AUG 27 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11106

Priority: January 8, 1990

Maximum Diversion Rate:

0.03 CFS

Maximum Diversion Volume:

3.6 AF

This is to certify, that DONALD R COBB
GLEND A D COBB

RT 7 BOX 422
CALDWELL ID 83605

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated January 23, 1990; and has submitted Proof of Beneficial Use on April 6, 1992. An examination indicates that the works have a diversion capacity of .030 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.03 CFS	3.6 AF

LOCATION OF POINT(S) OF DIVERSION:

SENWSW , Sec. 33, Township 06N, Range 03W
GEM County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
06N	03W	33	NWSW	0.8		0.8

Total number of acres irrigated: 0.8

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.5 afa per acre for the lands above.
6. Place of use is located within Unit 13, Block 1, Pleasant View Estates.

RECEIVED

AUG 27 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11106

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 30th
day of July, 1993.

Acting for *Norman O'Leary*
R. Keith Higginson, Director



AUG 27 1993

Amt. of Fee \$ _____

Date _____

Receipt No. _____

Receipt by _____

RECEIVED

APR 6 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. P63-11106 Telephone No. 459-1954
2. Name(s) of Permit Holder(s): DON & GLENDA COBB
3. Mailing Address: RT 7 Box 422, CALDWELL, IDAHO, 83605
4. Source of Water: GROUNDWATER

If **GROUNDWATER**, Well Driller's Name: DAVE ADAMSON Date Drilled: 10/2/90

OPTIONAL:

Pump horsepower: 1 Pressure (psi): 35 Dynamic pumping level (ft.): 100

5. Extent of Use (as authorized by the permit):

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 2 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted .037 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes ☒ No Installed? _____ Yes ☒ No

OR

Flow Measurement Port: Required? _____ Yes ☒ No Installed? _____ Yes ☒ No

8. Fee Enclosed: \$ 0 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

GLENDA COBB 208-459-1954
Name Telephone No.

RT 7 Box 422, CALDWELL, IDAHO, 83605
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

4/1/92
Date

Donald R Cobb
Signature (and title, if on behalf of a company or organization)

APR 13 1992

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11106

Proposed Priority: January 8, 1990

Maximum Diversion Rate:

0.04 CFS

This is to certify, that DONALD R. COBB
GLENDA D. COBB
RT. 7 BOX 422
CALDWELL, ID 83605

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

IRRIGATION

03/15 to 11/15

0.04 CFS

LOCATION OF POINT(S) OF DIVERSION:

SENWSW

Sec. 33, Township 06N, Range 03W
GEM County

PLACE OF USE: IRRIGATION

TWN RGE SEC

ACRES

ACRES

ACRES

TOTAL

06N 03W 33

NWSW 2

2

Total number of acres irrigated:

2

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 1992.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
5. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.
6. Place of use also known as Unit 13, Blk. 1, Pleasant View Estates.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

24th day of

May, 1990

[Signature]
for R. Keith Higginson, Director

MICROFILMED

JUN 05 1990

Form
6/85

RECEIVED
JAN 8 1990

RECEIVED

JAN 10 1990

Ident. No. 63-11106

Department of Water Resources

STATE OF IDAHO
Department of Water Resources
Western Regional Office
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

Glenda D. Cobb.

1. Name of applicant Donald R. Cobb Phone 459-1954
Post office address RT 7 Box 422, CALDWELL IDA 83605
2. Source of water supply GROUNDWATER which is a tributary of _____
3. Location of point of diversion is SE $\frac{1}{4}$ of NW $\frac{1}{4}$ of SW $\frac{1}{4}$, Govt. Lot _____
Sec. 33 Township 6N Range 3W B.M. Gem County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.04 for irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.04 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. BURIED 1" pipe with
pop up hydrants - and hoses.
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is 6 inches; proposed depth of well is 150 feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? NO
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
3 years (minimum 1 year).

RECEIVED

JUN 05 1990

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
6N	3W	33									2								2

Total number of acres to be irrigated 2

10. Describe any other water rights used for the same purposes as described above. NONE

11. a. Who owns the property at the point of diversion? Applicant

b. Who owns the land to be irrigated or place of use? Applicant


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: Adjacent property irrigated by Black Canyon Irrig. dist. / Place of use is Unit 13 of Blk 1 Pleasant View Estate.

MICROFILMED

JUN 0 5 1960

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X Donald R Cobb
(Applicant)

Received by AB Date 1/8/90 Time 11:30:30 Preliminary check by GG
Fee \$ 30.00 Receipted by \$ # MO05462 Date 1/8/90
Publication prepared by GG Date 1-24-90 Published in Messenger-Index
2/1 & 2/8/90
Publication approved st Date 3-30-90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

MICROFILMED

JUN 0 3 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

July 30, 1993


DONALD R COBB
GLENDA D COBB
RT 7 BOX 422
CALDWELL ID 83605

RE: WATER RIGHT NO. 63-11106

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,



JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECEIVED

AUG 27 1993

WR0749NP
No. 163-11106

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 07/16/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	DONALD R COBB	01/08/1990	IRRIGATION	03-15 11-15	0.03 CFS	3.6 AFA
C	GLEND A COBB					
	RT 7 BOX 422					
	CALDWELL ID 83605					
	(208) 459-1954					
				TOTAL DIVERSION:	0.03 CFS	3.6 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.03 CFS

Point(s) of Diversion: T06N R03W S33 SE NW SW

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE					
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM
06N	03W	33	:																	:	0.8
																				TOTAL ACRES	0.8

Pou County: GEM

Other Water Rights with Same Point(s) of Diversion and Source:
63-11106

Other Water Rights Listing Overlapping Place(s) of use:
63-11106

Conditions of Approval:

- R52 - This right when combined with all other rights shall provide no
- more than .03 cfs per acre nor more than 4.5 afa per acre for the
- lands above.

Remarks: Place of use is located within Unit 13, Block 1, Pleasant
View Estates.

Dates: App. Received: 01/23/1990 Priority Date: 01/08/1990
Proof Due Date: 06/01/1992 Proof Made Date: 04/06/1992
Exam Made Date: 12/30/1992 Exam Sent to S.O.: 04/28/1993
Licensed Date:

Misc: Water District Number: Field Exam Fee: N (Not Required)

Comments: Date: 04/06/1992 User-ID: VAULT Subject: Proof of Beneficial Use Rcvd
Proof of Beneficial Use Rcvd

Audit: 07/16/93 CHAPMAN

LICENSE REVIEW CHECKLIST

Permit # 63-11106 Date 7-16-93 Brenda Chapman

NAME	Yes	No	
	<u> </u>	<u>✓</u>	Or Address Change?
PRIORITY DATE	<u> </u>	<u>✓</u>	Advance? <u> </u> Memo to Advance <u> </u>
	<u> </u>	<u>✓</u>	Order to Reinstate Needed?
SOURCE	<u> </u>	<u>✓</u>	Changes? Clarification of Originally Intended source <u> </u>
	<u> </u>	<u>✓</u>	Notice of Intent to Void - Source change.
P/D	<u> </u>	<u>✓</u>	Amendment Needed? <u> </u>
	<u> </u>	<u>✓</u>	Is Overlap Analysis a Consideration?
P/U	<u> </u>	<u>✓</u>	Amendment Needed? <u> </u>
	<u> </u>	<u>✓</u>	Is Overlap Analysis a Consideration?
TOTAL CFS	<u>-NA-</u>		Incorrect Fee for rate recommended?
	<u>-NA-</u>		Disagree/Measurement <u>NONE DONE</u>
	<u> </u>	<u>✓</u>	Pumping Theoretical $(8.8) \times (.70) \times (1HP) = .03 \text{ CFS}$ $(100 + [2.31 \times 40])$
	<u> </u>	<u>✓</u>	System Capacity <u>.03</u>
	<u> </u>	<u> </u>	Allowable Amount: <u>Limited by CAPACITY & ALLOWABLE</u>
TOTAL VOLUME			Rate/ac <u>4.5</u> AFA Irr. Season <u>D</u> @ <u>.03 pm ac</u> <u>3-15 to 11-15</u> Standard Irr. Season <u>Standard</u> Season Recommended
	<u> </u>	<u>✓</u>	Disagree with Examiner's Calculations?
	<u> </u>	<u> </u>	<u>.8 \times 4.5 = 3.6</u>
	<u> </u>	<u>✓</u>	Flow limit: <u>.03</u> $\times 246 \times 1.9835 = 14.6 > 3.6$
USES	<u> </u>	<u>✓</u>	Change(s) in Nature of Use? <u> </u>
	<u> </u>	<u>✓</u>	Amendment Needed? <u> </u>
REMARKS	<u> </u>	<u>✓</u>	Multiple P/Ds in 1/4 1/4? <u> </u>
	<u> </u>	<u>✓</u>	Non-Irr. Uses <u> </u>
	<u> </u>	<u>✓</u>	Special Overlap Condition <u> </u>
	<u> </u>	<u>✓</u>	Other <u> </u>
CONDITIONS	<u> </u>	<u>✓</u>	Measuring Devices
	<u> </u>	<u>✓</u>	W/Master Control
	<u>R27</u>	<u> </u>	Irrigation Overlap
	<u> </u>	<u>✓</u>	Water Quality
	<u> </u>	<u>✓</u>	Dates/Misc
	<u> </u>	<u>✓</u>	Water Dist
	<u> </u>	<u>✓</u>	App Rec'd
	<u> </u>	<u>✓</u>	Exam Made
COMMENTS:	<u>GW-supp condition not necessary - under 1 acre.</u> <u>REDUCE ACRES AND RATE</u>		

RECOMMENDED	CFS	VOL	LICENSE
Irrigation	<u>.03</u>	<u>3.6</u>	<u>✓</u>
Domestic	<u> </u>	<u> </u>	
Stockwater	<u> </u>	<u> </u>	AMEND <u> </u>
<u> </u>	<u> </u>	<u> </u>	

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

MAY 11 1993

Department of Water Resources

POOR QUALITY

A. GENERAL INFORMATION

Permit No. 63-111061. Owner: Donald & Glenda Cobb Phone No. 459-1954Current Address: Rt. 7 Box 422 Caldwell, Ida 836052. Accompanied by: Glenda Cobb EXAM DATE: 12-30-92Address: same Phone No. sameRelationship to Permit Holder: same3. Source: groundwater tributary to NA

B. OVERLAP REVIEW

1. Other water rights with the same place of use: None2. Other water rights with the same point of diversion: None

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		50	nw	sw	33	6n	3w	boem	Quad, Field Exam

2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
6n	3w	33									.8								.8 AC

AUG 27 1993

POOR QUALITY

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.

* see Attachment

Scale 1 = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

NA Aerial Photo Attached
(required for irrigation of 10+ acres)

✓ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Submersible	—	1	—	—	—

***Code to correspond with No. on map and aerial photo**

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: $\text{Theoretical} = \frac{1 \times 8.8 \times .70}{100' + (7.3 \times 30)} = \frac{6.16}{169} = .04 \text{ cfs}$

SECRET

E. NARRATIVE/REMARKS/COMMENTS

This system uses pop-up sprinklers; a 1 hp pump to water
8 acres of lawn. The well is 150'; has a dynamic
level of 100'. the static level is at 76' and the
casing is 6". The well is only used on the
lawn area.

Have conditions of permit approval been met? ☒ yes ☐ no

RECEIVED

AUG 27 1993

POOR QUALITY

F. FLOW CALCULATIONS

Measured Method:

____ Additional Computation Sheets Attached

Theoretical = .04 cfs

.8 x .03 = .03 cfs
Ac. cfs/ac.

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = .8 \times 4.5 = 3.6 \text{ AFA}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .03 \text{ cfs} \times 245 \times 1.9835 = 14.58 \text{ AFA}$

$V = \text{Smaller of } V_{IR} \text{ and } V_{D.R.} = 3.6 \text{ AFA}$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3-15	11-15	.03 cfs	3.6 AFA
Totals:			.03 cfs	3.6 AFA

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION


Field Examiner's Name

Date 1-4-93

JFW 2/1/93


Reviewer

Date



AUG 27 1993

63-11106



plu pld
↑



PERMIT 63-11126 INIT 01
T. R. S. Q/Q
P/D 6m 3w 33 series
SCALE _____
PHOTO ID. _____



AUG 27 1993

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-11106

otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 6n, Rge 3w, Sec -33, NW 1/4 SW 1/4
or Lot _____.
2. Owner: Rt. 7 Box 422 Donald or Glenda Cobb
Address , City Caldwell, St. Ida
3. Casing ≥ 12 inches above ground: Yes ✓ No _____
4. Access Port: Yes ✓ No _____ Static Water Level: 76'
Pressure Gauge: Yes _____ No ✓ Casing Diameter: 6"
Flowing: Yes _____ No ✓ Temperature: N/A
5. Are there any obvious construction problems that may be a
source for contamination or waste of water: Yes _____ No ✓

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: _____


Mr. [REDACTED]

AUG 27 1993

63-11106




View of well. located in the NE
Portion of the property.



View to the SW

AUG 27 1993

63-11106



View of the Domestic



View of lawn
from the NE CORNER
OF THE LAWN.

AUG 27 1893

April 10, 1992

DONALD R. COBB
GLENDA D. COBB
RT. 7 BOX 422
CALDWELL ID 83605

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11106

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

APR 13 1992

ANALYSIS SHEET FOR

Permit No. 63-11106 Reviewed by Klg Date 4/6/92

TYPES OF USE

yes Name same as permit? negative -2
yes Address same as permit? _____
yes Proof timely received? Correct Uses? yes
 If not, complete calculation below.

TYPES OF USE

☐ Surface water source
☒ Ground water source

Yes Drilling permit required?
Yes Copy in the file? Drilling Permit No. 63-90-W-275
35 Amount paid for permit Yes Correct?
Yes Well log in the file?

MEASURING DEVICE

NA Required?
NA Installed?
NA Waiver requested?

MEASURING DEVICE

Date proof received	NA	
Date proof due		-
No. of days late		=
Priority Date		+
New Priority Date		

-driller 457

proof acceptable

DATA ENTRY

Proof Made 4/6/92
4/10/92 Klg

Proof Made 4/16/92
4/10/92 Klg

RECEIVED
OCT 13 1990

State of Idaho
Department of Water Resources

Department of Water Resources
Western Regional Office

APPLICATION FOR DRILLING PERMIT

1. Applicant (please print) Don & Glenda Cobb
2. Mailing Address Route # 7 Box 422
Caldwell Ida Telephone 459-1954
☒ Well Owner () Well Operator () Other, specify _____
3. Proposed well location SW 1/4 SW 1/4, or Gov't Lot No. _____
Sec. 33, Twp. 6 NORTH, Rge. 3 WEST, County GEM
Street Address of Well Site SAME AS ABOVE
Lot, block and subdivision _____
4. Proposed use of well:
☒ Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.
Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.
() Non-Domestic: Any beneficial use not included within the definition of domestic.
() Injection
() Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____
5. Well construction information:
A. ☒ New well () Deepen () Replace - See Condition 9
B. Proposed Surface Diameter 6" Proposed Maximum Depth 148 FT - 200 FT
C. Anticipated bottom hole temperature:
☒ 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212° or more (Geothermal well)
6. Construction Start Date 10-6-90
7. Anticipated Well Driller Adamson Pumps & Drilling
NOTE: The actual well driller must be identified prior to drilling.
8. Applicant's signature Don Adamson Date 10-6-90
Title Well Driller
() Firm () Other

MICROFILMED

APR 13 1992

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is Approved (v) Date 10-6-90

If approved, this permit authorizes the construction or modification of a well subject to the following conditions: READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

Robert B. Whitney Sr. Agent Title For Regional Mgr
Signature of Authorized Department Representative

Receipt No. W012796 Received by JEN Fee \$35.00 Date 10-18-90

MICROFILMED
APR 13 1992


EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension is good for 60 days beyond the above extension approval date.


WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>Don & Gloria Lewis</u> Address <u>ROUTE #1 BOX 422, CALDWELL</u> Owner's Permit No. <u>6390W275</u>		7. WATER LEVEL Static water level <u>76 FT</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature <u>54</u> °F. Quality <u>10 GRAIN PH B IRON 1</u> Describe artesian or temperature zones below																																																																																																																																																																																									
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement Well diameter increase _____ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)		8. WELL TEST DATA ☐ Pump ☐ Bailor ☒ Air ☐ Other _____ Discharge G.P.M. <u>25 GPM</u> Pumping Level _____ Hours Pumped <u>1/2 HOUR</u>																																																																																																																																																																																									
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)		9. LITHOLOGIC LOG																																																																																																																																																																																									
4. METHOD DRILLED ☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____		<table border="1"><thead><tr><th rowspan="2">Bore Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th colspan="2">Water</th></tr><tr><th>From</th><th>To</th><th>Yes</th><th>No</th></tr></thead><tbody><tr><td>6"</td><td>1</td><td>5</td><td>TOP SOIL</td><td></td><td></td></tr><tr><td></td><td>5</td><td>10</td><td>SAND</td><td></td><td></td></tr><tr><td></td><td>10</td><td>12</td><td>CLAY</td><td></td><td></td></tr><tr><td></td><td>12</td><td>15</td><td>SAND</td><td></td><td></td></tr><tr><td></td><td>15</td><td>18</td><td>CLAY</td><td></td><td></td></tr><tr><td></td><td>18</td><td>30</td><td>SANDY CLAY</td><td></td><td></td></tr><tr><td></td><td>30</td><td>32</td><td>CLAY</td><td></td><td></td></tr><tr><td></td><td>32</td><td>40</td><td>SANDY CLAY</td><td></td><td></td></tr><tr><td></td><td>40</td><td>43</td><td>CLAY</td><td></td><td></td></tr><tr><td></td><td>43</td><td>75</td><td>SANDY CLAY LAYERS</td><td></td><td></td></tr><tr><td></td><td>75</td><td>78</td><td>CLAY</td><td></td><td></td></tr><tr><td></td><td>78</td><td>100</td><td>SAND & SANDY CLAY LAYERS</td><td></td><td></td></tr><tr><td></td><td>100</td><td>115</td><td>" " " "</td><td></td><td></td></tr><tr><td></td><td>115</td><td>120</td><td>SAND</td><td></td><td>X</td></tr><tr><td></td><td>120</td><td>122</td><td>CLAY</td><td></td><td></td></tr><tr><td></td><td>122</td><td>125</td><td>SAND</td><td></td><td>X</td></tr><tr><td></td><td>125</td><td>128</td><td>CLAY</td><td></td><td></td></tr><tr><td></td><td>128</td><td>136</td><td>SAND</td><td></td><td>X</td></tr><tr><td></td><td>136</td><td>137</td><td>CLAY</td><td></td><td></td></tr><tr><td></td><td>137</td><td>143</td><td>SAND</td><td></td><td></td></tr><tr><td></td><td>143</td><td>145</td><td>CLAY</td><td></td><td></td></tr><tr><td></td><td>145</td><td>147</td><td>SAND</td><td></td><td>X</td></tr><tr><td></td><td>147</td><td>149</td><td>TAN CLAY</td><td></td><td></td></tr><tr><td></td><td>149</td><td>151</td><td>SAND</td><td></td><td>X</td></tr><tr><td></td><td>151</td><td>158</td><td>SANDY CLAY</td><td></td><td></td></tr><tr><td></td><td>158</td><td>170</td><td>SAND</td><td></td><td>X</td></tr><tr><td></td><td>170</td><td>177</td><td>CLAY</td><td></td><td></td></tr><tr><td></td><td>177</td><td>180</td><td>STRATIFIED CLAY</td><td></td><td>X</td></tr><tr><td></td><td></td><td></td><td>CLEANED UP VERY WELL</td><td></td><td></td></tr></tbody></table>		Bore Diam.	Depth		Material	Water		From	To	Yes	No	6"	1	5	TOP SOIL				5	10	SAND				10	12	CLAY				12	15	SAND				15	18	CLAY				18	30	SANDY CLAY				30	32	CLAY				32	40	SANDY CLAY				40	43	CLAY				43	75	SANDY CLAY LAYERS				75	78	CLAY				78	100	SAND & SANDY CLAY LAYERS				100	115	" " " "				115	120	SAND		X		120	122	CLAY				122	125	SAND		X		125	128	CLAY				128	136	SAND		X		136	137	CLAY				137	143	SAND				143	145	CLAY				145	147	SAND		X		147	149	TAN CLAY				149	151	SAND		X		151	158	SANDY CLAY				158	170	SAND		X		170	177	CLAY				177	180	STRATIFIED CLAY		X				CLEANED UP VERY WELL		
Bore Diam.	Depth		Material		Water																																																																																																																																																																																						
	From	To		Yes	No																																																																																																																																																																																						
6"	1	5	TOP SOIL																																																																																																																																																																																								
	5	10	SAND																																																																																																																																																																																								
	10	12	CLAY																																																																																																																																																																																								
	12	15	SAND																																																																																																																																																																																								
	15	18	CLAY																																																																																																																																																																																								
	18	30	SANDY CLAY																																																																																																																																																																																								
	30	32	CLAY																																																																																																																																																																																								
	32	40	SANDY CLAY																																																																																																																																																																																								
	40	43	CLAY																																																																																																																																																																																								
	43	75	SANDY CLAY LAYERS																																																																																																																																																																																								
	75	78	CLAY																																																																																																																																																																																								
	78	100	SAND & SANDY CLAY LAYERS																																																																																																																																																																																								
	100	115	" " " "																																																																																																																																																																																								
	115	120	SAND		X																																																																																																																																																																																						
	120	122	CLAY																																																																																																																																																																																								
	122	125	SAND		X																																																																																																																																																																																						
	125	128	CLAY																																																																																																																																																																																								
	128	136	SAND		X																																																																																																																																																																																						
	136	137	CLAY																																																																																																																																																																																								
	137	143	SAND																																																																																																																																																																																								
	143	145	CLAY																																																																																																																																																																																								
	145	147	SAND		X																																																																																																																																																																																						
	147	149	TAN CLAY																																																																																																																																																																																								
	149	151	SAND		X																																																																																																																																																																																						
	151	158	SANDY CLAY																																																																																																																																																																																								
	158	170	SAND		X																																																																																																																																																																																						
	170	177	CLAY																																																																																																																																																																																								
	177	180	STRATIFIED CLAY		X																																																																																																																																																																																						
			CLEANED UP VERY WELL																																																																																																																																																																																								
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ Thickness _____ inches Diameter _____ inches From _____ feet To _____ feet Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun Size of perforation _____ inches by _____ inches Number _____ From _____ feet To _____ feet perforations _____ feet _____ feet perforations _____ feet _____ feet perforations _____ feet _____ feet Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Model No. _____ Type _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>20</u> Material used in seal: ☐ Cement grout ☒ Bentonite ☒ Pudding clay ☐ _____ Sealing procedure used: ☒ Slurry pit ☒ Temp. surface casing ☐ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld _____ ☐ Cemented between strata Describe access port <u>WELL SEAL</u>		10. Work started <u>10-6-90</u> finished <u>10-6-90</u>																																																																																																																																																																																									
6. LOCATION OF WELL Sketch map location must agree with written description  Subdivision Name _____ Lot No. _____ Block No. <u>33</u> County <u>HEM</u> County <u>SW 1/4 SW 1/4 Sec. 33, T. 6 N. R. 3 W. 4</u>		11. DRILLERS CERTIFICATION I We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>JOHNSON PUMP-DRILL</u> Firm No. <u>457</u> Address <u>Nampa Idaho</u> Date: <u>10-7-90</u> Signed by (Firm Official) <u>Don Johnson</u> and (Operator) <u>Dave Johnson</u>																																																																																																																																																																																									

DONALD R. COBB
GLENDA D. COBB
RT. 7 BOX 422
CALDWELL ID 83605

March 31, 1992



RE: PERMIT NO. 63-11106 PROOF DUE NOTICE

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 1992. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures

MICROFILMED

APR 13 1992

S T A T E O F I D A H O

DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
May 24, 1990

DONALD R. COBB
GLENDA D. COBB
RT. 7 BOX 422
CALDWELL, ID 83605

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P63-11106

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you

RECEIVED

JUN 05 1990

commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

JUN 05 1990

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
 COUNTY OF GEM,

Esma Reyes, being first
 duly sworn, on his oath deposes and
 says that he is the ^{her} printer of Mes-
 senger-Index, a legal weekly news-
 paper published at Emmett, in Gem
 County, Idaho; that said newspaper
 is in general circulation in said
 county and has been published unin-
 terruptedly and continuously for
 more than 78 weeks prior to the
 first publication of the annexed
 document; and that the document
 notice, process, or advertisement
 hereunto annexed was published in
 the regular edition of Messenger-
 Index for TWO (2x)

consecutive weekly issues thereof,
 beginning with the issue of
JANUARY 31, 1990,
 and ending with the issue of
FEBRUARY 7, 1990

Esma Reyes
 Subscribed and sworn to before me
 this 7th day of
FEBRUARY, 1990
Mary Ann Hanson
 Notary Public,
 Residing at Emmett, Idaho.

My Commission Expires 3-21-95

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s)
 have been filed to appropriate
 the public waters of the State of
 Idaho:

63-11098
 AUGUSTINE, PATRICIA E.
 AUGUSTINE, CHARLES R.
 RT. 7 BOX 420
 CALDWELL, ID 83605
 Source: GROUNDWATER
 Diversion Pt: NWSW Sec 33 T
 06N R 03W
 Use: IRRIGATION (.040 CFS)
 Total Diversion: (.040 CFS)
 Date Filed: 1/10/1990
 In: T06N R03W S33 NWSW
 2.0 ACRES TOTAL

63-11106
 COBB, DONALD R.
 COBB, GLENDA D.
 RT. 7 BOX 422
 CALDWELL, ID 83605
 Source: GROUNDWATER
 Diversion Pt: SENWSW Sec 33
 T 06N R 03W
 Use: IRRIGATION (.040 CFS)
 Total Diversion: (.040 CFS)
 Date Filed: 1/08/1990
 In: T06N R03W S33 NWSW
 2.0 ACRES TOTAL

65-13123
 DAVIS, ALVIN D.
 DAVIS, KAREN L.
 HC 78 BOX 3769
 OLA, ID 83657
 Source: SPRING
 Tributary: SQUAW CREEK
 Diversion Pt: SWNESE Sec 10
 T 11N R 01E
 Use: IRRIGATION (.200 CFS)
 Total Diversion: (.200 CFS)
 Date Filed: 11/28/1989
 In: T11N R01E S10 NWSE
 10.0 ACRES TOTAL

65-13134
 VILLAGE OF SWEET
 C/O DUANE S. HILL
 7250 SWEET HWY.
 SWEET, ID 83670
 Source: SPRING
 Tributary: SQUAW CREEK
 Diversion Pt: NENESW Sec 3
 T 07N R 01E
 Use: IRRIGATION (.030 CFS)
 STOCKWATER (.050 CFS)
 DOMESTIC (.050 CFS)
 FIRE PROTECTION (.050 CFS)
 Total Diversion (.050 CFS)
 Date Filed: 1/18/1990
 In: T07N R01E S03 Lot 2
 (NWNE)
 NESW
 SWNE Lot 3 (NENW) SENW
 NWSE

65-13135
 JUSTUS ENTERPRISES
 C/O DON JUSTUS
 1024 RANCH RD.
 BOISE, ID 83702
 Source: SPRINGS
 Tributary: YERGENSEN
 CREEK
 Source: YERGENSEN CREEK
 Tributary: SQUAW CREEK
 Diversion Pt: SESWNW Sec 31
 T 08N R 01E
 SESENW Sec 31 T 08N R 01E
 SESW Sec 32 T 08N R 01E
 Use: STOCKWATER (.070 CFS)
 STOCKWATER STORAGE (.140
 AFA)
 STOCKWATER FROM
 STORAGE (.140 AFA)
 Total Diversion: (.070 CFS) (.14
 AF)
 Date Filed: 1/17/1990
 In: T08N R01E S31 SWNW
 SENW NESE
 S32 SESW

65-13142
 HYDE, ALAN
 2588 WATERWHEEL RD.
 EMMETT, ID 83617
 Source: GROUNDWATER
 Diversion Pt: SWNE Sec 4 T
 06N R 01W
 Use: COMMERCIAL (.040
 CFS)
 Total Diversion: (.040 CFS)
 Date Filed: 1/12/1990
 In: T06N R01W S04 SWNE

The permit(s) will be subject
 to all prior water rights. Protests
 must be filed with the Director,
 Dept. of Water Resources,
 Western Region, 2735 Airport
 Way, Boise, Idaho,
 83705 on or before February 20,
 1990.

R. KEITH HIGGINSON,
 Director
 Pub.: 1-31, 2-7-90
 Legal Notice No. 687
 Pub. in the Messenger Index

MICROFILMED
 JUN 11 1990

63-11106

COBB, DONALD R.
COBB, GLENDA D.
RT. 7 BOX 422
CALDWELL, ID 83605

Source: GROUNDWATER

Diversion Pt: SENWSW Sec 33 T 06N R 03W

Use: IRRIGATION (.040 CFS)
Total Diversion: (.040 CFS)

Date Filed: 1/08/1990

In: T06N R03W S33 NWSW

2.0 ACRES TOTAL

MICROFILMED
JUN 05 1990